

Obsah

1. Úvod	25
Použitá terminologie	25
Všobecné pojmy	26
Programové moduly	35
Generátory	37
Práce s myší	38
Práce s okny	39
Obrazovky	42
Dialogy	43
Ovládání nabídek	46
Barvy	48
Nápověda	49
Sestavy a jmenovky	50
Syntaktická pravidla jazyka FoxPro	51
Operátory	55
Výrazy	57
Vyhledávací technologie	62
Možné kombinace základních výrazů pomocí logických operátorů	63
Kombinace komplexních výrazů	64
CONFIG.SYS	66
2. Konfigurování FoxPro 2.5	69
3. Spuštění FoxPro 2.5	85
4. Příkazy a funkce	89
#DEFINE .. #UNDEF	89
#IF..#ENDIF	90
\$	91
%	91
&	92
=	93
\ \\\	93
? ??	94
???	95
@ ... SAY/GET pro výrazy	96
Textová tlačítka < >, « » (Push Buttons)	114
Přepínače (), (·) - Radio Buttons	115
Spínač [], [X] - Check Box	116

Seznam - List	117
Překryvný seznam - Popup	120
Neviditelné tlačítko - Invisible Buttons	123
Editační prostor - Text Edit Region	126
@..BOX	128
@..CLEAR	129
@..FILL	130
@..MENU	130
@..PROMPT	131
@..TO	131
ABS()	133
ACCEPT	133
ACOPY()	133
ACOS()	134
ACTIVATE MENU	134
ACTIVATE POPUP	135
ACTIVATE SCREEN	136
ACTIVATE WINDOW	137
ADEL()	138
ADIR()	139
AELEMENT()	140
AFIELDS()	141
AFONT()	141
AINS()	142
ALEN()	143
ALIAS()	143
ALLTRIM()	143
ANSITOOEM()	144
APPEND	144
APPEND FROM	145
APPEND FROM ARRAY	147
APPEND GENERAL	148
APPEND MEMO	149
ASC()	149
ASCAN()	149
ASIN()	150
ASORT()	150
ASUBSCRIPT()	152
AT()	152
ATAN()	153

REGIONAL	404
REINDEX	405
RELATION()	406
RELEASE	406
RELEASE MODULE	408
RENAME	408
REPLACE	408
REPLICATE()	409
REPORT	410
RESTORE FROM	412
RESTORE MACROS	412
RESTORE SCREEN	413
RESTORE WINDOW	413
RESUME	414
RETRY	414
RETURN	415
RGBSCHEME()	416
RIGHT()	416
RLOCK()	417
ROUND()	417
ROW()	418
RTOD()	418
RTRIM()	418
RUN !	418
SAVE MACROS	421
SAVE SCREEN	421
SAVE TO	422
SAVE WINDOW	423
SCAN..ENDSCAN	423
SCATTER	424
SCHEME()	426
SCOLS()	427
SCROLL	428
SECONDS()	429
SEEK	429
SEEK()	430
SELECT	430
SELECT - SQL	431
SELECT()	434
SET	435

SET ALTERNATE	435
SET ANSI	436
SET AUTOSAVE	437
SET BELL ON off	437
SET BLINK	438
SET BLOCKSIZE	438
SET BORDER	438
SET BRSTATUS	440
SET CARRY	440
SET CENTURY	440
SET CLEAR	441
SET CLOCK	441
SET COLLATE	442
SET COLOR OF	443
SET COLOR OF SCHEME	444
SET COLOR SET	447
SET COLOR TO	448
SET COMPATIBLE	450
SET CONFIRM	450
SET CONSOLE	451
SET CURRENCY	451
SET CURSOR	452
SET DATE	452
SET DEBUG	452
SET DECIMALS	453
SET DEFAULT	453
SET DELETED	454
SET DELIMITERS	455
SET DEVELOPMENT	455
SET DEVICE	455
SET DISPLAY	457
SET DOHISTORY	458
SET ECHO	458
SET ESCAPE	459
SET EXACT	459
SET EXCLUSIVE	460
SET FIELDS	461
SET FILTER	461
SET FIXED	462
SET FORMAT	462

SET FULLPATH	463
SET FUNCTION	463
SET HEADING	464
SET HELP	464
SET HELPFILTER	466
SET HOURS	467
SET INDEX	467
SET INTENSITY	468
SET KEYCOMP	468
SET LIBRARY	469
SET LOCK	469
SET LOGERRORS	470
SET MACKEY	470
SET MARGIN	470
SET MARK OF	471
SET MARK TO	471
SET MEMOWIDTH	472
SET MESSAGE	472
SET MOUSE	474
SET MULTILOCKS	474
SET NEAR	474
SET NOCPTRANS	475
SET NOTIFY	475
SET ODOMETER	476
SET OPTIMIZE	476
SET ORDER	477
SET PALETTE	478
SET PATH	478
SET PDSETUP	479
SET POINT	481
SET PRINTER	481
SET PROCEDURE	484
SET READBORDER	485
SET REFRESH	485
SET RELATION	487
SET RELATION OFF	489
SET REPROCESS	489
SET RESOURCE	490
SET SAFETY	491
SET SCOREBOARD	491

SET SEPARATOR	492
SET SHADOWS	492
SET SKIP	493
SET SKIP OF	494
SET SPACE	495
SET STATUS	495
SET STATUS BAR	496
SET STEP	496
SET STICKY	496
SET SYSMENU	497
SET TALK	509
SET TEXTMERGE	510
SET TEXTMERGE DELIMITERS	512
SET TOPIC	512
SET TRBETWEEN	513
SET TYPEAHEAD	514
SET UDFPARMS	515
SET UNIQUE	515
SET VIEW	515
SET WINDOW OF MEMO	516
SET()	516
SHOW GET	517
SHOW GETS	518
SHOW MENU	519
SHOW OBJECT	519
SHOW POPUP	520
SHOW WINDOW	520
SIGN()	521
SIN()	522
SIZE POPUP	522
SKIP	522
SKPBAR()	523
SKPPAD()	524
SORT	524
SOUNDEX()	525
SPACE()	526
SQRT()	526
SROWS()	527
STORE	527
STR()	528

STRTRAN()	529
STUFF()	530
SUBSTR()	531
SUM	531
SUSPEND	532
SYS(0)	532
SYS(1)	533
SYS(2)	533
SYS(3)	533
SYS(5)	534
SYS(6)	534
SYS(7, <oblast>])	534
SYS(9)	534
SYS(10, <výrazN>)	535
SYS(11, <výrazD> <výrazC>)	535
SYS(12)	535
SYS(13)	536
SYS(14, <výrazN> [, <alias>])	536
SYS(15, <výrazC1> , <výrazC2>)	536
SYS(16[, <výrazN>])	537
SYS(17)	538
SYS(18)	538
SYS(20)	538
SYS(21)	538
SYS(22 [, <výrazN>])	539
SYS(23)	539
SYS(24)	539
SYS(100)	539
SYS(101)	540
SYS(102)	540
SYS(103)	540
SYS(1001)	540
SYS(1016)	540
SYS(2000, <maska*?> [,1])	541
SYS(2001, <výrazC> [,1])	541
SYS(2002[,1])	542
SYS(2003)	542
SYS(2004)	542
SYS(2005)	542
SYS(2006)	543

SYS(2007, <výrazC>)	543
SYS(2008[, <výrazC> [, <výrazN>]])	544
SYS(2009)	545
SYS(2010)	545
SYS(2011)	545
SYS(2012[, <alias>])	546
SYS(2013)	546
SYS(2014, <výrazC1> [, <výrazC2>])	546
SYS(2015)	547
SYS(2016)	548
SYS(2017)	548
SYS(2018)	548
SYS(2019)	548
SYS(2020)	549
SYS(2021, <výrazN> [, <alias>])	549
SYS(2022 [, <disk>])	549
SYS(2023)	549
SYSMETRIC()	549
TAG()	551
TAN()	551
TARGET()	551
TEXT..ENDTEXT	552
TIME()	552
TOTAL	552
TRANSFORM()	556
TRIM()	557
TXTWIDTH()	557
TYPE	558
TYPE()	558
UNLOCK	559
UPDATE	559
UPDATED()	560
UPPER()	560
USE	561
USED()	563
UDF - User-Defined Function	563
VAL()	564
VARREAD()	565
VERSION()	565
WAIT	565

WBORDER()	566
WCHILD()	567
WCOLS()	567
WEXIST()	568
WFONT()	568
WLAST()	569
WLCOL()	569
WLROW()	570
WMAXIMUM()	570
WMINIMUM()	570
WONTOPT()	571
WOUTPUT()	571
WPARENT()	572
WREAD()	572
WROWS()	572
WTITLE()	572
WVISIBLE()	573
YEAR()	573
ZAP	573
ZOOM WINDOW	574

5. Systémové proměnné	577
ALIGNMENT	578
BEAUTIFY = <program>	579
BOX	580
CALCMEM	580
CALCVALUE	581
CLIPTEXT	581
CUROBJ	582
DBLCLICK	582
DIARYDATE	583
DOS	583
FOXDOC	583
FOXGRAPH	584
GENGRAPH	585
GENMENU = <jméno programu>	585
GENPD	585
GENSCRN	586
GENXTAB	586
INDENT	587

_LMARGIN	587
_MAC	587
_MLINE	588
_PADVANCE	588
_PAGENO	589
_PBPAGE	589
_PCOLNO	589
_PCOPIES	590
_PDRIVER	590
_PDSETUP	591
_PECODE	591
_PEJECT	591
_PEPAGE	592
_PLENGTH	592
_PLINENO	592
_PLOFFSET	593
_PPITCH	593
_PQUALITY	594
_PRETEXT	594
_PSCODE	594
_PSPACING	594
_PWAIT	595
_RMARGIN	596
_SPELLCHK = <jméno programu>	596
_STARTUP	597
_TABS	597
_TALLY	598
_TEXT	598
_THROTTLE	598
_TRANSPORT	599
_UNIX	600
_WINDOWS	601
_WRAP	601

ATC()	153
ATCLINE()	153
ATLINE()	154
ATN2()	154
AVERAGE	154
BAR()	155
BETWEEN()	155
BOF()	156
BROWSE	156
BUILD APP	163
BUILD EXE	164
BUILD PROJECT	165
CALCULATE	166
CALL	168
CANCEL	168
CAPSLOCK()	169
CDOW()	169
CDX()	169
CEILING()	170
CHANGE	170
CHR()	171
CHRSAW()	171
CHRTRAN()	172
CLEAR	174
CLEAR ALL	174
CLEAR FIELDS	174
CLEAR GETS	175
CLEAR MACROS	175
CLEAR MEMORY	175
CLEAR MENUS	175
CLEAR POPUPS	176
CLEAR PROGRAM	176
CLEAR PROMPT	176
CLEAR READ [ALL]	176
CLEAR TYPEAHEAD	177
CLOSE ALL	177
CLOSE ALTERNATE	177
CLOSE DATABASES	177
CLOSE FORMAT	178
CLOSE INDEXES	178

CLOSE MEMO	178
CLOSE PROCEDURE	178
CMONTH()	179
CNTBAR()	179
CNTPAD()	179
COL()	180
COMPILE	180
CONTINUE	181
COPY FILE	181
COPY INDEXES	183
COPY MEMO	184
COPY STRUCTURE	184
COPY STRUCTURE EXTENDED	184
COPY TAG	185
COPY TO	185
COPY TO ARRAY	187
COS()	188
COUNT	188
CPCONVERT()	189
CPCURRENT()	189
CPDBF()	190
CREATE	190
CREATE COLOR SET	190
CREATE FROM	191
CREATE CURSOR	191
CREATE LABEL	193
CREATE PROJECT	194
CREATE QUERY	195
CREATE REPORT	195
CREATE REPORT..FROM	196
CREATE SCREEN	198
CREATE SCREEN..FROM	201
CREATE TABLE - SQL	203
CREATE VIEW	204
CTOD()	204
CURDIR()	205
DATE()	205
DAY()	205
DBF()	205
DEACTIVATE MENU	206

DEACTIVATE POPUP	206
DEACTIVATE WINDOW	207
DECLARE	207
DDE funkee	207
DDEAbortTrans()	210
DDEAdvise()	210
DDEEnabled()	212
DDEExecute()	213
DDEInitiate()	214
DDELastError()	215
DDEPoke()	216
DDERequest()	218
DDESetOption()	219
DDESetService()	219
DDESetTopic()	226
DDETerminate()	229
DEFINE BAR	230
DEFINE BOX	231
DEFINE MENU	232
DEFINE PAD	233
DEFINE POPUP	236
DEFINE WINDOW	238
DELETE	244
DELETE FILE	245
DELETE TAG	246
DELETED()	246
DIFFERENCE()	247
DIMENSION	247
DIRECTORY	248
DISKSPACE()	249
DISPLAY	249
DISPLAY FILES	250
DISPLAY MEMORY	251
DISPLAY STATUS	252
DISPLAY STRUCTURE	254
DMY()	255
DO	255
DO CASE..ENDCASE	259
DO WHILE..ENDDO	260
DOW()	262

DTOC()	262
DTOR()	262
DTOS()	262
EDIT	263
EJECT	263
EJECT PAGE	263
EMPTY()	264
EOF()	265
ERASE	266
ERROR()	266
EVALUATE()	266
EXIT	267
EXP()	267
EXPORT	267
EXTERNAL	268
FCHSIZE()	268
FCLOSE()	269
FCOUNT()	270
FCREATE()	270
FEOF()	270
FERROR()	271
FFLUSH()	272
FGETS()	272
FIELD()	273
FILE()	273
FILER	274
FILTER()	274
FIND	275
FKLABEL()	275
FKMAX()	276
FLOCK()	276
FLOOR()	279
FLUSH	279
FONTMETRIC()	281
FOPEN()	283
FOR..ENDFOR	284
FOUND()	286
FPUTS()	288
FREAD()	289
FSEEK()	290

FSIZE()	290
FULLPATH()	291
FUNCTION	292
FV()	293
FWRITE()	293
GATHER	294
GETBAR()	295
GETDIR()	296
GETENV()	296
GETEXPR	297
GETFILE()	298
GETFONT()	299
GETPAD()	300
GO	300
GOMONTH()	301
HEADER()	302
HELP	302
HIDE MENU	304
HIDE POPUP	306
HIDE WINDOW	306
IDXCOLLATE()	307
IF..ELSE..ENDIF	309
IIF()	310
IMPORT	310
INDEX	311
INKEY()	320
INLIST()	323
INPUT	323
INSERT	324
INSERT - SQL	324
INSMODE()	325
INT()	325
ISALPHA()	325
ISCOLOR()	326
ISDIGIT()	327
ISLOWER()	327
ISUPPER()	327
JOIN	327
KEY()	329
KEYBOARD	330

LABEL	330
LASTKEY()	332
LEFT()	332
LEN()	332
LIKE()	333
LINENO()	333
LIST	334
LIST FILES	334
LIST MEMORY	334
LIST STATUS	335
LIST STRUCTURE	335
LOAD	335
LOCATE	336
LOCFILE()	338
LOCK()	338
LOG()	340
LOG10()	340
LOOKUP()	341
LOWER()	341
LTRIM()	342
LUPDATE()	342
MAX()	342
MCOL()	343
MDOWN()	343
MDX()	343
MDY()	344
MEMLINES()	344
MEMORY()	345
MENU BAR <pole>,<výrazN>	345
MENU <výrazN1>,<pole>,<výrazN2> [,<výrazN3]>	346
READ MENU BAR TO <proměnnáN1>,<proměnnáN2> [SAVE]	346
MENU TO	347
MENU()	347
MESSAGE()	347
MIN()	348
MLINE()	348
MOD()	349
MODIFY COMMAND/FILE	349
MODIFY GENERAL	351
MODIFY LABEL	351

MODIFY MEMO	352
MODIFY MENU	353
MODIFY PROJECT	354
MODIFY QUERY	354
MODIFY REPORT	354
MODIFY SCREEN	355
MODIFY STRUCTURE	356
MODIFY WINDOW	356
MONTH()	357
MOVE POPUP	358
MOVE WINDOW	359
MRKBAR()	360
MRKPAD()	361
MROW()	361
MWINDOW()	361
NDX()	362
NETWORK()	362
NOTE	363
NUMLOCK()	363
OBJNUM()	363
OCCURS()	364
OEMTOANSI()	364
ON BAR	365
ON ERROR	365
ON ESCAPE	366
ON KEY	367
ON KEY =	368
ON KEY LABEL	369
ON PAD	372
ON PAGE	372
ON READERROR	373
ON SELECTION BAR	373
ON SELECTION MENU	374
ON SELECTION PAD	374
ON SELECTION POPUP	375
ON SHUTDOWN	375
ON()	376
ORDER()	377
OS()	378
PACK	378

PAD ()	379
PADC () PADL () PADR ()	379
PARAMETERS	379
PARAMETERS()	381
PAYMENT()	381
PCOL()	381
PI()	382
PLAY MACRO	383
POP KEY	383
POP MENU	383
POP POPUP	384
POPUP()	384
PRINTJOB ... ENDPRINTJOB	384
PRINTSTATUS()	386
PRIVATE	387
PRMBAR()	387
PRMPAD()	388
PROCEDURE	388
PROGRAM()	389
PROMPT()	389
PROPER()	390
PROW()	390
PUBLIC	391
PUSH KEY	391
PUSH MENU	391
PUSH POPUP	392
PUTFILE()	392
PV()	393
QUIT	393
RAND()	394
RAT()	394
RATLINE()	395
RDLEVEL()	395
READ	395
READ MENU	399
READKEY()	400
RECALL	402
RECCOUNT()	403
RECNO()	403
RECSIZE ()	404