

References

- Akaike, H. (1974). A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19(6), 716–723.
- Alpaydin, E. (2009). *Introduction to Machine Learning*. MIT Press.
- Alvanides, S., & Openshaw, S. (1999). Zone design for planning and policy analysis. In Stillwell, J., Geertman, S., & Openshaw, S. (eds.). *Geographical Information and Planning* (299–315). Springer.
- Ankerst, M., Breunig, M. M., Kriegel, H. P., & Sander, J. (1999). OPTICS: Ordering points to identify the clustering structure. *ACM Sigmod Record*, 28(2), 49–60.
- Anselin, L. (1988). *Spatial Econometrics: Methods and Models*. Kluwer Academic. Retrieved from <https://link.springer.com/book/10.1007%2F978-94-015-7799-1>.
- Anselin, L. (1989). *What Is Special about Spatial Data*. Technical Report 8-4. Santa Barbara: University of California, Santa Barbara, National Center for Geographic Information and Analysis.
- Anselin, L. (1995). Local indicators of spatial association-LISA. *Geographical Analysis*, 27(2), 93–115.
- Anselin, L. (2003). Spatial econometrics. In Baltagi, B. (ed.). *A Companion to Theoretical Econometrics* (310–330). Blackwell.
- Anselin, L. (2005). *Exploring Spatial Data with GeoDaTM: A Workbook*. Center for Spatially Integrated Social Science.
- Anselin, L. (2010). Thirty years of spatial econometrics. *Papers in Regional Science*, 89(1), 3–25.
- Anselin, L. (2014). *Modern Spatial Econometrics in Practice: A Guide to GeoDa, GeoDa-Space and PySAL*. GeoDa Press.
- Anselin, L. (2016). *Spatial Autocorrelation*. The Centre of Spatial Data Science. University of Chicago. Retrieved from https://spatial.uchicago.edu/sites/spacial-data.uchicago.edu/files/3_spatial_autocorrelation_r.pdf.
- Anselin, L. (2018). *GeoDa: An Introduction to Spatial Data Analysis*. GeoDa. Retrieved from https://geodacenter.github.io/workbook/5b_global_adv/lab5b.html#fn1 and https://geodacenter.github.io/workbook/4a_contig_weights/lab4a.html.
- Anselin, L., & Kelejian, H. H. (1997). Testing for spatial error autocorrelation in the presence of endogenous regressors. *International Regional Science Review*, 20(1–2), 153–182.
- Arthur, D., & Vassilvitskii, S. (2007, January). k-means++: The advantages of careful seeding. In *Proceedings of the Eighteenth Annual ACM-SIAM Symposium on Discrete Algorithms* (1027–1035). Society for Industrial and Applied Mathematics.

- Assunção, R. M., Neves, M. C., Câmara, G., & da Costa Freitas, C. (2006). Efficient regionalization techniques for socio-economic geographical units using minimum spanning trees. *International Journal of Geographical Information Science*, 20(7), 797–811.
- Bailey, T. C., & Gatrell, A. C. (1995). *Interactive Spatial Data Analysis* (Vol. 413). Longman Scientific & Technical.
- Baller, R. D., Anselin, L., Messner, S. F., Deane, G., & Hawkins, D. F. (2001). Structural covariates of US county homicide rates: Incorporating spatial effects. *Criminology*, 39(3), 561–588.
- Belsley, D. A., Kuh, E., & Welsch, R. E. (1980). *Regression Diagnostics: Identifying Influential Data and Sources of Collinearity*. John Wiley & Sons. doi: 10.1002/0471725153.
- Benjamini, Y. (2010). Discovering the false discovery rate. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 72(4), 405–416.
- Benjamini, Y., & Hochberg, Y. (1995). Controlling the false discovery rate: A practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society: Series B (Methodological)*, 57(1), 289–300.
- Bivand, R. S., Pebesma, E. J., Gomez-Rubio, V., & Pebesma, E. J. (2008). *Applied Spatial Data Analysis with R* (Vol. 747248717). Springer.
- Blaikie, N. (2003). *Analyzing Quantitative Data*. SAGE Publications Ltd. doi: 10.4135/9781849208604.
- Bonferroni, C. (1936). Teoria statistica delle classi e calcolo delle probabilita. *Pubblicazioni del R Istituto Superiore di Scienze Economiche e Commerciali di Firenze*, 8, 3–62.
- Breusch, T. S., & Pagan, A. R. (1979). A simple test for heteroscedasticity and random coefficient variation. *Econometrica: Journal of the Econometric Society*, 1287–1294.
- Briggs, R. (2012). Lecture notes on spatial correlation and regression. Retrieved from www.utdallas.edu/~briggs/.
- Brunsdon, C., Fotheringham, A. S., & Charlton, M. E. (1996). Geographically weighted regression: A method for exploring spatial nonstationarity. *Geographical Analysis*, 28(4), 281–298.
- Brusco, M. J., & Cradit, J. D. (2001). A variable-selection heuristic for K-means clustering. *Psychometrika*, 66(2), 249–270.
- Burt, J. E., Barber, G. M., & Rigby, D. L. (2009). *Elementary Statistics for Geographers*. Guilford Press.
- Caldas de Castro, M., & Singer, B. H. (2006). Controlling the false discovery rate: A new application to account for multiple and dependent tests in local statistics of spatial association. *Geographical Analysis*, 38(2), 180–208.
- Caliński, T., & Harabasz, J. (1974). A dendrite method for cluster analysis. *Communications in Statistics – Theory and Methods*, 3(1), 1–27.
- Campello, R. J., Moulavi, D., Zimek, A., & Sander, J. (2015). Hierarchical density estimates for data clustering, visualization, and outlier detection. *ACM Transactions on Knowledge Discovery from Data (TKDD)*, 10(1), 5.
- Cangelosi, R., & Goriely, A. (2007). Component retention in principal component analysis with application to cDNA microarray data. *Biology Direct*, 2(1), 2.
- Chambers, J. M., Cleveland, W. S., Kleiner, B., & Tukey, P. A. (1983). Comparing data distributions. In *Graphical Methods for Data Analysis* (47–73). Bell Laboratories.

- Charlton, M., Brunsdon, C., Demsar, U., Harris, P., & Fotheringham, S. (2010). Principal components analysis: From global to local. In 13th AGILE International Conference on Geographic Information Science, *Guimaraes, Portugal*.
- Clark, P. J., & Evans, F. C. (1954). Distance to nearest neighbor as a measure of spatial relationships in populations. *Ecology*, 35(4), 445–453.
- Dall'erba, S. (2009). Exploratory spatial data analysis. In Kitchin, R., & Thrift, N. (eds.). *International Encyclopedia of Human Geography* (Vol. 3) (683–690). Elsevier.
- Darmofal, D. (2015). *Spatial Analysis for the Social Sciences* (Analytical Methods for Social Research). Cambridge University Press. doi: 10.1017/CBO9781139051293.
- Demšar, U., Harris, P., Brunsdon, C., Fotheringham, A. S., & McLoone, S. (2013). Principal component analysis on spatial data: An overview. *Annals of the Association of American Geographers*, 103(1), 106–128.
- de Smith, M. J. (2018). *Statistical Analysis Handbook: A Comprehensive Handbook of Statistical Concepts, Techniques and Software Tools*. Retrieved from www.statsref.com/HTML/index.html.
- de Smith, M. J., Goodchild, M. F., & Longley, P. (2018). *Geospatial Analysis: A Comprehensive Guide to Principles, Techniques and Software Tools* (6th edn.). Retrieved from www.spatialanalysisonline.com.
- de Vaus, D. (2002). *Analyzing Social Science Data: 50 Key Problems in Data Analysis*. Sage.
- Duque, J. C., Ramos, R., & Suriñach, J. (2007). Supervised regionalization methods: A survey. *International Regional Science Review*, 30(3), 195–220.
- Ester, M., Kriegel, H. P., Sander, J., & Xu, X. (1996). A density-based algorithm for discovering clusters in large spatial databases with noise. *Proceedings of Knowledge Discovery and Data Mining*, 96(34), 226–231.
- ESRI. (2014). How kernel density works. *ESRI*. Retrieved from <http://pro.arcgis.com/en/pro-app/tool-reference/spatial-analyst/how-kernel-density-works.htm>.
- ESRI. (2015). Incremental spatial autocorrelation. *ESRI*. Retrieved from <http://desktop.arcgis.com/en/arcmap/10.3/tools/spatial-statistics-toolbox/incremental-spatial-autocorrelation.htm>.
- ESRI. (2016a). Interpreting exploratory regression results. *ESRI*. Retrieved from <http://pro.arcgis.com/en/pro-app/tool-reference/spatial-statistics/interpreting-exploratory-regression-results.htm>.
- ESRI. (2016b). Geographically weighted regression (GWR). *ESRI*. Retrieved from <http://desktop.arcgis.com/en/arcmap/10.3/tools/spatial-statistics-toolbox/geographically-weighted-regression.htm>.
- ESRI. (2017). How emerging hot spot analysis works. *ESRI*. Retrieved from <http://pro.arcgis.com/en/pro-app/tool-reference/space-time-pattern-mining/learnmoreemerging.htm>.
- ESRI. (2018a). An overview of the mapping clusters toolset. *ESRI*. Retrieved from <http://pro.arcgis.com/en/pro-app/tool-reference/spatial-statistics/an-overview-of-the-mapping-clusters-toolset.htm>.
- ESRI. (2018b). How similarity search works. *ESRI*. Retrieved from <http://pro.arcgis.com/en/pro-app/tool-reference/spatial-statistics/how-similarity-search-works.htm>.
- ESRI. (2018c). What is a z-score? What is a p-value?. *ESRI*. Retrieved from https://pro.arcgis.com/en/pro-app/tool-reference/spatial-statistics/what-is-a-z-score-what-is-a-p-value.htm#ESRI_SECTION1_2C5DFC8106F84F988982CABAEDBF1440.

- ESRI. (2019). How grouping analysis works. ESRI. Retrieved from <http://pro.arcgis.com/en/pro-app/tool-reference/spatial-statistics/how-grouping-analysis-works.htm>.
- Fischer, M. M., & Getis, A. (eds.). (2010). *Handbook of Applied Spatial Analysis: Software Tools, Methods and Applications*. Springer Science & Business Media.
- Fotheringham, S., Brunsdon, C., & Charlton, M. (2000). *Quantitative Geography: Perspectives on Spatial Data Analysis*. Sage.
- Fotheringham, S., Brunsdon, C., & Charlton, M. (2002). *Geographically Weighted Regression: The Analysis of Spatially Varying Relationships*. Wiley.
- Gangodagamage, C., Zhou, X., & Lin, H. (2008). Autocorrelation, spatial. In Shekhar, S., & Xiong, H. (eds.). *Encyclopedia of GIS*. Springer Science & Business Media.
- Gatrell, A. C., Bailey, T. C., Diggle, P. J., & Rowlingson, B. S. (1996). Spatial point pattern analysis and its application in geographical epidemiology. *Transactions of the Institute of British Geographers*, 256–274.
- Geary, R. C. (1954). The contiguity ratio and statistical mapping. *The Incorporated Statistician*, 5, 115–145.
- Getis, A. (1990). Screening for spatial dependence in regression analysis. *Papers in Regional Science*, 69(1), 69–81.
- Getis, A. (1995). Spatial filtering in a regression framework: Examples using data on urban crime, regional inequality, and government expenditures. In Anselin, L., & Florax, R. J. G. M. (eds.). *New Directions in Spatial Econometrics: Advances in Spatial Science*. Springer.
- Getis, A., & Griffith, D. A. (2002). Comparative spatial filtering in regression analysis. *Geographical Analysis*, 34(2), 130–140.
- Getis, A., & Ord, J. K. (1992). The analysis of spatial association by use of distance statistics. *Geographical Analysis*, 24(3), 189–206.
- Gnanadesikan, R., Kettenring, J. R., & Tsao, S. L. (1995). Weighting and selection of variables for cluster analysis. *Journal of Classification*, 12(1), 113–136.
- Goodchild, M. (2008). Data analysis, spatial. In Shekhar, S., & Xiong, H., (eds.). *Encyclopedia of GIS*. Springer Science & Business Media.
- Goulard, M., Laurent, T., & Thomas-Agnan, C. (2017). About predictions in spatial autoregressive models: Optimal and almost optimal strategies. *Spatial Economic Analysis*, 12(2–3), 304–325.
- Grekousis, G. (2013a). Giving fuzziness to spatial clusters: A new index for choosing the optimal number of clusters. *International Journal on Artificial Intelligence Tools*, 22(03), 1350009.
- Grekousis, G. (2018). Further widening or bridging the gap? A cross-regional study of unemployment across the EU Amid Economic Crisis. *Sustainability*, 10(6), 1702.
- Grekousis, G. (2019). Artificial neural networks and deep learning in urban geography: A systematic review and meta-analysis. *Computers, Environment and Urban Systems*, 74, 244–256. <https://doi.org/10.1016/j.compenvurbsys.2018.10.008>.
- Grekousis, G., & Fotis, Y. N. (2012). A fuzzy index for detecting spatiotemporal outliers. *Geoinformatica*, 16(3), 597–619.
- Grekousis, G., & Gialis, S. (2018). More flexible yet less developed? Spatio-temporal analysis of labor flexibilization and gross domestic product in crisis-hit European Union regions. *Social Indicators Research*, 1–20.
- Grekousis, G., & Hatzichristos, T. (2013). Fuzzy clustering analysis in geomarketing research. *Environment and Planning B: Planning and Design*, 40(1), 95–116.

- Grekousis, G., & Liu, Y. (2019). Where will the next emergency event occur? Predicting ambulance demand in emergency medical services using artificial intelligence. *Computers, Environment and Urban Systems*, 76, 110–122. <https://doi.org/10.1016/j.compenvurbsys.2019.04.006>.
- Grekousis, G., & Mountrakis, G. (2015). Sustainable development under population pressure: Lessons from developed land consumption in the conterminous US. *PLoS One*, 10(3), e0119675.
- Grekousis, G., & Photis, Y. N. (2014). Analyzing high-risk emergency areas with GIS and neural networks: The case of Athens, Greece. *The Professional Geographer*, 66(1), 124–137.
- Grekousis, G., & Thomas, H. (2012). Comparison of two fuzzy algorithms in geodemographic segmentation analysis: The Fuzzy C-Means and Gustafson–Kessel methods. *Applied Geography*, 34, 125–136.
- Grekousis, G., Kavouras, M., & Mountrakis, G. (2015a). Land cover dynamics and accounts for European Union 2001–2011. In *Third International Conference on Remote Sensing and Geoinformation of the Environment (RSCy2015)* (Vol. 9535, p. 953507). International Society for Optics and Photonics.
- Grekousis, G., Manetos, P., & Photis, Y. N. (2013). Modeling urban evolution using neural networks, fuzzy logic and GIS: The case of the Athens metropolitan area. *Cities*, 30, 193–203.
- Grekousis, G., Mountrakis, G., & Kavouras, M. (2015b). An overview of 21 global and 43 regional land-cover mapping products. *International Journal of Remote Sensing*, 36(21), 5309–5335.
- Grekousis, G., Mountrakis, G., & Kavouras, M. (2016). Linking MODIS-derived forest and cropland land cover 2011 estimations to socioeconomic and environmental indicators for the European Union's 28 countries. *GIScience & Remote Sensing*, 53(1), 122–146.
- Griffith, D. A., & Amrhein, C. G. (1997). *Multivariate Statistical Analysis for Geographers*. Prentice Hall.
- Guo, D. (2008). Regionalization with dynamically constrained agglomerative clustering and partitioning (REDCAP). *International Journal of Geographical Information Science*, 22(7), 801–823.
- Haining, P. R. (2010). The nature of georeferenced data. In Fischer, M., & Getis, A. (eds.). *Handbook of Applied Spatial Analysis*. Springer.
- Halkidi, M., Batistakis, Y., & Vazirgiannis, M. (2001). On clustering validation techniques. *Journal of Intelligent Information Systems*, 17(2–3), 107–145.
- Hamilton L. (2014). *Introduction to Principal Component Analysis (PCA)*. Retrieved from www.lauradhamilton.com/introduction-to-principal-component-analysis-pca.
- Harris, P., Brunsdon, C., & Charlton, M. (2011). Geographically weighted principal components analysis. *International Journal of Geographical Information Science*, 25(10), 1717–1736.
- Illian, J., Penttinen, A., Stoyan, H., & Stoyan, D. (2008). *Statistical Analysis and Modelling of Spatial Point Patterns* (Vol. 70). John Wiley & Sons.
- Jackson, J. E. (1991). *A User's Guide to Principal Components*. John Wiley & Sons.
- Jain, A. K., & Dubes, R. C. (1988). *Algorithms for Clustering Data*. Prentice-Hall.
- Jiang, M. F., Tseng, S. S., & Su, C. M. (2001). Two-phase clustering process for outliers detection. *Pattern Recognition Letters*, 22(6–7), 691–700.
- Jolliffe, I. T. (2002). *Principal Component Analysis*. Springer Series in Statistics. Springer.

- Kelejian, H. H., & Prucha, I. R. (2010). Specification and estimation of spatial autoregressive models with autoregressive and heteroskedastic disturbances. *Journal of Econometrics*, 157(1), 53–67.
- Kim, C. W., Phipps, T. T., & Anselin, L. (2003). Measuring the benefits of air quality improvement: A spatial hedonic approach. *Journal of Environmental Economics and Management*, 45(1), 24–39.
- Koenker, R., & Hallock, K. (2001). Quantile regression: An introduction. *Journal of Economic Perspectives*, 15(4), 43–56.
- Krivoruchko, K. (2011). *Spatial Statistical Data Analysis for GIS Users*, ESRI Press.
- Kulin, H. W., & Kuenne, R. E. (1962). An efficient algorithm for the numerical solution of the generalized Weber problem in spatial economics. *Journal of Regional Science*, 4(2), 21–33.
- Lacey, M. (1997). *Multiple Linear Regression*. Retrieved from www.stat.yale.edu/Courses/1997-98/101/linmult.htm.
- Lee, J., & Wong, D. W. (2001). *Statistical Analysis with ArcView GIS*. John Wiley & Sons.
- LeSage, J. P. (1998). *Spatial Econometrics*. Report retrieved from <http://spatial-econometrics.com/html/wbook.pdf>.
- Linneman, T. J. (2011). *Social Statistics: The Basics and Beyond*. Routledge.
- Longley, P. A., Goodchild, M. F., Maguire, D. J., & Rhind, D. W. (2011). *Geographic Information Science and Systems* (3rd edn.). John Wiley & Sons.
- Liu, Y., Wang, R., Grekousis, G., Liu, Y., Yuan, Y., & Li, Z. (2019). Neighbourhood greenness and mental wellbeing in Guangzhou, China: What are the pathways? *Landscape and Urban Planning*, 190, 103603. <https://doi.org/10.1016/j.landurbplan.2019.103602>.
- Lu, Y., & Thill, J. C. (2003). Assessing the cluster correspondence between paired point locations. *Geographical Analysis*, 35(4), 290–309.
- MacQueen, J. (1967). Some methods for classification and analysis of multivariate observations. *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*, 1(14), 281–297.
- Mitchell, A. (2005). *The ESRI Guide to GIS Analysis, Volume 2*. ESRI Press.
- Moran, P. A. P. (1950). Notes on continuous stochastic phenomena. *Biometrika*, 37, 17–23.
- Murray, A. T. (2010). Quantitative geography. *Journal of Regional Science*, 50(1), 143–163.
- Neyman, J. (1937). X: Outline of a theory of statistical estimation based on the classical theory of probability. *Philosophical Transactions of the Royal Society of London. Series A, Mathematical and Physical Sciences*, 236(767), 333–380.
- Newton, R. R., & Rudestam, K. E. (1999). *Your Statistical Consultant: Answers to Your Data Analysis Questions*. Sage.
- Ogee, A., et al. (2013). Multiple regression analysis: Use adjusted R-squared and predicted R-squared to include the correct number of variables. *Minitab*. Retrieved from <http://blog.minitab.com/blog/adventures-in-statistics-2/multiple-regression-analysis-use-adjusted-r-squared-and-predicted-r-squared-to-include-the-correct-number-of-variables>.
- Openshaw, S. (1977). A geographical solution to scale and aggregation problems in region-building, partitioning and spatial modelling. *Transactions of the Institute of British Geographers*, 459–472.

- Ord, K. (1975). Estimation methods for models of spatial interaction. *Journal of the American Statistical Association*, 70(349), 120–126.
- Ord, J. K., & Getis, A. (1995). Local spatial autocorrelation statistics: Distributional issues and an application. *Geographical Analysis*, 27(4), 286–306.
- O'Sullivan, D., & Unwin, D. (2003). *Geographic Information Analysis*. John Wiley & Sons.
- O'Sullivan, D., & Unwin, D. (2010). *Geographic Information Analysis* (2nd edn.). John Wiley & Sons.
- Oyana, T. J., & Margai, F. (2015). *Spatial Analysis: Statistics, Visualization, and Computational Methods*. CRC Press.
- Paez, A., & Scott, D. M. (2004). Spatial statistics for urban analysis: A review of techniques with examples. *GeoJournal*, 61(1), 53–67.
- Pallant, J. (2013). *SPSS Survival Manual*. McGraw-Hill Education (UK).
- Peck, R., Olsen, C., & Devore, J. L. (2012). *Introduction to Statistics and Data Analysis* (4th edn.). Cengage Learning.
- Pena, J. M., Lozano, J. A., & Larranaga, P. (1999). An empirical comparison of four initialization methods for the k-means algorithm. *Pattern Recognition Letters*, 20(10), 1027–1040.
- Penn State University. (2018). STAT 505: Lesson 11; Principal Components Analysis (pca). Retrieved from <https://onlinecourses.science.psu.edu/stat505/node/49/>.
- Photis, Y. N., & Grekousis, G. (2012). Locational planning for emergency management and response: An artificial intelligence approach. *International Journal of Sustainable Development and Planning*, 7(3), 372–384.
- Rawlings, J. O., Pantula, S. G., & Dickey, D. A. (1998). *Applied Regression Analysis: A Research Tool*. Springer Science & Business Media.
- Ripley, B. D. (1976). The second-order analysis of stationary point processes. *Journal of Applied Probability*, 13(2), 255–266.
- Rogerson, P. A. (2001). *Statistical Methods for Geography*. Sage.
- Sander, J., Ester, M., Kriegel, H. P., & Xu, X. (1998). Density-based clustering in spatial databases: The algorithm gbscan and its applications. *Data Mining and Knowledge Discovery*, 2(2), 169–194. <https://doi.org/10.1023/A:1009745219419>.
- Sankey, T. T. (2008). Statistical descriptions of spatial patterns. In Shekhar, S., & Xiong H., (eds.). *Encyclopedia of GIS* (1135–1141). Springer Science & Business Media.
- Schubert, E., Sander, J., Ester, M., Kriegel, H. P., & Xu, X. (2017). DBSCAN revisited, revisited: Why and how you should (still) use DBSCAN. *ACM Transactions on Database Systems (TODS)*, 42(3), 19.
- Schwarz, G. (1978). Estimating the dimension of a model. *The Annals of Statistics*, 6(2), 461–464.
- Scibila, B. (2017). Regression analysis: How to interpret S, the standard error of the regression. *Minitab*. Retrieved from <http://blog.minitab.com/blog/adventures-in-statistics-2/regression-analysis-how-to-interpret-s-the-standard-error-of-the-regression>.
- Scott, L. M., & Janikas, M. V. (2010). Spatial statistics in ArcGIS. In Fischer, M. M., & Getis, A. (eds.). *Handbook of Applied Spatial Analysis* (27–41). Springer.
- Silverman, B. W. (1986). *Density Estimation for Statistics and Data Analysis*. Chapman and Hall.
- Sokal, R. R., & Rohlf, F. J. (1962). The comparison of dendrograms by objective methods. *Taxon*, 33–40.

- Stillwell, J., Geertman, S., & Openshaw, S. (eds.). (1999). *Geographical Information and Planning: European Perspectives*. Springer Science & Business Media.
- Tabachnick, B. G., Fidell, L. S., & Ullman, J. B. (2012). *Using Multivariate Statistics* (6th edn.). Pearson.
- Tobler, W. R. (1979). Cellular geography. In Gale, S., & Olsson, G. (eds.). *Philosophy in Geography* (379–386). Springer.
- Thayn, J. B., & Simanis, J. M. (2013). Accounting for spatial autocorrelation in linear regression models using spatial filtering with eigenvectors. *Annals of the Association of American Geographers*, 103(1), 47–66.
- Troy, A. (2008). Geodemographic segmentation. In Shekhar, S., & Xiong H. (eds.). *Encyclopedia of GIS* (347–355). Springer.
- Tufte, E. R. (2001). *The Visual Display of Quantitative Information* (2nd edn.). Graphics Press.
- Wang, F. (2014). *Quantitative Methods and Socio-economic Applications in GIS*. CRC Press.
- Wang, R. et al. (2019). Perceptions of built environment and health outcomes for older Chinese in Beijing: A big data approach with street view images and deep learning technique. *Computers, Environment and Urban Systems*, 78. <https://doi.org/10.1016/j.compenvurbsys.2019.101386>.
- Wheeler, D. C., & Páez, A. (2010). *Geographically Weighted Regression*. In Fischer, M., & Getis, A. (eds.). *Handbook of Applied Spatial Analysis* (461–486). Springer.
- White, H. (1980). A heteroskedasticity-consistent covariance matrix estimator and a direct test for heteroskedasticity. *Econometrica: Journal of the Econometric Society*, 817–838.
- Yrigoyen, C. (2007). *Session 7: Spatial Dependence Models: Estimation and Testing*. Lecture notes. Retrieved from www.uam.es/personal_pdi/economicas/coro/docencia/doctorado/spateconUPC/Slides/Session7_SpatialDepModel_Slides.pdf.
- Zhou X., & Lin H. (2008) In Geary's C. Shekhar, S., & Xiong H. (eds.). *Encyclopedia of GIS*. Springer Science & Business Media.