

## Použitá literatura

- Anderson et al. (2001). Kangaroo care: Not just for stable preemies anymore. *Reflections on Nursing Leadership*. 14, 33–34, 45.
- Aniansson G., Alm B., Andersson B., Hakansson A. et al. A prospective coherent study on breast-feeding and otitis media in Swedish infants. *Pediat Infect Dis J*. 1994; 13: 183–188.
- Armstrong J. et al. (2002). Breastfeeding and lowering the risk of childhood obesity. *Lancet* 359: 2003–2004.
- Arora S., McJunkin C., Wehrer J., Kuhn P. Major factors influencing breastfeeding rates: mother's perceptions of father's attitude and milk supply. *Pediatrics* 2000, 106(5): e67.
- Bain K. The incidence of breast feeding in hospitals in the United States. *Pediatrics* 1948, 2: 313.
- Bergman N. J., Linley L. L., Fawcett S. R. Randomized controlled trial of skin-to-skin contact from birth versus conventional incubator for physiological stabilization in 1200–2199 gram newborns. *Acta Paediatr* 2004; 93: 779–785.
- Bier et al. (1997). Breastfeeding infants who were extremely low birthweight. *Pediatrics* 1997, 100: 773–812.
- Bliss (2004), [www.bliss.org.uk](http://www.bliss.org.uk).
- Brazelton and Cramer, 1990 in *Breast crawl* 2007. [www.breastcrawl.org](http://www.breastcrawl.org)
- Breast Crawl. Initiation of Breastfeeding by Breast Crawl. Unicef 2007, [www.breastcrawl.org](http://www.breastcrawl.org)
- Bushnell J. W. R., Sai F., Mullin J. T. Neonatal recognition of the mother's face. *Br J Dev Psych* 1989; 7: 3–15.
- Capitanio J. P. & Mason W. A. „Cognitive style: problem solving by rhesus macaques (*Macaca mulatta*) reared with living or inanimate substitute mothers“, California Regional Primate Research Center, University of California, Davis. 1: *J Comp Psychol*. 2000 Jun; 114(2): 115–125.
- Cattaneo A., Davanzo R., Worku B. et al. Kangaroo Mother Care for low birthweight infants: A randomized control trial in different settings. *Acta Paediatr* 1998; 87: 976–985.

- Charpak N., Ruiz-Peláez J. G. et al. A randomized controlled trial of Kangaroo Mother Care: Results of followup to 1 year corrected age. *Pediatrics* 2001; 108: 1072–1079.
- Christensson K. et al. Separation distress call in the human neonate in the absence of maternal body contact. *Acta Paediatr* 1995; 84: 468–473.
- Christensson K., Siles C., Moreno L. et al. Temperature, metabolic adaptation and crying in healthy full term newborns cared for skin to skin or in a cot. *Acta Paediatr* 1992; 81: 488–936.
- Conde-Agudelo et al. (2003). Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. The Cochrane Database of Systematic Reviews. 2.
- Cornblath M., Hawdon J. M., Williams A. F., Aynsley-Green A., Ward-Platt M. P., Schwartz R., Kalhan S. C. Controversies regarding definition of neonatal hypoglycemia: suggested operational thresholds. *Pediatrics* 2000; 105: 1141–1145.
- Danford et al. (1983). Effects of routine care procedures on transcutaneous oxygen in neonates: A quantitative approach. *Archives of Disease in Childhood*, 58, 20–23.
- De Rooy L., Howden J. Nutritional factors that affect the postnatal metabolic adaptation of full-term small and large for gestational age infants: *Pediatrics* Vol. 109 No. 3 March 2002, 342.
- Dewey K. G., Heinig M. J., Nommsen-Rivers L. A. Differences in morbidity between breast-fed and formula-fed infants. *J Pediatr* 1995, 126(5,1): 696–702.
- Dombrowski et al. (2001). Kangaroo (skin-to-skin) Care with a postpartum woman who felt depressed. *MCN, The American Journal of Maternal and Child Nursing*. 26: 214–216.
- Drosten-Brooks F. (1993). Kangaroo Care: Skin-to-skin contact in the NICU. *Maternal Child Nursing*. 18(5): 250–253.
- England L., Brenner R., Bhaskar B. Breastfeeding practices in a cohort of inner-city women: the role of contraindications. *BMC Public Health* 2003; 28.
- Engler A. et al. (2002). Kangaroo Care National survey of practice, knowledge barriers and perceptions. *Maternal Child Nursing*. 27(3): 146–153.
- Európska únia: Európska komisia: Výživa dojčiat a batoliat: štandardné odporúčania pre Európsku úniu, UNICEF, Bratislava, 2007.
- Feldman R., Weller A., Sirota L., Edelman A. I. Skin-to-skin contact (Kangaroo Care) promotes self-regulation in premature infants: sleep-wake cyclicity, arousal modulation and sustained exploration. *Develop Psychol* 2002; 38: 194–197.
- Fifer W. P., Moon C. M. The role of the mother's voice in the organization of brain function in the newborn. *Acta Paediatr* 1994; Suppl 397: 86–93.
- Furman L., Minich N., Hack M. Correlates of lactation in mothers of very low birth weight infants. *Pediatrics* 2002; 109(4), [www.pediatrics.org/cgi/content/full/109/4/e57](http://www.pediatrics.org/cgi/content/full/109/4/e57)
- Furman L. & Kennell J. (2000). Breastmilk and skin-to-skin kangaroo care for premature infants. Avoiding bonding failure. *Acta Paediatrica*. 89: 1280–1283.
- Gale et al. (1993). Skin-to-skin holding of the intubated premature infant. *Neonatal Network*. 12(6): 49–57.
- Gomes C. F., Trezza E. M. C., Murade E. C. M., Padovani C. R. Surface electromyography of facial muscles during natural and artificial feeding of infants. *J Pediatr (Rio J)* 2006; 82(2): 103–109.
- Haider R., Kabir I., Huttly S., Ashworth A. Training peer counselors to promote and support exclusive breastfeeding in Bangladesh. *J Hum Lact*, 2002; 18(1): 7–12.
- Hale T. The effects on breastfeeding women of anaesthetic medications used during labour. The Passage to Motherhood Conference; 1998; Brisbane Australia. CAPERS.
- Harlow H. F. Early social deprivation and later behavior in the monkey. 154–173 in: *Unfinished tasks in the behavioral sciences* (A. Abrams, H. H. Gurner & J. E. P. Tomal, eds.) Baltimore: Williams & Wilkins. 1964.

- Henderson A. Mixed messages about the meaning of breastfeeding representations in the Australian press and popular magazines. *Midwifery* 1999; 15(1): 24–31.
- Henderson L, Kitzinger J, Green J. Representing infant feeding: content analysis of British media portrayal of bottle-feeding and breastfeeding. *Br Med J* 2000; 321: 1196–1198.
- Hoseth E, Joergensen A, Ebbesen F, Moeller M. Blood glucose levels in a population of healthy, breastfed, term infants of appropriate size for gestational age. *Arch Dis Child Fetal Neonatal Ed* 2000; 83: F117–119.
- Howie P.W., Forsyth J. S., Ogston S. A., Clark A., Florey C.V. Protective effect of breastfeeding against infection. *Br Med J*, 1990, 300: 11–15.
- Humenick S., Hill P., Spiegelberg P. Breastfeeding and health professional encouragement. *J Hum Lact* 1998, 14(4): 305–310.
- Iida H, Auinger P, Billings R. J., Weitzman M. Association Between Infant Breastfeeding and Early Childhood Caries in the United States. *Pediatrics* 2007; 120; e944–e952.
- Jaeger M. C. et al. (1997). The impact of prematurity and neonatal illness on the decision to breast-feed. *Journal of Advanced Nursing*. 8, 4, 112–117.
- Johnston C. C., Stevens B., Pinelli J. et al. Kangaroo Care is effective in diminishing pain response in preterm neonates. *Arch Pediatr Adolesc Med* 2003; 157: 1084–1088.
- Kendall-Tackett K. A., Sugarman M. The social consequences of long-term breastfeeding. *J Hum Lact* 1995, 11(3): 179–183.
- Kennell J., Klaus M. et al. Continuous emotional support during labor in a US hospital. *J Am Med Assoc* 1991; 265(17): 2197–2201.
- Kenner C. & Lott J. W. (2003). *Comprehensive Neonatal Nursing*. Saunders, USA.
- Kerneman E., Newman J., Park E. The GamePlan for Protecting and Supporting Breastfeeding in the First 24 hours of Life and Beyond, 2010.
- Klaus and Kennel, 2001 in Breast crawl. Unicef 2007.  
[www.breastcrawl.org](http://www.breastcrawl.org)
- Kramer M., Chalmers B., Hodnett E. D. et al. Promotion of breastfeeding intervention trial. *J Am Med Assoc* 2001; 285: 413–420.
- La Leche League: Diane Wiessinger, Diana West, Teresa Pitman: *The Womanly Art of Breastfeeding*, Ballantine Books, 8. Edition, 2010.
- Labbok M. H., Hendershot G. E. Does breastfeeding protect against malocclusion? Analysis of the 1981 Child Health Supplement.
- Legault M. & Goulet C. (1995). Comparison of kangaroo and traditional methods of removing preterm infants from incubators. *Journal of Obstetric, Gynaecological and Neonatal Nursing*. 24(65): 501–506.
- Litavec M. Humanizačné trendy v starostlivosti o rizikového novorodenca, 2007.
- Ludington et al. (1999). Skin-to-skin contact effects on pulmonary function tests in ventilated preterm infants. *Journal of Investigative Medicine*. 47(2): 173–177.
- Ludington et al. (2003). Safe criteria and procedure for Kangaroo Care with intubated preterm infants. *Journal of Obstetric, Gynaecological and Neonatal Nursing*. 32 (5): 579–586.
- Ludington-Hoe et al. (1998). Kangaroo Care with a ventilated preterm infant. *Acta Paediatrica*. 87: 711–713.
- Mamila, UNICEF: Zborník z konferencie Dojčenie, pediatria a vzťahy v rodine s Dr. Robertom Searsom, Bratislava, 2007.
- Mamila, UNICEF: Zborník zo školenia o poradenstve pri dojčení s Dr. Jackom Newmanom, Bratislava, 2008.
- Marino B. L., O'Brien P., LoRe H. Oxygen saturations during breast and bottle feeding in infants with congenital heart disease. *J Pediatr Nurs* 1995; 10: 360–364.
- Martin R. M., Ness A. R., Gunnell D., Emmett P. E., Smith G. D. for the ALSPAC Study Team. Does breastfeeding in infancy lower blood pressure in children. *Circulation* 2004; 109: 1259–1266.

- Martinez G, Krieger F. 1984 Milk-feeding patterns in the United States. *Pediatrics* 1985; 76: 1004.
- Mason W. A. Early social deprivation in the nonhuman primates: Implications for human behavior. 70–101; in D. C. Glass (ed.) *Environmental Influences*. New York: Rockefeller University and Russell Sage Foundation, 1968.
- McBryde A. Compulsory rooming-in the ward and private newborn service at Duke University. *J Am Med Assoc* 1951; 145(9): 625–628.
- McKenna J. J., McDade T. Why babies should never sleep alone: A review of the co-sleeping controversy in relation to SIDS, bedsharing and breastfeeding. *Pediatric Respiratory Reviews* 2005; 6: 134–152.
- Michelsson K, Christensson K, Rothgänger H, Winberg J. Crying in separated and non-separated newborns: sound spectrographic analysis. *Acta Paediatr* 1996; 85: 471–475.
- Mikiel-Kostyra K, Mazur J, Boltruszko I. Effect of early skin to skin contact after delivery on duration of breastfeeding: a prospective cohort study. *Acta Paediatr* 2002; 91: 1301–1367.
- Mikiel-Kostyra K, Mazur J. Hospital policies and their influence on newborn body weight. *Acta Paediatr* 1999; 88: 72–75.
- Mizuno K, Ueda A. Changes in sucking performance from nonnutritive sucking to nutritive sucking during breast- and bottle-feeding. *Pediatr Res* 2006; 59: 728–731.
- Morrill J. F, Heinig M. J., Pappagianis D, Dewey K. G. Risk factors for mammary candidosis among lactating women. *JOGNN* 2005; 34: 37–45.
- Neu et al. (2000). The Impact of Two Transfer Techniques Used During Skin-to-Skin Care on The Physiologic and Behavioural Responses of Preterm Infants. *Nursing Research*. 49(4): 214–223.
- Neu M. (2004). Kangaroo Care: Is it for Everyone? *Neonatal Network*. 23(5): 47–54.
- Newman J., Pitman T. Dr. Jack Newman's Guide to Breastfeeding, HarperCollins Publishers, Toronto, 2005.
- Newman J., Pitman T. *The Latch and Other Keys to Breastfeeding Success*, Hale Publishing, 2006.
- Newman J, Kerneman E. Dr. Jack Newman's Visual Guide to Breastfeeding with Jack Newman and Edith Kernerman, *Breastfeeding Inc.*, 2005.
- Newman J. Prezentácia Ako podporovať dojčenie z konferencie s Dr. Jackom Newmanom, Bratislava, 2006.
- Newman J. Prezentácia Boľavé bradavky a prsníky z konferencie s Dr. Jackom Newmanom, Bratislava, 2006.
- Newman J. Prezentácia Čo robit', keď sa diéta neprisáva z konferencie s Dr. Jackom Newmanom, Bratislava, 2006.
- Newman J. Prezentácia Iba jedna flaša. Ved' to nevadí? z konferencie s Dr. Jackom Newmanom, Bratislava, 2008.
- Newman J. Prezentácia Iniciatíva nemocník prieťaľských k deťom (BFHI) z konferencie s Dr. Jackom Newmanom, Bratislava, 2010.
- Newman J. Prezentácia Kandidóza na prsníku z konferencie s Dr. Jackom Newmanom, Bratislava, 2008.
- Newman J. Prezentácia Keď bábätko nepriberá z konferencie s Dr. Jackom Newmanom, Bratislava, 2010.
- Newman J. Prezentácia Materské mlieko verzus umelé mlieko z konferencie s Dr. Jackom Newmanom, Bratislava, 2010.
- Newman J. Prezentácia Nedostatočný váhový prírastok z konferencie s Dr. Jackom Newmanom, Bratislava, 2006.
- Newman J. Prezentácia Normy pre dojčené deti z konferencie s Dr. Jackom Newmanom, Bratislava, 2008.
- Newman J. Prezentácia Vplyv vedenia pôrodu na dojčenie z konferencie s Dr. Jackom Newmanom, Bratislava, 2006.
- Newman J. Prezentácia Žltáčka novorodencov z konferencie s Dr. Jackom Newmanom, Bratislava, 2008.
- Newman J. Protokol Ako sa diéta prísáva na [www.mamil.sk](http://www.mamil.sk)
- Newman J. Protokol Boľavé bradavky na [www.mamil.sk](http://www.mamil.sk)
- Newman J. Protokol Dojčenie – dôležité je správne začať na [www.mamil.sk](http://www.mamil.sk)
- Newman J. Protokol Kapustné listy, bylinky, lecitín na [www.mamil.sk](http://www.mamil.sk)

Newman J. Protokol Ked' sa dieťa neprisáva na [www.mamila.sk](http://www.mamila.sk)

Newman J. Protokol Krmenie po prste a pohárikom na [www.mamila.sk](http://www.mamila.sk)

Newman J. Protokol Pomalé príberanie po počiatočnom dobrom príberaní na [www.mamila.sk](http://www.mamila.sk)

Newman J. Protokol Používanie lakačnej pomôcky na [www.mamila.sk](http://www.mamila.sk)

Newman J. Protokol Stláčanie prsníka na [www.mamila.sk](http://www.mamila.sk)

Newman J. Protokol Zablokované mliekovody a mastitida na [www.mamila.sk](http://www.mamila.sk)

Newman J. Protokol Zvýšenie prísunu materského mlieka na [www.mamila.sk](http://www.mamila.sk)

Newman J. Rozličné kontroverzné otázky o dojčení z konferencie s Dr. Jackom Newmanom, Bratislava, 2010.

Nyqvist K. H. (2004). How can Kangaroo Mother Care and High Technology Care be Compatible? *Journal of Human Lactation*. 20(1): 72–74.

Odborné usmernenie Ministerstva zdravotníctva Slovenskej republiky o podpore výživy dojčiat a batoliat dojčením. *Vestník MZ SR*, Ročník 57, Čiastka 54–55 zo dňa 20. 11. 2009, Normatívna časť 56.

Ohgi S., Fukuda M., Moriuchi H. et al. Comparison of kangaroo care and standard care: Behavioral organization, development and temperament in healthy low birth weight infants through 1 year. *J Perinatology* 2002; 22: 374–379.

Owen C. G. et al. (2002). Infant Feeding and Blood Cholesterol: A Study in Adolescents and a Systematic Review. *Pediatrics* 110: 597–608.

Peters K. L. (1992). Does routine nursing care complicate the physiologic status of the premature neonate with respiratory distress syndrome? *Journal of Perinatal and Neonatal Nursing*, 6, 67–84.

Ravelli A. C. et al. (2000). Infant feeding and adult glucose tolerance, lipid profile, blood pressure, and obesity. *Arch Dis Child* 82: 248–252.

Righard L., Alade M. O. Sucking technique and its effect on success of breastfeeding. *Birth* 1992; 19 (4): 185–189.

Righard L., Alade M. O. Effect of delivery room routines on success of first breast feed. *Lancet* 1990; 336: 1105–1107.

Robert W. Mothers' arms – the past and future locus of neonatal care?, *Clinics in Perinatology*, jún 2004, zv. 31(2), s. 293.

Ryan A., Wenjun Z., Acosta A. Breastfeeding continues to increase into the new millennium. *Pediatrics* 2002, 110(6): 1103–1109.

Ryan A. The resurgence of breastfeeding in the United States. *Pediatrics* 1997, 99: 4.

Savenije O. E. M., Brand P. L. P. Accuracy and precision of test weighing to assess milk intake in newborn infants. *Arch Dis Child Fetal Neonatal Ed* 2006; 91: F330–F332.

Scariati P. D., Grummer-Strawn L. M., Fein S. B. A longitudinal analysis of infant morbidity and the extent of breastfeeding in the United States. *Pediatrics*, 1997, 99(6).

Shiau S. H., Anderson G. C. (1997). Randomized controlled trial of kangaroo care with full-term infants: effects on maternal anxiety, breast milk maturation, breast engorgement, and breastfeeding status. *Australian Breastfeeding Association*, Sydney.

Singhal A., Cole T., Lucas A. Breastmilk feeding and lipoprotein profile in adolescents born preterm: followup of a prospective randomised study. *Lancet* 2004; 363: 1571–1578.

Singhal A., Cole T., Lucas A. Early nutrition in preterm infants and later blood pressure: two cohorts after randomised trials. *Lancet* 2001; 357: 413–419.

Smith S. L. (2001). Physiological stability of intubated Very Low Birthweight infants during skin-to-skin care and incubator care. *Advances in Neonatal Care*. 1(1): 28–40.

Svensson K., Matthiesen A.-S., Widström A.-M. Night rooming-in: Who decides? An example of staff influence on mother's attitude. *Birth* 2005; 32: 99–106.

- Swinth et al. (2003). Kangaroo care with a Preterm Infant Before, During and After Mechanical Ventilation. *Neonatal Network*. 22(6): 33–38.
- Child Health Supplement to the National Health Interview Survey. *Am J Prev Med* 1987; 3: 227–232.
- Törnhage C.-J., Sturge E., Lindberg T., Serenius F. First week Kangaroo Care in sick very preterm infants. *Acta Paediatr* 1999; 88: 1402–1404.
- Toscke A. M. et al. (2001). Overweight and obesity in 6- to 14-year-old Czech children in 1991: Protective effect of breast-feeding. *J Pediatr* 141: 764–769.
- UNICEF: Baby-friendly Hospital Initiative Training Materials (updated 2009): [http://www.unicef.org/nutrition/index\\_24850.html](http://www.unicef.org/nutrition/index_24850.html)
- UNICEF: Innocenti Declaration: <http://www.unicef.org/programme/breastfeeding/innocenti.htm>
- Vareni H., Porter R. H., Winberg J. Does the newborn find the nipple by smell? *Lancet* 1994; 344: 989–990.
- Victora C. G. et al. Pacifier use and short breastfeeding duration: cause, consequence or coincidence? *Pediatrics*, 1997, 99: 445–453.
- von Kries R. et al. (1999). Breastfeeding and obesity: cross sectional study. *BMJ* 319: 147–150.
- Whitelaw et al. (1998). Skin-to-skin contact for very low birthweight infants and their mothers. *Archives of Disease in Childhood*. 63: 1377–1381.
- Wolf J. Low breastfeeding rates and public health in the United States. *Am J Public Health* 2003, 93: 12.
- World Health Organisation (WHO) (2003). Kangaroo Mother Care: A Practical Guide. Department of Reproductive Health and Research, Geneva.
- World Health Organization (WHO) (1997). Thermal Control of the Newborn: A practical Guide. Maternal Health and Safe Motherhood Programme. WHO, Geneva.
- World Health Organization: Baby Friendly Hospital Initiative, Original BFHI Guidelines, developed 1992, revised, updated and expanded for integrated care, 2009, Section 1 Background and Implementation, Unicef.
- World Health Organization: International Code of Marketing of Breastmilk Substitutes [<http://www.ibfan.org/english/resource/who/fullcode.html>]
- Wright A., Holberg C., Taussig L., Martinez F. Relationship of infant feeding to recurrent wheezing at age 6 years. *Arch Pediatr Adolesc*.
- Yamauchi Y., Yamanouchi I. The relationship between rooming-in/not rooming in and breastfeeding variables. *Acta Paediatr Scand* 1990; 79: 1017–1022.