

Further Reading

1. Abdullah MA. Surface detail, compressive strength, and dimensional accuracy of gypsum casts after repeated immersion in hypochlorite solution. *J Prosthet Dent.* 2006;95:462-8.
2. Adabo GE, Zanarotti E, Fonseca RG, Cruz CA. Effect of disinfectant agents on dimensional stability of elastomeric impression materials. *J Prosthet Dent.* 1999;81:621-4.
3. Amit P, Hegde M. Dental composites: past present and future. *Nat J Comm Med.* 212;3:754.
4. Andreasen GF, Morrow RE. Laboratory and clinical analyses of Nitinol wire. *Am J Orthod.* 1978;73:143.
5. Anusavice, Sehn Rawls. *Phillips' Science of Dental Materials.* 12th ed. St. Louis. Saunders, 2013.
6. Anusavice KJ, Shen C, Vermost B, Chow B. Strengthening of porcelain by ion exchange subsequent to thermal tempering. *Dent Mater.* 1992;8:149.
7. Asmuseen E, Munksgaard EC. Bonding of restorative resins to dentine: Status of dentine adhesives and impact on cavity design and filling techniques. *Int Dent J.* 1988;38:97.
8. Association Report: Classification System for Cast Alloys. *J Am Dent Assoc.* 1984;109:838.
9. Bailey JH, Donovan TE, Preston JD. The dimensional accuracy of improved dental stone, silver-plated, and epoxy resin die materials. *J Prosthet Dent.* 1988;59:307.
10. Ballard GT, Leinfelder KF, Taylor DF. Permeability and porosity of dental casting investments. *J Prosthet Dent.* 1975;34:170-8.
11. Barrett NVJ, Brukl CE. Compatibility of agar hydrocolloid duplicating materials with dental stones. *J Prosthet Dent.* 1985;54:586-91.
12. Barron T. Mercury in our Environment. *CDA Journal.* 2004;32(7):556-63.
13. Bayne SC, Heymann HO, Swift Jr EJ. Update on dental composite restorations. *Am J Dent Assoc.* 1994;125:687-701.
14. Bertassoni LE, et al. Biomechanical perspective on the remineralization of dentin. *Caries research.* 2009;43:70-7.
15. Bertassoni LE, et al. Direct-write bioprinting of cell-laden methacrylated gelatin hydrogels. *Biofabrication.* 2014;6:24.
16. Brien WJ. *Dental materials and their selection.* 4th edition, Quintessence, 2008.
17. Brune D, Beltesbrekke H. Dust in dental laboratories. Part I: Types and levels in specific operations. *J Prosthet Dent.* 1980;43:687-92.
18. Buonocore MG. A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces. *J Dent Res.* 1955;34:849-53.
19. Burke FJT, Watts DC. Fracture resistance of teeth restored with dentine-bonded crowns. *Quintessence Int.* 1994;25:335-40.
20. Burstone CJ, Goldberg AJ. Beta titanium: A new orthodontic alloy. *Am J Orthod.* 1980;77:121.
21. Butta R, Tredwin CJ, Nesbit M, Moles DR. Type IV gypsum compatibility with five addition-reaction silicone impression materials. *J Prosthet Dent.* 2005;93:540-4.
22. Chai JY, Yeung TC. Wettability of nonaqueous elastomeric impression materials. *Int J Prosthodont.* 1991;4:555.
23. Chaing BKP. Polymers in the service of prosthetic dentistry. *J Dent.* 1984;12:203.
24. Chaturvedi TP, Upadhayay SN. An overview of orthodontic material degradation in oral cavity. *Indian J Dent Res.* 2010;21(2):275-84.
25. Chaturvedi TP. Allergy related to dental implant and its clinical significance. *Clin Cosmet Investig Dent.* 2013;5:57-61.
26. Chaturvedi TP. An overview of the corrosion aspect of dental implants (titanium and its alloys). *Indian J Dent Res.* 2009;20:91-8.
27. Chee WWL, Donovan TE. Polyvinyl siloxane impression materials: A review of properties and techniques. *J Prosthet Dent.* 1992;68:728.
28. Chen MH. Update on dental nanocomposites. *J Dent Res.* 2010;9:549-60.
29. Cheung GS, Lai SC, Ng RP. Fate of vital pulps beneath a metal-ceramic crown or a bridge retainer. *Int Endod J.* 2005;38:521-30.

30. Collins CJ, Bryant RW, Hodge KLV. A clinical evaluation of posterior composite resin restorations: 8-year finding. *J Dent*. 1998;26:311-7.
31. Council on dental materials, instruments, and equipment: Infection control recommendations for the dental office and the dental laboratory. *J Am Dent Assoc*. 1988;116:148.
32. Council on Dental Materials, Instruments, and Equipment: Report on base metal alloys for crown and bridge applications: Benefits and risks. *J Am Dent Assoc*. 1985;111:479.
33. Davis DR. Effect of wet and dry cellulose ring liners on setting expansion and compressive strength of a gypsum-bonded investment. *J Prosthet Dent*. 1996;76:519-23.
34. Davis DR. Limiting wax pattern distortion caused by setting expansion. *J Prosthet Dent*. 1987;58:229-34.
35. Derrien G, Sturtz G. Comparison of transverse strength and dimensional variations between die stone, die epoxy resin, and die polyurethane resin. *J Prosthet Dent*. 1995;74:569-74.
36. Dong JK, et al. Heat-pressed ceramics: Technology and strength. *Int J Prosthodont*. 1992;5:9.
37. Douglas WH. Clinical status of dentine bonding agents. *J Dent*. 1989;17:209.
38. Drennon DG, Johnson GH. The effect of immersion disinfection of elastomeric impressions on the surface detail reproduction of improved gypsum casts. *J Prosthet Dent*. 1990;63:233-41.
39. Duke P, Moore BK, Haug SP, Andres CJ. Study of the physical properties of type IV gypsum, resin-containing, and epoxy die materials. *J Prosthet Dent*. 2000;83:466-73.
40. Duret F, Blouin JL, Duret B. CAD-CAM in dentistry. *JADA*. 1998;117:715-20.
41. Eames WB, O'Neal SJ, Monteiro J, et al. Techniques to improve the seating of castings. *J Am Dent Assoc*. 1978;96:432.
42. Earnshaw R. The effect of casting ring liners on the potential expansion of a gypsum-bonded. *J Dent Res*. 1988;67:1366-70.
43. Emmer TJ, et al. Bond strength of permanent soft denture liners bonded to denture liners bonded to denture base. *J Prosthet Dent*. 1995;74:595-600.
44. Finger W, Ohsawa M. Accuracy of cast restorations produced by a refractory die-investing technique. *J Prosthet Dent*. 1984;52:800.
45. Fusayama T, et al. Non-pressure adhesion of a new adhesive restorative system. *J Dent Res*. 1979;58:1364.
46. Fusayama T, Kurosaki N, Node H, Nakamura M. A laminated hydrocolloid impression for indirect inlays. *J Prosthet Dent*. 1982;47:171.
47. Fusayama T. Factors and prevention of pulp irritation by adhesive composite resin restorations. *Quintessence Int*. 1987;18:633-41.
48. Gallegos LI, Nicholls JL. In vitro two-body wear of three veneering resins. *J Prosthet Dent*. 1988;60:172-8.
49. Garhammer P, et al. Patients with local adverse effects from dental alloys: frequency, complaints, symptoms, allergy. *Clin Oral Investig*. 2001;5(4):240-9.
50. Gauthier MA, Stangel I, Ellis TH, Zhu XX. Oxygen inhibition in dental resins. *J Dent Res*. 2005;84:725-9.
51. Giordano R. Zirconia: A proven, durable ceramic for esthetic restorations. *Compend Contin Educ Dent*. 2012;33:46-9.
52. Guess PC, Kuliša A, Witkowskia S, Wolkewitzb M, Zhangc Y, Struba JR. Shear bond strengths between different zirconia cores and veneering ceramics and their susceptibility to thermocycling. *Dent Mater J*. 2008;24:1556-67.
53. Guilin Y, Nan L, Yousheng L, Yining W. The effects of different types of investments on the alpha-case layer of titanium castings. *J Prosthet Dent*. 2007;97:157-64.
54. Harper RH, Schnell RJ, Swartz ML, Phillips RW. In vivo measurements of thermal diffusion through restorations of various materials. *J Prosthet Dent*. 1980;43:180.
55. Harrison A, Huggett R, Azouka A. Some physical and mechanical properties of shellac dental baseplate material. *J Oral Rehabil*. 1995;22(7):509-13.
56. Hicks J, Garcia-Godoy F, Donly K, Flaitz C. Fluoride-releasing restorative materials and secondary caries. *Dent Clin North Am*. 2002;46:247-76.
57. Hinoura K, Moore BK, Phillips RW. Tensile bond strength between glass ionomer cement and composite resin. *J Am Dent Assoc*. 1987;114:167.
58. Hiyasat A. The abrasive effect of glazed, unglazed, and polished porcelain on the wear of human enamel, and the influence of carbonated soft drinks on the rate of wear. *Int J Prosthodont*. 1997;10:269-82.
59. Hondrum SO, Fernandez R (Jr). Effects of long-term storage on properties of an alginate impression material. *J Prosthet Dent*. 1997;77:601-6.
60. Hondrum SO. A review of strength properties of dental ceramics. *J Prosthet Dent*. 1992;67:859-64.
61. Hung SH, Purk JH, Tira DE, Eick JD. Comparison of the dimensional accuracy of one- and two-step techniques with the use of putty/wash addition silicone impression materials. *J Prosthet Dent*. 1995;74:535-41.
62. Isidor F, Brondum K. A clinical evaluation of porcelain inlays. *J Prosthet Dent*. 1995;74:40-4.
63. Islam I, Chang HK, Yap HU. Comparison of physical and mechanical properties of MTA and Portland cement. *J Endod*. 2006;32(3):193-7.
64. Johnson GH, Bales DJ, Gordon GE, Powell LV. Clinical performance of posterior composite resin restorations. *Quintessence Int*. 1992;23(10):705-11.

65. Johnson GH, Craig RG. Accuracy and bond strength of combination agar/alginate hydrocolloid impression materials. *J Prosthet Dent.* 1986;55:1-6.
66. Johnson GH, Lepe X, Aw TC. The effect of surface moisture on detail reproduction of elastomeric impressions. *J Prosthet Dent.* 2003;90:354-64.
67. Jo LJ. Spark erosion process: An overview. *J Dent Implant.* 2011;1:2-6.
68. Jones DE. Effects of topical fluoride preparations on glazed porcelain surfaces. *J Prosthet Dent.* 1985;53:483.
69. Juntavee N, Giordano R, Nathanson D. Porcelain shear bond strength to a new ceramo-metal system. *J Dent Res.* 1995;74:159.
70. Kahn RC, Lancaster MV, Kate Jr W. The microbiologic cross-contamination of dental prostheses. *J Prosthet Dent.* 1982;47:556-9.
71. Kanca J III. Resin bonding to wet substrate I. Bonding to dentin. *Quintessence Int.* 1992;23:39-41.
72. Kaylakie WG, Brukl CE. Comparative tensile strengths of non-noble dental alloy solders. *J Prosthet Dent.* 1985;53:455.
73. Kelly JR, Nishimura I, Campbell SD. Ceramics in dentistry: Historical roots and current perspectives. *J Prosthet Dent.* 1996;75:18-32.
74. Kelly R. Ceramics in Dentistry: Historical roots and current perspectives. *J Prosthet Dent.* 1996;75:18-29.
75. Khoroushi M, Keshani F. A review of glass-ionomers: From conventional glass-ionomer to bioactive glass-ionomer. *Dent Res J.* 2013;10: 411-20.
76. Klineberg I, Earnshaw R. Physical properties of shellac baseplate materials. *Aust Dent J.* 1967;12:468-45.
77. Klooster J, Logan GI, Tjan AHL. Effects of strain rate on the behavior of elastomeric impressions. *J Prosthet Dent.* 1991;66:292.
78. Kusy RP, Greenberg AR. Effects of composition and cross section on the elastic properties of orthodontic archwires. *Angle Orthop.* 1981;51:325.
79. Lambrechts P, Braem M, Vanherle G. Evaluation of clinical performance for posterior composite resins and dentin adhesives. *J Oper Dent.* 1987;12:53.
80. Larsson KS. Potential teratogenic and carcinogenic effects of dental materials. *Int Dent J.* 1991;41: 206-11.
81. Leinfelder KF, Bayne SC, Swift EJ (Jr). Packable composites: overview and technical considerations. *J Esthet Dent.* 1999;11(5):234-49.
82. Letzel H. Survival rates and reasons for failure of posterior composite restorations in multicentre clinical trial. *J Dent.* 1989;17:S10-7.
83. Leung RL, Schonfeld SE. Gypsum casts as a potential source of microbial cross-contamination. *J Prosthet Dent.* 1983;49:210-1.
84. Lim KC, Chong YH, Soh G. Effect of operator variability on void formation in impressions made with an automixed addition silicone. *Aust Dent J.* 1992;37:35.
85. Lin A, McIntyre NS, Davidson RD. Studies on the adhesion of glass ionomer cements to dentin. *J Dent Res.* 1992;71:1836-41.
86. Lind PO. Oral lichenoid reactions related to composite restorations: Preliminary report. *Acta Odontol Scand.* 1988;46:63-5.
87. Lindquist TJ, Stanford CM, Knox E. Influence of surface hardener on gypsum abrasion resistance and water sorption. *J Prosthet Dent.* 2003;90:441-6.
88. Lineham AD, Windeler AS. Passive fit of implant-retained prosthetic super-structures improved by electric discharge machining. *J Prosthodont.* 1994;3:88-95.
89. Luk HW, Darvell BW. Effect of burnout temperatures on strength of phosphate-bonded investments-Part II: Effect of metal temperature. *J Dent.* 1997;25: 423-30.
90. Lutz F, Phillips RW. A classification and evaluation of composite resin systems. *J Prosthet Dent.* 1983;50:480.
91. MacCulloch WT. Advances in dental ceramics. *Br Dent J.* 1968;124:361.
92. Machado CE1, Guedes CG. Effects of sulfur-based hemostatic agents and gingival retraction cords handled with latex gloves on the polymerization of polyvinyl siloxane impression materials. *J Appl Oral Sci.* 2011;19(6):628-33.
93. Mackert JR (Jr), Ringle RD, Parry EE, et al. The relationship between oxide adherence and porcelain-metal bonding. *J Dent Res.* 1988;67:474.
94. Mahalaxmi S. Materials used in dentistry. 1st Ed. Wulter Kluwer health (India), New Delhi. 2013.
95. Mahler DB, Ady AB. Explanation for the hygroscopic setting expansion of dental gypsum products. *J Dent Res.* 1960;39:578.
96. Maldonado A, Swartz M, Phillips RW. An in vitro study of certain properties of a glass ionomer cement. *J Am Dent Assoc.* 1978;96:785.
97. Maldupa I, et. al. Evidence-based toothpaste classification, according to certain characteristics of their chemical composition. *Stomatologija, Baltic Dental and Maxillofacial Journal.* 2012;14:12-22.
98. Matsuya S, Yamane M. Decomposition of gypsum-bonded investments. *J Dent Res.* 1981;60:1418.
99. Matthew I, Frame JW. Allergic responses to titanium. *J Oral Maxillofac Surg.* 1998;56(12):1466-7.
100. McCabe JF, Walls AWG. Applied dental materials. 8th ed. Blackwell. 1998.
101. McKinney JE, Antonucci JM, Rupp NW. Wear and microhardness of a silver-sintered glass ionomer cement. *J Dent Res.* 1988;67:831.
102. McLaren EA, Sorensen JA. High-strength alumina crowns and fixed partial dentures generated by

- copy-milling technology. *Quint Dent Technol.* 1995;18:310.
103. McLean JW, Nicholson JW, Wilson AD. Proposed nomenclature for glass ionomer dental cements and related materials. *Quintessence Int.* 1994;25:587-9.
104. McLean JW, Sced IR. The bonded alumina crown. The bonding of platinum to aluminous dental porcelain using tin-oxide coatings. *Aust Dent J.* 1976;21:119.
105. McLean JW. The science and art of dental ceramics. *Quintessence, Volume I and II.* 1979;1980.
106. Mc Manus KR, Fan PL, et al. Purchasing installing and operating dental amalgam separators : Practical issues. *J Am Dent Assoc.* 2003;134(8):1054-65.
107. Miller MB. Self-etching adhesives: solving the sensitivity conundrum. *Pract Proced Aesthet Dent.* 2002;14:406.
108. Mitra A, et al. Maxillofacial prosthetic materials—An inclination toward silicones. *J Clin Diagn Res.* 2014;8:8-13.
109. Miura R, Masakuni M, Ohura Y, et al. The superelastic property of the Japanese Ni-Ti alloy wire for use in orthodontics. *Am J Ortho Dent Orthoped.* 1986;90:1.
110. Mjör IA, Jokstad A. Five-year study of class II restorations in permanent teeth using amalgam, glass polyalkenoate (ionomer) cement and resin-based composite materials. *J Dent.* 1993;21(6):338-43.
111. Mjör IA. Glass-ionomer cement restorations and secondary caries: A preliminary report. *Quintessence Int.* 1996;27:171-4.
112. Moffa JP, Jenkins WA, Ellison JA, Hamilton JC. A clinical evaluation of two base metal alloys and a gold alloy for use in fixed prosthodontics: A five-year study. *J Prosthet Dent.* 1984;52:491.
113. Mori T. Titanium—A review of investments for high temperature casting. *Aust Prosthodont J.* 1993;7:31-4.
114. Morrow RM, Brown CE (Jr), Stansbury BE, DeLorimier JA, Powell JM, Rudd KD. Compatibility of alginate impression materials and dental stones. *J Prosthet Dent.* 1971;25:556-66.
115. Mount GJ. *An Atlas of Glass Ionomer Cements.* 3rd ed. Martin Dunitz, London. 2002.
116. Nakabayashi N. Resin reinforced dentin due to infiltration of monomers into the dentin at the adhesive interface. *J Jpn Dent Mat Devices.* 1982;1:78-81.
117. Neiman R, Sarma AC. Setting and thermal reactions of phosphate investments. *J Dent Res.* 1980;59:1478-85.
118. Nomura GT, Reisbick MH, Preston JD. An investigation of epoxy resin dies. *J Prosthet Dent.* 1980;44:45.
119. Noort RV. *Introduction to dental materials.* 2nd Ed. Mosby; 2002.
120. Norman RD, Rydberg RJ, Felkner LL. A 5-year study comparing a posterior composite resin and an amalgam. *J Prosthet Dent.* 1990;64:523-9.
121. Parekh RB, Shetty O, Tabassum R. Surface modifications for endosseous dental implants. *Int J Oral Implantol Clin Res.* 2012;3(3):116-21.
122. Parr GR, Gardner LK, Toth RW. Titanium: The mystery metal of implant dentistry—dental materials aspects. *J Prosthet Dent.* 1985;54:410-4.
123. Phillips RW, Swartz ML, Lund MS, et al. In vivo disintegration of luting agents. *J Am Dent Assoc.* 1987;114:489.
124. Powers, Sakaguchi. *Craig's Restorative Dental Materials* 12th edition, Mosby, 1993.
125. Powers JM, Wataha JC. *Dental materials, properties and manipulation.* 9th ed. Mosby, 1992.
126. Powis DR, Folleras T, Merson SA, Wilson AD. Improved adhesion of a glass ionomer cement to dentin and enamel. *J Dent Res.* 1982;61:1416.
127. Prakash R, Gopalkrishna V, Kandaswamy D. Gutta-Percha—An untold story. *Endodontology.* 2005;17(2):32-6.
128. Pratten DH, Novetsky M. Detail reproduction of soft tissue: A comparison of impression materials. *J Prosthet Dent.* 1991;65:188-91.
129. Prithviraj DR, Regish KM, Deeksha S, Shruthi DP. Extraction and immediate placement of root analogue zirconia implants: an overview. *J Clin Exp Dent.* 2011;3:240-5.
130. Qualtrough A, Piddock V. Recent Advances in ceramic materials and systems for dental restorations. *March Dental Update.* 1999;65-72.
131. Qvist V, Qvist J, Mjör IA. Placement and longevity of tooth-coloured restorations in Denmark. *Acta Odontol Scand.* 1990;48:305-11.
132. Rao A, Shenoy R. Mineral trioxide aggregate—A review. *J Clin Pediatr Dent.* 2009;34(1):1-7.
133. Rasmussen EJ, Goodkind RJ, Gerberich WW. An investigation of tensile strength of dental solder joints. *J Prosthet Dent.* 1979;41:418.
134. Reed HV. *Reversible agar-agar hydrocolloid.* Quintessence Int. 1990;21:225.
135. Rekow D. Computer-aided design and manufacturing in dentistry: A review of the state of the art. *J Prosthet Dent.* 1987;58:512-6.
136. Richter WA, Cantwell KR. A study of cohesive gold. *J Prosthet Dent.* 1965;15:722.
137. Roberto S, Massimiliano L. Reliability of antagonistic arch in dental prosthesis: Clinical evaluation of different preimpression preparation procedures. *J Prosthet Dent.* 1995;74:127-32.
138. Roberts HW, et al. Mineral trioxide aggregate material use in endodontic treatment: A review of the literature. *Dent Mater.* 2008;24(2):149-64.

139. Roedel V. Electrical discharge machining in dentistry. *Int J Prosthodont*. 1992;5(2):114-21.
140. Rosen M, Touyz LZ. Influence of mixing disinfectant solutions into alginate on working time and accuracy. *J Dent*. 1991;19:186.
141. Roulet JF. The problems associated with substituting composite resins for amalgam: a status report on posterior composites. *J Dent*. 1988;16:101-13.
142. Rueggeberg FA, et al. Sodium hypochlorite disinfection of irreversible hydrocolloid impression material. *J Prosthet Dent*. 1992;67:628-31.
143. Rübeling G. New techniques in spark erosion: The solution to an accurately fitting screw-retained implant restoration. *Quintessence Int*. 1999;30:38-48.
144. Santos JFF, Ballester RY. Delayed hygroscopic expansion of gypsum products. *J Prosthet Dent*. 1984;52:366-70.
145. Schelb E, Mazzocco CV, Jones JD, Prihoda T. Compatibility of type IV dental stones with polyvinyl siloxane impression materials. *J Prosthet Dent*. 1987;58:19-22.
146. Schnitman PA, Shulman LB. Vitreous carbon implants. *Dent Clin North Am*. 1980;24:441-63.
147. Schutt RW. Bactericidal effect of a disinfectant dental stone on irreversible hydrocolloid impressions and stone casts. *J Prosthet Dent*. 1989;62:605-7.
148. Schwedhelm ER, Lepe X. Fracture strength of Type IV and Type V die stone as a function of time. *J Prosthet Dent*. 1997;78(6):554-9.
149. Seghi RR, Crispin BC, Mito W. The effect of ion exchange on flexural strength of feldspathic porcelains. *Int J Prosthodont*. 1990;4:130-4.
150. Seghi RR, Denry IL, Rosentiel SF. Relative Fracture toughness and hardness of new dental ceramics. *J Prosthet Dent*. 1995;74:145-50.
151. Seha MM, Pamuk S, Balkaya MC, Akgüngör G. Effect of Tuf-Coat on Feldspathic porcelain materials. *J Oral Rehabil*. 2005;32:39-45.
152. Sehgal A, Rao YM, Joshua M, Narayanan LL. Evaluation of the effects of the oxygen-inhibited layer on shear bond strength of two resin composites. *J Conserv Dent*. 2008;11(4):159-61.
153. Shah S. Evaluation of electric discharge machining to achieve passive fit of implant superstructure—An in vitro study. *World J Dent*. 2012;3:32-6.
154. Shalak R. Biomechanical considerations in osseointegrated prostheses. *J Prosthet Dent*. 1983;49:843-8.
155. Shoher I, Whiteman A. Captek—A new capillary casting technology for ceramometal restorations. *Quintessence of Dental Technology*. 1995;18:9.
156. Shoher I, Whiteman A. Reinforced porcelain system: A new concept in ceramo-metal restorations. *J Prosthet Dent*. 1983;50:489-96.
157. Shoher I. Reinforced porcelain system. *Dent Clin North Am*. 1985;29:805-18.
158. Siervo S, Parnpalone A, Siervo P, Siervo R. Where is the gap? Machinable ceramic systems and conventional laboratory restorations at a glance. *Quintessence Int*. 1994;25:773-9.
159. Simonsen R, Thompson VP, Barrack G. Etched cast restorations: Clinical and Laboratory Techniques. Chicago: Quintessence. 1983.
160. Simonsen RJ. Retention and effectiveness of dental sealant after 15 years. *J Am Dent Assoc*. 1991;122:34.
161. Smith, Wright, Brown. The clinical handling of dental materials. 2nd ed. Butterworth-Heinemann; 1994.
162. Smith DC, Ruse ND. Acidity of glass ionomer cements during setting and its relation to pulp sensitivity. *J Am Dent Assoc*. 1986;112:654.
163. Sowhyg ZA. The effect of various interim fixed prosthodontic materials on the polymerization of elastomeric impression materials. *J Prosthet Dent*. 2014;112:176-81.
164. Stackhouse JA (Jr). Electrodeposition in dentistry. A review of the literature. *J Prosthet Dent*. 1980;44:259-63.
165. Stackhouse JA (Jr). The accuracy of stone dies made from rubber impression materials. *J Prosthet Dent*. 1970;24:377.
166. Stanley HR. Local and systemic responses to dental composites and glass ionomers. *Adv Dent Res*. 1992;6:55-64.
167. Suzuki S. Does the wear resistance of packable composite equal that of dental amalgam? *J Esthet Restor Dent*. 2004;16(6):355-65; discussion 365-7.
168. Swartz ML, Phillips RW, Rhodes B. Visible light-activated resins: Depth of cure. *J Am Dent Assoc*. 1983;106:634.
169. Söderholm KJ, Mariotti A. Bis-GMA-based resins in dentistry: are they safe? *JADA*. 1999;130:201-8.
170. Takamata T, Setcos JC, Phillips RW, Boone ME. Adaptation of acrylic resin dentures influenced by the activation mode of polymerization. *J Am Dent Assoc*. 1989;118:271.
171. Takamata T, Setcos JC. Resin denture bases: Review of accuracy and methods of polymerization. *Int J Prosthodont*. 1989;2:555.
172. Thouati A. Dimensional stability of seven elastomeric impression materials immersed in disinfectants. *J Prosthet Dent*. 1996;76:8-15.
173. Torabinejad M, Hong CU, McDonald F, Pitt Ford TR. Physical and chemical properties of a new root-end filling material. *J Endod*. 1995(7);21:349-353.
174. Torabinejad M, Parirokh M. Mineral trioxide aggregate: a comprehensive literature review—Part I: chemical, physical, and antibacterial properties. *J Endod*. 2010;36(1):16.

175. Torabinejad M, Parirokh M. Mineral trioxide aggregate: a comprehensive literature review—part II: leakage and biocompatibility investigations. *J Endod.* 2010;36(2):190-202.

176. Tuncer N, Tufekcioglu HB, Alikkocaoglu SC. Investigation on the compressive strength of several gypsum products dried by microwave oven with different programs. *J Prosthet Dent.* 1993;69:333-9.

177. Van Meerbeek B, Inoue S, Perdigao J, et al. In: Carol Stream (Ed). *Fundamentals of Operative Dentistry*. 2nd Ed. Ill Quintessence. Publishing Co, Inc. 2001;194-214.

178. Wagner WC. Biaxial flexural strength and indentation fracture toughness of three new dental core ceramics. *J Prosthet Dent.* 1996;76:140-4.

179. Wakefield CW. Laboratory contamination of dental prostheses. *J Prosthet Dent.* 1980;44:143-6.

180. Walter M, Boenig K, Reppel PD. Clinical performance of machined titanium restorations. *J Dent.* 1994;22:346-8.

181. Wee AG. Comparison of impression materials for direct multi-implant impressions. *J Prosthet Dent.* 2000; 83:323-31.

182. Weinmann W, Thalacker C, Guggenberger R. Siloranes in dental composites. *Dent mater.* 2005;21:68-74.

183. Weiss PA, Munyon RE. Repairs, corrections, and additions to ceramo-metal frameworks. II. *Quint Dent Technol.* 1980;7:45.

184. Willems G, Lambrechts P, Braem M, Celis J, vanherle G. A classification of dental composites according to their morphological and mechanical characteristics. *Dent Mater.* 1992;8:310-9.

185. Williams HN, Falkler WA (Jr), Hasler JF. Acinetobacter contamination of laboratory dental pumice. *J Dent Res.* 1983;62:1073-5.

186. Wilson HJ. Impression materials. *Br Dent J.* 1988;164:221.

187. Winkler MM, Monaghan P, Gilbert JL, Lautenschlager EP. Comparison of four techniques for monitoring the setting kinetics of gypsum. *J Prosthet Dent.* 1998;79:532-6.

188. Wolff MS, Barretto MT, Gale EN, et al. The effect of the powder-liquid ratio on in vivo solubility of zinc phosphate and polycarboxylate cements. *J Dent Res.* 1985;64:316.

189. Wunderlich R, Yaman P. In vitro effect of topical fluoride on dental porcelain. *J Prosthet Dent.* 1986;55:385.

190. Xavier Lepe, Johnson GH. Accuracy of polyether and addition silicone after long-term immersion disinfection. *J Prosthet Dent.* 1997;78:245-9.

191. Yen TW, Blackman RB, Baez FJ. Effect of acid etching on the flexure strength of a feldspathic porcelain and a castable glass ceramic. *J Prosthet Dent.* 1993;70:224-33.