

References

- Abul-Azm, A. and Abdullah, K.M. (2006). Effect of topical tranexamic acid in open heart surgery. *European Journal of Anaesthesiology*, **23**, 380-4.
- Abramo, A., Kopylov, P., Geijer, M., and Tägil, M. (2009). Open reduction and internal fixation compared to closed reduction and external fixation in distal radial fractures: a randomized study of 50 patients. *Acta Orthopaedica*, **80**, 478-85.
- Al-Mulla, F., Bland, J.M., Serratt, D., Miller, J., Chu, C., and Taylor, G.T. (2009). Age-dependent penetrance of different germline mutations in the BRCA1 gene. *Journal of Clinical Pathology*, **62**, 350-6.
- Altman, D.G. (1982). Statistics and ethics in medical research. In *Statistics in Practice* (ed. S.M. Gore and D.G. Altman). British Medical Association, London.
- Altman, D.G. (1991). *Practical Statistics for Medical Research*. Chapman and Hall, London.
- Altman, D.G. (1993). Construction of age-related reference centiles using absolute residuals. *Statistics in Medicine*, **12**, 917-24.
- Altman, D.G. (1998). Confidence intervals for the number needed to treat. *British Medical Journal*, **317**, 1309-12.
- Altman, D.G. and Bland, J.M. (1983). Measurement in medicine: the analysis of method comparison studies. *The Statistician*, **32**, 307-17.
- Altman, D.G. and Matthews, J.N.S. (1996). Statistics Notes: Interaction 1: heterogeneity of effects. *British Medical Journal*, **313**, 486.
- Anderson, H.R., Bland, J.M., Patel, S., and Peckham, C. (1986). The natural history of asthma in childhood. *Journal of Epidemiology and Community Health*, **40**, 121-9.
- Andreasen, J.J. and Nielsen, C. (2004). Prophylactic tranexamic acid in elective, primary coronary artery bypass surgery using cardiopulmonary bypass. *European Journal of Cardiothoracic Surgery*, **26**, 311-17.
- Anon (1997). All trials must have informed consent. *British Medical Journal*, **314**, 1134-5.
- Antonioli, C. and Reveley, M.A. (2005). Randomised controlled trial of animal facilitated therapy with dolphins in the treatment of depression. *British Medical Journal*, **331**, 1231.
- Appleby, L. (1991). Suicide during pregnancy and in the first postnatal year. *British Medical Journal*, **302**, 137-40.
- Armitage, P., Berry, G., and Matthews, J.N.S. (2002). *Statistical Methods in Medical Research*. Blackwell, Oxford.
- Armellin, G., Vinciguerra, A., Bonato, R., Pittarello, D., and Giron, G.P. (2001). Tranexamic acid in primary CABG surgery: high vs. low dose. *Minerva Anestesiologica*, **70**, 97-107.
- Balfour, R.P. (1991). Birds, milk and campylobacter. *Lancet*, **337**, 176.
- Banks, M.H., Bewley, B.R., Bland, J.M., Dean, J.R., and Pollard, V.M. (1978). A long term study of smoking by secondary schoolchildren. *Archives of Disease in Childhood*, **53**, 12-19.
- Baric, D., Biocina, B., Unic, D., Sutlic, Z., Rudez, I., Vrca, V.B., Brkic, K., and Ivkovic, M. (2007). Topical use of antifibrinolytic agents reduces postoperative bleeding: a double-blind, prospective, randomized study. *European Journal of Cardiothoracic Surgery*, **31**, 366-71.
- Begg, C.B. and Mazumdar, M. (1994). Operating characteristics of a rank correlation test for publication bias. *Biometrics*, **50**, 1088-1101.
- Bellotti, J.C., Tamaoki, M.J.S., Atallah, A.N., Albertoni, W.M., dos Santos, J.B.G., and Faloppa, F. (2010). Treatment of reducible unstable fractures of the distal radius in adults: a randomised controlled trial of De Palma percutaneous pinning versus bridging external fixation. *BMC Musculoskeletal Disorders*, **11**, 137.
- Bewley, B.R. and Bland, J.M. (1976). Academic performance and social factors related to cigarette smoking by schoolchildren. *British Journal of Preventive and Social Medicine*, **31**, 18-24.
- Bewley, B.R., Bland, J.M., and Harris, R. (1974). Factors associated with the starting of cigarette smoking by primary school children. *British Journal of Preventive and Social Medicine*, **28**, 37-44.
- Bewley, T.H., Bland, J.M., Ilo, M., Walch, E., and Willington, G. (1975). Census of mental hospital patients and life expectancy of those unlikely to be discharged. *British Medical Journal*, **4**, 671-5.

- Bewley, T.H., Bland, J.M., Mechen, D., and Walch, E. (1981). 'New chronic' patients. *British Medical Journal*, **283**, 1161-4.
- Blackberry, I.D., Furler, J.S., Best, J.D., Chondros, P., Vale, M., Walker, C., Dunning, T., Segal, L., Dunbar, J., Audehm, R., Liew, D., and Young, D. (2013). Effectiveness of general practice based, practice nurse led telephone coaching on glycaemic control of type 2 diabetes: the Patient Engagement And Coaching for Health (PEACH) pragmatic cluster randomised controlled trial. *British Medical Journal*, **347**, f5272.
- Bland, J.M. (2004). Cluster randomised trials in the medical literature: two bibliometric surveys. *BMC Medical Research Methodology*, **4**, 21.
- Bland, J.M. (2009). The tyranny of power: is there a better way to calculate sample size? *British Medical Journal*, **339**, b3985.
- Bland, J.M. (2010). The analysis of cluster-randomised trials in education. *Effective Education*, **2**, 165-80.
- Bland, J.M. and Altman, D.G. (1986). Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet*, **i**, 307-10.
- Bland, J.M. and Altman, D.G. (1993). Informed consent. *British Medical Journal*, **306**, 928.
- Bland, J.M. and Altman, D.G. (1999). Measuring agreement in method comparison studies. *Statistical Methods in Medical Research*, **8**, 135-60.
- Bland, J.M. and Altman, D.G. (2007). Agreement between methods of measurement with multiple observations per individual. *Journal of Biopharmaceutical Statistics*, **17**, 571-82.
- Bland, J.M. and Altman, D.G. (2011). Comparisons against baseline within randomised groups are often used and can be highly misleading. *Trials*, **12**, 264.
- Bland, J.M., Bewley, B.R., Banks, M.H., and Pollard, V.M. (1975). Schoolchildren's beliefs about smoking and disease. *Health Education Journal*, **34**, 71-8.
- Bland, J.M., Bewley, B.R., Pollard, V., and Banks, M.H. (1978). Effect of children's and parents' smoking on respiratory symptoms. *Archives of Disease in Childhood*, **53**, 100-5.
- Bland, J.M., Bewley, B.R., and Banks, M.H. (1979). Cigarette smoking and children's respiratory symptoms: validity of questionnaire method. *Revue d'Epidemiologie et Santé Publique*, **27**, 69-76.
- Bland, J.M., Holland, W.W., and Elliott, A. (1974). The development of respiratory symptoms in a cohort of Kent schoolchildren. *Bulletin Physio-Pathologie Respiratoire*, **10**, 699-716.
- Bland, J.M. and Kerry, S.M. (1998). Statistics Notes: Weighted comparison of means. *British Medical Journal*, **316**, 129.
- Bland, J.M., Mutoka, C., and Hutt, M.S.R. (1977). Kaposi's sarcoma in Tanzania. *East African Journal of Medical Research*, **4**, 47-53.
- Bland, J.M. and Peacock, J.L. (2000). *Statistical Questions in Evidence-based Medicine*. Oxford University Press, Oxford.
- Bland, M. (1997). Informed consent in medical research: Let readers judge for themselves. *British Medical Journal*, **314**, 1477-8.
- Bland, M. (2014). Health freaks on trial: duct tape, bull semen and the call of television. *Significance*, **11**(2), 32-35.
- Bland, M. and Peacock, J. (2002). Interpreting statistics with confidence. *The Obstetrician and Gynaecologist*, **4**, 176-80.
- BMJ (1996a). The Declaration of Helsinki. *British Medical Journal*, **313**, 1448.
- BMJ (1996b). The Nuremberg code (1947). *British Medical Journal*, **313**, 1448.
- Borenstein, M., Hedges, L.V., Higgins, J.P.T., and Rothstein, H. (2009). *Introduction to Meta-Analysis*. Wiley, Chichester.
- Bowling, A. (1997). *Measuring Health: A Review Of Quality Of Life Measurement Scales*, 2nd Ed. Open University Press, Milton Keynes.
- Brawley, O.W. (1998). The study of untreated syphilis in the negro male. *International Journal of Radiation Oncology, Biology, Physics*, **40**, 5-8.
- Breslow, N.E. and Day, N.E. (1987). *Statistical methods in cancer research. Volume II—the design and analysis of cohort studies*. IARC, Lyon.
- Brewster, D.H., Thomson, C.S., Hole, D.J., Black, R.J., Stroner, P.L., and Gillis, C.R. (2001). Relation between socioeconomic status and tumour stage in patients with breast, colorectal, ovarian, and lung cancer: results from four national, population based studies. *British Medical Journal*, **322**, 830-1.
- British Standards Institution (1979). *Precision of test methods. 1: Guide for the determination and reproducibility of a standard test method (BS5497, part 1)*. BSI, London.
- Brooke, O.G., Anderson, H.R., Bland, J.M., Peacock, J., and Stewart, M. (1989). Effects on birth weight of smoking, alcohol, caffeine, socio-economic factors, and psychosocial stress. *British Medical Journal*, **298**, 795-801.
- Brown, L.D., Cai, T., and DasGupta, A. (2001). Interval estimation for a binomial proportion. *Statistical Science*, **16**, 101-33.
- Brown, L.D., Cai, T.T., and DasGupta, A. (2002). Confidence intervals for a binomial proportion and asymptotic expansions. *Annals of Statistics*, **30**, 160-201.

- Brown, R.S., Thwaites, B.K., and Mongan, P.D. (1997). Tranexamic acid is effective in decreasing postoperative bleeding and transfusions in primary coronary artery bypass operations: a double-blind, randomized, placebo-controlled trial. *Anesthesia and Analgesia*, **85**, 963–70.
- Bryson, M.C. (1976). The *Literary Digest* poll: making of a statistical myth. *The American Statistician*, **30**, 184–5.
- Bulletin of Medical Ethics* (1998). News: Lively debate on research ethics in the US. November, 3–4.
- Burdick, R.K. and Graybill, F.A. (1992). *Confidence intervals on variance components*. Dekker, New York.
- Burr, M.L., St Leger, A.S., and Neale, E. (1976). Anti-mite measures in mite-sensitive adult asthma: a controlled trial. *Lancet*, **i**, 333–5.
- Butland, B.K., Field-Smith, M.E., Ramsey, J.D., and Anderson, H.R. (2012). Twenty-five years of volatile substance abuse mortality: a national mortality surveillance programme. *Addiction*, **108**, 385–93.
- Campbell, M.J. and Gardner, M.J. (1989). Calculating confidence intervals for some non-parametric analyses. In *Statistics with Confidence* (ed. M.J. Gardner and D.G. Altman). British Medical Journal, London.
- Carleton, R.A., Sanders, C.A., and Burack, W.R. (1960). Heparin administration after acute myocardial infarction. *New England Journal of Medicine*, **263**, 1002–4.
- Casey, A.T.H., Crockard, H.A., Bland, J.M., Stevens, J., Moskovich, R., and Ransford, A. (1996). Predictors of outcome in the quadriparetic nonambulatory myelopathic patient with rheumatoid arthritis – a prospective study of 55 surgically treated Ranawat class IIIB patients. *Journal of Neurosurgery*, **85**, 574–81.
- Castellucci, L.A., Cameron, C., Le Gal, G., Rodger, M.A., Coyle, D., Wells, P.S., Clifford, T., Gandara, E., Wells, G., and Carrier, M. (2013). Efficacy and safety outcomes of oral anticoagulants and antiplatelet drugs in the secondary prevention of venous thromboembolism: systematic review and network meta-analysis. *British Medical Journal*, **347**, f5133.
- Chatterjee, S., Biondi-Zoccai, G., Abbate, A., D'Ascenzo, F., Castagno, D., Van Tassell, B., Mukherjee, D., and Lichstein, E. (2013). Benefits of beta blockers in patients with heart failure and reduced ejection fraction: network meta-analysis. *British Medical Journal*, **346**, f55.
- Cheyne, H., Hundley, V., Dowding, D., Bland, J.M., McNamee, P., Greer, I., Styles, M., Barnett, C.A., Scotland, G., and Niven, C. (2008). Effects of algorithm for diagnosis of active labour: cluster randomised trial. *BMJ*, **337**, a2396.
- Christie, D. (1979). Before-and-after comparisons: a cautionary tale. *British Medical Journal*, **2**, 1629–30.
- Cochran, W.G. (1977). *Sampling Techniques*. Wiley, New York.
- Cochrane Collaboration (2013). <<http://www.mrc-bsu.cam.ac.uk/cochrane/handbook/>>.
- Cohen, J. (1960). A coefficient of agreement for nominal scales. *Educational and Psychological Measurement*, **20**, 37–47.
- Cohen, J. (1968). Weighted kappa: nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin*, **70**, 213–20.
- Cohen, J. (1992). A power primer. *Psychological Bulletin*, **112**, 155–9.
- Colman, I., Brown, M.D., Innes, G.D., Grafstein, E., Roberts, T.E., and Rowe, B.H. (2004). Parenteral metoclopramide for acute migraine: meta-analysis of randomised controlled trials. *British Medical Journal*, **329**, 1369.
- Colton, T. (1974). *Statistics in Medicine*. Little Brown, Boston.
- Conover, W.J. (1980). *Practical Nonparametric Statistics*. John Wiley and Sons, New York.
- Corbacioglu, S., Cesaro, S., Faraci, M., Valteau-Couanet, D., Gruhn, B., Rovelli, A., Boelens, J.J., Hewitt, A., Schrum, J., Schulz, A.S., Müller, I., Stein, J., Wynn, R., Greil, J., Sykora, K-W., Matthes-Martin, S., Führer, M., O'Meara, A., Toporski, J., Sedlacek, P., Schlegel, P.G., Ehlert, K., Fasth, A., Winiarski, J., Arvidson, J., Mauz-Körholz, C., Ozsahin, H., Schrauder, A., Bader, P., Massaro, J., D'Agostino, R., Hoyle, H., Iacobelli, M., Debatin, K-M., Peters, C., and Dini, G. (2012). Defibrotide for prophylaxis of hepatic veno-occlusive disease in paediatric haemopoietic stem-cell transplantation: an open-label, phase 3, randomised controlled trial. *Lancet*, **379**, 1301–9.
- Cox, D.R. (1972). Regression models and life tables. *Journal of the Royal Statistical Society Series B*, **34**, 187–220.
- Cronbach, L.J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, **16**, 297–334.
- Davies, O.L. and Goldsmith, P.L. (1972). *Statistical Methods in Research and Production*. Oliver and Boyd, Edinburgh.
- De Bonis, M., Cavaliere, F., Alessandrini, F., Lapenna, E., Santarelli, F., Moscato, U., Schiavello, R., and Possati, G.F. (2000). Topical use of tranexamic acid in coronary artery bypass operations: a double-blind, prospective, randomized, placebo-controlled study. *Journal of Thoracic and Cardiovascular Surgery*, **119**, 575–80.
- Dennis, M. (1997). Commentary: Why we didn't ask patients for their consent. *British Medical Journal*, **314**, 1077.

- Dennis, M., O'Rourke, S., Slattery, J., Staniforth, T., and Warlow, C. (1997). Evaluation of a stroke family care worker: results of a randomised controlled trial. *British Medical Journal*, **314**, 1071–6.
- DerSimonian, R. and Laird, N. (1986). Meta-analysis in clinical trials. *Controlled Clinical Trials*, **7**, 177–87.
- DerSimonian, R. and Kacker, R. (2007). Random-effects model for meta-analysis of clinical trials: an update. *Contemporary Clinical Trials*, **28**, 105–14.
- DHSS (1976). *Prevention and Health: Everybody's Business*. HMSO, London.
- Diprose, P., Herbertson, M.J., O'Shaughnessy, D., Deakin, C.D., and Gill, R.S. (2005). Reducing allogeneic transfusion in cardiac surgery: a randomized double-blind placebo-controlled trial of antifibrinolytic therapies used in addition to intra-operative cell salvage. *British Journal of Anaesthesia*, **94**, 271–8.
- Doll, R. and Hill, A.B. (1950). Smoking and carcinoma of the lung. *British Medical Journal*, **ii**, 739–48.
- Doll, R. and Hill, A.B. (1956). Lung cancer and other causes of death in relation to smoking: a second report on the mortality of British doctors. *British Medical Journal*, **ii**, 1071–81.
- Doll, R., Peto, R., Boreham, J., and Sutherland, I. (2004). Mortality in relation to smoking: 50 years' observations on male British doctors. *British Medical Journal*, **328**, 1519–28.
- Donnan, S.P.B. and Haskey, J. (1977). Alcoholism and cirrhosis of the liver. *Population Trends*, **7**, 18–24.
- Donner, A., Brown, K.S., and Brasher, P. (1990). A methodological review of non-therapeutic intervention trials employing cluster randomisation 1979–1989. *International Journal of Epidemiology*, **19**, 795–800.
- Donner, A. and Klar, N. (2000). *Design and Analysis of Cluster Randomization Trials in Health Research*. Arnold, London.
- Doyal, L. (1997). Informed consent in medical research: Journals should not publish research to which patients have not given fully informed consent—with three exceptions. *British Medical Journal*, **314**, 1107–11.
- Dumville, J.C., Worthy, G., Bland, J.M., Cullum, N., Dowson, C., Iglesias, C., Mitchell, J.L., Nelson, E.A., Soares, M.O., and Torgerson, D.J. (2009). Larval therapy for leg ulcers (VenUS II): randomised controlled trial. *British Medical Journal*, **338**, b773.
- Duval, S. and Tweedie, R. (2000). Trim and fill: a simple funnel-plot-based method of testing and adjusting for publication bias in meta-analysis. *Biometrics*, **56**, 455–63.
- Efron, B. and Tibshirani, R.J. (1993). *An Introduction to the Bootstrap*. Chapman and Hall, New York.
- Egero, B. and Henin, R.A. (1973). *The Population of Tanzania*. Bureau of Statistics, Dar es Salaam.
- Egger, M., Smith, G.D., Schneider, M., and Minder, C. (1997). Bias in meta-analysis detected by a simple graphical test. *British Medical Journal*, **315**, 629–34.
- Egol, K., Walsh, M., Tejwani, N., McLaurin, T., Wynn, C., and Pakisma, N. (2008). Bridging external fixation and supplementary Kirschner-wire fixation versus volar locked plating for unstable fractures of the distal radius: a randomised, prospective trial. *Journal of Bone and Joint Surgery (British Volume)*, **90-B**, 1214–21.
- Eldridge, S. and Kerry, S. (2012). *A Practical Guide to Cluster Randomised Trials in Health Services Research*. Wiley, Chichester.
- Eskenazi, B., Prehn, A.W., and Christianson, R.E. (1995). Passive and active maternal smoking as measured by serum cotinine: the effect on birthweight. *American Journal of Public Health*, **85**, 395–8.
- Esmail, A., Warburton, B., Bland, J.M., Anderson, H.R., and Ramsey, J. (1997). Regional variations in deaths from volatile solvent abuse in Great Britain. *Addiction*, **92**(12), 1765–71.
- Etminan, M., Takkouche, B., Isorna, F.C., and Samii, A. (2005). Risk of ischaemic stroke in people with migraine: systematic review and meta-analysis of observational studies. *British Medical Journal*, **330**, 63.
- Ettema, T.P., Hensen, E., De Lange, J., Dröes, R.M., Mellenbergh, G.J., and Ribbe, M.W. (2007). Self-report on quality of life in dementia with modified COOP/WONCA charts. *Aging & Mental Health*, **11**, 734–42.
- Falkowski, W., Ben-Tovim, D.I., and Bland, J.M. (1980). The assessment of the ego states. *British Journal of Psychiatry*, **137**, 572–3.
- Feinstein, A.R. (2001). *Principles of Medical Statistics*. Chapman and Hall/CRC, Boca Raton, Florida.
- Field-Smith, M.E., Bland, J.M., Taylor, J.C., Ramsey, J.D., and Anderson, H.R. (2002). *Trends in deaths associated with abuse of volatile substances 1971–2000. Report no 15*. George's Hospital Medical School, London.
- Finney, D.J., Latscha, R., Bennett, B.M., and Hsa, P. (1963). *Tables for Testing Significance in a 2 × 2 Contingency Table*. Cambridge University Press, London.
- Fleiss, J.L. (1971). Measuring nominal scale agreement among many raters. *Psychological Bulletin*, **76**, 378–82.
- Fletcher, A., Cullum, N., and Sheldon, T.A. (1997). A systematic review of compression treatment for venous leg ulcers. *British Medical Journal*, **315**, 576–80.
- Flint, C. and Poulengeris, P. (1986). *The 'Know Your Midwife' Report*. Caroline Flint, London.

- Ford, I. and Norrie, J. (2002). The role of covariates in estimating treatment effects and risk in long-term clinical trials. *Statistics in Medicine*, **21**, 2899–908.
- Friedland, J.S., Porter, J.C., Daryanani, S., Bland, J.M., Screeaton, N.J., Vesely, M.J.J., Griffin, G.E., Bennett, E.D., and Remick, D.G. (1996). Plasma proinflammatory cytokine concentrations, Acute Physiology and Chronic Health Evaluation (APACHE) III scores and survival in patients in an intensive care unit. *Critical Care Medicine*, **24**, 1775–81.
- Galton, F. (1886). Regression towards mediocrity in hereditary stature. *Journal of the Anthropological Institute*, **15**, 246–63.
- Gardner, M.J. and Altman, D.G. (1986). Confidence intervals rather than P values: estimation rather than hypothesis testing. *British Medical Journal*, **292**, 746–50.
- Goldacre, B. (2014). Take with a pinch of salt. *The Guardian*, London, 10 April, pp.6–9 (G2).
- Goldstein, H. (1995). *Multilevel Statistical Models*, 2nd Ed. Arnold, London.
- Grewal, R., Perey, B., Wilmink, M., and Stothers, K. (2005). A randomized prospective study on the treatment of intra-articular distal radius fractures: open reduction and internal fixation with dorsal plating versus mini open reduction, percutaneous fixation, and external fixation. *The Journal of Hand Surgery (American Volume)*, **30A**, 764–72.
- Haddow, J.E., Knight, G.J., Palomaki, G.E., Kloza, E.M., and Wald, N.J. (1988). Cigarette consumption and serum cotinine in relation to birthweight. *British Journal of Obstetrics and Gynaecology*, **94**, 678–81.
- Hardy, J.F., Belisle, S., Dupont, C., Harel, F., Robitaille, D., Roy, M., and Gagnon, L. (1998). Prophylactic tranexamic acid and epsilon-aminocaproic acid for primary myocardial revascularization. *Annals of Thoracic Surgery*, **65**, 371–6.
- Harjutsalo, V., Forsblom, C., and Groop, P-H. (2011). Time trends in mortality in patients with type 1 diabetes: nationwide population based cohort study. *British Medical Journal*, **343**, d5364.
- Harley, B.J., Scharfenberger, A., Beaupre, L.A., Jomha, N., and Weber, D.W. (2004). Augmented external fixation versus percutaneous pinning and casting for unstable fractures of the distal radius – a prospective randomized trial. *Journal of Hand Surgery (American Volume)*, **29A**, 815–24.
- Harper, R. and Reeves, B. (1999). Reporting of precision of estimates for diagnostic accuracy: a review. *British Medical Journal*, **318**, 1322–3.
- Hart, P.D. and Sutherland, I. (1977). BCG and vole bacillus in the prevention of tuberculosis in adolescence and early adult life. *British Medical Journal*, **2**, 293–5.
- Healy, M.J.R. (1968). Disciplining medical data. *British Medical Bulletin*, **24**, 210–14.
- Hedges, B.M. (1978). Question wording effects: presenting one or both sides of a case. *The Statistician*, **28**, 83–99.
- Henzi, I., Walder, B., and Tramèr, M.R. (2000). Dexamehtasone for the prevention of postoperative nausea and vomiting: a quantitative systematic review. *Anesthesia-Analgesia*, **90**, 186–94.
- Hepworth, S.J., Schoemaker, M.J., Muir, K.R., Swerdlow, A.J., Tongeren, M.J.A., and McKinney, P.A. (2006). Mobile phone use and risk of glioma in adults: case-control study. *British Medical Journal*, **332**, 883–7.
- Hickish, T., Colston, K., Bland, J.M., and Maxwell, J.D. (1989). Vitamin D deficiency and muscle strength in male alcoholics. *Clinical Science*, **77**, 171–6.
- Higgins, J.P.T. and Thompson, S.G. (2002). Quantifying heterogeneity in a meta-analysis. *Statistics in Medicine*, **21**, 1539–58.
- Hill, A.B. (1962). *Statistical Methods in Clinical and Preventive Medicine*. Churchill Livingstone, Edinburgh.
- Hill, A.B. (1977). *A Short Textbook of Medical Statistics*. Hodder and Stoughton, London.
- Holland, W.W., Bailey, P., and Bland, J.M. (1978). Long-term consequences of respiratory disease in infancy. *Journal of Epidemiology and Community Health*, **32**, 256–9.
- Holten, C. (1951). Anticoagulants in the treatment of coronary thrombosis. *Acta Medica Scandinavica*, **140**, 340–8.
- Horizon (2014). *The Power of the Placebo*, BBC 2 Television, London.
- Hosmer, D.W. and Lemeshow, S. (1999). *Applied Survival Analysis*. John Wiley and Sons, New York.
- Huff, D. (1954). *How to Lie with Statistics*. Gollancz, London.
- Hundley, V., Cheyne, H., Bland, J.M., Styles, M., and Barnett, C.A. (2010). So you want to conduct a cluster randomized controlled trial? Lessons from a national cluster trial of early labour. *Journal of Evaluation in Clinical Practice*, **16**, 632–8.
- Huskisson, E.C. (1974). Simple analgesics for arthritis. *British Medical Journal*, **4**, 196–200.
- Iglesias, C., Nelson, E.A., Cullum, N.A., and Torgerson, D.J. (2004). Venus I: a randomised controlled trial of two types of bandage for treating venous leg ulcers. *Health Technology Assessment*, **8**, 29.
- James, A.H. (1977). Breakfast and Crohn's disease. *British Medical Journal*, **1**, 943–7.
- Jefferson, T., Jones, M., Doshi, P., Spencer, E.A., Onakpoya, I., and Heneghan, C.J. (2014). Oseltamivir for influenza in adults and children: systematic review of clinical study reports and summary of regulatory comments. *British Medical Journal*, **348**, g2545.

- Johnson, F.N. and Johnson, S. (eds) (1977). *Clinical Trials*. Blackwell, Oxford.
- Johnston, H.L.M. and Murphy, R. (2005). Agreement between an arterial blood gas analyser and a venous blood analyser in the measurement of potassium in patients in cardiac arrest. *Emergency Medicine Journal*, **22**, 269–71.
- Johnston, I.D.A., Anderson, H.R., Lambert, H.P., and Patel, S. (1983). Respiratory morbidity and lung function after whooping cough. *Lancet*, **ii**, 1104–8.
- Jones, B. and Kenward, M.G. (1989). *Design and Analysis of Cross-Over Trials*. Chapman and Hall, London.
- Kapembwa, M.S., Fleming, S.C., Orr, M., Wells, C., Bland, M., Back, D., and Griffin, G.E. (1996). Impaired absorption of zidovudine in patients with AIDS-related small intestinal disease. *AIDS*, **10**, 1509–14.
- Kaplan, E.L. and Meier, P. (1958). Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association*, **53**, 457–81.
- Kaptchuk, T.J., Friedlander, E., Kelley, J.M., Sanchez, M.N., Kokkotou, E., Singer, J.P., Kowalczykowski, M., Miller, F.G., Kirsch, I., and Lembo, A.J. (2010). Placebos without deception: a randomized controlled trial in irritable bowel syndrome. *PLoS ONE*, **5**, e15591.
- Karagiannis, T., Paschos, P., Paletas, K., Matthews, D.R., and Tsapas, A. (2012). Dipeptidyl peptidase-4 inhibitors for treatment of type 2 diabetes mellitus in the clinical setting: systematic review and meta-analysis. *British Medical Journal*, **344**, e1369.
- Karski, J., Djaiani, G., Carroll, J., Iwanochko, M., Seneviratne, P., Liu, P., Kucharczyk, W., Fedorko, L., David, T., and Cheng, D. (2005). Tranexamic acid and early saphenous vein graft patency in conventional coronary artery bypass graft surgery: a prospective randomized controlled clinical trial. *Journal of Thoracic and Cardiovascular Surgery*, **130**, 309–14.
- Karski, J.M., Teasdale, S.J., Norman, P., Carroll, J., VanKessel, K., Wong, P., and Glynn, M.F. (1995). Prevention of bleeding after cardiopulmonary bypass with high-dose tranexamic acid. Double-blind, randomized clinical trial. *Journal of Thoracic and Cardiovascular Surgery*, **110**, 835–42.
- Kaste, M., Kuurne, T., Vilkki, J., Katevuo, K., Sainio, K., and Meurala, H. (1982). Is chronic brain damage in boxing a hazard of the past? *Lancet*, **ii**, 1186–8.
- Katsaros, D., Petricevic, M., Snow, N.J., Woodhall, D.D., and Van Bergen, R. (1996). Tranexamic acid reduces post-bypass blood use: a double-blinded, prospective, randomized study of 210 patients. *Annals of Thoracic Surgery*, **61**, 1131–5.
- Kendall, M.G. (1970). *Rank Correlation Methods*. Charles Griffin, London.
- Kendall, M.G. and Babington Smith, B. (1971). *Tables of Random Sampling Numbers*. Cambridge University Press, Cambridge.
- Kendall, M.G. and Stuart, A. (1969). *The Advanced Theory of Statistics, 3rd Ed.*, vol. 1. Charles Griffin, London.
- Kerrigan, D.D., Thevasagayam, R.S., Woods, T.O., McWelch, I., Thomas, W.E., Shorthouse, A.J., and Dennington, A.R. (1993). Who's afraid of informed consent? *British Medical Journal*, **306**, 298–300.
- Kerry, S.M. and Bland, J.M. (1998). Statistics Notes: Analysis of a trial randomized in clusters. *British Medical Journal*, **316**, 54.
- Kiely, P.D.W., Bland, J.M., Joseph, A.E.A., Mortimer, P.S., and Bourke, B.E. (1995). Upper limb lymphatic function in inflammatory arthritis. *Journal of Rheumatology*, **22**, 214–17.
- Kish, L. (1994). *Survey Sampling*. Wiley Classic Library, New York.
- Kramer, A.D.I., Guillory, J.E., and Hancock, J.T. (2014). Experimental evidence of massive-scale emotional contagion through social networks. *Proceedings of the National Academy of Sciences of the United States of America*, **111**, 8788–90.
- Kruschke, J.K. (2010). *Data Analysis: A Bayesian Tutorial*. Academic Press, Waltham, Mass.
- Lancet* (1980). BCG: bad news from India. *Lancet*, **i**, 73–4.
- Landis, J.R. and Koch, G.G. (1977). The measurement of observer agreement for categorical data. *Biometrics*, **33**, 159–74.
- Laupacis, A., Sackett, D.L., and Roberts, R.S. (1988). An assessment of clinically useful measures of the consequences of treatment. *New England Journal of Medicine*, **318**, 1728–33.
- Lawley, D.N. and Maxwell, A.E. (1971). *Factor Analysis as a Statistical Method, 2nd Ed.* Butterworth, London.
- Lazzaroni, F., Bonassi, S., Manniello, E., Morcaldi, L., Repetto, E., Ruocco, A., Calvi, A., and Cotellessa, G. (1990). Effect of passive smoking during pregnancy on selected perinatal parameters. *International Journal of Epidemiology*, **19**, 960–5.
- Leaning, J. (1996). War crimes and medical science. *British Medical Journal*, **313**, 1413–15.
- Lee, K.L., McNeer, J.F., Starmer, F.C., Harris, P.J., and Rosati, R.A. (1980). Clinical judgements and statistics: lessons from a simulated randomized trial in coronary artery disease. *Circulation*, **61**, 508–15.
- Lemeshow, S., Hosmer, D.W., Klar, J., and Lwanga, S.K. (1990). *Adequacy of Sample Size in Health Studies*. John Wiley and Sons, Chichester.
- Levine, M.I. and Sackett, M.F. (1946). Results of BCG immunization in New York City. *American Review of Tuberculosis*, **53**, 517–32.

- Levy, M.L., Robb, M., Allen, J., Doherty, C., Bland, J.M., and Winter, R.J.D. (2000). A randomized controlled evaluation of specialist nurse education following accident and emergency department attendance for acute asthma. *Respiratory Medicine*, **94**, 900–8.
- Lindley, M.I. and Miller, J.C.P. (1955). *Cambridge Elementary Statistical Tables*. Cambridge University Press, Cambridge.
- Lock, L., Williams, H., Bamford, B., and Lacey, J.H. (2012). The St George's eating disorders service meal preparation group for inpatients and day patients pursuing full recovery: a pilot study. *European Eating Disorders Review*, **20**, 218–24.
- Lopez-Olaondo, L., Carrascosa, F., Pueyo, F.J., Monedero, P., Bustó, N., and Saez, A. (1996). Combination of ondansetron and dexamethasone in the prophylaxis of postoperative nausea and vomiting. *British Journal of Anaesthesia*, **76**, 835–40.
- Lucas, A., Morley, R., Cole, T.J., Lister, G., and Leeson-Payne, C. (1992). Breast milk and subsequent intelligence quotient in children born preterm. *Lancet*, **339**, 510–5.
- Lumley, T. (2002). Network meta-analysis for indirect treatment comparisons. *Statistics in Medicine*, **21**, 2313–24.
- Lunn, D.J., Thomas, A., Best, N., and Spiegelhalter, D. (2000). WinBUGS – a Bayesian modelling framework: concepts, structure, and extensibility. *Statistics and Computing*, **10**, 325–37.
- Luthra, P., Bland, J.M., and Stanton, S.L. (1982). Incidence of pregnancy after laparoscopy and hydrotubation. *British Medical Journal*, **284**, 1013.
- Machin, D., Campbell, M.J., Fayers, P., and Pinol, A. (1998). *Statistical Tables for the Design of Clinical Studies*, Second Ed. Blackwell, Oxford.
- MacPherson, H., Thomas, K., Walters, S., and Fitter, M. (2001). The York acupuncture safety study: prospective survey of 34 000 treatments by traditional acupuncturists. *British Medical Journal*, **323**, 486–7.
- Maier, P.C., Funk, J., Schwarzer, G., Antes, G., and Falck-Ytter, Y.T. (2005). Treatment of ocular hypertension and open angle glaucoma: meta-analysis of randomised controlled trials. *British Medical Journal*, **331**, 134.
- Mainous, A.G. and Hueston, W.J. (1994). Passive smoking and low birth weight. Evidence of a threshold effect. *Archives of Family Medicine*, **3**, 875–8.
- Mantel, N. (1966). Evaluation of survival data and two new rank order statistics arising in its consideration. *Cancer Chemotherapy Reports*, **50**, 163–70.
- Martinez, F.D., Wright, A.L., and Taussig, L.M. (1994). The effect of paternal smoking on the birthweight of newborns whose mothers did not smoke. *Public Health Briefs*, **84**, 1489–91.
- Martin, T.R. and Bracken, M.B. (1986). Association of low birth weight with passive smoke exposure in pregnancy. *American Journal of Epidemiology*, **124**, 633–42.
- Mathai, M., Vijayash, R., Babu, S., and Jeyaseelan, L. (1992). Passive maternal smoking and birthweight in a South Indian population. *British Journal of Obstetrics and Gynaecology*, **99**, 342–3.
- Mather, H.M., Nisbet, J.A., Burton, G.H., Poston, G.J., Bland, J.M., Bailey, P.A., and Pilkington, T.R.E. (1979). Hypomagnesaemia in diabetes. *Clinica Chemica Acta*, **95**, 235–42.
- Matthews, D.E. and Farewell, V. (1988). *Using and Understanding Medical Statistics*, 2nd Ed. Karger, Basel.
- Matthews, J.N.S. and Altman, D.G. (1996a). Statistics Notes: Interaction 2: compare effect sizes not P values. *British Medical Journal*, **313**, 808.
- Matthews, J.N.S. and Altman, D.G. (1996b). Statistics Notes: Interaction 3: how to examine heterogeneity. *British Medical Journal*, **313**, 862.
- Matthews, J.N.S., Altman, D.G., Campbell, M.J., and Royston, P. (1990). Analysis of serial measurements in medical research. *British Medical Journal*, **300**, 230–5.
- Maugdal, D.P., Ang, L., Patel, S., Bland, J.M., and Maxwell, J.D. (1985). Nutritional assessment in patients with chronic gastro-intestinal symptoms: comparison of functional and organic disorders. *Human Nutrition: Clinical Nutrition*, **39**, 203–12.
- Maxwell, A.E. (1970). Comparing the classification of subjects by two independent judges. *British Journal of Psychiatry*, **116**, 651–5.
- Mayberry, J.F., Rhodes, J., and Newcombe, R.G. (1978). Breakfast and dietary aspects of Crohn's disease. *British Medical Journal*, **2**, 1401.
- McDowell, I. and Newell, C. (1996). *Measuring Health: A Guide To Rating Scales and Questionnaires*, 2nd Ed. Oxford University Press, Oxford.
- McKie, D. (1992). Pollsters turn to secret ballot. *The Guardian*, London, 24 August, p.20.
- McLean, S. (1997). Commentary: No consent means not treating the patient with respect. *British Medical Journal*, **314**, 1076.
- Meade, T.W., Roderick, P.J., Brennan, P.J., Wilkes, H.C., and Kelleher, C.C. (1992). Extra-cranial bleeding and other

- symptoms due to low dose aspirin and low intensity oral anticoagulation. *Thrombosis and Haemostasis*, **68**, 1–6.
- Meier, P. (1977). The biggest health experiment ever: the 1954 field trial of the Salk poliomyelitis vaccine. In *Statistics: A Guide to the Biological and Health Sciences* (ed. J.M. Tanur, et al.). Holden-Day, San Francisco.
- Mills, E.J., Thorlund, K., and Ioannidis, J.P.A. (2013). Demystifying trial networks and network meta-analysis. *British Medical Journal*, **346**, f2914.
- Minaya, P., Baumstarck, K., Berbis, J., Goncalves, A., Barlesi, F., Michel, G., Salas, S., Chinot, O., Grob, J.J., Seitz, J.F., Bladou, F., Clement, A., Mancini, J., Simeoni, M.C., and Auquier, P. (2012). The CareGiver Oncology Quality of Life questionnaire (CarGOQoL): development and validation of an instrument to measure the quality of life of the caregivers of patients with cancer. *European Journal of Cancer*, **48**, 904–11.
- Mitchell, E.A., Bland, J.M., and Thompson, J.M.D. (1994). Risk factors for readmission to hospital for asthma. *Thorax*, **49**, 33–6.
- Mongan, P.D., Brown, R.S., and Thwaites, B.K. (1998). Tranexamic acid and aprotinin reduce postoperative bleeding and transfusions during primary coronary revascularization. *Anesthesia and Analgesia*, **87**, 258–65.
- Morice, A.H., Faruqi, S., Wright, C.E., Thompson, R., and Bland, J.M. (2011). Cough hypersensitivity syndrome: a distinct clinical entity. *Lung*, **189**, 73–9.
- Morris, G.C., Wiggins, R.C., Woodhall, S.C., Bland, J.M., Taylor, C.R., Jespers, V., Vcelar, B.A., and Lacey, C.J. (2014). MABGEL 1: First phase 1 trial of the anti-HIV1 monoclonal antibodies 2F5, 4E10 and 2G12 as a vaginal microbicide. *PLoS ONE*, Submitted for publication.
- Morris, J.A. and Gardner, M.J. (1989). Calculating confidence intervals for relative risks, odds ratios and standardized ratios and rates. In *Statistics with Confidence* (ed. M.J. Gardner and D.G. Altman). British Medical Journal, London.
- Moseley, J.B., O'Malley, K., Petersen, N.J., Menke, T.J., Brody, B.A., Kuykendall, D.H., Hollingsworth, J.C., Ashton, C.M., and Wray, N.P. (2002). A controlled trial of arthroscopic surgery for osteoarthritis of the knee. *New England Journal of Medicine*, **347**, 81–8.
- Motallebzadeh, R., Bland, J.M., Markus, H.S., Kaski, J.C., and Jahangiri, M. (2007). Neurocognitive function and cerebral emboli: randomised study of on-pump versus off-pump coronary artery bypass surgery. *Annals of Thoracic Surgery*, **83**, 475–82.
- Motzer, R.J., Escudier, B., Oudard, S., Hutson, T.E., Porta, C., Bracarda, S., Grunwald, V., Thompson, J.A., Figlin, R.A., Hollaender, N., Urbanowitz, G., Berg, W.J., Kay, A., Lebwohl, D., and Ravaud, A. (2008). Efficacy of everolimus in advanced renal cell carcinoma: a double-blind, randomised, placebo-controlled phase III trial. *Lancet*, **372**, 449–56.
- MRC (1948). Streptomycin treatment of pulmonary tuberculosis. *British Medical Journal*, **2**, 769–82.
- Mudur, G. (1997). Indian study of women with cervical lesions called unethical. *British Medical Journal*, **314**, 1065.
- Nelson, E.A., Iglesias, C.P., Cullum, N., and Torgerson, D.J. (2004). Randomized clinical trial of four-layer and short-stretch compression bandages for venous leg ulcers (VenUS I). *British Journal of Surgery*, **91**, 1292–9.
- Newcombe, R.G. (1992). Confidence intervals: enlightening or mystifying. *British Medical Journal*, **304**, 381–2.
- Newnham, J.P., Evans, S.F., Con, A.M., Stanley, F.J., and Landau, L.I. (1993). Effects of frequent ultrasound during pregnancy: a randomized controlled trial. *Lancet*, **342**, 887–91.
- Ng, C.S., Watson, C.J.E., Palmer, C.R., See, T.C., Beharry, N.A., Housden, B.A., Bradley, J.A., and Dixon, A.K. (2002). Evaluation of early abdominopelvic computed tomography in patients with acute abdominal pain of unknown cause: prospective randomised study. *British Medical Journal*, **325**, 1387.
- Ngaage, D.L. and Bland, J.M. (2010). Lessons from aprotinin: is the routine use and inconsistent dosing of tranexamic acid prudent? Meta-analysis of randomised and large matched observational studies. *European Journal of Cardio-Thoracic Surgery*, **37**, 1375–83.
- Nüesch, E., Trelle, S., Reichenbach, S., Rutjes, A.W.S., Bürgi, E., Scherer, M., Altman, D.G., and Jüni, P. (2009). The effects of excluding patients from the analysis in randomised controlled trials: meta-epidemiological study. *British Medical Journal*, **339**, b3244.
- Nuesch, R., Schroeder, K., Dieterle, T., Martina, B., and Battagay, E. (2001). Relation between insufficient response to antihypertensive treatment and poor compliance with treatment: a prospective case-control study. *British Medical Journal*, **323**, 142–6.
- Nuttall, G.A., Oliver, W.C., Ereth, M.H., Santrach, P.J., Bryant, S.C., Orszulak, T.A., and Schaff, H.V. (2000). Comparison of blood-conservation strategies in cardiac surgery patients at high risk for bleeding. *Anesthesiology*, **92**, 674–82.
- Oakeshott, P., Kerry, S.M., and Williams, J.E. (1994). Randomised controlled trial of the effect of the Royal College of Radiologists' guidelines on general practitioners' referral for radiographic examination. *British Journal of General Practice*, **44**, 197–200.

- O'Brien, P.C. and Fleming, T.R. (1979). A multiple testing procedure for clinical trials. *Biometrics*, **35**, 549–56.
- Office for National Statistics. (1999). *Mortality Statistics, Childhood, Infant and Perinatal, Series DH3*, No 30. HMSO, London.
- Ogawa, H., Tominaga, S., Hori, K., Noguchi, K., Kanou, I., and Matsubara, M. (1991). Passive smoking by pregnant women and fetal growth. *Journal of Epidemiology and Community Health*, **45**, 164–8.
- Oldham, H.G., Bevan, M.M., and McDermott, M. (1979). Comparison of the new miniature Wright peak flow meter with the standard Wright peak flow meter. *Thorax*, **34**, 807–8.
- O'Meara, S., Tierney, J., Cullum, N., Bland, J.M., Franks, P.J., Mole, T., and Scriven, M. (2009). Four layer bandage compared with short stretch bandage for venous leg ulcers: systematic review and meta-analysis of randomised controlled trials with data from individual patients. *British Medical Journal*, **338**, b1344.
- OPCS (1992). *Mortality statistics, Series DH1*, No 24. HMSO, London.
- Osborn, J.F. (1979). *Statistical Exercises in Medical Research*. Blackwell, Oxford.
- Owen, C., Whincup, P.H., Gilg, J.A., and Cook, D.G. (2003). Effect of breast feeding in infancy on blood pressure in later life: systematic review and meta-analysis. *British Medical Journal*, **327**, 1189–95.
- Paraskevaides, E.C., Pennington, G.W., Naik, S., and Gibbs, A.A. (1991). Pre-freeze/post-freeze semen motility ratio. *Lancet*, **337**, 366–7.
- Parmar, M. and Machin, D. (1995). *Survival Analysis*. John Wiley and Sons, Chichester.
- Parmar, M.K., Torri, V., and Stewart, L. (1998). Extracting summary statistics to perform meta-analyses of the published literature for survival endpoints. *Statistics in Medicine*, **17**, 2815–34.
- Paul, V.K., Singh, M., Deorari, A.K., Pacheco, J., and Taneja, U. (1996). Manual and pump methods of expression of breast milk. *Indian Journal of Pediatrics*, **63**, 87–92.
- Peacock, J.L., Cook, D.G., Carey, I.M., Jarvis, M.J., Bryant, A.E., Anderson, H.R., and Bland, J.M. (1998). Maternal cotinine level during pregnancy and birthweight for gestational age. *International Journal of Epidemiology*, **27**, 647–56.
- Pearson, E.S. and Hartley, H.O. (1970). *Biometrika Tables for Statisticians, volume 1*. Cambridge University Press, Cambridge.
- Peduzzi, P., Concato, J., Kemper, E., Holford, T.R., and Feinstein, A.R. (1996). A simulation study of the number of events per variable in logistic regression analysis. *Journal of Clinical Epidemiology*, **49**, 1373–9.
- Penta de Peppo, A., Pierri, M.D., Scafuri, A., De Paulis, R., Colantuono, G., Caprara, E., Tomai, F., and Chiariello, L. (1995). Intraoperative antifibrinolysis and blood-saving techniques in cardiac surgery: prospective trial of 3 antifibrinolytic drugs. *Texas Heart Institute Journal*, **22**, 231–6.
- Peters, J.L., Sutton, A.J., Jones, D.R., Abrams, K.R., and Rushton, L. (2008). Contour-enhanced meta-analysis funnel plots help distinguish publication bias from other causes of asymmetry. *Journal of Clinical Epidemiology*, **61**, 991–6.
- Peto, R. and Peto, J. (1972). Asymptotically efficient rank invariant test procedures. *Journal of the Royal Statistical Society Series A*, **135**, 185–207.
- Petroni, M.L., Jazrawi, R.P., Pazzi, P., Zoin, M., Lanzini, A., Fracchia, M., Facchinetto, D., Alrisi, V., Ferraris, R., Bland, J.M., Heaton, K.W., Podda, M., and Northfield, T.C. (2000). Risk factors for the development of gallstone recurrence following medical dissolution. *European Journal of Gastroenterology & Hepatology*, **12**, 695–700.
- Pighills, A.C., Torgerson, D.J., Sheldon, T.A., Drummond, A.E., and Bland, J.M. (2011). Environmental assessment and modification to prevent falls in older people. *Journal of the American Geriatrics Society*, **59**, 26–33.
- Pleym, H., Stenseth, R., Wahba, A., Bjella, L., Karevold, A., and Dale, O. (2003). Single-dose tranexamic acid reduces postoperative bleeding after coronary surgery in patients treated with aspirin until surgery. *Anesthesia and Analgesia*, **96**, 923–8.
- Pocock, S.J. (1977). Group sequential methods in the design and analysis of clinical trials. *Biometrika*, **64**, 191–9.
- Pocock, S.J. (1982). Interim analyses for randomised clinical trials: the group sequential approach. *Biometrika*, **38**, 153–62.
- Pocock, S.J. (1983). *Clinical Trials: A Practical Approach*. John Wiley and Sons, Chichester.
- Price, R., MacLennan, G., and Glen, J. (2014). Selective digestive or oropharyngeal decontamination and topical oropharyngeal chlorhexidine for prevention of death in general intensive care: systematic review and network meta-analysis. *British Medical Journal*, **348**, g2197.
- Pritchard, B.N.C., Dickinson, C.J., Alleyne, G.A.O., Hurst, P., Hill, I.D., Rosenheim, M.L., and Laurence, D.R. (1963). Report of a clinical trial from Medical Unit and MRC Statistical Unit, University College Hospital Medical School, London. *British Medical Journal*, **2**, 1226–7.

- Radical Statistics Health Group (1976). *Whose Priorities?* Radical Statistics, London.
- Ramsay, S. (1998). Miss Evers' Boys (review). *Lancet*, **352**, 1075.
- Reader, R., et al. (1980). The Australian trial in mild hypertension: report by the management committee. *Lancet*, **i**, 1261–7.
- Rembold, C. (1998). Number needed to screen: development of a statistic for disease screening. *British Medical Journal*, **317**, 307–12.
- Richards, D.A., Hill, J.J., Gask, L., Lovell, K., Chew-Graham, C., Bower, P., Cape, J., Pilling, S., Araya, R., Kessler, D., Bland, J.M., Green, C., Gilbody, S., Lewis, G., Manning, C., Hughes-Morley, A., and Barkham, M. (2013). Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. *British Medical Journal*, **347**, f4913.
- Richards, D.A., Hughes-Morley, A., Hayes, R.A., Araya, R., Barkham, M., Bland, J.M., Bower, P., Cape, J., Chew-Graham, C.A., Gask, L., Gilbody, S., Green, C., Kessler, D., Lewis, G., Lovell, K., Manning, C., and Pilling, S. (2009). Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression – study protocol. *BMC Health Services Research*, **9**, 188.
- Richards, D.A., Lovell K., Gilbody, S., Gask, L., Torgerson, D., Barkham, M., Bland, M., Bower, P., Lankshear, A.J., Simpson, A., Fletcher, J., Escott, D., Hennessy, S., and Richardson, R. (2008). Collaborative care for depression in UK primary care: a randomized controlled trial. *Psychological Medicine*, **38**, 279–87.
- Rodin, D.A., Bano, G., Bland, J.M., Taylor, K., and Nussey, S.S. (1998). Polycystic ovaries and associated metabolic abnormalities in Indian subcontinent Asian women. *Clinical Endocrinology*, **49**, 91–9.
- Rose, G.A., Holland, W.W., and Crowley, E.A. (1964). A sphygmomanometer for epidemiologists. *Lancet*, **i**, 296–300.
- Rowe, D. (1992). Mother and daughter aren't doing well. *The Guardian*, London, 14 July, p.33.
- Royston, P. and Altman, D.G. (1994). Regression using fractional polynomials of continuous covariates: parsimonious parametric modelling. *Applied Statistics*, **43**, 429–67.
- Rubin, D.B. (1987). *Multiple Imputation for Nonresponse in Surveys*. Wiley, New York.
- Rubin, D.H., Krailnikoff, P.A., Leventhal, J.M., Welle, P.A., and Berget, A. (1986). Effect of passive smoking on birthweight. *Lancet*, **11**, 415–17.
- Ryan, T.P. and Woodall, W.H. (2005). The most-cited statistical papers. *Journal of Applied Statistics*, **32**, 461–74.
- Salvesen, K.A., Bakkeig, L.S., Eik-nes, S.H., Undheim, J.O., and Okland, O. (1992). Routine ultrasonography in utero and school performance at age 8–9 years. *Lancet*, **339**, 85–9.
- Samuels, P., Bussel, J.B., Braitman, L.E., Tomaski, A., Druzin, M.L., Mennuti, M.T., and Cines, D.B. (1990). Estimation of the risk of thrombocytopenia in the offspring of pregnant women with presumed immune thrombocytopenia purpura. *New England Journal of Medicine*, **323**, 229–35.
- Santos, A.T., Kalil, R.A., Bauemann, C., Pereira, J.B., and Nesralla, I.A. (2006). A randomized, double-blind, and placebo-controlled study with tranexamic acid of bleeding and fibrinolytic activity after primary coronary artery bypass grafting. *Brazilian Journal of Medical and Biological Research*, **39**, 63–9.
- Sattar, N., Preiss, D., Murray, H.M., Welsh, P., Buckley, B.M., de Craen, A.J.M., Seshasai, S.R.K., McMurray, J.J., Freeman, D.J., Jukema, J.W., Macfarlane, P.W., Packard, C.J., Stott, D.J., Westendorp, R.G., Shepherd, J., Davis, B.R., Pressel, S.L., Marchioli, R., Marfisi, R.M., Maggioni, A.P., Tavazzi, L., Tognoni, G., Kjekshus, J., Pedersen, T.R., Cook, T.J., Gotto, A.M., Clearfield, M.B., Downs, J.R., Nakamura, H., Ohashi, Y., Mizuno, K., Ray, K.K., and Ford, I. (2010). Statins and risk of incident diabetes: a collaborative meta-analysis of randomised statin trials. *Lancet*, **375**, 735–42.
- Schapira, K., McClelland, H.A., Griffiths, N.R., and Newell, D.J. (1970). Study on the effects of tablet colour in the treatment of anxiety states. *British Medical Journal*, **2**, 446–9.
- Schlitt, H.J., Barkmann, A., Boker, K.H.W., Schmidt, H.H.J., Emmanouilidis, N., Rosenau, J., Bahr, M.J., Tusch, G., Manns, M.P., Nashan, B., and Klempnauer, J. (2001). Replacement of calcineurin inhibitors with mycophenolate mofetil in liver-transplant patients with renal dysfunction: a randomised controlled study. *Lancet*, **357**, 587–91.
- Schmid, H. (1973). Kaposi's sarcoma in Tanzania: a statistical study of 220 cases. *Tropical Geographical Medicine*, **25**, 266–76.
- Schulz, K.F., Chalmers, I., Hayes, R.J., and Altman, D.G. (1995). Bias due to non-concealment of randomization and non-double-blinding. *Journal of the American Medical Association*, **273**, 408–12.
- Schwarzler, P., Bland, J.M., Holden, D., Campbell, S., and Ville, Y. (2004). Sex-specific antenatal reference growth charts for uncomplicated singleton pregnancies at 15–40 weeks of gestation. *Ultrasound in Obstetrics & Gynaecology*, **23**, 23–9.
- Schweizer, M., Perencevich, E., McDanel, J., Carson, J., Formanek, M., Hafner, J., Braun, B., and Herwaldt,

- L. (2013). Effectiveness of a bundled intervention of decolonization and prophylaxis to decrease Gram positive surgical site infections after cardiac or orthopedic surgery: systematic review and meta-analysis. *British Medical Journal*, **346**, f2743.
- Searle, S.R., Cassela, G., and McCulloch, C.E. (1992). *Variance Components*. Wiley, New York.
- Senn, S. (2002). *Cross-Over Trials in Clinical Research*, 2nd Ed. Wiley, Chichester.
- Shaker, J.L., Brickner, R.C., Findling, J.W., Kelly, T.M., Rapp, R., Rizk, G., Haddad, J.G., Schalch, D.S., and Shenker, Y. (1997). Hypocalcemia and skeletal disease as presenting features of celiac disease. *Archives of Internal Medicine*, **157**, 1013-16.
- Shiraishi, J., Pesce, L.L., Metz, C.E., and Doi, K. (2009). Experimental design and data analysis in receiver operating characteristic studies: lessons learned from reports in Radiology from 1997 to 2006. *Radiology*, **253**, 822-30.
- Sibbald, B., Addington Hall, J., Brenneman, D., and Freeling, P. (1994). Telephone versus postal surveys of general practitioners. *British Journal of General Practice*, **44**, 297-300.
- Siegel, S. (1956). *Non-parametric Statistics for the Behavioural Sciences*. McGraw-Hill Kagakusha, Tokyo.
- Sivia, D. and Skilling, J. (2006). *Data Analysis: A Bayesian Tutorial*. Oxford University Press, Oxford.
- Smeeth, L., Haines, A., and Ebrahim, S. (1999). Numbers needed to treat derived from meta-analyses – sometimes informative, usually misleading. *British Medical Journal*, **318**, 1548-51.
- de Smet, A.M.G.A., Kluytmans, J.A.J.W., Cooper, B.S., Mascini, E.M., Benus, R.F.J., van der Werf, T.S., van der Hoeven, J.G., Pickkers, P., Bogaers-Hofman, D., van der Meer, N.J.M., Bernards, A.T., Kuijper, E.J., Joore, J.C.A., Leverstein-van Hall, M.A., Bindels, A.J.G.H., Jansz, A.R., Wesselink, R.M.J., de Jongh, B.M., Dennesen, P.J.W., van Asselt, G.J., te Velde, L.F., Frenay, I.H.M.E., Kaasjager, K., Bosch, F.H., van Iterson, M., Thijssen, S.F.T., Kluge, G.H., Pauw, W., de Vries, J.W., Kaan, J.A., Arends, J.P., Aarts, L.P.H.J., Sturm, P.D.J., Harinck, H.I.J., Voss, A., Uijtendaal, E.V., Blok, H.E.M., Thieme Groen, E.S., Pouw, M.E., Kalkman, C.J., and Bonten, M.J.M. (2009). Decontamination of the digestive tract and oropharynx in ICU patients. *New England Journal of Medicine*, **360**, 20-31.
- Smith, J.B., Niven, B.E., and Mann, J.I. (1996). The effect of reduced extrinsic sucrose intake on plasma triglyceride levels. *European Journal of Clinical Nutrition*, 1996, **50**, 498-504.
- Snedecor, G.W. and Cochran, W.G. (1980). *Statistical Methods*, 7th Ed. Iowa State University Press, Ames, Iowa.
- Snowdon, C., Garcia, J., and Elbourne, D.R. (1997). Making sense of randomisation: Responses of parents of critically ill babies to random allocation of treatment in a clinical trial. *Social Science and Medicine*, **15**, 1337-55.
- South-east London Screening Study Group (1977). A controlled trial of multiphasic screening in middle-age: results of the South-east London Screening Study. *International Journal of Epidemiology*, **6**, 357-63.
- Southern, J.P., Smith, R.M.M., and Palmer, S.R. (1990). Bird attack on milk bottles: possible mode of transmission of *Campylobacter jejuni* to man. *Lancet*, **336**, 1425-7.
- Speekenbrink, R.G., Vonk, A.B., Wildevuur, C.R., and Eijsmann, L. (1995). Hemostatic efficacy of dipyridamole, tranexamic acid, and aprotinin in coronary bypass grafting. *Annals of Thoracic Surgery*, **59**, 438-42.
- Sterne, J.A.C., Sutton, A.J., Ioannidis, J.P.A., Terrin, N., Jones, D.R., Lau, J., Carpenter, J., Rücker, G., Harbord, R.M., Schmid, C.H., Tetzlaff, J., Deeks, J.J., Peters, J., Macaskill, P., Schwarzer, G., Duval, S., Altman, D.G., Moher, D., and Higgins, J.P.T. (2011). Recommendations for examining and interpreting funnel plot asymmetry in meta-analyses of randomised controlled trials. *British Medical Journal*, **342**, d4002.
- Stewart, L.A. and Tierney, J.F. (2002). To IPD or not to IPD? Advantages and disadvantages of systematic reviews using individual patient data. *Evaluation & the Health Professions*, **25**, 76-97.
- Streiner, D.L. and Norman, G.R. (2008). *Health Measurement Scales: A Practical Guide to their Development and Use*, 4th Ed. Oxford University Press, Oxford.
- Stuart, A. (1955). A test for homogeneity of the marginal distributions in a two-way classification. *Biometrika*, **42**, 412.
- 'Student' (1908). The probable error of a mean. *Biometrika*, **6**, 1-24.
- 'Student' (1931). The Lanarkshire Milk Experiment. *Biometrika*, **23**, 398-406.
- Tang, J-L. and Liu, J.L. (2000). Misleading funnel plot for the detection of bias in meta-analysis. *Journal of Clinical Epidemiology*, **53**, 477-84.
- Taves, D.R. (1974). Minimization – new method of assigning patients to treatment and control groups. *Clinical Pharmacology & Therapeutics*, **15**, 443-53.
- Te Morenga, L.T., Mallard, S., and Mann, J. (2012). Dietary sugars and body weight: systematic review and

- meta-analyses of randomised controlled trials and cohort studies. *British Medical Journal*, **345**, e7492.
- Thomas, P.R.S., Queraishy, M.S., Bowyer, R., Scott, R.A.P., Bland, J.M., and Dormandy, J.A. (1993). Leucocyte count: a predictor of early femoropopliteal graft failure. *Cardiovascular Surgery*, **1**, 369–72.
- Tierney, J.F., Stewart, L.A., Ghersi, D., Burdett, S., and Sydes, M.R. (2007). Practical methods for incorporating summary time-to-event data into meta-analysis. *Trials*, **8**, 16.
- Torgerson, D.J. and Bell-Syer, S.E.M. (2001). Hormone replacement therapy and prevention of nonvertebral fractures. A meta-analysis of randomized trials. *JAMA*, **285**, 2891–7.
- Torgerson, D.J. and Torgerson, C. (2008). *Designing Randomized Trials in Health, Education, and the Social Sciences: An Introduction*. Palgrave Macmillan, Basingstoke.
- Todd, G.F. (1972). *Statistics of Smoking in the United Kingdom*, 6th Ed. Tobacco Research Council, London.
- Tsai, S.P., Wendt, J.K., Donnelly, R.P., de Jong, G., and Ahmed, F.S. (2005). Age at retirement and long term survival of an industrial population: prospective cohort study. *British Medical Journal*, **331**, 995.
- Tudur, C., Williamson, P.R., Khan, S., and Best, L.Y. (2001). The value of the aggregate data approach in meta-analysis with time-to-event outcomes. *Journal of the Royal Statistical Society Series A – Statistics in Society*, **164**, 357–70.
- Tukey, J.W. (1977). *Exploratory Data Analysis*. Addison-Wesley, New York.
- Turnbull, P.J., Stimson, G.V., and Dolan, K.A. (1992). Prevalence of HIV infection among ex-prisoners. *British Medical Journal*, **304**, 90–1.
- UKPDS Group (1998). Efficacy of atenolol and captopril in reducing risk of macrovascular and microvascular complications in type 2 diabetes. *British Medical Journal*, **317**, 713–20.
- Ulahannan, T.J., McVittie, J., and Keenan, J. (1998). Ambient temperatures and potassium concentrations. *Lancet*, **352**, 1680–1.
- Vanek, T., Jares, M., Fajt, R., Straka, Z., Jirasek, K., Kolesar, M., Brucek, P., and Maly, M. (2005). Fibrinolytic inhibitors in off-pump coronary surgery: a prospective, randomized, double-blind TAP study (tranexamic acid, aprotinin, placebo). *European Journal of Cardiothoracic Surgery*, **28**, 563–8.
- Velzeboer, S.C.J.M., Frenkel, J., and de Wolff, F.A. (1997). A hypertensive toddler. *Lancet*, **349**, 1810.
- Victora, C.G. (1982). Statistical malpractice in drug promotion: a case-study from Brazil. *Social Science and Medicine*, **16**, 707–9.
- Wallenborn, J., Gelbrich, G., Bulst, D., Behrends, K., Wallenborn, H., Rohrbach, A., Krause, U., Kühnast, T., Wiegel, M., and Olthoff, D. (2006). Prevention of post-operative nausea and vomiting by metoclopramide combined with dexamethasone: randomised double blind multicentre trial. *British Medical Journal*, **333**, 324.
- Watkins, S.J. (2000). Conviction by mathematical error? *British Medical Journal*, **320**, 2–3.
- Wei, D.H., Raizman, N.M., Bottino, C.J., Jobin, C.M., Strauch, R.J., and Rosenwasser, M.P. (2009). Unstable distal radial fractures treated with external fixation, a radial column plate, or a volar plate: a prospective randomized trial. *Journal of Bone and Joint Surgery (American Volume)*, **91A**, 1568–77.
- White, A., Hayhoe, S., Hart, A., and Ernst, E. (2001). Adverse events following acupuncture: prospective survey of 32 000 consultations with doctors and physiotherapists. *British Medical Journal*, **323**, 485–6.
- White, I.R., Royston, P., and Wood, A.M. (2011). Multiple imputation using chained equations: issues and guidance for practice. *Statistics in Medicine*, **30**, 377–99.
- White, P.T., Pharoah, C.A., Anderson, H.R., and Freeling, P. (1989). Improving the outcome of chronic asthma in general practice: a randomized controlled trial of small group education. *Journal of the Royal College of General Practitioners*, **39**, 182–6.
- Whitehead, J. (1997). *The Design and Analysis of Sequential Clinical Trials*, revised 2nd Ed. Wiley, Chichester.
- Whittington, C. (1977). Safety begins at home. *New Scientist*, **76**, 340–2.
- Wilcke, M.K.T., Abbaszadegan, H., and Adolphson, P.Y. (2011). Wrist function recovers more rapidly after volar locked plating than after external fixation but the outcomes are similar after 1 year. *Acta Orthopaedica*, **82**, 76–81.
- Williams, E.I., Greenwell, J., and Groom, L.M. (1992). The care of people over 75 years old after discharge from hospital: an evaluation of timetabled visiting by Health Visitor Assistants. *Journal of Public Health Medicine*, **14**, 138–44.
- Williamson, P.R., Smith, C.T., Hutton, J.L., and Marson, A.G. (2002). Aggregate data meta-analysis with time-to-event outcomes. *Statistics in Medicine*, **21**, 3337–51.
- Wroe, S.J., Sandercock, P., Bamford, J., Dennis, M., Slattery, J., and Warlow, C. (1992). Diurnal variation in incidence

- of stroke: Oxfordshire community stroke project. *British Medical Journal*, **304**, 155-7.
- Xu, G.G.Q., Chan, S.P., Puhaindran, M.E., and Chew, W.Y.C. (2009). Prospective randomised study of intra-articular fractures of the distal radius: comparison between external fixation and plate fixation. *Annals, Academy of Medicine, Singapore*, **38**, 600-5.
- Zabeeda, D., Medalion, B., Sverdlov, M., Ezra, S., Schachner, A., Ezri, T., and Cohen, A.J. (2002). Tranexamic acid reduces bleeding and the need for blood transfusion in primary myocardial revascularization. *Annals of Thoracic Surgery*, **74**, 733-8.
- Zelen, M. (1979). A new design for clinical trials. *New England Journal of Medicine*, **300**, 1242-5.
- Zelen, M. (1992). Randomized consent designs for clinical trials: an update. *Statistics in Medicine*, **11**, 131-2.
- Zhang, J. and Radcliffe, J.M. (1993). Paternal smoking and birthweight in Shanghai. *American Journal of Public Health*, **83**, 207-10.