

ZDROJE

Tabule 15, 43-45, 50-52

Lang J. *Clinical Anatomy of the Nose, Nasal Cavity, and Paranasal Sinuses*. New York: Thieme; 1989.

Tabule 26-28

Baccetti T, Franchi L, McNamara J Jr. The cervical vertebral maturation (CVM) method for the assessment of optimal treatment timing in dentofacial orthopedics. *Semin Orthod*. 2005; 11:119-129.

Roman PS. Skeletal maturation determined by cervical vertebrae development. *Eur J Orthod*. 2002; 24:303-311.

Tabule 30

Tubbs RS, Kelly DR, Humphrey ER, et al. The tectorial membrane: anatomical, biomechanical, and histological analysis. *Clin Anat*. 2007; 20:382-386.

Tabule 31-36, 55, 56, 69, 75, 81

Noden DM, Francis-West P. The differentiation and morphogenesis of craniofacial muscles. *Dev Dyn*. 2006; 235:1194-1218.

Tabule 34

Feigl G. Fascia and spaces on the neck: myths and reality. *Medicina Fluminensis*. 2015; 51(4):430-439.

Jain M, Dhall U. Morphometry of the thyroid and cricoid cartilages in adults. *J Anat Soc India*. 2008; 57(2):119-123.

Tabule 39, 41, 136-142

Chang KV, Lin CP, Hung CY, et al. Sonographic nerve tracking in the cervical region: a pictorial essay and video demonstration. *Am J Phys Med Rehabil*. 2016; 95:862-870.

Tubbs RS, Salter EG, Oakes WJ. Anatomic landmarks for nerves of the neck: a vademecum for neurosurgeons. *Neurosurgery*. 2005; 56(2suppl): 256-260.

Tabule 50

de Miranda CMNR, Maranhão CPM, Arraes FMNR, et al. Anatomical variations of paranasal sinuses at multislice computed tomography: what to look for. *Radiol Bras*. 2011; 44 (4): 256-262.

Souza SA, de Souza MMA, Idagawa M, et al. Computed tomography assessment of the ethmoid roof: a relevant region at risk in endoscopic sinus surgery. *Radiol Bras*. 2008; 41(3):143-147.

Tabule 55

Benninger B, Lee BI. Clinical importance of morphology and nomenclature of distal attachment of temporalis tendon. *J Oral Maxillofac Surg*. 2012; 70:557-561.

Tabule 58

Alomar X, Medrano J, Cabratosa J, et al. Anatomy of the temporomandibular joint. *Semin Ultrasound CT MRI*. 2007; 28(3):170-183.

Campos PSF, Reis FP, Aragão JA. Morphofunctional features of the temporomandibular joint. *Int J*. 2011; 29(4):1394-1397.

Cristo JA, Townsend GC. Discal attachments of the human temporomandibular joint. *Aust Dent J*. 2005; 50 (3):152-160.

Cuccia AM, Caradonna C, Caradonna D, et al. The arterial blood supply of the temporomandibular joint: an anatomical study and clinical implications. *Imaging Sci Dent*. 2013; 43 (1):37-44.

Langdon JD, Berkovitz BKV, Moxham BJ. *Surgical Anatomy of the Infratemporal Fossa*. London: Martin Dunitz; 2005.

Schmolke C. The relationship between the temporomandibular joint capsule, articular disc and jaw muscles. *J Anat*. 1994; 184:335-345.

Siéssere S, Vitti M, de Sousa LG, et al. Bilaminar zone: anatomical aspects, irrigation, and innervation. *Braz J Morphol Sci*. 2004; 21(4):217-220.

Tabule 59, 69

Benninger B, Kloenne J, Horn JL. Clinical anatomy of the lingual nerve and identification with ultrasonography. *Br J Oral Maxillofac Surg*. 2013; 51:541-544.

Tabule 60

Joo W, Yoshioka F, Funaki T, et al. Microsurgical anatomy of the trigeminal nerve. *Clin Anat*. 2004; 27:61-88.

Joo W, Yoshioka F, Funaki T, Rhoton AL Jr. Microsurgical anatomy of the infratemporal fossa. *Clin Anat*. 2013; 26:455-469.

Tabule 66

Fawcett E, Edin MB. The structure of the inferior maxilla, with special reference to the position of the inferior dental canal. *J Anat Physiol*. 1895; 29(Pt 3):355-366.

He P, Truong MK, Adeeb N, et al. Clinical anatomy and surgical significance of the lingual foramina and their canals. *Clin Anat*. 2017; 30:194-204.

Iwanaga J. The clinical view for dissection of the lingual nerve with application to minimizing iatrogenic injury. *Clin Anat*. 2017; 30:467-469.

Otake I, Kageyama I, Mataga I. Clinical anatomy of the maxillary artery. *Okajimas Folia Anat Jpn.* 2011; 87(4):155–164.

Siéssere S. Anatomic variation of cranial parasympathetic ganglia. *Braz Oral Res.* 2008; 22(2):101–105.

Tabule 67, 73

Benninger B, Andrews K, Carter W. Clinical measurements of hard palate and implications for subepithelial connective tissue grafts with suggestions for palatal nomenclature. *J Oral Maxillofac Surg.* 2012; 70:149–153.

Tabule 78, 106, 107

Kierner AC, Mayer R, v Kirschhofer K. Do the tensor tympani and tensor veli palatini muscles of man form a functional unit? A histochemical investigation of their putative connections. *Hear Res.* 2002; 165:48–52.

Tabule 85, 86

Benninger B, Barrett R. A head and neck lymph node classification using an anatomical grid system while maintaining clinical relevance. *J Oral Maxillofac Surg.* 2011; 69:2670–2673.

Tabule 91–93

Ludlow CL. Central nervous system control of the laryngeal muscles in humans. *Respir Physiol Neurobiol.* 2005; 147:205–222.

Tabule 98

Cornelius CP, Mayer P, Ehrenfeld M, Metzger MC. The orbits—anatomical features in view of innovative surgical methods. *Facial Plast Surg.* 2014; 30:487–508.

Sherman DD, Burkat CN, Lemke BN. Orbital anatomy and its clinical applications. In: Tasman W, Jaeger EA, eds. *Duane's Ophthalmology.* Philadelphia: Lippincott Williams & Wilkins; 2006.

Tabule 112–125

Rhoton AL Jr. *Cranial Anatomy and Surgical Approaches.* Schaumburg, IL: Congress of Neurological Surgeons; 2003.

Tabule 115, 151

Tubbs RS, Hansasuta A, Loukas M, et al. Branches of the petrous and cavernous segments of the internal carotid artery. *Clin Anat.* 2007; 20:596–601.

Tabule 127–129, 135

Schrott-Fischer A, Kammen-Jolly K, Scholtz AW, et al. Patterns of GABA-like immunoreactivity in efferent fibers of the human cochlea. *Hear Res.* 2002; 174:75–85.

Tabule 169, 184

Tubbs RS, Loukas M, Slappey JB, et al. Clinical anatomy of the C1 dorsal root, ganglion, and ramus: a review and anatomical study. *Clin Anat.* 2007; 20:624–627.

Tabule 171

Forester O. The dermatomes in man. *Brain.* 1933; 56:1–38.

Tabule 171, 403

Keegan JJ, Garrett FD. The segmental distribution of the cutaneous nerves in the limbs of man. *Anat Rec.* 1942; 102:409–437.

Tabule 171, 403, 472, 517

Lee MW, McPhee RW, Stringer MD. An evidence-based approach to human dermatomes. *Clin Anat.* 2008; 21:355–373.

Tabule 177

Bosmia AN, Hogan E, Loukas M, et al. Blood supply to the human spinal cord: part I. Anatomy and hemodynamics. *Clin Anat.* 2015; 28:52–64.

Tabule 178

Stringer MD, Restieaux M, Fisher AL, Crosado B. The vertebral venous plexuses: the internal veins are muscular and external veins have valves. *Clin Anat.* 2012; 25:659–618.

Tabule 183, 184

Tubbs RS, Mortazavi MM, Loukas M, et al. Anatomical study of the third occipital nerve and its potential role in occipital headache/neck pain following midline dissections of the craniocervical junction. *J Neurosurg Spine.* 2011; 15:71–75.

Vanderhoek MD, Hoang HT, Goff B. Ultrasound-guided greater occipital nerve blocks and pulsed radiofrequency ablation for diagnosis and treatment of occipital neuralgia. *Anesth Pain Med.* 2013; 3:256–259.

Tabule 188–190

Hassiotou F, Geddes D. Anatomy of the human mammary gland: current status of knowledge. *Clin Anat.* 2010; 26:29–48.

Tabule 206, 207

Hyde DM, Hamid Q, Irvin CG. Anatomy, pathology, and physiology of the tracheobronchial tree: emphasis on the distal airways. *J Allergy Clin Immunol.* 2009; 124(4):S72–S77.

Tabule 209

Ikeda S, Ono Y, Miyazawa S, et al. Flexible bronchoscopy. *Otolaryngology (Tokyo).* 1970; 42:855.

Tabule 222

Angelini P, Velasco JA, Flamm S. Coronary anomalies: incidence, pathophysiology, and clinical relevance. *Circulation.* 2002; 105:2449–2454.

Tabule 222, 223

Chiu IS, Anderson RH. Can we better understand the known variations in coronary arterial anatomy? *Ann Thorac Surg.* 2012; 94:1751–1760.

Tabule 229

James TN. The internodal pathways of the human heart. *Prog Cardiovasc Dis.* 2001; 43:495–535.

Tabule 229–231

Hildreth V, Anderson RH, Henderson DJ. Autonomic innervation of the developing heart: origins and function. *Clin Anat.* 2009; 22:36–46.

Tabule 243

Yang HJ, Gill YC, Lee WJ, et al. Anatomy of thoracic splanchnic nerves for surgical resection. *Clin Anat.* 2008; 21:171–171.

Tabule 286

MacSween RNM, Anthony PP, Scheuer PJ, et al, eds. *Pathology of the Liver.* London: Churchill Livingstone; 2002. Robinson PJA, Ward J. *MRI of the Liver: A Practical Guide.* Boca Raton, FL: CRC Press; 2006.

Tabule 290, 291

Odze RD. *Surgical Pathology of the GI Tract, Liver, Biliary Tract, and Pancreas.* Philadelphia: Saunders; 2004.

Tabule 308

Thomas MD. *The Ciba Collection of Medical Illustrations.* Vol. 3 part 2: *Digestive System: Lower Digestive Tract.* Summit, NJ : CIBA; 1970:78 .

Tabule 324, 349, 366, 378, 396

Stormont TJ, Cahill DR, King BF, Myers RP. Fascias of the male external genitalia and perineum. *Clin Anat.* 1994; 7:115–124.

Tabule 339, 345, 350, 353, 359, 360

Oelrich TM. The striated urogenital sphincter muscle in the female. *Anat Rec.* 1983; 205:223–232.

Plochocki JH, Rodriguez-Sosa JR, Adrian B, et al. A functional and clinical reinterpretation of human perineal neuromuscular anatomy: application to sexual function and continence. *Clin Anat.* 2016; 29:1053–1058.

Tabule 343, 349

Myers RP, Goellner JR, Cahill DR. Prostate shape, external striated urethral sphincter, and radical prostatectomy: the apical dissection. *J Urol.* 1987; 138:543–550.

Tabule 343, 349, 365, 366

Oelrich TM. The urethral sphincter muscle in the male. *Am J Anat.* 1980; 158:229–246.

Tabule 356

Feil P, Sora MC. A 3D reconstruction model of the female pelvic floor by using plastinated cross sections. *Austin J Anat.* 2014; 1(5):1022.

Shin DS, Jang HG, Hwang SB, et al. Two-dimensional sectioned images and three-dimensional surface models for

learning the anatomy of the female pelvis. *Anat Sci Educ.* 2013; 6(5):316–323.

Tabule 385

Cahill D, Raychaudhuri B. Pelvic fasciae in urology. *Ann R Coll Surg Engl.* 2008; 90:633–637.

Lee SE. A comprehensive review of neuroanatomy of the prostate. *Prostate Int.* 2013; 1(4):139–145.

Nathoo N, Caris EC, Wiener JA, Mendel E . History of the vertebral venous plexus and the significant contributions of Breschet and Batson. *Neurosurgery.* 2011; 69(5):1007–1014.

Pai MM, Krishnamurthy A, Prabhu LV, et al. Variability in the origin of the obturator artery. *Clinics (Sao Paulo).* 2009; 64(9):897–901.

Stoney RA. The anatomy of the visceral pelvic fascia. *J Anat Physiol.* 1904 ;38(4):438–447.

Walz J . A critical analysis of the current knowledge of surgical anatomy related to optimization of cancer control and preservation of continence and erection in candidates for radical prosta. *Eur Urol.* 2010; 57:179–192.

Tabule 472

Keegan JJ. Neurological interpretation of dermatome hypalgesia with herniation of the lumbar intervertebral disc. *J Bone Joint Surg Am.* 1944; 26:238–248.

Last RJ. Innervation of the limbs. *J Bone Joint Surg Br.* 1949; 31:452–464.

Tabule 494

Beck M, Sledge JB, Gautier E, et al. The anatomy and function of the gluteus minimus muscle. *J Bone Joint Surg Br.* 2000; 82(3):358–363.

Woodley SJ, Mercer SR, Nicholson HD. Morphology of the bursae associated with the greater trochanter of the femur. *J Bone Joint Surg Am.* 2008; 90(2):284–294.

Tabule 513

Aragão JA, Reis FP, de Figueiredo LFP, et al. The anatomy of the gastrocnemius veins and trunks in adult human cadavers. *J Vasc Br.* 2004; 3(4):297–303.