

LITERATÚRA

- Abman SH:** Abnormal vasoreactivity in the pathophysiology of persistent pulmonary hypertension of the newborn. *Neo Reviews* 1999, November, s. e103 – e109.
- Adams JP, Murphy PG:** Obesity in anaesthesia and intensive care. *Brit. J. of Anaesth.*, 2000, Vol. 85, No 191 – 108.
- Adams W:** Lectures on pathology and treatment of lateral and other forms of curvature of the spine. London, Churchill Livingstone 1985.
- Adamus M:** Monitorování nervosvalového přenosu v anesteziologii. 1. vyd. Olomouc, Vydavatelství Univerzity Palackého v Olomouci 2007.
- Adamus M, Belohlavek R:** Fuzzy control of neuromuscular block during general anesthesia – system design, development and implementation. *Int. J. Gen. Syst.*, 2007, 36, s. 733 – 743.
- Albert TJ, Vacarro A:** Post laminectomy kyphosis. *Spine*, 23, 1998, s. 2 738 – 2 745.
- Ali HH et al:** Quantitative assessment of residual curarization in humans. *Br. J. Anaesth.*, 1970, 42, s. 802 – 803.
- Allegaert K, Van de Velde M, Casteels I, Naulaers G, Vanhole C, Devlieger H:** Cryotherapy for threshold retinopathy: perioperative management in a single center. 2004, 15, s. 291 – 312.
- Allen KD, White DD, Walburn JN:** Sucrose as an analgesic agent for infants during immunization injections. *Archives of Pediatrics & Adolescent Medicine*, 1996, 150, s. 270 – 274.
- Altemeyer KH, Fösel T, Breuckling E, Ahnfeld F W:** Narkosen im Kindesalter. Rüsch 1996.
- Ana PCP, Carlotti MD, Wether B, Carvalho MD:** Abdominal compartment syndrome: a review. *Pediat. Crit. Care Med.*, 2009, Vol. 10, No 1.
- Anand KJS:** Pain assessment in preterm neonates. *Pediatrics*, 2007, 1.
- Anand KJS and the International Evidence-Based Group for Neonatal Pain:** Consensus statement for the prevention and management of pain in the newborn. *Archives of Pediatrics & Adolescent Medicine*, 2001, 155, s. 173 – 180.
- Anand KJS, Phil D, Hickey PR:** Pain and its effects in the human neonate and fetus. *New England J. of Medicine*, 317 (21), 1987, s. 1 321 – 1 329.
- Ansermino JM et al:** Acceleromyography improves detection of residual neuro-muscular blockade in children. *Canad. J. Anaesth.*, 1996, 43, s. 589 – 594.
- Apfel CC, Kortilla K, Abdalla M et al:** A factorial trial of six interventions for the prevention of post-operative nausea and vomiting. *N. Engl. J. Med.*, 2004, 350, s. 2 441 – 2 451.
- Apfel CC, Kranke P, Piper S et al:** Übelkeit und Erbrechen in der postoperativen Phase. *Anaesthesist*, 2007, 56, s. 1 170 – 1 180.
- Ardran GM, Coates R, Dickson RA et al:** Assessment of scoliosis in children. Low-dose radiographic technique. *Br. J. Radiol.*, 53, 1980, s. 146 – 147.
- Archer SL, Wu XC, Thebaud B et al:** O₂ sensing in the ductus arteriosus; redox-sensitive K⁺ channels are regulated by mitochondria-derived hydrogen peroxide. *Biol. Chem.*, 2004, 385, s. 205 – 216.
- Azizkhan RG, Dudgeon DL, Buck JR et al:** Life-threatening airway obstruction as a complication of the management of mediastinal masses in children. *J. Pediat. Surg.*, 1985, 20, s. 816 – 822.
- Bannister CF, Brosius KK, Sigl JC, Meyer BJ, Sebel PS:** The effect of BIS monitoring on anesthetic use and recovery in children anesthetized with sevoflurane in nitrous oxide. *Anesth. Analg.*, 2001, 92, s. 877 – 881.
- Bánsky R:** Riešenie defektu alveolárneho oblúka u detí s rázstevovými chybami. Dizertačná práca. Bratislava, Klinika plastickej chirurgie LF UK 2006.
- Bánsky R, Macháčová E, Fedeleš J:** Cleft lip and palate in western Slovakia in the years 1985 – 2000. *Acta Chir. Plast.*, 47, 3/2005, s. 77 – 80.

- Bánsky R, Macháčová E, Fedeleš J, Špaleková M, Kroupová D:** Orofacial clefts in the west Slovakia in the years 1985 – 1999. The 9-th International Congress on Cleft Palate and Craniofacial Anomalies, Göteborg, Sweden 25 – 29 June 2001.
- Barr RG, Young SN, Wright JH, Cassidy KL, Hendricks L, Bedard Y, Yaremko J, Leduc D, Treherne S:** „Sucrose analgesia“ and diphtheria-tetanus-pertussis immunizations at 2 and 4 months. *J. of Developmental & Behavioral Pediatrics*, 1995, 16, s. 220 – 225.
- Bartfield J, Janikas J, Lee R:** Heart rate response to intravenous catheter placement. *Acad. Emerg. Med.*, 2003, 10 (9), s. 1 005 – 1 008.
- Baum J:** Die Inhalationsnarkose mit niedrigem Frischgasfluß. Thieme 1998.
- Becke K, Kranke P, Weiss M et al:** Handlungsempfehlungen zur Risikoeinschätzung, Prophylaxe und Therapie von postoperativem Erbrechen im Kindesalter. *Anästh. Intensivmed.*, 2007, 48, s. 95 – 98.
- Becke K, Schmidt J:** Das aspirationsgefährdete Kind – Rapid Sequence Intubation im Kindesalter. *Anästhesiol. Intensivmed. Notfallmed. Schmerzther*, 2007, 9, s. 624 – 630.
- Benumof JL:** One-lung ventilation and hypoxic pulmonary vasoconstriction: implications for anesthetic management. *Anesth. Analg.*, 1998, 64, s. 821 – 833.
- Berkenbosch JW, Fichter CR, Tobias JD:** The correlation of the bispectral index monitor with clinical sedation scores during mechanical ventilation in the pediatric intensive care unit. *Anesth. Analg.*, 2002, 94, s. 506 – 511.
- Blass EM, Hoffmeyer LB:** Sucrose as an analgesic for newborn infants. *Pediatrics*, 1991, 87, s. 215 – 218.
- Blass EM, Watt LB:** Suckling- and sucrose-induced analgesia in human newborns. *Pain*, 1999, 83, s. 611 – 623.
- Bleck JS:** Ultrasound in gastroenterology and hepatology. Ed. Michael Gebel Blackwell Science. Berlin, Vienna 2000, Bile Ducts, s. 110 – 129.
- Borgeat A, Blumenthal S, Karovic D, Delbos A, Vienne P:** Clinical evaluation of a modified posterior anatomical approach to performing the popliteal block. *Reg. Anesth. Pain. Med.*, 2004, May – Jun, 29 (3), s. 290 – 296.
- Bossart P, Fosnocht D, Swanson E:** Changes in heart rate do not correlate with changes in pain intensity in emergency department patients. *J. of Emergency Medicine*, 2007, 32, s. 19 – 22.
- Bradford DS, Lonstein JE, Moe JH et al:** Moe's textbook of scoliosis and other spinal deformities. 2. vyd. Philadelphia, WB Saunders 1987, s. 47 – 87.
- Brandon BW, Fine GF:** Neuromuscular blocking drugs in pediatric anesthesia. *Anesthesiology Clinics of North America*, 20, 2002, s. 45 – 56.
- Braunwald E:** Pathophysiology of heart failure. In: Braunwald E (Ed.): *Heart disease: a textbook of cardiovascular medicine*. Philadelphia, WB Saunders, 1988, s. 426 – 448.
- Brennan LJ:** Modern day-case anaesthesia for children. *Brit. J. of Anaesthesia*, 83 (1), 1999, s. 91 – 103.
- Broide E, Farrant P, Reid F et al:** Hepatic artery resistance index can predict early death in children with biliary atresia. *Liver Transpl. Surg.*, 1997, 3, s. 604 – 610.
- Brown RL, Sokol RJ, Kevin MR et al:** Lack of correlation between infection with reovirus 3 and extrahepatic biliary atresia or neonatal hepatitis. *J. Pediat.*, 1988, 113, s. 670 – 676.
- Brown TCK, Eyres RL, McDougall RJ:** Local and regional anaesthesia in children. *Brit. J. of Anaesthesia*, 83 (1), 1999, s. 65 – 77.
- Brunette DD:** Resuscitation of the morbidly obese patient. *Emergency Med.*, 2004, 2, s. 40 – 47.
- Buchanec J a kol:** Repetitórium pediatra. 1994, s. 260.
- Buonomo C, Taylor GA, Share JC, Kirks DR:** Gastrointestinal tract. In: *Practical pediatric imaging, diagnostic radiology of infants and children* (Ed. Donald R. Kirks). 3. vyd. Philadelphia – New York, Lippincott-Raven 1998, s. 954 – 960.
- Campbell FW, Schwartz AJ:** Anesthesia for noncardiac surgery in the pediatric patient with congenital heart disease. *Amer. Soc. Anesthesiol.*, 1986, 14, s. 75.
- Cinalli G, Sainte-Rose C, Kollar EM et al:** Hydrocephalus and craniosynostosis. *J. Neurosurg.*, 1998, 88, s. 209 – 214.
- Cobb JR:** Outline for the study of scoliosis. *J. W. Edwards*, Vol. V, 1948, s. 261 – 275.
- Coulthard MG, Cheater LS, Long DA:** Perioperative fluid therapy in children. *Br. J. Anaest.*, 2007, 98, s. 146 – 147.
- Crone RK:** The respiratory system. In: G. A. Gregory (Ed.): *Pediatric anesthesia*. New York, Churchill Livingstone 1983. 54 s.

- Dadure C, Bringuier S, Raux O, Rochette A, Troncin R, Canaud N, Lubrano-Lavadera JF, Capdevila X:** Continuous peripheral nerve blocks for postoperative analgesia in children: feasibility and side effects in a cohort study of 339 catheters. *Can. J. Anaesth.*, 2009, Aug. 21.
- Dajani AS, Taubet KA et al:** Prevention of bacterial endocarditis: recommendations by the American Heart Association. *Circulation*, 1997, 97, s. 358 – 366.
- Dalibon N, Moutafis M, Liu N, Law-Koune JD, Monsel S, Fischler M:** Treatment of hypoxemia during one-lung ventilation using intravenous Almitrine. *Anesth. Analg.*, 2004, 98 (3), s. 590 – 594.
- Davenport M, Savage M, Mowat AP et al:** Biliary atresia splenic malformation syndrome: an etiologic and prognostic subgroup. *Surgery*, 1993, 113, s. 662 – 668.
- Davidson AJ:** Awareness and paediatric anaesthesia. *Paed. Anesthesia*, 2002, 12, s. 567 – 568.
- Davidson AJ:** Awareness during anesthesia in children: a prospective cohort study. *Anesth. Analg.*, 2005, 100, s. 653 – 661.
- Davidson AJ, McCann ME, Devavaram P, Auble SA, Sullivan LJ, Gillis JM, Laussen PC:** The differences in the bispectral index between infants and children during emergence from anesthesia after circumcision surgery. *Anesth. Analg.*, 2001, 93, s. 326 – 330.
- Davies LK:** Anesthesia for pediatric cardiovascular surgery. In: Kirby RR, Gravenstein N, Lobato EB et al. (Eds.): *Clinical anesthesia practice*. Philadelphia, WB Saunders 2002. 1 220 s.
- Davies LK, Knauf DG:** Anesthetic management for patients with congenital heart disease. In: Hensley FA jr., Martin DE: *A practical approach to cardiac anesthesia*. 3. vyd. Philadelphia, Lippincott, Williams & Wilkins, 2003, s. 360 – 425.
- De Beer DAH, Thomas ML:** Caudal additives in children-solutions or problems? *Brit. J. of Anaesthesia*, 90 (4), 2003, s. 487 – 498.
- De Jong RH:** Controlled relaxation. I. Quantitation of electromyogram with abdominal relaxation. *JAMA*, 1966, 197, s. 393 – 395.
- De Waele J, Pletinckx P, Blot S, Hoste E:** Saline volume in transvesical intra-abdominal pressure measurement: enough is enough. *Intensive Care Med.*, 2006, 32, s. 455 – 459.
- Dearlove OR, Dobson A, Super M:** Anaesthesia and Prader – Willi syndrome. *Paediat. Anaesthesia*, 1998, Vol. 8, No 3, s. 267 – 269.
- Deeren D, Dits H, Malbriant MLNG:** Correlation between intraabdominal and intracranial pressure in nontraumatic brain injury. *Intensive Care Med.*, 2005, 31, s. 1 577 – 1 581.
- Degoute CS, Macabeo C, Dubreuil C, Duclaux R, Banssillon V:** EEG bispectral index and hypnotic component of anaesthesia induced by sevoflurane: comparison between children and adults. *BJA*, 2001, 86 (2), s. 209 – 212.
- Demiraran Y, Kocaman B, Akman RY:** A comparison of the postoperative analgesic efficacy of single-dose epidural tramadol versus morphine in children. *Brit. J. of Anaesthesia*, 95 (4), 2005, s. 510 – 513.
- Demnan WT, Swanson EL, Rosow D, Ezbicki K, Connors PD, Rosow CE:** Pediatric evaluation of the bispectral index (BIS). Monitor and correlation of BIS with end-tidal Sevoflurane concentration in infants and children. *Anesth. Analg.*, 2000, 90, s. 872 – 877.
- Desmet VJ:** Ludwig symposium on biliary disorders – part I. Pathogenesis of ductal plate abnormalities. *Mayo Clin. Proc.*, 1998, 73, s. 80 – 89.
- Dhar S, Dangerfield PH, Dorgan JC, Klenerman L:** Correlation between bone age and Risser's sign in adolescent idiopathic scoliosis. *Spine*, 18/1, 1993, s. 14 – 19.
- Dhellemes P, Pellerin P, Vinchon M, Capon N:** Quand et comment faut-il opérer une craniosténose? *Ann. Fr. Anesth. Reanim.*, 2002, Vol. 21, s. 103 – 110.
- Di Roio C, Mottolese C:** Anesthésie pour craniosténose: augmenter les apports hydroélectrolytiques. *Ann. Fr. Anesth. Reanim.*, 2006, 25, s. 1 166 – 1 167.
- Diaz J, Friesen RH:** Anesthetic management of congenital complete heart block in childhood. *Anesth. Analg.*, 1979, 58, s. 334 – 336.
- Diedericks J:** Postoperative pain management in the paediatric patient. *SA Fam. Pract.*, 48 (3), 2006, s. 37 – 42.
- Diefenbach C:** Pharmakologie von Muskelrelaxanzien im Kindesalter. Workshop „Neue Pharmaka und Techniken in der Kinderanästhesie“ von Funk W, Hollnberger H. Springer 1998.
- Donlon JV et al:** Cumulative dose-response curves for gallamine: effect of altered resting thumb tension and mode of stimulation. *Anesth. Analg.*, 1979, 58, s. 377 – 381.
- Driessens JJ et al:** Acceleromyography in neonates and small infants: baseline calibration and recovery of the responses after neuromuscular blockade with rocuronium. *Eur. J. Anaesthesiol.*, 2005, 22, s. 11 – 15.

- Driessens JJ et al:** The time-course of action and recovery of rocuronium 0,3 mg kg⁻¹ in infants and children during halothane anaesthesia measured with accelerometry. *Paediatr. Anaesth.*, 2000, 10, s. 493 – 497.
- Driscoll DM et al:** A study of postural equilibrium in idiopathic scoliosis. *J. Pediat. Orthop.*, 4, 1984, s. 677 – 681.
- Dubousset J:** Premier examen d'un scoliotique conference d'enseignement. *SOFcot*, 1980, Vol. 1. Exp. Sce. F., 2, 1981, s. 5 – 16.
- Ekman A, Lindholm ML, Lennmarken C, Sandin R:** Reduction in the incidence of awareness using BIS monitoring. *Acta Anaesth. Scand.*, 2004, 48, s. 20 – 26.
- Ellison RC, Sloss LJ:** Electrocardiographic features of congenital heart disease in the adult. In: Roberts WC (Ed.): *Congenital heart disease in adults*. Philadelphia, FA Davis 1987, s. 168 – 169.
- Engbaek J et al:** Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block. *Br. J. Anaesth.*, 1989, 62, s. 274 – 278.
- Engbaek J et al:** Monitoring of neuromuscular transmission by electromyography (II). *Acta Anaesth. Scand.*, 1993, 37, s. 788 – 798.
- Erdös G, Kunde M, Tzanova I, Werner C:** Anästhesiologisches Management bei mediastinaler Raumforderung. *Anesthesist*, 2005, 54, s. 1 215 – 1 228.
- Eriksson M, Finnström O:** Can daily repeated doses of orally administered glucose induce tolerance when given for neonatal pain relief? *Acta Paediatrica*, 2004, 93 (2), s. 246 – 249.
- Faberowski LW, Black S, Mickle JP:** Blood loss and transfusion practice in the perioperative management of craniosynostosis repair. *J. Neurosurg. Anesthesiol.*, 1999, 11, s. 167 – 172.
- Faberowski LW, Black S, Mickle JP:** Incidence of venous air embolism during craniectomy for craniosynostosis repair. *Anesthesiology*, 2000, 92, s. 20 – 23.
- Fahey MR, Rupp SM et al:** The pharmacokinetics and pharmacodynamics of Atracurium in patients with and without renal failure. *Anesthesiology*, 1984, 61, s. 699 – 702.
- Farag E, Chelune JG, Schubert A, Mascha EJ:** Is depth of anesthesia, as assessed by the bispectral index, related to postoperative cognitive dysfunction and recovery? *Anesth. Analg.*, 2006, 103, s. 633 – 640.
- Firment J:** Anestéziológia a intenzívna medicína. Košice, UP JŠ 2004, s. 1 – 369.
- Firment J, Capková J:** Jednodňová anestetická starostlivosť. Košice, Aprilia, s. r. o., 2008, s. 1 – 91.
- Fischer DM:** Neuromuscular blocking agents in paediatric anaesthesia. *Brit. J. of Anaesthesia*, 83, 1999, s. 58 – 64.
- Fösel T, Kraus GB:** Beatmung von Kindern in Anästhesie und Intensivmedizin. Springer Verlag 1993.
- Franck LS, Greenberg CS, Stevens B:** Pain assessment in infants and children. *Pediatric Clinics of North Amer.*, 2000, 47, s. 487 – 512.
- Frankville DD:** Anesthesia for noncardiac surgery in children and adults with congenital heart disease. In: Lake C (Ed.): *Pediatric cardiac anesthesia*. 3. vyd. Stamford CT, Appleton & Lange 1998, s. 601 – 631.
- Friedman WF:** Congenital heart disease in infancy and childhood. In: Braunwald E (Ed.): *Heart disease*. 3. vyd. Philadelphia, Saunders 1988, s. 898.
- Fröhlich D, Schwall B, Funk W., Hobbhahn J:** Laryngeal mask airway and uncuffed tracheal tubes are equally effective for low flow or closed system anaesthesia in children. *Brit. J. of Anaesthesia*, 1997.
- Fruergaard K et al:** Tactile evaluation of the response to double burst stimulation decreases, but does not eliminate, the problem of postoperative residual paralysis. *Acta Anaesthesiol. Scand.*, 1998, 42, s. 1 168 – 1 174.
- Fuchs-Buder T et al:** Good clinical research practice in pharmacodynamic studies of neuromuscular blocking agents II: the Stockholm revision. *Acta Anaesthesiol. Scand.*, 2007, 51, s. 789 – 808.
- Fuzaylov G, Fidkowski Ch:** Anesthetic consideration for major burn injury in pediatric patients. *Pediat. Anesthesia*, 2009, 19, s. 202 – 211.
- Gabalski EC, Mattucci KF, Setzen M, Moleski P:** Ambulatory tonsillectomy and adenoidectomy. *Laryngoscope*, 106, 1996, s. 77 – 80.
- Gallart L et al:** Intravenous Almitrine combined with inhaled nitric oxide for acute respiratory distress syndrome. *Amer. J. Respir. Crit. Care Med.*, 1998, 158 (6), s. 1 770 – 1 777.
- Garfin SR, Vaccaro AR:** Orthopaedic knowledge update. AAOS, Rosemont, 1997, s. 183 – 185.
- Gašparec P, Kóppl J, Tomová Z a kol.:** Cievne prístupy. Martin, Vydavateľstvo Osveta 2009. 240 s.
- Gattinoni L, Chiumello D, Carleso E, Valenza F:** Bench-to-bed-side review: chest wall elastance in acute lung injury/acute respiratory distress syndrome patients. *CCM*, 2004, 8, s. 350 – 355.

- Gebhardt R, Weiser UK:** Anaesthesiol. Reanim., 1999.
- Gerber ME, O'Connor DM, Adler E, Myer CM:** Selected risk factors in pediatric adenotonsillectomy. Otolaryngol. Head Neck Surg., 122, 1996, s. 811 – 814.
- Gergelyová K, Odehnal M:** Pars plana vitrectomie u retinopatie předčasně narozených detí. Čs. Oftal., 6, 2001, s. 387 – 393.
- Gerinec A:** Detská oftalmológia. Martin, Vydavateľstvo Osveta 2005. 592 s.
- Ghoneimi A et al:** Laparoscopic appendectomy in children: report of 1 379 cases. J. Pediat. Surg., 1994.
- Giaufré E, Dalens B, Gombert A:** Epidemiology and morbidity of regional anaesthesia in children: a one-year prospective survey of the french-language society of pediatric anesthesiologists. Anesth. Analg., 2006, 83, s. 904 – 912.
- Gijsenbergh F et al:** First human exposure of Org 25969, a novel agent to reverse the action of rocuronium bromide. Anesthesiology, 103, 2005, s. 695 – 703.
- Gillette PC, Garson AJ et al:** Dysrhythmias. In: Adams FH, Emanouilides GC (Eds.): Heart disease in infants, children, and adolescent. Baltimore, Williams & Wilkins, 1983, s. 725 – 741.
- Goldstein LA, Wangh TR:** Classification and terminology of scoliosis. Clin. Orthop., 93, 1973, s. 30 – 41.
- Gradin M, Schollin J:** The role of endogenous opioids in mediating pain reduction by orally administered glucose among newborns. Pediatrics, 2005, 115 (4), s. 1 004 – 1 007.
- Green DW:** Comparison of isoflurane and halothane on recovery from neuromuscular blockade using atracurium in infants with hepatic dysfunction undergoing major abdominal surgery. Paed. Anaesth., 1991, 1, s. 125 – 128.
- Green DW, Howard ER, and Davenport M:** Anaesthesia, perioperative management a outcome of correction of extrahepatic biliary atresia in the infant: a review of cases in the Kings College Hospital series. Paed. Anaesthesia, 2000, 10, s. 581 – 589.
- Greeley WJ, Kern FH:** Congenital heart disease. In: Estafanous FG, Barash PG, Reves JG: Cardiac anesthesia: principles and clinical practice. Philadelphia, J. B. Lippincott Company 1994, s. 457 – 489.
- Gregory AG:** Paediatric anaesthesia. 4. vyd. Churchill Livingstone, 2002, s. 1 – 936.
- Greulich WW, Pyle SI:** Radiographic atlas of skeletal development of hand and wrist. 2. vyd. California, Stanford University Press 1959.
- Gross C, Gross M, Kuschner S:** Error analysis of scoliosis curve measurement. Bull. Hosp. J. Dis. Orthop. Inst., 43, 1983, s. 171 – 177.
- Gruca A:** Operační léčení dystonické skoliozy. Acta Chir. orthop. Traum. čech., 29, 1962, 5, s. 570 – 584.
- Guyton AC:** Textbook of medical physiology. 7. vyd. Philadelphia, WB Saunders 1986. 207 s.
- Haas T, Fries D et al:** Fibrinogen in craniosynostosis surgery. Anesth. Analg., 2008, 106, s. 725 – 731.
- Hadimioglu N, Saadaway I et al:** The effect of different crystalloid solutions on acid-base balance and early kidney function after kidney transplantation. Anesth. Analg., 2008, 107, s. 264 – 269.
- Haigh PM, Malcom L, Eamonn P:** Retinopathy of prematurity: systemic complications associated with different anaesthetic techniques at treatment. Br. J. of Ophthalmology, 1997, 81, s. 283 – 287.
- Hardman JG, Willis JS:** The development of hypoxaemia during apnoea in children. Brit. J. Anaesth., 2006, 97, s. 564 – 570.
- Harper N, Pollard B:** Muscle relaxants in anaesthesia. Edward Arnold 1995. 270 s.
- Haworth SG:** Pathobiology of pulmonary hypertension in infants and children. Prog. Pediat. Cardiol., 2001, 12, s. 249 – 269.
- Hemmerling TM et al:** Phonomyography of the corrugator supercilii muscle: signal characteristics, best recording site and comparison with acceleromyography. Br. J. Anaesth., 2002, 88, s. 389 – 393.
- Herold I:** Svalová relaxancia. Praha, Maxdorf 2004. 268 s.
- Hickey PR, Wessel DL:** Anesthesia for treatment of congenital heart disease. In: Kaplan JA (Ed.): Cardiac anesthesia. 2. vyd. Orlando, Grune & Stratton 1987, s. 656.
- Ho JWS, Altman K:** Anesthesia for the surgical management of congenital heart disease. In: Thys DM (Ed.): Textbook of cardiothoracic anesthesiology. New York, McGraw-Hill 2001, s. 657 – 679.
- Hollinger I:** Current trends in pediatric anesthesia. Mountsinai J. of Med., January/March, 2002, s. 50 – 54.

- Hopkins RA, Bull C, Haworth SG et al:** Pulmonary hypertensive crisis following surgery for congenital heart defects in young children. *Eur. J. Cardiothorax Surg.*, 1991, 5, s. 628 – 634.
- Howard ER:** Biliary atresia: aetiology, management and complications. *Surgery of Liver Disease in Children*. London, Butterworth Heinemann 1991, s. 39 – 59.
- Huddleston JA, Knoderer ChA, Morris JL, Ebenroth SE:** Sildenafil for the treatment of pulmonary hypertension in pediatric patients. *Pediat. Cardiol.*, 2009, 30, s. 871 – 882.
- Chaloupecký V et al:** Dětská kardiologie. Praha, Galén 2006, s. 397 – 403.
- Chaloupka R, Vlach O:** Současný výskyt skoliozy a spondylolistézy. *Acta Chir. orthop. Traum. čech.*, 57/1, 1990, s. 60 – 64.
- Chaloupka R, Vlach O, Šuškevič I, Kala B:** Prognóza vývoje idiopatických hrudních křivek a jejich ovlivnění ortézou. *Výběr ortop. a traumatol.*, 1 – 2, 1992, s. 6 – 8.
- Chang AC et al:** Pulmonary vascular resistance in infants after cardiac surgery: role of carbon dioxide and hydrogen ion. *Crit. Care. Med.*, 1995, 23, s. 568 – 574.
- Charlton E:** The management of postoperative pain. Update in *Anaesthesia*, 7, 1997, s. 1 – 7.
- Chiba T, Kasai M:** Differentiation of biliary atresia from neonatal hepatitis by routine clinical examinations. *Tohoku J. Exp. Med.*, 1975, 115, s. 327 – 335.
- Chiba T, Ohi R, Kamiyama T et al:** Japanese biliary atresia registry. In: Ohi R (Ed.): *Biliary atresia*. Tokyo, Icom Associates 1991, s. 79 – 86.
- Igarashi M, Watanbe H, Iwasaki H, Namiki A:** Clinical evaluation of low-flow sevoflurane anesthesia for paediatric patients. *Acta Anaesth. Scand.*, 1999.
- Janoušek J:** Atrioventrikulární blokáda. In: Janoušek J: *EKG a dysrytmie v dětském věku*. Praha, H & H 1994, s. 56 – 62.
- Jimenez DF, Barone CM:** Endoscopic craniectomy for early surgical correction of sagittal craniosynostosis. *J. Neurosurg.*, 1998, 88, s. 77 – 81.
- Jimenez DF, Barone CM:** Intraoperative autologous blood transfusion in the surgical correction of craniosynostosis. *Neurosurgery*, 1995, 37, s. 1 075 – 1 079.
- Jimenez DF, Barone CM, Cartwright CC et al:** Early management of craniosynostosis using endoscopic-assisted strip craniectomies and cranial orthotic molding therapy. *Pediatrics*, 2002, 110, s. 97 – 104.
- Jones RM, Broadbent MP et al:** Anaesthetic considerations in patients with paroxysmal supraventricular tachycardia: a review and report of cases. *Anaesthesia*, 1984, 39, s. 307 – 313.
- Joris JL et al:** Pulmonary function and pain after gastroplasty performed via laparoscopy in morbidly obese patients. *Br. J. Anesth.*, 1998.
- Ju-Mei Ngb:** Hypoxemia during one-lung ventilation: jet ventilation of the middle and lower lobes during right upper lobe sleeve resection. *Anesth. Analg.*, 2005, 101, s. 1 554 – 1 555.
- Kalli I:** Effect of isometric thumb preload on the evoked compound muscle action potential. *Br. J. Anaesth.*, 1993, 70, s. 92 – 93.
- Kalli I:** Effect of surface electrode position on the compound action potential evoked by ulnar nerve stimulation during isoflurane anaesthesia. *Br. J. Anaesth.*, 1990, 65, s. 494 – 499.
- Kalli I:** Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetised infants and children. *Br. J. Anaesth.*, 1989, 62, s. 188.
- Kapeller K, Pospíšilová V:** Emryológia človeka. Martin, Vydavateľstvo Osveta 1991.
- Karski T:** The etiology of the so-called idiopathic scoliosis. Progress and fixation of the spine disorders. The prophylaxis and principles of the new rehabilitation treatment. Lublin, Kwiec, Wydawnictwo KGM 2000. 133 s.
- Karski T, Madej J, Rehák L:** The new examination for the discovery of the so-called idiopathic scoliosis. The necessity and value of the early prophylactic management. *Locomotor. System*, 8, 2001, s. 15 – 22.
- Karski T, Makai F, Rehák L, Karski J, Madej J, Kalakucki J:** The new rehabilitation treatment of so-called idiopathic scoliosis. The dependence of results on the age of children and the stage of deformity. *Locomotor. System*, 8/2, 2001, s. 66 – 73.
- Kehlet H, Holte K:** Effect of postoperative analgesia on surgical outcome. *Brit. J. Anaesth.*, 87 (1), 2001, s. 62 – 72.
- Kern FH, Schulman SR et al:** Extracorporeal circulation and circulatory assist device in the pediatric patient. In: Lake C (Ed.): *Pediatric cardiac anesthesia*. 3. vyd. Stamford CT, Appleton & Lange 1998, s. 219 – 257.

- King HA, Moe JH, Bradford DS, Winter RB:** The selection of fusion in thoracic idiopathic scoliosis. *J. Bone Joint Surg.*, 65A, 1983, s. 1 302 – 1 313.
- Knoll H, Ziegeler S, Schreiber JU, Buchinger H, Bialas P, Semyonov K, Graeter T, Mencke T:** Airway injuries after one-lung ventilation: a comparison between double-lumen tube and endobronchial blocker: a randomized, prospective, controlled trial. *Anesthesiology* 2006, Sep., 105 (3), s. 471 – 477.
- Kontras S, Sirak H:** Hematologic abnormalities in children with congenital heart disease. *JAMA*, 1976, 195, s. 611 – 615.
- Košťálová L, Kovács L a kol.:** Úvod do pediatrie. 2005, s. 8 – 10.
- Kóppl J, Karovič D, Podhoranský B, Csomor D, Gašparec P, Šagát T, Trimmel H:** Hemodynamic monitoring using PiCCO® system in a 10 months old infant suffering from serious burn injury. *BLL*, 2007, 108 (8), s. 359 – 363.
- Kraus G:** Konzepte der totalen intravenösen Anästhesie (TIVA). Workshop „Neue Pharmaka und Techniken in der Kinderanästhesie“ von Funk W. Springer, Hollnberger H. 1998.
- Krbec M:** Scheuermannova choroba. In: Sosna, Vavřík, Krbec a kol. (Eds.): *Základy ortopedie*. Praha, Triton 2001, s. 85.
- Krbec M:** Vadné držení těla. In: Sosna, Vavřík, Krbec a kol. (Eds.): *Základy ortopedie*. Praha, Triton 2001, s. 86.
- Krbec M, Chaloupka R:** Kongenitální kyfóza. In: Janíček a kol. (Eds.): *Ortopedie*. Brno, Masarykova Univerzita v Brně 2001, s. 86.
- Krbec M, Chaloupka R:** Onemocnění páteře. In: Janíček P a kol. (Eds.): *Ortopedie*. Brno, Masarykova Univerzita v Brně 2001, s. 75 – 85.
- Krbec M, Vlach O, Repko M, Skotáková J:** Measurement and comparison of the derotation degree of the apical vertebra in idiopathic scoliosis before and after the anterior or posterior surgery using CT-Scans. *Eur. Spine J.*, 10, Suppl., 2001, s. 10.
- Kretz FJ, Karin B:** Anästhesie und Intensivmedizin bei Kindern. 2., prepracované a aktualizované vyd. Thieme Verlag, 2007.
- Kuchta M, Nováková B, Gombošová K, Petrášová M:** Steatóza pečene a obezita detí a dospevajúcich. *Pediatria*, 2007, s. 18 – 22.
- Laishley RS, Burrows FA:** Effect of anesthetic induction regimens on oxygen saturation in cyanotic congenital heart disease. *Anesthesiology*, 1986, 65, s. 673 – 677.
- Lajeune E, Le Merrer M, Bona-Pellie C, Marchac D, Renier D:** A genetic study of nonsyndromic coronal craniosynostosis. *Amer. J. Genet.*, 1995, 55, s. 500 – 504.
- Lalakea ML, Marquez-Biggs I, Mesner AH:** Safety of pediatric short-stay tonsillectomy. *Otolaryngol. Head Neck Surg.*, 125, 1999, s. 749 – 752.
- Langton JA:** Day-case anaesthesia. In: Aitkenhead AR, Smith G: *Textbook of anaesthesia*. 1996, s. 513 – 518.
- Larousse E, Asehnoune K, Dartayet B, Albaladejo P, Dubousset AM, Gauthier F, Benhamou D:** The hemodynamic effects of pediatric caudal anesthesia assessed by esophageal Doppler. *Anesth. Analg.*, 2002, May, 94 (5), s. 1 165 – 1 168.
- Larsen R:** Anestezie. Praha, Grada Publishing 2004, 2007.
- Lauritzen C, Lilja J, Jarlstedt J:** Airway obstruction and sleep apnea in children with craniofacial anomalies. *Plast. Reconstr. Surg.*, 1986, 77 (1), s. 1 – 5.
- Lefkowitch JH:** Biliary atresia. *Mayo Clin. Proc.*, 1998, 73, s. 90 – 95.
- Less MH, Burnell RH et al:** Ventilation-perfusion relationships in children with heart disease and diminished pulmonary blood flow. *Pediatrics*, 1968, 42, s. 778 – 785.
- Levy JH:** Massive transfusion coagulopathy. *Semin. Hematol.*, 2006, 43, s. 59 – 63.
- Lewindon PJ, Harkness L, Lewindon N:** Randomized controlled trial of sucrose by mouth for the relief of infant crying after immunization. *Archives of Disease in Childhood*, 1998, 78, s. 453 – 456.
- Linden BE, Gross CW, Long TE, Lazar RH:** Morbidity in pediatric tonsillectomy. *Laryngoscope*, 100, 1990, s. 120 – 124.
- Lobe TE:** New developments pediatric surgery. *Curr. Prob. Pediat.*, 1993.
- Longatti PL, Paccagnella F, Agostini S et al:** Autologous hemodonation in the corrective surgery of craniostenosis. *Childs Nerv. Syst.*, 1991, 7, s. 40 – 42.
- Lonstein JE et al:** Voluntary school screening for scoliosis in Minnesota. *J. Bone Joint Surg.*, 64/A, 1982, s. 481 – 488.

- Lowe TG:** Sheuermann's disease. Orthop. Clin. North., 30, 1999, s. 475 – 487.
- Lönnqvist PA:** Adjuncts to caudal block in children – Quo vadis? Brit. J. of Anaesthesia, 95 (4), 2005, s. 431 – 433.
- Lönnqvist PA, Morton NS:** Postoperative analgesia in infants and children. 95 (1), 2005, s. 59 – 68.
- Lönnqvist PA, Westrin P, Larsson BA, Olsson GL, Lybeck A, Huledal G, Bielenstein M:** Ropivacaine pharmacokinetics after caudal block in 1 – 8 year old children. Brit. J. of Anaesthesia, 85 (4), 2000, s. 506 – 511.
- Lynn A, Nespeca MK, Bratton SL et al:** Clearance of morphine in postoperative infants during intravenous infusion: the influence of age and surgery. Anesth. Analg., 1998, 86, s. 958 – 963.
- MacLean S, Obispo J, Young K:** The gap between procedural pain management treatments available and actual practice. Pediatric Emergency Care, 2007, 23, s. 87 – 93.
- Macháčová E, Bánsky R, Špaleková M, Fedeleš J, Kroupová D:** Orofacialne rázstupy v regiónoch západného Slovenska. Epidemiol. Mikrobiol. Imunol., 51, 2002, č. 4, s. 165 – 168.
- Macháčová E, Bánsky R, Špaleková M, Guzanin Š, Sabovčík R, Slobodník L:** Incidence of orofacial clefts in the Slovak republic. CEJPH, No 3, 2006.
- Machida M, Dubousset J, Imamura Y, Iwaya T et al:** Role of melatonin deficiency in the development of scoliosis in pinealectomized chicken. J. Bone Joint Surg., 77B, 1, 1995, s. 134 – 138.
- Malbrain ML, Deeren D, De Potter TJ:** Intra-abdominal hypertension in the critically ill: it is time to pay attention. Curr. Opin. Crit. Care, 2005, 11, s. 156 – 171.
- Malbrain ML, De Laet I:** Part one: pathophysiology and pressure measurement of pelvic and abdominal compartment syndromes. ICU management. MATRIX, 2, 2009.
- Manjushree R, Lahiri A, Ghosh BR, Laha A, Handa K:** Intranasal fentanyl provides adequate post-operative analgesia in pediatric patients. Canad. J. of Anesthesia, 49, 2, 2002, s. 190 – 193.
- Manu LNG, Deeren Malbrain and Dories H:** Effect of bladder volume on measured intravesical pressure – a prospective cohort study. Critical Care, 2006, 10, R98.
- Manyalich M. et al:** Transplant coordination manual. Barcelona: TPM, Les heures, Universitat de Barcelona 2001.
- Marshall SI, Chung F:** Discharge criteria and complications after ambulatory surgery. Anesth. Analg., 1999, 88, s. 508 – 517.
- Mason DG et al:** Self-learning fuzzy control of atracurium-induced neuromuscular block during surgery. Med. Biol. Eng. Comput., 1997, 35, s. 498 – 503.
- Mason LJ, Betts EK:** Leg lift and maximum inspiratory force, clinical signs of neuromuscular blockade reversal in neonates and infants. Anesthesiology, 1980, 52, s. 441.
- Matsui A, Sasaki N, Kasano Y et al:** Neonatal mass screening for biliary atresia. Tokyo, Icom Associates 1991, s. 20 – 24.
- Matthews ML, Pesaturo KA:** Management of postoperative pain in children. US Pharmacist, 33, 3, 2008.
- Mau Chan Chung:** Sleep apnoe syndrome in Hong Kong – a ten years' study. CME Bulletin, 2003, 2, s. 1 – 7.
- Mauban JRH, Remillard VC, Yuan JX-J:** Hypoxic pulmonary vasoconstriction: role of ion channels. J. Appl. Physiol., 2005, 98, s. 415 – 420.
- McCluskey A et al:** A comparison of acceleromyography and mechanomyography for determination of the dose-response curve of rocuronium in children. Anaesthesia, 1997, 52, s. 345 – 349.
- McCluskey A, Meakin G:** Dose-response and minimum time to satisfactory intubation conditions after mivacurium in children. Anaesthesia, 51, 1996, s. 438 – 441.
- McMaster MJ, Singh H:** Natural history of congenital kyphosis and kyphoscoliosis. J. Bone Joint Surg., A, 81, 1999, s. 1 367 – 1 383.
- Meakin GH:** Neuromuscular blocking drugs in infants and children. Cont. Edu. Anaesth. Crit. Care & Pain, 7, 2007, s. 143 – 147.
- Meakin GH, Shaw EA, Baker RD, Morris P:** Comparison of atracurium-induced neuromuscular blockade in neonates, infants and children. Br. J. Anaesth., 60, 1988, s. 171 – 175.
- Meherinoor FW:** Investigations of the bispectral index monitoring in pediatric anesthesia: First things first. Anesth. Analg., 2001, 92, s. 805 – 807.
- Meistelman C, Donati F:** The action of relaxants on different muscles of the body. In: Pollard BJ (Ed.): Applied neuromuscular pharmacology. 1. vyd. Oxford, Oxford University Press 1994, s. 411 – 429.
- Meister R:** Atemfunktion und lungenkreislauf bei thorakaler Skoliose. Stuttgart – New York, Thieme Verlag 1980.


- Meldrum D et al:** Prospective characterization and selective management of ACS. Amer. J. Surg., 1997.
- Mercier C, Gouchet A, Laffon M:** Anesthésie pour adénoïdectomie et amygdalectomie chez l'enfant. Conférences d'actualisation 1999. Paris, Elsevier et SFAR, s. 71 – 87.
- Meretoja OA:** Clinical use of muscle relaxants in children [online, cit. 29. září 2008]. Dostupné na: <http://www.clinicalwindow.net/cw_issue_13_article1.htm>
- Meretoja OA:** Muscle relaxants in children. In: Binssonette B, Dales B (Eds.): Pediatric anesthesia, principles and practice. New York, McGraw-Hill 2002. 278 s.
- Meretoja OA:** Muscle relaxants in pediatric patients [online, cit. 29. září 2008]. Dostupné na: <http://www.clinicalwindow.net/cw_issue_13_index.htm#>
- Meretoja OA et al:** Comparison of thumb acceleration and thenar EMG in a pharmacodynamic study of alcuronium. Acta Anaesthesiol. Scand., 1989, 39, s. 545 – 548.
- Merkel SI, Voepel-Lewis T, Shayevitz JR, Malviya S:** The FLACC A behavioral scale for scoring post-operative pain in young children. Pediatric Nursing, 1997, 23, s. 293 – 297.
- Meyer P, Cutaree H, Blanot S, Orlaguet G, Jarreau MM, Charron B et al:** Anesthésie réanimation des craniosténoses. Neurochirurgie, 2006, 52, s. 292 – 301.
- Meyer P, Renier D, Arnaud E:** Intraoperative autologous blood transfusion in the surgical correction of craniosynostosis. Neurosurgery, 1996, 39, s. 213.
- Meyer P, Renier D, Arnaud E et al:** Blood loss during repair of craniosynostosis. Br. J. Anaesth., 1993, 71, s. 854 – 857.
- Meyer PG, Renier D, Orlaguet G et al:** Venous air embolism in craniosynostosis surgery: what do we want to detect? Anesthesiology, 2000, 93, s. 1 157 – 1 158.
- Mones RL, DeFelice AR, Preud'Homme D:** Use of neomycin as the prophylaxis against reccurent cholangitis after Kasai portoenterostomy. J. Pediat. Surg., 1994, 29, s. 422 – 424.
- Moore RA:** Anesthesia for the pediatric congenital heart patient for noncardiac surgery. Anesthesiol. Rev., 1981, 8, s. 27.
- Motamed C et al:** Comparison between the Datex-Ohmeda M-NMT module and a force-displacement transducer for monitoring neuromuscular blockade. Eur. J. Anaesthesiol., 2003, 20, s. 467 – 469.
- Motsch J, Wiedermann K, Roggenbach J:** Atemwegsmanagement bei der Ein-Lungen-Ventilation. Anaesthesist, 2005, 54, s. 601 – 624.
- Muralidhar K, Prasad J:** Technique for one-lung ventilation during video-assisted thoracoscopic surgical interruption of ductus arteriosus in children. Thorac. Cardiovasc. Surg., 1997, 114, s. 300 – 308.
- Murat I:** Bispectral index in pediatrics: fasion or a new tool? Paed. Anaesth., 2005, 15, s. 177 – 180.
- Namachivayam P, Theilen U, Butt W et al:** Sildenafil prevents rebound pulmonary hypertension after withdrawal of nitric oxide in children. Amer. J. Respir. Crit. Care Med., 2006, 174, s. 1 042 – 1 047.
- Nash C, Moe J:** A study of vertebral rotation. J. Bone Joint Surg., 5A, 1969, s. 223.
- Negri P, Ivani G:** Management of postoperative nausea and vomiting in children. Pediat. Drugs, 2002, 4 (11), s. 717 – 728.
- Neugebauer H, Windischbauer G:** Surface topography and body deformity proceedings of the 5-th international symposium. Wien 1988. s. 17 – 31, 34 – 49.
- Neuwirth J, Bohutová J, Vondřichová H, Džupa V:** Radiologické nálezy. Praha, Triton 2001, s. 60 – 70.
- Nichols DG, Ungerleider RM, Spevak PJ et al:** Critical heart disease in infants and children. Mosby Elsevier 2006, s. 73 – 112, 885 – 898.
- Nio M, Ohi R, Shimaoka S et al:** The outcome of surgery for biliary atresia and the current status of long-term survivors. Tohoku J. Exp. Med., 1997, 181, s. 235 – 244.
- O'Connor MF, Daves SM, Tung A, Cook IR, Thisted R, Apfelbaum J:** BIS monitoring to prevent awareness during general anesthesia.
- Odborné usmernenie MZ SR o darcovstve, odberoch ľudských orgánov z tel živých a mŕtvych darcov, o testovaní darcov a o prenose ľudských orgánov na prijemcu.** Vestník MZ SR, 2007, roč. 55, čiastka 1.
- Odehnal M, Gergelyová K:** Atypické formy retinopatií predčasně narozených dětí, Čs. Of., 1, 2001, s. 54 – 58.
- Ohi R, Ibrahim M:** Biliary atresia. Seminars in pediatric surgery. Vol. 1, No 2, 1992, s. 115 – 124.
- Ohnuma N, Takahashi M et al:** Endoscopic retrograde cholangiopancreatography in biliary tract disease of infants less than one year old. Tohoku J. Exp. Med., 1997, 181, s. 67 – 74.
- Orlaguet G, Meyer P:** Prise en charge anesthésique des craniosténoses. Ann. Fr. Anesth. Reanim., 2002.

- Ostrea EM jr, Villanueva-Uy ET, Natarajan G, Uy HG: Persistent pulmonary hypertension of the newborn. *Pediatr. Drugs*, 2006, 8, s. 179 – 188.
- Paton WD, Waud DR: The margin of safety of neuromuscular transmission. *J. Physiol.*, 1967, 191, s. 59 – 90.
- Petros AJ, Pierce ChM: Review article: the management of pulmonary hypertension. *Pediatr. Anesthesia*, 2006, 18, s. 816 – 821.
- Philip BK, Epstein BS: Problems in anesthesia. *Ambulatory anesthesia*. Lippincott, 1999.
- Plaud B et al: Eur. J. Anaesthesiol., 24, 2007, Suppl. 39, 9A, P7 – 5.
- Plaud B et al: Reversal of rocuronium-induced neuromuscular blockade with sugammadex in pediatric and adult surgical patients. *Anesthesiology*, 110, 2009, 284/294.
- Plaud B et al: The corrugator supercilii, not the orbicularis oculi, reflects rocuronium neuromuscular blockade at the laryngeal adductor muscles. *Anesthesiology*, 2001, 95, s. 96 – 101.
- Playfor S, Thomas D, Choonara I: Recollection of children following intensive care. *Arch. Dis. Child*, 2000, 83, s. 445 – 448.
- Prepiakova Z: Očné komplikácie prematurity. Atestačná práca z oftalmológie. Bratislava, Katedra oftalmológie SZU 2005, s. 1 – 42.
- Prosser DP, Davis A, Booker PD, Murray A: Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery. *Brit. J. of Anaesthesia*, 79, 1997, s. 293 – 296.
- Rabinovitch M: Pulmonary hypertension. In: Adams FH, Emanouilides GC (Eds.): *Heart disease in infants, children, and adolescent*. Baltimore, Williams & Wilkins 1983, s. 669 – 692.
- Rajesh A, Andrew MB, James E, Fletcher, Christopher MB: Sedation monitoring of children by bispectral index in the pediatric intensive care unit. *Pediat. Crit. Care Med.*, 2003, 4 (1).
- Ramenghi LA, Evans DJ, Levene M: „Sucrose analgesia“: absorptive mechanism or taste perception? *Archives of Disease in Childhood Fetal & Neonatal Edition*, 1999, 80, s. 146 – 147.
- Ramenghi LA, Webb AV, Shevlin PM, Green M, Evans DJ, Levene MI: Intra-oral administration of sweet-tasting substances and infants' crying response to immunization: a randomized, placebo-controlled trial. *Biology of the Neonate*, 2002, 81, s. 163 – 169.
- Randall DA, Hoffer ME: Complications of tonsillectomy and adenoidectomy. *Otolaryngol. Head Neck Surg.*, 118, 1998, s. 61 – 68.
- Rashid A, Ivy D: Severe paediatric pulmonary hypertension: new management strategies. *Arch. Dis. Child*, 2005, 90, s. 92 – 98.
- Rawal N: Regional anaesthesia at home after day surgery. ESRA kongres Istanbul, 1999.
- Ray RM, Senders CW: Airway management in the obese child. *Pediat. Clin. North Amer.*, 2001, 48, s. 1 055 – 1 063.
- Rehák L: Vlastná modifikácia Drummondovej inštrumentácie v operačnej liečbe idiopatickej adolescencnej skoliozy. Kand. dizert. práca. 1995. 137 s.
- Reis EC, Roth EK, Syphan JL, Tarbell SE, Holubkov R: Effective pain reduction for multiple immunization injections in young infants. *Archives of Pediat. and Adolescent Medicine*, 2003, 157, s. 1 115 – 1 120.
- Renier D, Lajeunie E, Arnaud E et al: Management of craniosynostoses. *Child Nerv. Syst.*, 2000, 16, s. 645 – 658.
- Ridley SA, Hatch DJ: Post-tetanic count and profound neuromuscular blockade with atracurium infusion in pediatric patients. *Br. J. Anaesth.*, 1988, 60, s. 31 – 35.
- Richard A, Jaffe, Stanley I Samuels: *Anesthesiologist's manual of surgical procedures*. Lippincott-Raven Publishers, 1996.
- Rosenberg H, Gronert G: Intractable cardiac arrest in children given succinylcholine. *Anesthesiology*, 77, 1992, s. 1 054.
- Rosenzweig EB, Barst RJ: Idiopathic pulmonary arterial hypertension in children. *Curr. Opin. Pediat.*, 2005, 17, s. 372 – 380.
- Rosenzweig EB, Barst RJ: Pulmonary arterial hypertension in children: a medical update. *Curr. Opin. Pediat.*, 2008, 20, s. 288 – 293.
- Rubin LJ et al: Bosentan therapy for pulmonary arterial hypertension. *N. Engl. J. Med.*, 2002, 346, s. 890 – 896.
- Saddler JM et al: Comparison of double-burst and train-of four stimulation to assess neuromuscular blockade in children. *Anesthesiology*, 1990, 73, s. 401 – 403.
- Sammartino M, Bocci MG, Ferro G, Mercurio G, Papacci P, Conti G, Lepore D, Molle F: Efficacy and safety of continuous intravenous infusion of remifentanil in preterm infants undergoing laser therapy in retinopathy of prematurity: clinical experience. *Paediatric Anaesthesia*, 2003, 13, s. 596 – 602.

- Sanders JC:** Paediatric regional anaesthesia, a survey of practice in the United Kingdom. *Brit. J. of Anaesthesia*, 89, 2002, s. 707 – 710.
- Savarese JJ, Miller RD, Lien CA, Caldwell JE:** Pharmacology of muscle relaxants and their antagonists. In: Ronald D Miller (Ed.): *Anesthesia*. 5. vyd. Churchill and Livingstone 2000.
- Sellick BA:** Cricoid pressure to control regurgitation of stomach contents during induction of anaesthesia. *Lancet*, 1961, 2, s. 404 – 406.
- Senoglu N, Senoglu M, Oksuz H, Gümüşalan Y, Yuksel KZ, Zencirci B, Ezberci M, Kızılkanat E:** Landmarks of the sacral hiatus for caudal epidural block: an anatomical study. *Brit. J. of Anaesthesia*, 95 (5), 2005, s. 692 – 695.
- Setzer N, Saade E:** Childhood obesity and anesthetic morbidity. *Paediatric Anesthesia*, 2007, 17, s. 321 – 326.
- Shah HA, Spivak W:** Neonatal cholestasis. New approaches to diagnostic evaluation and therapy. *Pediat. Clin. North Amer.*, 1994, 41, s. 943 – 966.
- Shaw B, Semb G, Nelson P, Brattstrom V, Molsted K, Prahl-Andersen B:** The Eurocleft Project 1996 – 2000, standards of care for cleft lip and palate in Europe. *Biomedical and Health Research*, Vol 43, IOS Press 2000.
- Scheuermann HW:** Kyphosis dorsalis juvenilis. *Ugesk Raeger*, 82, 1920, s. 385 – 393.
- Schmorl G, Junghanns R:** The human spine in health and disease. New York, Grune & Stratton 1971.
- Schwarz AJ, Campbell FW:** Pathophysiological approach to congenital heart disease. In: Lake CL (Ed.): *Pediatric cardiac anesthesia*. Norwalk, CT, Appleton & Lange 1988, s. 9.
- Smith HL, Meldrum DJ, Brennan LJ:** Childhood obesity: a challenge for the anesthetist. *Paediatric Anaesthesia*, 2002, s. 750 – 761.
- Sneyd JR:** Recent advances in intravenous anaesthesia. *Brit. J. of Anaesthesia*, 93 (5), 2004, s. 725 – 736.
- Soriano SG, McManus ML, Sullivan LJ et al:** Doppler sensor placement during neurosurgical procedures for children in the prone position. *J. Neurosurg. Anesthesiol.*, 1994, 6, s. 153 – 155.
- Span Y, Robin G, Makin M:** Incidence of scoliosis in school children in Jerusalem. *J. Bone Joint Surg.*, 58B, 1976, s. 379.
- Spence AA, Smith G:** Postoperative analgesia and lung function: a comparison of morphine with extradural block. *Brit. J. of Anaesthesia*, 81, 1998, s. 984 – 988.
- Stevens B, Yamada J, Ohlsson A:** Sucrose for analgesia in newborn infants undergoing painful procedures. The Cochrane Database of Systematic Reviews, 2004, Issue 3. Art. No: CD001069.pub2. DOI: 10.1002/14651858.CD001069.pub2.
- Steward DJ:** Manual of pediatric anesthesia. 5. vyd. Churchill Livingstone 2001.
- Steward DJ et al:** Manual of pediatric anesthesia. 4. vyd. New York, Churchill Livingstone 1995, s. 26 – 27.
- Stocker TJ, Dehner IP:** Pediatric pathology. 2. vyd. Philadelphia, Lippincott Williams & Wilkins 2001.
- Stringer MD, Howard ER:** The role of endoscopic sclerotherapy in the management of portal hypertension in children. In: Howard E (Ed.): *Surgery of liver disease in children*. London, Butterworth Heinemann 1991, s. 157 – 170.
- Stuth E, Böhrer H:** Anästhesiol. Intensivmed. Notfälmed. Schmerzther., 30, 1995, č. 2, s. 86 – 95.
- Szenohradzky J, Fisher DM et al:** Pharmacokinetics of rocuronium bromide (ORG 9426) in patients with normal renal function or patients undergoing cadaver renal transplantation. *Anesthesiology*, 1992, 77, s. 899 – 904.
- Šamánek M, Voříšková M:** Congenital heart disease among 815 569 children born between 1980 and 1990 and their 15-year survival. *Pediat. Cardiology*, 20, 1999, s. 411 – 417.
- Tan CE, Davenport M, Driver M et al:** Does the morphology of the extrahepatic biliary remnants in biliary atresia influence survival? A review of 205 cases. *J. Pediat. Surg.*, 1994, 11, s. 1459 – 1464.
- Tanaka K, Shirahase I, Utsunomiya H et al:** A valved hepatic portoduodenal intestinal conduit for biliary atresia. *Ann. Surg.*, 1991, 213, s. 230 – 235.
- Tanner JM, Witehouse RH, Healey MJR et al:** Assessment of skeletal maturity and prediction of adult healthy (TW2 MESET method). New York, San Francisco, Academie Press London 1975. 96 s.
- Tazawa Y, Yamada M, Nakagava M et al:** Significance of serum lipoprotein-X and gammaglutamyl-transpeptidase in the diagnosis of biliary atresia. *Eur. J. Pediat.*, 1986, 145, s. 54 – 57.
- Tercan E, Sungun MB, Boyaci A, Küçükaydin M:** One-lung ventilation of a preterm newborn during esophageal atresia and tracheoesophageal fistula repair. *Acta Anaesthesiol. Scand.*, 2002, 46, s. 332 – 336.

- The American Academy of Pediatrics and the American Pain Society:** The assessment and management of acute pain in infants, children, and adolescents. *Pediatrics*, 2001, 108, s. 793 – 797.
- Thorsteinsson A, Jonmarker C et al:** Functional residual capacity in anesthetized children: normal value and values in children with cardiac anomalies. *Anesthesiology*, 1990, 73, s. 876 – 881.
- Thyr M, Sundholm AI, Teeland L, Rahm V:** Oral glucose as an analgesic to reduce infant distress following immunization at the age of 3, 5 and 12 months. *Acta Paediatrica*, 2007, 96 (2), s. 233 – 236.
- Tomčíková D, Prepiaková Z, Fischerová O, Gerinec A:** Výsledky liečby ROP. Sborník XII. výročný sjezd ČOS, Ostrava 2004, s. 10 – 11.
- Tomová Z, Podhoranský B, Gašparec P, Šagát T, Hulinová S, Tomčíková D:** Safety of anaesthesia using propofol, tramadol and diazepam in treatment of retinopathy of prematurity. Abstract form for the 6th European Congress of Paediatric Anaesthesia, Cologne 2005. Ostrava, ČR, 2006.
- Tong JG, Tritia M et al:** Consensus guideline for managing postoperative nausea and vomiting. *Anaesth. Analg.*, 2003, 97, s. 62 – 71.
- Tönz M, Bachmann D, Mettler D, Kaiser G:** Pulmonary function after one-lung ventilation in newborns: the basis for neonatal thoracoscopy. *Ann. Thorac. Surg.*, 1998, 66, s. 542 – 546.
- Török P:** Základné charakteristiky dýchacích systémov a ich schematické znázornenie. FEEA, 1996.
- Tsui BC, Wagner A, Cave D, Kearney R:** Thoracic and lumbar epidural analgesia via the caudal approach using electrical stimulation guidance in pediatric patients: a review of 289 patients. *Anesthesiology*, 2004, Mar, 100 (3), s. 683 – 689.
- Twite MD, Zuk J, Gralla J, Friesen RH:** Correlation of the BIS monitor with the COMFORT scale in the PICU. *Ped. Crit. Care Med.*, 2005, 6 (6).
- Vas L, Nalguni F, Naik V:** Anaesthetic management of an infant with anterior mediastinal mass. *Pediat. Anaesthesia*, 1999, 9, s. 439 – 443.
- Veyckemans F:** Equipment, monitoring, and environmental conditions. In: Bissonette B, Dalens B (Eds.): *Pediatric anesthesia, principles and practice*. 1. vyd. New York, McGraw-Hill 2002, s. 454.
- Viby-Mogensen J:** Neuromuscular monitoring. In: Miller ED (Ed.): *Anesthesia*. 5. vyd. Philadelphia, Churchill Livingstone 2000, s. 1 351 – 1 366.
- Viby-Mogensen J:** Postoperative residual curarization and evidence-based anaesthesia. *Br. J. Anaesth.*, 2000, 84, s. 301 – 303.
- Viby-Mogensen J:** Why, how and when to monitor neuromuscular function. *Minerva Anestesiol.*, 1999, 65, s. 239 – 244.
- Viby-Mogensen J et al:** Measurement of acceleration: a new method of monitoring neuromuscular function. *Acta Anaesthesiol. Scand.*, 1988, 32, s. 45 – 48.
- Viby-Mogensen J et al:** Pharmacokinetic studies of neuromuscular blocking agents: good clinical research practice (GCRP). *Acta Anaesthesiol. Scand.*, 2000, 44, s. 1 169 – 1 190.
- Viby-Mogensen J et al:** Post tetanic count (PTC): a new method of evaluating an intense nondepolarizing neuromuscular blockade. *Anesthesiology*, 1981, 55, s. 458 – 461.
- Viby-Mogensen J et al:** Residual curarization in the recovery room. *Anesthesiology*, 1979, 50, s. 539 – 541.
- Vlach O, Chaloupka R:** Zásady ošetrení následku úrazu páteře. *Acta Chir. Orthop. Traum. Cech.*, 65, 1998, s. 232 – 236.
- Voepel-Lewis T, Merkel SI, Tait AR, Trzcinka ABS, Malviya S:** The reliability and validity of the faces legs, activity, cry and consolability observational tool as a measurement of pain in children with cognitive impairment. *Anesth. Analg.*, 2002, 95, s. 1 224 – 1 229.
- Wagner Ch:** Airway management in the obese pediatric patient. *Air Med. J.*, 7 – 8, 2005, s. 133 – 136.
- Warner MA et al:** Perioperative pulmonary aspiration in infants and children. *Anesthesiology*, 1999, 78, s. 56 – 62.
- Warwick JP, Mason DG:** Obstructive sleep apnoea syndrome in children. *Anesthesia*, 53, 1998, s. 571 – 579.
- Weiss M, Gerber AC:** Anästhesieeinleitung und Intubation beim Kind mit vollem Magen, Zeit zum Umdenken! *Anaesthetist*, 2007, 56, s. 1 210 – 1 216.
- Wells AL, Wells TR et al:** Short trachea, a hazard in tracheal intubation of neonates and infants: syndromal associations. *Anesthesiology*, 1989, 71, s. 367 – 373.
- Wessel DL:** Current and future strategies in the treatment of childhood pulmonary hypertension. *Prog. Pediatr. Cardiol.*, 2001, 12, s. 289 – 318.
- Wessel DL, Hickey PR:** Anesthesia for congenital heart disease. In: Gregory GA: *Pediatric anesthesia*. 3. vyd. New York, Churchill Livingstone 1994, s. 465 – 522.

- Westphal M, James MFM et al: Hydroxyethyl starches. *Anesthesiology*, 2009, 111, s. 187 – 202.
- Wheatley RG, Schug SA, Watson D: Safety and efficacy of postoperative epidural analgesia. *Brit. J. of Anaesthesia*, 87 (1), 2001, s. 47 – 61.
- Whitwam JG: Day-case anaesthesia and sedation. Blackwell, 1994.
- Widlitz A, Barst RJ: Pulmonary arterial hypertension in children. *Eur. Respir. J.*, 2003, 21, s. 155 – 176.
- Williams GD, Ellenbogen RG, Gruss JS: Abnormal coagulation during pediatric craniofacial surgery. *Pediat. Neurosurg.*, 2001, 35, s. 5 – 11.
- Willis MH, Merkel SI, Voepel-Lewis T, Malviya S: FLACC behavioral pain assessment scale: a comparison with the child's self-report. *Pediat. Nursing*, 2003, 29, s. 195 – 198.
- Winter RB: Congenital deformities of the spine. New York, Thieme-Stratton 1983, s. 10 – 87.
- Winter RB: Congenital scoliosis. *Clin. Orthop.*, 93, 1973, s. 75 – 94.
- Winter RB, Hall JE: Kyphosis in childhood and adolescence. *Spine*, 3, 1978, s. 285 – 308.
- Winter RB, Moe JH, Lonstein JE: The surgical treatment of congenital kyphosis: a review of 94 patients. *Spine*, 10, 1985, s. 224.
- Wodey E, Tirel O, Bansard JY, Terrier A, Chanavaz C, Harris R, Ecoffey C, Senhadji L: Impact of age on both BIS values and EEG bispectrum during anaesthesia with sevoflurane in children. *Brit. J. Anaesthesia*, 2005, 94 (6), s. 810 – 820.
- Wolfe TR: Evaluation of an electronic esophageal detector device in patients with morbid obesity and pulmonary failure. *Prehospital Emergency Care*, 2002, 6, s. 59 – 64.
- Wood RP, Langnas AN, Stratta RJ et al: Optimal therapy for patients with biliary atresia: portoenterostomy – Kasai procedures, versus primary transplantation. *J. Pediat. Surg.*, 1990, 25, s. 153 – 162.
- Wynne-Davies R: The etiology of infantile idiopathic scoliosis. *J. Bone Joint Surg.*, 56B, 1974, s. 565.
- Yekutiel M, Robin GC, Yarom R: Proprioceptive function in children with adolescent idiopathic scoliosis. 1981, s. 560 – 566.
- Zákon č. 576/2004: § 43, odsek 4. Zbierka zákonov č. 243/2004, s. 5 138.



Gabriel, M., Gurman, M. D.: Division of anesthesiology. Soroka Medical Center and Ben Gurion University Beer Sheva, Israel