
Literatura

- Abughali, N., Khiyami, A., Birnkrant, J. et al.: Severe respiratory syncytial virus pneumonia associated with primary Epstein-Barr virus infection. *Pediat. Pulmon.*, 33, 2002, s. 359–398.
- American Thoracic Society. Hospital-acquired pneumonia in adults: Diagnosis, assessment of severity, initial antimicrobial, therapy, and preventive strategies. A consensus statement. *Am. J. Respir. Crit. Care Med.*, 153, 1995, s. 1711–1725.
- Amsden, G. W., Graci, M., Cabelus. et al.: A Randomized, crossover design study of the pharmacology of extended-spectrum fluoroquinolones for pneumococcal infections. *Chest*, 116, 1999, s. 115–119.
- Annesi-Maesano, I., Gulsvik, A., Viegi, G.: Respiratory Epidemiology in Europe. *European Respiratory Monograph*, 5, 2000, 454 s.
- Allaouchiche, B., Jaumain, H., Dumontet, Ch. et al.: Early Diagnosis of Ventilator-Associated Pneumonia. Is it possible to define a cutoff value of infected cells in BAL fluid? *Chest*, 110, 1996, s. 1558–1565.
- Alvarez-Lerma, F.: Modification of empiric antibiotic treatment in patients with pneumonia acquired in the intensive care unit. *ICU-Acquired Pneumonia Study Group. Intensive Care Med.*, 22, 1996, s. 387–394.
- Antunes, G., Evans, S. A., Lordan, J. L. et al.: Systemic cytokine levels in community-acquired pneumonia and their association with disease severity. *Eur. Respir. J.*, 20, 2002, s. 990–995.
- Atlas, S. J., Benzer, T. I., Borowsky, L. H.: Safety increasing the proportion of patients with community-acquired pneumonia treated as outpatients: an interventional trial. *Arch. Intern. Med.*, 158, 1998, s. 1350–1356.
- Baldwin, D. R., Wise, R., Andrews, J. M. et al.: The distribution of temafloxacin in bronchial epithelial lining fluid, alveolar macrophages and bronchial mucosa. *Eur. Respir. J.*, 5, 1992, s. 471–476.
- Barreiro, B., Esteban, L., Prats, E. et al.: Branhamella catarrhalis respiratory infections. *Eur. Respir. J.*, 5, 1992, s. 675–679.
- Bartlett, J. G., Breiman, R. F., Mandell, L. S. et al.: Community-acquired pneumonia in adults: Guidelines for Management. The Infectious Diseases Society of America. *Clin. Infect. Dis.*, 26, 1998, 4, s. 811–838.
- Bartlett, J. G., Dowell, S. F., Mandell, L. A. et al.: Practice guidelines for the management of community-acquired pneumonia in adults. Infectious Diseases Society of America. *Clin. Infect. Dis.*, 31, 2000, s. 347–382.
- Bártů, V.: Klinický pohled na pneumonie. *Remedia klin. Microbiol.*, 1, 1997, s. 140–3.
- Baughman, R.: Protected-specimen brush technique in the diagnosis of ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 203–206.

- British Thoracic Society: Guidelines for the management of community-acquired pneumonia. *Thorax*, 56, 2001, Suppl. IV, s. 64.
- British Thoracic Society. Guidelines for the management of community-acquired pneumonia in adults admitted to hospital. *Br. J. Hosp. Med.*, 1993, 49 s. 346–350.
- Campbell, G. D.: Blinded invasive diagnostic procedures in ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 207–211.
- Carrol, E. D., Thomson, A. P. J., Hart, C. A.: Procalcitonin as a marker of sepsis. *Int. J. Antimic. Agents*, 1, 2002, s. 1–9.
- Coley, C. M., Medsger, A. R., Marrie, T. J. et al.: Preferences for home vs hospital care among low-risk patients with community acquired pneumonia. *Arch. Intern. Med.*, 156, 1996, s. 565–571.
- Cook, D., Mandell, L.: Endotracheal aspiration in the diagnosis of ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 195–197.
- Craven, D. E.: Epidemiology of ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 186–187.
- Cunha, B. A.: Community-acquired pneumonia. Cost-effective antimicrobial therapy. *Postgrad. Med.*, 99, 1996, s.109–119.
- Čertíková, G., Havlík, J., Kašák, V., Kolek, V. a kol. spol.: Zásady diagnostiky a racionální terapie infekcí dolních cest dýchacích. *Mediforum*, Praha, 2001, 24 s.
- Domínguez, J., Galí, N., Blanco, S.: Detection of *Streptococcus pneumoniae* antigen by a rapid immunochromatographic assay in urine samples. *Chest*, 119, 2001, s. 243–249.
- Engel, A., Steinbach, G., Kern, P. et al.: Diagnostic value of procalcitonin serum levels in neutropenic patients with fever: comparison with IL-8. *Scand. J. Infect. Dis.*, 31, 1999, s. 185–189.
- Esposito, S., Blasi, F., Bellini, F. et al.: *Mycoplasma pneumoniae* and *Chlamydia pneumoniae* infections in children with pneumonia. *Eur. Respir. J.*, 17, 2001, s. 241–245.
- Evans, T. W., Griffiths, M. J. D., Keogh, B. F.: ARDS. *European Respiratory Monograph*, 20, 2002, 265 s.
- Ewig, S., Bauer, T., Hasper, E. et al.: Prognostic analysis and predictive rule for outcome of hospital treated community-acquired pneumonia. *Eur. Respir. J.*, 8, 1995, s. 392–397.
- Ewig, S., Schäfer, H., Torres, A.: Severity assessment in community-acquired pneumonia. *Eur. Respir. J.*, 16, 2000, s. 1193–1201.
- Ewig, S., Ruiz, M., Mensa, J.: Severe community-acquired pneumonia: assessment of severity criteria. *Am.J.Respir.Crit. Care Med.*, 158, 1998, s. 1102–1108.
- Fantin, B., Aubert, J., Unger, P.: Clinical evaluation of the management of community-acquired pneumonia by general practitioners in France. *Chest*, 120, 2001, s. 185–192.
- Feikin, Dr., Schuchat, A., Kolczak, M.: Mortality from invasive pneumococcal pneumonia in the era of antibiotic resistance, from 1995 to 1997. *Am. J. Public Health*, 90, 2000, s. 223–229.

- File, T. M. Jr., Tan, J. S., Plouffe, J. F.: Community-acquired pneumonia. What's needed for accurate diagnosis. *Postgrad. Med.*, 99, 1996, s. 96–107.
- Fine, M. J.: Validation of a pneumonia prognostic index using the medisgroups comparative hospital database. *Am. J. Med.*, 94, 1993, s. 153–159.
- Fine, M. J., Smith, M. A., Carson, C. A. et al.: Prognosis and outcomes of patients with community-acquired pneumonia. *JAMA*, 275, 1996, s. 134–141.
- Fogarty, C., Grossman, C., Williams, J. et al.: Efficacy and safety of moxifloxacin vs clarithromycin for community-acquired pneumonia. *Inf. Med.*, 1999, s. 748–763.
- Garey, K. W., Amsden, G. W.: Intravenous azithromycin. *Ann. Pharmacol.*, 33, 1999, s. 218–228.
- Garnett, P., Brogan, O., Lafong, C. et al.: Comparison of throat swabs with sputum specimens for the detection of *Chlamydia pneumoniae* antigen by direct immunofluorescence. *J. Clin. Pathol.*, 51, 1998, s. 309–311.
- Gauvin, F., Lacroix, J., Guertin, M. C. et al.: Reproducibility of blind protected bronchoalveolar lavage in mechanically ventilated children. *Am. J. Respir. Crit. Care Med.*, 165, 2002, s. 1618–1623.
- Gendrel, D.: Intracellular pathogens and asthma: *Mycoplasma pneumoniae* and *Chlamydia pneumoniae* in paediatric patients. *Eur. Respir. Rev.*, 6, 1996, s. 231–234.
- Gleason, P. P., Meehan, T. P., Fine, J. M.: Associations between initial antimicrobial therapy and medical outcomes for hospitalized elderly patients with pneumonia. *Arch. Int. Med.*, 159, 1999, s. 2565–2572.
- Goldie, S. J., Kaplan, J. E., Losina, E. et al.: Prophylaxis for human immunodeficiency virus-related *Pneumocystis carinii* pneumonia: using simulation modeling to inform clinical guidelines. *Arch. Int. Med.*, 162, 2002, s. 921–928.
- Gordon, G. S., Throop, D., Berberian, L. et al.: Validation of the therapeutic recommendations of the American Thoracic Society (ATS) guidelines for community acquired pneumonia in hospitalized patients. *Chest*, 110, 1996, s. 55.
- Grassi, G., Bianchi, L.: Guidelines for the management of community-acquired pneumonia in adults. *Monaldi Arch. Dis.*, 50, 1995, s. 21–27.
- Grossman, R. F., Fein, A.: Evidence-based assessment of diagnostic tests for ventilator-associated pneumonia. *Chest*, 117, 2002, 4, Suppl. 2, s. 177–181.
- Guest, J. F., Morris, A.: CAP: the annual cost to the National Health Service in the UK. *Eur Respir. J.*, 10, 1997, s. 1530–1534.
- Guflo, F., Allaouchiche, B., Debon, R. et al.: An evaluation of the gram stain in protected bronchoalveolar lavage fluid for the early diagnosis of ventilator-associated pneumonia. *Anesth. Analg.*, 92, 2001, s. 442–447.
- Günther, A., Siebert, C., Schmidt, R.: Surfactant alterations in severe pneumonia, acute respiratory distress syndrome, and cardiogenic lung edema. *Am. J. Respir. Crit. Care Med.*, 153, 1996, s. 176–184.
- Hahn, D. L.: Intracellular pathogens and their role in asthma: *Chlamydia pneumoniae* in adult patients. *Eur. Respir. Rev.*, 6, 1996, s. 224–230.
- Halm, E. A., Atlas, S. J., Borowsky, L. H. et al.: Understanding physician adhe-

- rence with a pneumonia practice guideline: effects of patient, system, and physician factors. *Arch. Intern. Med.*, 160, 2000, s. 98–104.
- Hammerschlag, M. R.: Chlamydia pneumoniae and the lung. *Eur. Respir. J.*, 16, 2000, s. 1001–1007.
- Havlík, J.: Infektologie, Avicenum, Praha, 1990, 393 s.
- Hejnar, P., Krátká, J.: Výskyt chlamydiových protilátek u pacientů Fakultní nemocnice v Olomouci a význam detekce IgM pro diagnostiku aktivních infekcí. *Klin. Mikrob. Inf. Lék.*, 5, 1999, s. 163–165.
- Helling, T. S., Van Way, C. 3rd., Krantz, S. et al.: The value of clinical judgment in the diagnosis of nosocomial pneumonia. *Am. J. Surg.*, 171, 1996, s. 570–575.
- Huchon, G. W. M.: Management of adult community acquired lower respiratory infections. *Eur. Respir. Rev.*, 8, 1998, s. 391–426.
- Ibrahim, E. H., Ward, S., Sherman, G. et al.: Experience with a clinical guideline for the treatment of ventilator-associated pneumonia. *Critic. Care Med.*, 29, 2001, s. 1109–1115.
- Janknecht, R., Wijnands, W. J., Stobberingh, E. E.: Antibiotic policies in Dutch hospitals for the treatment of pneumonia. *J. Antimic. Chemot.*, 34, 1994, s. 431–442.
- Jedličková, A.: Empirická antimikrobiální terapie. MAXDORF, s.r.o. Praha, 1999, 71 s.
- Jiménez, P., Saldías, F., Meneses, M.: Diagnostic fiberoptic bronchoscopy in patients with community-acquired pneumonia. Comparison between bronchoalveolar lavage and telescoping plugged catheter cultures. *Chest*, 103, 1993, s. 1023–1027.
- Jokinen, C., Heiskanen, L., Juvonen, H. et al.: Microbial aetiology of community acquired pneumonia in the adult population of 4 municipalities in eastern Finland. *Clin. Infect. Dis.*, 32, 2001, s. 1141–1154.
- Jones, R. N.: Resistance patterns among nosocomial pathogens. *Chest*, 119, 2001, Suppl., s. 397–404.
- Kalin, M., Örtqvist, M., Almela, M. et al.: Prospective study of prognostic factors in community-acquired bacteremic pneumococcal disease in 5 countries. *J. Inf. Dis.*, 182, 2000, s. 840–847.
- Klabusay, L., Zemánková, J., Heinz, F.: Virový zánět plic, Avicenum, Praha, 1986, 150 s.
- Klugman, K. P.: Bacteriological evidence of antibiotic failure in pneumococcal lower respiratory tract infections. *Eur. Respir. J.*, 20, 2002, Suppl. 36, s. 3–8.
- Kolář, M., Látal, T., Čermák, P.: Klinicko-mikrobiologické podklady racionální antibiotické léčby. Trios, Praha, 2002, 110 s.
- Kolek, V.: Antimikrobiální léčba plicních zánětů, Triton, Praha, 1997, 91 s.
- Kolek, V.: Ke vzniku standardu pneumonie. *Respirace*, 4, 1998, s. 1–7.
- Kolek, V.: Makrolidy a jejich postavení v terapii respiračních infekcí. *Causa Subita*, 2, 1999, s. 17–22.
- Kolek, V.: Jak dnes vnímá klinický lékař pojem „atypický patogen“ a „atypická pneumonie“. *Causa Subita*, 2000, s. 3–5.

- Kolek, V.: Komunitní pneumonie. Ambulantní léčba pacientů ve věku 16 let a starších. *Med. Prom.*, 1, 2001, s. 65–75.
- Kolek, V.: Diagnostika a léčba komunitně získané pneumonie dospělých. In: Bourek, A., Seifert, B., Suchý, M.: Programy kvality a standardy léčebných postupů, Verlag Dashöfer, Praha, 2001, RESP/2, s. 1–12.
- Kolek, V., Fila, L., Fojtů, H. a kol. spol.: Pneumonie vyžadující hospitalizaci: výsledky dvouleté multicentrické studie v České republice. *Int. Med. Prax.*, 7, 2002, s. 347–352.
- Kolek, V., Toršová, V.: Klinické aspekty pneumonie vyvolané *Chlamydia pneumoniae*, *Respirace*, 8, 2002, s. 54–59.
- Kolek, V.: Pneumonie v České republice. *Bulletin ČPFS*, 11, 2001, č. 2, s. 27–29.
- Kolek, V.: Standard diagnostiky a léčby komunitně získané pneumonie dospělých. *Bulletin ČPFS* 5, 1998, č. 2, s. 9–12.
- Kolek, V., Fojtů, H., Vágnerová, I., Kolář, M.: Komunitně získaná pneumonie vyžadující hospitalizace – výsledky mikrobiologických testů a klinických vyšetření. *Stud. Pneumol. Phthiseol.*, 61, 2001, 5, s. 211–215.
- Kollef, M. H., Fraser, V. L.: Antibiotic resistance in the intensive care unit. *Ann. Intern. Med.*, 134, 2001, s. 298–314.
- Kollef, M. H.: Ventilator-associated pneumonia: A multivariate analysis. *JAMA* 270, 1993, s. 1965–1970.
- Komadina, K. H. et al.: Community-acquired pneumonia. Outpatient treatment of patients 16 years and older. *Postgrad. Med.*, 107, 2000, s. 246–253.
- Laitinen, L. A., Miettinen, A. K., Kuosma, E. et al.: Lung function impairment following mycoplasmal and other acute pneumonias. *Eur. Respir. J.*, 5, 1992, s. 670–674.
- Lieberman, D., Porath, A., Schlaeffler, F. et al.: Legionella species community-acquired pneumonia. A review of 56 hospitalized adult patients. *Chest*, 109, 1996, s. 1243–1249.
- Lieberman, D., Schlaeffler, F., Boldur, I. et al.: Multiple pathogens in adult patients admitted community-acquired pneumonia: a one year prospective study of 346 consecutive patients. *Thorax*, 51, 1996, s. 179–184.
- Lim, W. S., Macfarlane, J. T., Boswell, T. C. et al.: Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital: implications for management guidelines. *Thorax*, 56, 2001, s. 296–301.
- Lipchik, R. J., Kuzo, R. S.: Nosocomial pneumonia. *Radiol. Clin. North. Am.*, 34, 1996, s. 47–58.
- Luna, C. M., Vujacich, P., Niederman, M. S. et al.: Impact of BAL data on the therapy and outcome of ventilator-associated pneumonia, *Chest*, 111, 1997, s. 676–685.
- Luna, C. M., Videla, A., Mattera, J.: Blood cultures have limited value in predicting severity of illness and as a diagnostic tool in ventilator-associated pneumonia. *Chest*, 116, 1999, s. 1075–1084.
- Luna, N., Famiglietti, A., Absi, R. et al.: Community-acquired pneumonia (CAP): Prospective evaluation of etiology, clinical presentation and outcome. *Chest*, 116, 1999, s. 271.

- Macfarlane, J. T., Finch, R. G., Ward, M. J. et al.: Hospital study of adult community-acquired pneumonia. *Lancet*, 1982, s. 255–258.
- Mandell, L. A., Marrie, T. J., Grossman, R. F. et al.: Canadian guidelines for the initial management of community-acquired pneumonia: an evidence-based update by the Canadian Infectious Diseases Society and the Canadian Thoracic Society. *Clin. Infect. Dis.*, 31, 2000, s. 383–421.
- Mandell, L. A.: CAP. Etiology, Epidemiology and treatment. *Chest*, 108, 1995, s. 35–42.
- Mandell, L. A., Niederman, M.: The Canadian community acquired pneumonia consensus conference group: Antimicrobial treatment of community acquired pneumonia in adults: A conference report. *Can J. Infect. Dis.*, 4, 1993, s. 25–28.
- Markowicz, P., Wolff, M., Djedaini, K.: Multicenter prospective study of ventilator-associated pneumonia during ARDS: incidence, prognosis, and risk factors. ARDS Study Group. *Am. J. Respir. Crit. Care Med.*, 161, 2000, s. 1942–1948.
- Marrie, T. J., Durant, H., Yates, L.: Community-acquired pneumonia requiring hospitalization: 5-year prospective study. *Rev. Infect. Dis.*, 11, 1989, s. 586–599.
- Marrie, T. J., Peeling, R. W., Fine, M. J. et al.: Ambulatory patients with community-acquired pneumonia: The frequency of atypical agents and clinical course. *Am. J. Med.*, 101, 1996, s. 508–515.
- Mayaud, C., Parrot, A., Cadranel, J.: Pyogenic bacterial lower respiratory tract infection in human immunodeficiency virus-infected patients. *Eur. Respir. J.*, 20, 2002, Suppl. 36, s. 28–39.
- Metlay, J. P.: Update on community-acquired pneumonia: impact of antibiotic resistance on clinical outcomes. *Cur. Opin. Inf. Dis.*, 15, 2002, s. 163–167.
- Middleton, M., Huff, W., Brickey, D. A. et al.: Comparison of quantitative cultures to semiquantitative loop cultures of bronchoscopic protected specimen brush samples. *Chest*, 109, 1996, s. 1204–1209.
- Montravers, P., Fagon, J. Y., Chastre, J. et al.: Follow-up protected specimen brushes to assess treatment in nosocomial pneumonia. *Am. Rev. Resp. Dis.*, 147, 1993, s. 38–44.
- Morimoto, T., Koyama, H., Shimbo, T. et al.: Cost-effectiveness analysis of ambulatory treatment for adult patients with community-acquired pneumonia: according to Japanese Respiratory Society guidelines. *Nihon Kokyuki Gakkai Zasshi*. 40, 2002, s. 17–25.
- Mundy, L. M., Oldach, D., Auwaerter, P. G.: Implications for macrolide treatment in community-acquired pneumonia. *Chest*, 113, 1998, s. 1201–1206.
- Murthy, R.: Implementation of strategies to control antimicrobial resistance. *Chest*, 119, 2001, Suppl. 2, s. 405–411.
- Nelson, S.: Novel nonantibiotic therapies for pneumonia. *Chest*, 119, 2001, Suppl. 2, s. 419–425.
- Niederman, M. S.: Bronchoscopy in nonresolving nosocomial pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 212–218.
- Niederman, M. S., Mandell, L. A., Anzueto, A.: American Thoracic Society. Guidelines for the management of adults with community-acquired pneumonia:

- Diagnosis, assessment of severity, antimicrobial therapy and prevention. *Am. J. Respir. Crit. Care Med.*, 163, 2001, s. 1730 – 1754.
- Niederman, M. S., Bass, J. B., Campbell, G. D. et al.: Guidelines for the initial management of adults with community-acquired pneumonia: diagnosis, assessment of severity, and initial antimicrobial therapy. *Am. Rev. Respir. Dis.*, 148, 1993, s. 1418–1426.
- Niederman, M. S.: CAP: defining the problem. *Inf. Med.*, 15, 1998, s. 11–19.
- Hyde, T. B., Gya, K., Stephens, S. et al.: Macrolide resistance among invasive streptococcus pneumoniae isolates. *JAMA*, 286, 2001, s. 1857–1862.
- Oppert, M., Reinicke, A., Müller, Ch. et al.: Elevations in procalcitonin but not C-reactive protein are associated with pneumonia after cardiopulmonary resuscitation. *Resuscitation*, 53, 2002, s. 167–170.
- Örtqvist, M.: Treatment of community-acquired lower respiratory tract infections in adults. *Eur. Respir. J.*, 20, 2002, Suppl. 36, s. 40-53.
- Pallares, R., Capdevila, O., Linares, J. et al.: The effect of cephalosporin resistance on mortality in adult patients with nonmeningeal systemic pneumococcal infections. *Am. J. Med.*, 113, 2002, s. 120-126.
- Peter, J. B.: Use and interpretation of laboratory tests in infectious disease. *Speciality Laboratories, Santa Monica, CA, Fifth Edition, 1998, 317 s.*
- Pneumatikos, I., Koulouras, V., Nathanail, Ch. et al.: Selective decontamination of subglottic area in mechanically ventilated patients with multiple trauma. *Intens. Care Med.*, 28, 2002, s. 432–437.
- Pound, M. W., Drew, R. H., Perfect, J. R.: Recent advances in the epidemiology, prevention, diagnosis, and treatment of fungal pneumonia. *Cur. Opin. Inf. Dis.*, 15, 2002, s. 183–194.
- Raad, I., Hanna, H., Huaranga, A. et al.: Diagnosis of invasive pulmonary aspergillosis using polymerase chain reaction-based detection of aspergillus in BAL. *Chest*, 121, 2002, s. 1171–1176.
- Ramirez, J. A., Vargas, S., Ritter, G. W.: Early switch from i. v. to oral antibiotics and early hospital discharge: a prospective observational study of 200 consecutive patients with community-acquired pneumonia. *Arch. Intern. Med.*, 159, 1999, 8, s. 2449–2454.
- Recommandations de la Société de Pneumologie de Langue Française: conduite à tenir devant une infection respiratoire communautaire de adulte. *Rev. Mal. Respir.*, 16, 1999, s. 224–233.
- Rello, J., Gallego, M., Mariscal, D. et al.: The value of routine microbial investigation in ventilator-associated pneumonia. *Am. J. Respir. Crit. Care Med.*, 156, 1997, s. 196–200.
- Rhew, D. C., Riedinger, M. S., Sandku, M. et al.: A prospective, multicenter study of pneumonia practice guideline. *Chest*, 1998, 114: s. 115–119
- Ruiz-Gonzalez, A., Falguera, M., Nogues, A.: Is *Streptococcus pneumoniae* the leading cause of pneumonia of unknown etiology? A microbiologic study of lung aspirates in consecutive patients with community-acquired pneumonia. *Am. J. Med.*, 106, 1999, s. 385–390.

- Sanchez-Nieto, J., Torres, A., Garcia-Cordoba, F.: Impact of invasive and non-invasive quantitative culture sampling on outcome of ventilator-associated pneumonia. *Am. J. Respir. Crit. Care Med.*, 157, 1998, s. 371–376.
- Sanyal, S., Smith, P. R., Saha, A. C. et al.: Initial microbiologic studies did not affect outcome in adults hospitalized with community-acquired pneumonia. *Am. J. Respir. Crit. Care Med.*, 160, 1999, s. 346–348.
- SEPAR, Spanish Thoracic Society. National recommendations for diagnosis and treatment of community acquired pneumonia. Barcelona, Spain, Ediciones Doyma, 1992.
- Sharma, Om P., Zumla, A. I.: *Clinics in Chest Medicine. Tropical Lung Disease*, W. B. Saunders Co., Philadelphia, 23, 2002, 2, 528 s.
- Siegel, R. E., Halpern, N. A., Almenoff, P. L. et al.: A prospective randomized study of inpatient iv. antibiotics for community-acquired pneumonia. The optimal duration of therapy. *Chest*, 110, 1996, s. 965–971.
- Sion, M., Hatzitolios, A. I. et al.: Acute renal failure caused by leptospirosis and Hantavirus infection in an urban hospital. *Europ. J. Inter. Med.*, 13, 2002, s. 264–268.
- Skříčková, J.: Plicní infekce pneumocystis carinii u HIV negativních nemocných. Galén Praha, 2000, 135 s.
- Société de Pathologie Infectieuse de Langue Française. Quatrieme conférence de consensus en thérapeutique antiinfectieuse: les infections des voies respiratoires. *Med. Mal. Infect.*, 21, 1991, s. 1–8.
- Sole, V. J., Fernandez, J. A., Benitez, A. B. et al.: Impact of quantitative invasive diagnostic techniques in the management and outcome of mechanically ventilated patients with suspected pneumonia (see comments). *Crit. Care Med.*, 28, 2000, s. 3092–3094.
- Sopena, N., Sabriá-Leal, M., Pedro-Botet, M. L. et al.: Comparative study of the clinical presentation of legionella pneumonia and other community-acquired pneumonias. *Chest*, 113, s. 1195–1200.
- Stevens, D. L., Herr, D., Lampiris, H. et al.: Linezolid versus vancomycin for the treatment of methicillin-resistant *Staphylococcus aureus* infections. *Clin. Infect. Dis.*, 34, 2002, s. 1481–1490.
- Syrůček, L., Brůčková, M., Vojtěchovský, K.: *Mykoplazmové infekce člověka*, Avicenum, Praha, 1985, 95 s.
- Tanaka, H., Narita, M., Teramoto, S.: Role of interleukin-18 and T-helper type 1 cytokines in the development of *Mycoplasma pneumoniae* pneumonia in adults. *Chest*, 121, 2002, s. 1493–1497.
- Theerthakarai, R., El-Halees, W., Ismail, M. et al.: Nonvalue of the initial microbiological studies in the management of nonsevere community-acquired pneumonia. *Chest*, 119, 2001, s. 181–184.
- Torres, A., Aznar, R., Gatell, J. M. et al.: Incidence, risk, and prognosis factors of nosocomial pneumonia in mechanically ventilated patients. *Am. Rev. Respir. Dis.*, 142, 1990, s. 523–528.
- Torres, A., Ausina, V.: Empirical treatment of nonsevere community acquired pneumonia: still a difficult issue. *Eur. Respir. J.*, 8, 1995, s. 1996–1998.

- Torres, A., El-Ebiary, M.: Bronchoscopic BAL in the diagnosis of ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 198–202.
- Torres, A., El-Ebiary, M.: Relevance of Chlamydia pneumoniae in community-acquired respiratory infections. *Eur. Respir. J.*, 6, 1993, s. 7–8.
- Torres, A., Woodhead, M.: Pneumonia. *European Respiratory Monograph*, 3, 1997, 262 s.
- Trouillet, J. L., Vuagnat, A., Combed, A. et al.: Pseudomonas aeruginosa ventilator-associated pneumonia: comparison of episodes due to piperacillin-resistant versus piperacillin-susceptible organisms. *Clin. Infect. Dis.*, 34, 2002, s. 1047–1054.
- Van Elden, L. J. R., van Kraaij, M. G. J., Nijhuis, M. et al.: Polymerase chain reaction is more sensitive than viral culture and antigen testing for the detection of respiratory viruses in adults with hematological cancer and pneumonia. *Clin. Infect. Dis.*, 34, 2002, s. 177–183.
- Vogel, F.: Sequential therapy in the hospital management of lower respiratory infections. *Am. J. Med.*, 99, 1995, s. 14–19.
- Ward, D. J., Ayres, J. G.: Pneumonia and acute bronchitis. In *Respiratory Epidemiology in Europe*. ERS Monograph, Eds Annesi-Maesano, I., Gulsvik, A., Vigezzi G. 5, 2000, s. 105–127.
- Waterer, G. W., Somes, G. W., Wunderink, R. G.: Monotherapy may be suboptimal for severe bacteraemic pneumococcal pneumonia. *Arch. Intern. Med.*, 161, 2001, s. 1837–1842.
- Weingarten, S. R., Riedinger, M. S., Hobson, P., Noah, M. S., Johnson, B., Giugliano, G., Norianm, J., Belman, M. J., Ellrodt, A. G.: Evaluation of a pneumonia practice guideline in an interventional trial. *Am. J. Respir. Crit. Care Med.*, 153, 1996, s. 1110–1115.
- Whitson, B., Campbell, G. D. Jr.: Community-acquired pneumonia: new outpatient guidelines based on age, severity of illness. *Geriatrics.*, 49, 1994, s. 24–26.
- Woodhead, M. A., Macfarlane, J. T., Rodgers, F. G. et al.: Aetiology and outcome of severe community-acquired pneumonia. *J. Infect.*, 10, 1985, s. 204–210.
- Woodhead, M., Macfarlane, J.: Local antibiotic guidelines for adult community-acquired pneumonia: a survey of UK hospital practice in 1999. *J. Antimicrob. Chemother.*, 46, 2000, s. 141–143.
- Woodhead, M., Schaberg, T.: Recent developments in pulmonary infections. *Eur. Respir. J.*, 16, 2000, s. 799–800.
- Woodhead, M.: Community-acquired pneumonia guidelines: much guidance, but not much evidence. *Eur. Respir. J.*, 20, 2002, s. 1–3.
- Woodhead, M.: Community-acquired pneumonia in Europe: causative pathogens and resistance patterns. *Eur. Respir. J.*, 20, 2002, Suppl. 36, s. 20–27.
- Wolf, S. H.: Analytic principles in evaluating the performance characteristics of diagnostic tests for ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 182–185.
- Wunderink, R. G.: Radiologic diagnosis of ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 188–190.

- Wunderink, R. G.: Clinical criteria in the diagnosis of ventilator-associated pneumonia. *Chest*, 117, 2000, 4, Suppl. 2, s. 191-194.
- Yagoda, M. R., Stavola, J., Ward, R. et al.: Role of bronchoalveolar lavage in hospitalized pediatric patients. *Ann. Otol. Rhinol. Laryngol.*, 105, 1996, s. 863-867.