

Bibliography

- Abu-Mostafa, Y., St. Jacques, J.-M., 1985. Information capacity of the Hopfield model. *IEEE Trans. Inf. Theory* 31(4), 461–464.
- Acín, A., Jané, E., Vidal, G., 2001. Optimal estimation of quantum dynamics. *Phys. Rev. A* 64, 050302.
- Aerts, D., Czachor, M., 2004. Quantum aspects of semantic analysis and symbolic artificial intelligence. *J. Phys. A Math. Gen.* 37, L123-L132.
- Aharonov, D., Van Dam, W., Kempe, J., Landau, Z., Lloyd, S., Regev, O., 2004. Adiabatic quantum computation is equivalent to standard quantum computation. In: *Proceedings of FOCS-04, 45th Annual IEEE Symposium on Foundations of Computer Science*.
- Aïmeur, E., Brassard, G., Gambs, S., 2013. Quantum speed-up for unsupervised learning. *Mach. Learn.* 90(2), 261–287.
- Altaisky, M.V., 2001. Quantum neural network. [arXiv:quant-ph/0107012](https://arxiv.org/abs/quant-ph/0107012).
- Altepeter, J.B., Branning, D., Jeffrey, E., Wei, T., Kwiat, P.G., Thew, R.T., O'Brien, J.L., Nielsen, M.A., White, A.G., 2003. Ancilla-assisted quantum process tomography. *Phys. Rev. Lett.* 90(19), 193601.
- Amin, M.H.S., Choi, V., 2009. First-order quantum phase transition in adiabatic quantum computation. *Phys. Rev. A* 80, 062326.
- Amin, M.H.S., Truncik, C.J.S., Averin, D.V., 2009. Role of single-qubit decoherence time in adiabatic quantum computation. *Phys. Rev. A* 80, 022303.
- Angluin, D., 1988. Queries and concept learning. *Mach. Learn.* 2(4), 319–342.
- Anguita, D., Ridella, S., Riviello, F., Zunino, R., 2003. Quantum optimization for training support vector machines. *Neural Netw.* 16(5), 763–770.
- Ankerst, M., Breunig, M., Kriegel, H., Sander, J., 1999. OPTICS: ordering points to identify the clustering structure. In: *Proceedings of SIGMOD-99, International Conference on Management of Data*, pp. 49–60.
- Asanovic, K., Bodik, R., Catanzaro, B., Gebis, J., Husbands, P., Keutzer, K., Patterson, D., Plishker, W., Shalf, J., Williams, S., 2006. The landscape of parallel computing research: a view from Berkeley. Technical Report, University of California at Berkeley.
- Aspect, A., Dalibard, J., Roger, G., 1982. Experimental test of Bell's inequalities using time-varying analyzers. *Phys. Rev. Lett.* 49, 1804–1807.
- Atici, A., Servedio, R.A., 2005. Improved bounds on quantum learning algorithms. *Quantum Inf. Process.* 4(5), 355–386.
- Avron, J.E., Elgart, A., 1999. Adiabatic theorem without a gap condition. *Commun. Math. Phys.* 203(2), 445–463.
- Bacon, D., van Dam, W., 2010. Recent progress in quantum algorithms. *Commun. ACM* 53(2), 84–93.
- Beckmann, N., Kriegel, H., Schneider, R., Seeger, B., 1990. The R*-tree: an efficient and robust access method for points and rectangles. *SIGMOD Rec.* 19(2), 322–331.
- Behrman, E.C., Niemel, J., Steck, J.E., Skinner, S.R., 1996. A quantum dot neural network. In: *Proceedings of PhysComp-96, 4th Workshop on Physics of Computation*, pp. 22–28.

- Behrman, E.C., Nash, L., Steck, J.E., Chandrashekar, V., Skinner, S.R., 2000. Simulations of quantum neural networks. *Inform. Sci.* 128(3), 257–269.
- Bell, J., 1964. On the Einstein Podolsky Rosen paradox. *Physics* 195-200(3), 1.
- Bengio, Y., LeCun, Y., 2007. Scaling learning algorithms towards AI. In: Bottou, L., Chapelle, O., DeCoste, D., Weston, J. (Eds.), *Large-Scale Kernel Machines*. MIT Press, Cambridge, MA, pp. 321–360.
- Bennett, C., Bernstein, E., Brassard, G., Vazirani, U., 1997. Strengths and weaknesses of quantum computing. *SIAM J. Comput.* 26(5), 1510–1523.
- Berchtold, S., Keim, D.A., Kriegel, H.-P., 1996. The X-tree: an index structure for high-dimensional data. In: Vijayaraman, T.M., Buchmann, A.P., Mohan, C., Sarda, N.L. (Eds.), *Proceedings of VLDB-96, 22th International Conference on Very Large Data Bases*. Morgan Kaufmann Publishers, San Francisco, CA, pp. 28–39.
- Berry, D.W., Ahokas, G., Cleve, R., Sanders, B.C., 2007. Efficient quantum algorithms for simulating sparse Hamiltonians. *Commun. Math. Phys.* 270(2), 359–371.
- Bisio, A., Chiribella, G., D’Ariano, G.M., Facchini, S., Perinotti, P., 2010. Optimal quantum learning of a unitary transformation. *Phys. Rev. A* 81(3), 032324.
- Bisio, A., D’Ariano, G.M., Perinotti, P., Sedlák, M., 2011. Quantum learning algorithms for quantum measurements. *Phys. Lett. A* 375, 3425–3434.
- Blekas, K., Lagaris, I., 2007. Newtonian clustering: an approach based on molecular dynamics and global optimization. *Pattern Recognit.* 40(6), 1734–1744.
- Blumer, A., Ehrenfeucht, A., Haussler, D., Warmuth, M.K., 1989. Learnability and the Vapnik-Chervonenkis dimension. *J. ACM* 36(4), 929–965.
- Boixo, S., Albash, T., Spedalieri, F., Chancellor, N., Lidar, D., 2013. Experimental signature of programmable quantum annealing. *Nat. Commun.* 4, 2067.
- Boixo, S., Rønnow, T.F., Isakov, S.V., Wang, Z., Wecker, D., Lidar, D.A., Martinis, J.M., Troyer, M., 2014. Evidence for quantum annealing with more than one hundred qubits. *Nat. Phys.* 10(3), 218–224.
- Bonner, R., Freivalds, R., 2002. A survey of quantum learning. In: Bonner, R., Freivalds, R. (Eds.), *Proceedings of QCL-02, 3rd International Workshop on Quantum Computation and Learning*. Mälardalen University Press, Västerås and Eskilstuna.
- Born, M., Fock, V., 1928. Beweis des adiabatensatzes. *Z. Phys.* 51(3-4), 165–180.
- Bradley, P.S., Fayyad, U.M., 1998. Refining initial points for K-means clustering. In: *Proceedings of ICML-98, 15th International Conference on Machine Learning*. Morgan Kaufmann, San Francisco, CA, pp. 91–99.
- Brassard, G., Cleve, R., Tapp, A., 1999. Cost of exactly simulating quantum entanglement with classical communication. *Phys. Rev. Lett.* 83, 1874–1877.
- Breiman, L., 1996. Bagging predictors. *Mach. Learn.* 24(2), 123–140.
- Breiman, L., 2001. Random forests. *Mach. Learn.* 45(1), 5–32.
- Bruza, P., Cole, R., 2005. Quantum logic of semantic space: an exploratory investigation of context effects in practical reasoning. In: Artemov, S., Barringer, H., d’Avila Garcez, A.S., Lamb, L., Woods, J. (Eds.), *We Will Show Them: Essays in Honour of Dov Gabbay*. College Publications, London, UK, pp. 339–361.
- Bshouty, N.H., Jackson, J.C., 1995. Learning DNF over the uniform distribution using a quantum example oracle. In: *Proceedings of COLT-95, 8th Annual Conference on Computational Learning Theory*, pp. 118–127.
- Buhrman, H., Cleve, R., Watrous, J., De Wolf, R., 2001. Quantum fingerprinting. *Phys. Rev. Lett.* 87(16), 167902.
- Burges, C., 1998. A tutorial on support vector machines for pattern recognition. *Data Min. Knowl. Discov.* 2(2), 121–167.

- Chatterjee, A., Bhowmick, S., Raghavan, P., 2008. FAST: force-directed approximate subspace transformation to improve unsupervised document classification. In: Proceedings of 6th Text Mining Workshop Held in Conjunction with SIAM International Conference on Data Mining.
- Childs, A.M., Farhi, E., Preskill, J., 2001. Robustness of adiabatic quantum computation. *Phys. Rev. A* 65, 012322.
- Chiribella, G., D'Ariano, G.M., Sacchi, M.F., 2005. Optimal estimation of group transformations using entanglement. *Phys. Rev. A* 72(4), 042338.
- Chiribella, G., 2011. Group theoretic structures in the estimation of an unknown unitary transformation. *J. Phys. Conf. Ser.* 284(1), 012001.
- Choi, M.-D., 1975. Completely positive linear maps on complex matrices. *Linear Algebra Appl.* 10(3), 285–290.
- Chuang, I.L., Nielsen, M.A., 1997. Prescription for experimental determination of the dynamics of a quantum black box. *J. Mod. Opt.* 44(11-12), 2455–2467.
- Ciaccia, P., Patella, M., Zezula, P., 1997. M-tree: an efficient access method for similarity search in metric spaces. In: Proceedings of VLDB-97, 23rd International Conference on Very Large Data Bases, pp. 426–435.
- Clauser, J.F., Horne, M.A., Shimony, A., Holt, R.A., 1969. Proposed experiment to test local hidden-variable theories. *Phys. Rev. Lett.* 23, 880–884.
- Cohen, W., Singer, Y., 1996. Context-sensitive learning methods for text categorization. In: Proceedings of SIGIR-96, 19th International Conference on Research and Development in Information Retrieval, pp. 307–315.
- Cohen-Tannoudji, C., Diu, B., Laloë, F., 1996. *Quantum Mechanics*. John Wiley & Sons, New York.
- Collobert, R., Sinz, F., Weston, J., Bottou, L., 2006. Trading convexity for scalability. In: Proceedings of ICML-06, 23rd International Conference on Machine Learning, pp. 201–208.
- Copas, J.B., 1983. Regression, prediction and shrinkage. *J. R. Stat. Soc. Ser. B Methodol.* 45, 311–354.
- Cox, T., Cox, M., 1994. *Multidimensional Scaling*. Chapman and Hall, Boca Raton.
- Cox, D.R., 2006. *Principles of Statistical Inference*. Cambridge University Press, Cambridge.
- Cristianini, N., Shawe-Taylor, J., 2000. *An Introduction to Support Vector Machines and Other Kernel-Based Learning Methods*. Cambridge University Press, Cambridge.
- Cui, X., Gao, J., Potok, T., 2006. A flocking based algorithm for document clustering analysis. *J. Syst. Archit.* 52(8), 505–515.
- D'Ariano, G.M., Lo Presti, P., 2003. Imprinting complete information about a quantum channel on its output state. *Phys. Rev. Lett.* 91, 047902.
- De Silva, V., Tenenbaum, J., 2003. Global versus local methods in nonlinear dimensionality reduction. *Adv. Neural Inf. Process. Syst.* 15, 721–728.
- Deerwester, S., Dumais, S., Furnas, G., Landauer, T., Harshman, R., 1990. Indexing by latent semantic analysis. *J. Am. Soc. Inf. Sci.* 41(6), 391–407.
- Demiriz, A., Bennett, K.P., Shawe-Taylor, J., 2002. Linear programming boosting via column generation. *Mach. Learn.* 46(1-3), 225–254.
- Denchev, V.S., Ding, N., Vishwanathan, S., Neven, H., 2012. Robust classification with adiabatic quantum optimization. In: Proceedings of ICML-2012, 29th International Conference on Machine Learning.
- Deutsch, D., 1985. Quantum theory, the Church-Turing principle and the universal quantum computer. *Proc. R. Soc. A* 400(1818), 97–117.

- Dietterich, T.G., 2000. An experimental comparison of three methods for constructing ensembles of decision trees: bagging, boosting, and randomization. *Mach. Learn.* 40(2), 139–157.
- Ding, C., He, X., 2004. K-means clustering via principal component analysis. In: *Proceedings of ICML-04, 21st International Conference on Machine Learning*, pp. 29–37.
- Dong, D., Chen, C., Li, H., Tarn, T.-J., 2008. Quantum reinforcement learning. *IEEE Trans. Syst. Man Cybern. B Cybern.* 38(5), 1207–1220.
- Drucker, H., Burges, C.J., Kaufman, L., Smola, A., Vapnik, V., 1997. Support vector regression machines. *Adv. Neural Inf. Process. Syst.* 10, 155–161.
- Duan, L.-M., Guo, G.-C., 1998. Probabilistic cloning and identification of linearly independent quantum states. *Phys. Rev. Lett.* 80, 4999–5002.
- Duffy, N., Helmbold, D., 2000. Potential boosters? *Adv. Neural Inf. Process. Syst.* 13, 258–264.
- Durr, C., Hoyer, P., 1996. A quantum algorithm for finding the minimum. [arXiv:quant-ph/9607014](https://arxiv.org/abs/quant-ph/9607014).
- Efron, B., 1979. Bootstrap methods: another look at the jackknife. *Ann. Stat.* 7(1), 1–26.
- El-Yaniv, R., Pechyony, D., 2007. Transductive Rademacher complexity and its applications. In: Bshouty, N.H., Gentile, C. (Eds.), *Proceedings of COLT-07, 20th Annual Conference on Learning Theory*. Springer, Berlin, pp. 157–171.
- Erhan, D., Bengio, Y., Courville, A., Manzagol, P.-A., Vincent, P., Bengio, S., 2010. Why does unsupervised pre-training help deep learning? *J. Mach. Learn. Res.* 11, 625–660.
- Ertekin, S., Bottou, L., Giles, C.L., 2011. Nonconvex online support vector machines. *IEEE Trans. Pattern Anal. Mach. Intell.* 33(2), 368–381.
- Ester, M., Kriegel, H., Sander, J., Xu, X., 1996. A density-based algorithm for discovering clusters in large spatial databases with noise. In: *Proceedings of SIGKDD-96, 2nd International Conference on Knowledge Discovery and Data Mining*, vol. 96, pp. 226–231.
- Ezhov, A.A., Ventura, D., 2000. Quantum neural networks. In: Kasabov, N. (Ed.), *Future Directions for Intelligent Systems and Information Sciences, Studies in Fuzziness and Soft Computing*. Physica-Verlag HD, Heidelberg, pp. 213–235.
- Farhi, E., Goldstone, J., Gutmann, S., Sipser, M., 2000. Quantum computation by adiabatic evolution. [arXiv:quant-ph/0001106](https://arxiv.org/abs/quant-ph/0001106).
- Farhi, E., Goldston, J., Gosset, D., Gutmann, S., Meyer, H.B., Shor, P., 2011. Quantum adiabatic algorithms, small gaps, and different paths. *Quantum Inf. Comput.* 11(3), 181–214.
- Fayngold, M., Fayngold, V., 2013. *Quantum Mechanics and Quantum Information*. Wiley-VCH, Weinheim.
- Feldman, V., Guruswami, V., Raghavendra, P., Wu, Y., 2012. Agnostic learning of monomials by halfspaces is hard. *SIAM J. Comput.* 41(6), 1558–1590.
- Feynman, R.P., 1982. Simulating physics with computers. *Int. J. Theor. Phys.* 21(6), 467–488.
- Finnila, A., Gomez, M., Sebenik, C., Stenson, C., Doll, J., 1994. Quantum annealing: a new method for minimizing multidimensional functions. *Chem. Phys. Lett.* 219(5-6), 343–348.
- Freund, Y., Schapire, R.E., 1997. A decision-theoretic generalization of on-line learning and an application to boosting. *J. Comput. Syst. Sci.* 55(1), 119–139.
- Friedman, J., Hastie, T., Tibshirani, R., 2000. Additive logistic regression: a statistical view of boosting. *Ann. Stat.* 28(2), 337–407.
- Friedman, J.H., 2001. Greedy function approximation: gradient boosting machine. *Ann. Stat.* 29(5), 1189–1232.
- Fuchs, C., 2002. Quantum mechanics as quantum information (and only a little more). [arXiv:quant-ph/0205039](https://arxiv.org/abs/quant-ph/0205039).
- Gambs, S., 2008. Quantum classification. [arXiv:0809.0444](https://arxiv.org/abs/0809.0444).

- Gamerman, A., Vovk, V., Vapnik, V., 1998. Learning by transduction. In: Proceedings of UAI-98, 14th Conference on Uncertainty in Artificial Intelligence, pp. 148–155.
- Gardner, E., 1988. The space of interactions in neural network models. *J. Phys. A Math. Gen.* 21(1), 257.
- Gavinsky, D., 2012. Quantum predictive learning and communication complexity with single input. *Quantum Inf. Comput.* 12(7-8), 575–588.
- Giovannetti, V., Lloyd, S., Maccone, L., 2008. Quantum random access memory. *Phys. Rev. Lett.* 100(16), 160501.
- Glover, F., 1989. Tabu search—part I. *ORSA J. Comput.* 1(3), 190–206.
- Goldberg, D.E., 1989. *Genetic Algorithms in Search, Optimization, and Machine Learning*. Addison-Wesley Professional, Upper Saddle River, NJ.
- Grover, L.K., 1996. A fast quantum mechanical algorithm for database search. In: Proceedings of STOC-96, 28th Annual ACM Symposium on Theory of Computing, pp. 212–219.
- Guță, M., Kotłowski, W., 2010. Quantum learning: asymptotically optimal classification of qubit states. *New J. Phys.* 12(12), 123032.
- Gupta, S., Zia, R., 2001. Quantum neural networks. *J. Comput. Syst. Sci.* 63(3), 355–383.
- Guyon, I., Elisseeff, A., Kaelbling, L., 2003. An introduction to variable and feature selection. *J. Mach. Learn. Res.* 3(7-8), 1157–1182.
- Han, J., Kamber, M., Pei, J., 2012. *Data Mining: Concepts and Techniques*, third ed. Morgan Kaufmann, Burlington, MA.
- Härdle, W.K., 1990. *Applied Nonparametric Regression*. Cambridge University Press, Cambridge.
- Harrow, A.W., Hassidim, A., Lloyd, S., 2009. Quantum algorithm for linear systems of equations. *Phys. Rev. Lett.* 103(15), 150502.
- Hastie, T., Tibshirani, R., Friedman, J., 2008. *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, second ed. Springer.
- Haussler, D., 1992. Decision theoretic generalizations of the PAC model for neural net and other learning applications. *Inf. Comput.* 100(1), 78–150.
- Hinton, G., Deng, L., Yu, D., Dahl, G.E., Mohamed, A.R., Jaitly, N., Senior, A., Vanhoucke, V., Nguyen, P., Sainath, T.N., et al., 2012. Deep neural networks for acoustic modeling in speech recognition: the shared views of four research groups. *IEEE Signal Process. Mag.* 29(6), 82–97.
- Holevo, A., 1982. *Probabilistic and Statistical Aspects of Quantum Theory*. North-Holland Publishing Company, Amsterdam.
- Holte, R., 1993. Very simple classification rules perform well on most commonly used datasets. *Mach. Learn.* 11(1), 63–90.
- Hopfield, J.J., 1982. Neural networks and physical systems with emergent collective computational abilities. *Proc. Natl. Acad. Sci. U.S.A.* 79(8), 2554–2558.
- Hornik, K., Stinchcombe, M., White, H., 1989. Multilayer feedforward networks are universal approximators. *Neural Netw.* 2(5), 359–366.
- Horodecki, M., Horodecki, P., Horodecki, R., 1996. Separability of mixed states: necessary and sufficient conditions. *Phys. Lett. A* 223(1), 1–8.
- Hsu, C., Lin, C., 2002. A comparison of methods for multiclass support vector machines. *IEEE Trans. Neural Netw.* 13(2), 415–425.
- Huang, G.-B., Babri, H.A., 1998. Upper bounds on the number of hidden neurons in feedforward networks with arbitrary bounded nonlinear activation functions. *IEEE Trans. Neural Netw.* 9(1), 224–229.
- Huang, G.-B., 2003. Learning capability and storage capacity of two-hidden-layer feedforward networks. *IEEE Trans. Neural Netw.* 14(2), 274–281.

- Huang, G.-B., Zhu, Q.-Y., Siew, C.-K., 2006. Extreme learning machine: theory and applications. *Neurocomputing* 70(1-3), 489–501.
- Iba, W., Langley, P., 1992. Induction of one-level decision trees. In: *Proceedings of ML-92, 9th International Workshop on Machine Learning*, pp. 233–240.
- Ito, M., Miyoshi, T., Masuyama, H., 2000. The characteristics of the torus self organizing map. *Fuji Shisutemu Shinpojiumu Koen Ronbunshu* 16, 373–374.
- Jamiołkowski, A., 1972. Linear transformations which preserve trace and positive semidefiniteness of operators. *Rep. Math. Phys.* 3(4), 275–278.
- Joachims, T., 1998. Text categorization with support vector machines: learning with many relevant features. In: *Proceedings of ECML-98, 10th European Conference on Machine Learning*, pp. 137–142.
- Joachims, T., 2006. Training linear SVMs in linear time. In: *Proceedings of SIGKDD-06, 12th International Conference on Knowledge Discovery and Data Mining*, pp. 217–226.
- Johnson, M., Amin, M., Gildert, S., Lanting, T., Hamze, F., Dickson, N., Harris, R., Berkley, A., Johansson, J., Bunyk, P., et al., 2011. Quantum annealing with manufactured spins. *Nature* 473(7346), 194–198.
- Jolliffe, I., 1989. *Principal Component Analysis*. Springer, New York, NY.
- Katayama, K., Narihisa, H., 2001. Performance of simulated annealing-based heuristic for the unconstrained binary quadratic programming problem. *Eur. J. Oper. Res.* 134(1), 103–119.
- Kendon, V.M., Nemoto, K., Munro, W.J., 2010. Quantum analogue computing. *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.* 368(1924), 3609–3620.
- Kennedy, J., Eberhart, R., 1995. Particle swarm optimization. In: *Proceedings of ICNN-95, International Conference on Neural Networks*, pp. 1942–1948.
- Khrennikov, A., 2010. *Ubiquitous Quantum Structure: From Psychology to Finance*. Springer-Verlag, Heidelberg.
- Kitto, K., 2008. Why quantum theory? In: *Proceedings of QI-08, 2nd International Symposium on Quantum Interaction*, pp. 11–18.
- Kohavi, R., John, G., 1997. Wrappers for feature subset selection. *Artif. Intell.* 97(1-2), 273–324.
- Kondor, R., Lafferty, J., 2002. Diffusion kernels on graphs and other discrete input spaces. In: *Proceedings of ICML-02, 19th International Conference on Machine Learning*, pp. 315–322.
- Kraus, B., 2013. Topics in quantum information. In: DiVincenzo, D. (Ed.), *Lecture Notes of the 44th IFF Spring School “Quantum Information Processing”*. Forschungszentrum Jülich.
- Kriegel, H.-P., Kröger, P., Sander, J., Zimek, A., 2011. Density-based clustering. *Wiley Interdiscip. Rev. Data Min. Knowl. Discov.* 1(3), 231–240.
- Kruskal, W., 1988. Miracles and statistics: the casual assumption of independence. *J. Am. Stat. Assoc.* 83(404), 929–940.
- Kuncheva, L.I., Whitaker, C.J., 2003. Measures of diversity in classifier ensembles and their relationship with the ensemble accuracy. *Mach. Learn.* 51(2), 181–207.
- Laarhoven, P.J., Aarts, E.H., 1987. *Simulated Annealing: Theory and Applications*. Reidel Publishing Company, The Netherlands.
- Lan, M., Tan, C.L., Su, J., Lu, Y., 2009. Supervised and traditional term weighting methods for automatic text categorization. *IEEE Trans. Pattern Anal. Mach. Intell.* 31(4), 721–735.
- Langley, P., Sage, S., 1994. Induction of selective Bayesian classifiers. In: de Mantaras, R., Poole, D. (Eds.), *Proceedings of UAI-94, 10th Conference on Uncertainty in Artificial Intelligence*, pp. 399–406.
- Langley, P., Sage, S., 1994. Oblivious decision trees and abstract cases. In: *Working Notes of the AAAI-94 Workshop on Case-Based Reasoning*, pp. 113–117.

- Lanting, T., Przybysz, A.J., Smirnov, A.Y., Spedalieri, F.M., Amin, M.H., Berkley, A.J., Harris, R., Altomare, F., Boixo, S., Bunyk, P., Dickson, N., Enderud, C., Hilton, J.P., Hoskinson, E., Johnson, M.W., Ladizinsky, E., Ladizinsky, N., Neufeld, R., Oh, T., Perminov, I., Rich, C., Thom, M.C., Tolkacheva, E., Uchaikin, S., Wilson, A.B., Rose, G., 2014. Entanglement in a quantum annealing processor. arXiv:1401.3500.
- Larkey, L., Croft, W., 1996. Combining classifiers in text categorization. In: Proceedings of SIGIR-96, 19th International Conference on Research and Development in Information Retrieval, pp. 289–297.
- Law, M., Zhang, N., Jain, A., 2004. Nonlinear manifold learning for data stream. In: Proceedings of ICDM-04, 4th IEEE International Conference on Data Mining, pp. 33–44.
- Law, M., Jain, A., 2006. Incremental nonlinear dimensionality reduction by manifold learning. *IEEE Trans. Pattern Anal. Mach. Intell.* 28(3), 377–391.
- Leung, D.W., 2003. Choi's proof as a recipe for quantum process tomography. *J. Math. Phys.* 44, 528.
- Lewenstein, M., 1994. Quantum perceptrons. *J. Mod. Opt.* 41(12), 2491–2501.
- Lewis, D., Ringuette, M., 1994. A comparison of two learning algorithms for text categorization. In: Proceedings of SDAIR-94, 3rd Annual Symposium on Document Analysis and Information Retrieval, pp. 81–93.
- Lidar, D.A., Rezhakhani, A.T., Hamma, A., 2009. Adiabatic approximation with exponential accuracy for many-body systems and quantum computation. *J. Math. Phys.* 50, 102106.
- Lin, H., Lin, C., 2003. A study on sigmoid kernels for SVM and the training of non-PSD kernels by SMO-type methods. Technical Report, Department of Computer Science, National Taiwan University.
- Lin, T., Zha, H., 2008. Riemannian manifold learning. *IEEE Trans. Pattern Anal. Mach. Intell.* 30(5), 796.
- Lloyd, S., 1996. Universal quantum simulators. *Science* 273(5278), 1073–1078.
- Lloyd, S., Mohseni, M., Rebentrost, P., 2013. Quantum algorithms for supervised and unsupervised machine learning. arXiv:1307.0411.
- Lloyd, S., Mohseni, M., Rebentrost, P., 2013. Quantum principal component analysis. arXiv:1307.0401.
- Lodhi, H., Saunders, C., Shawe-Taylor, J., Cristianini, N., Watkins, C., Scholkopf, B., 2002. Text classification using string kernels. *J. Mach. Learn. Res.* 2(3), 419–444.
- Long, P.M., Servedio, R.A., 2010. Random classification noise defeats all convex potential boosters. *Mach. Learn.* 78(3), 287–304.
- Loo, C.K., Peruš, M., Bischof, H., 2004. Associative memory based image and object recognition by quantum holography. *Open Syst. Inf. Dyn.* 11(03), 277–289.
- Lu, H., Setiono, R., Liu, H., 1996. Effective data mining using neural networks. *IEEE Trans. Knowl. Data Eng.* 8(6), 957–961.
- MacKay, D.J.C., 2005. *Information Theory, Inference & Learning Algorithms*, fourth ed. Cambridge University Press, Cambridge.
- Manju, A., Nigam, M., 2012. Applications of quantum inspired computational intelligence: a survey. *Artif. Intell. Rev.* 42(1), 79–156.
- Manwani, N., Sastry, P., 2013. Noise tolerance under risk minimization. *IEEE Trans. Cybern.* 43(3), 1146–1151.
- Masnadi-Shirazi, H., Vasconcelos, N., 2008. On the design of loss functions for classification: theory, robustness to outliers, and SavageBoost. *Adv. Neural Inf. Process. Syst.* 21, 1049–1056.
- Masnadi-Shirazi, H., Mahadevan, V., Vasconcelos, N., 2010. On the design of robust classifiers for computer vision. In: Proceedings of CVPR-10, IEEE Conference on Computer Vision and Pattern Recognition, pp. 779–786.

- Mason, L., Baxter, J., Bartlett, P., Frean, M., 1999. Boosting algorithms as gradient descent in function space. *Adv. Neural Inf. Process. Syst.* 11, 512–518.
- McGeoch, C.C., Wang, C., 2013. Experimental evaluation of an adiabatic quantum system for combinatorial optimization. In: *Proceedings of CF-13, ACM International Conference on Computing Frontiers*, pp. 23:1-23:11.
- Minsky, M., Papert, S., 1969. *Perceptrons: An Introduction to Computational Geometry*. MIT Press, Cambridge, MA.
- Mirsky, L., 1960. Symmetric gage functions and unitarily invariant norms. *Q. J. Math.* 11, 50–59.
- Mishra, N., Oblinger, D., Pitt, L., 2001. Sublinear time approximate clustering. In: *Proceedings of SODA-01, 12th Annual ACM-SIAM Symposium on Discrete Algorithms*, pp. 439–447.
- Mitchell, T., 1997. *Machine Learning*. McGraw-Hill, New York, NY.
- Mohseni, M., Rezakhani, A.T., Lidar, D.A., 2008. Quantum-process tomography: resource analysis of different strategies. *Phys. Rev. A* 77, 032322.
- Narayanan, A., Menneer, T., 2000. Quantum artificial neural network architectures and components. *Inform. Sci.* 128(3-4), 231–255.
- Neigovzen, R., Neves, J.L., Sollacher, R., Glaser, S.J., 2009. Quantum pattern recognition with liquid-state nuclear magnetic resonance. *Phys. Rev. A* 79, 042321.
- Neven, H., Denchev, V.S., Rose, G., Macready, W.G., 2008. Training a binary classifier with the quantum adiabatic algorithm. *arXiv:0811.0416*.
- Neven, H., Denchev, V.S., Drew-Brook, M., Zhang, J., Macready, W.G., Rose, G., 2009. Binary classification using hardware implementation of quantum annealing. In: *Demonstrations at NIPS-09, 24th Annual Conference on Neural Information Processing Systems*, pp. 1–17.
- Neven, H., Denchev, V.S., Rose, G., Macready, W.G., 2012. Qboost: large scale classifier training with adiabatic quantum optimization. In: *Proceedings of ACML-12, 4th Asian Conference on Machine Learning*, pp. 333–348.
- Onclinx, V., Wertz, V., Verleysen, M., 2009. Nonlinear data projection on non-Euclidean manifolds with controlled trade-off between trustworthiness and continuity. *Neurocomputing* 72(7-9), 1444–1454.
- Oppenheim, J., Wehner, S., 2010. The uncertainty principle determines the nonlocality of quantum mechanics. *Science* 330(6007), 1072–1074.
- Orlik, P., Terao, H., 1992. *Arrangements of Hyperplanes*. Springer, Heidelberg.
- Orponen, P., 1994. Computational complexity of neural networks: a survey. *Nordic J. Comput.* 1(1), 94–110.
- Palubeckis, G., 2004. Multistart tabu search strategies for the unconstrained binary quadratic optimization problem. *Ann. Oper. Res.* 131(1-4), 259–282.
- Park, H.-S., Jun, C.-H., 2009. A simple and fast algorithm for K-medoids clustering. *Expert Syst. Appl.* 36(2), 3336–3341.
- Platt, J., 1999. Fast training of support vector machines using sequential minimal optimization. In: *Schölkopf, B., Burges, C., Smola, A. (Eds.), Advances in Kernel Methods: Support Vector Learning*. MIT Press, pp. 185–208.
- Polikar, R., 2006. Ensemble based systems in decision making. *IEEE Circuits Syst. Mag.* 6(3), 21–45.
- Pothos, E.M., Busemeyer, J.R., 2013. Can quantum probability provide a new direction for cognitive modeling? *Behav. Brain Sci.* 36, 255–274.
- Purushothaman, G., Karayiannis, N., 1997. Quantum neural networks (QNNs): inherently fuzzy feedforward neural networks. *IEEE Trans. Neural Netw.* 8(3), 679–693.
- Raina, R., Madhavan, A., Ng, A., 2009. Large-scale deep unsupervised learning using graphics processors. In: *Proceedings of ICML-09, 26th Annual International Conference on Machine Learning*.

- Rätsch, G., Onoda, T., Müller, K.-R., 2001. Soft margins for AdaBoost. *Mach. Learn.* 42(3), 287–320.
- Rebentrost, P., Mohseni, M., Lloyd, S., 2013. Quantum support vector machine for big feature and big data classification. arXiv:1307.0471.
- Roland, J., Cerf, N.J., 2002. Quantum search by local adiabatic evolution. *Phys. Rev. A* 65, 042308.
- Rønnow, T.F., Wang, Z., Job, J., Boixo, S., Isakov, S.V., Wecker, D., Martinis, J.M., Lidar, D.A., Troyer, M., 2014. Defining and detecting quantum speedup. arXiv:1401.2910.
- Rosenblatt, F., 1958. The perceptron: a probabilistic model for information storage and organization in the brain. *Psychol. Rev.* 65(6), 386–408.
- Rumelhart, D., Hinton, G., Williams, R., 1986. *Learning Internal Representations by Error Propagation*. MIT Press, Cambridge, MA.
- Rumelhart, D., Widrow, B., Lehr, M., 1994. The basic ideas in neural networks. *Commun. ACM* 37(3), 87–92.
- Sasaki, M., Carlini, A., Jozsa, R., 2001. Quantum template matching. *Phys. Rev. A* 64(2), 022317.
- Sasaki, M., Carlini, A., 2002. Quantum learning and universal quantum matching machine. *Phys. Rev. A* 66, 022303.
- Sato, I., Kurihara, K., Tanaka, S., Nakagawa, H., Miyashita, S., 2009. Quantum annealing for variational Bayes inference. In: *Proceedings of UAI-09, 25th Conference on Uncertainty in Artificial Intelligence*, pp. 479–486.
- Scarani, V., 2006. Feats, features and failures of the PR-box. *AIP Conf. Proc.* 884, 309–320.
- Schaller, G., Mostame, S., Schützhold, R., 2006. General error estimate for adiabatic quantum computing. *Phys. Rev. A* 73, 062307.
- Schapire, R.E., 1990. The strength of weak learnability. *Mach. Learn.* 5(2), 197–227.
- Schölkopf, B., Smola, A.J., 2001. *Learning with Kernels: Support Vector Machines, Regularization, Optimization, and Beyond*. MIT Press, Cambridge, MA.
- Sebastiani, F., 2002. Machine learning in automated text categorization. *ACM Comput. Surv.* 34(1), 1–47.
- Sentís, G., Calsamiglia, J., Muñoz Tapia, R., Bagan, E., 2012. Quantum learning without quantum memory. *Sci. Rep.*, 2, 1–8.
- Servedio, R.A., Gortler, S.J., 2001. Quantum versus classical learnability. In: *Proceedings of CCC-01, 16th Annual IEEE Conference on Computational Complexity*, pp. 138–148.
- Servedio, R.A., Gortler, S.J., 2004. Equivalences and separations between quantum and classical learnability. *SIAM J. Comput.* 33(5), 1067–1092.
- Settles, B., 2009. *Active learning literature survey*. Technical Report 1648, University of Wisconsin, Madison.
- Shalev-Shwartz, S., Shamir, O., Sridharan, K., 2010. Learning kernel-based halfspaces with the zero-one loss. In: *Proceedings of COLT-10, 23rd Annual Conference on Learning Theory*, pp. 441–450.
- Shawe-Taylor, J., Cristianini, N., 2004. *Kernel Methods for Pattern Analysis*. Cambridge University Press, Cambridge.
- Shin, S.W., Smith, G., Smolin, J.A., Vazirani, U., 2014. How “quantum” is the D-wave machine? arXiv:1401.7087.
- Shor, P., 1997. Polynomial-time algorithms for prime factorization and discrete logarithms on a quantum computer. *SIAM J. Comput.* 26, 1484.
- Silva, J., Marques, J., Lemos, J., 2006. Selecting landmark points for sparse manifold learning. *Adv. Neural Inf. Process. Syst.* 18, 1241–1247.
- Smola, A., Schölkopf, B., Müller, K., 1998. The connection between regularization operators and support vector kernels. *Neural Netw.* 11(4), 637–649.

- Sörensen, K., 2013. Metaheuristics—the metaphor exposed. *International Transactions in Operational Research*. <http://dx.doi.org/10.1111/itor.12001>.
- Steinbach, M., Karypis, G., Kumar, V., 2000. A comparison of document clustering techniques. In: *KDD Workshop on Text Mining*.
- Steinwart, I., 2003. Sparseness of support vector machines. *J. Mach. Learn. Res.* 4, 1071–1105.
- Stempfel, G., Ralaivola, L., 2009. Learning SVMs from sloppily labeled data. In: Alippi, C., Polycarpou, M., Panayiotou, C., Ellinas, G. (Eds.), *Proceedings of ICANN-09, 19th International Conference on Artificial Neural Networks*, pp. 884–893.
- Sun, J., Feng, B., Xu, W., 2004. Particle swarm optimization with particles having quantum behavior. In: *Proceedings of CEC-04, Congress on Evolutionary Computation*, vol. 1, pp. 325–331.
- Suykens, J.A., Vandewalle, J., 1999. Least squares support vector machine classifiers. *Neural Process. Lett.* 9(3), 293–300.
- Tenenbaum, J., Silva, V., Langford, J., 2000. A global geometric framework for nonlinear dimensionality reduction. *Science* 290(5500), 2319–2323.
- Trugenberger, C.A., 2001. Probabilistic quantum memories. *Phys. Rev. Lett.* 87, 067901.
- Trugenberger, C.A., 2002. Phase transitions in quantum pattern recognition. *Phys. Rev. Lett.* 89, 277903.
- Valiant, L.G., 1984. A theory of the learnable. *Commun. ACM* 27(11), 1134–1142.
- Van Dam, W., Mosca, M., Vazirani, U., 2001. How powerful is adiabatic quantum computation? In: *Proceedings of FOCS-01, 42nd IEEE Symposium on Foundations of Computer Science*, pp. 279–287.
- Vapnik, V.N., Chervonenkis, A.Y., 1971. On the uniform convergence of relative frequencies of events to their probabilities. *Theor. Probab. Appl.* 16(2), 264–280.
- Vapnik, V., 1995. *The Nature of Statistical Learning Theory*. Springer, New York, NY.
- Vapnik, V., Golowich, S., Smola, A., 1997. Support vector method for function approximation, regression estimation, and signal processing. *Adv. Neural Inf. Process. Syst.* 9, 281.
- Ventura, D., Martinez, T., 2000. Quantum associative memory. *Inform. Sci.* 124(1), 273–296.
- Vidick, T., Wehner, S., 2011. More nonlocality with less entanglement. *Phys. Rev. A* 83(5), 052310.
- Weinberger, K., Sha, F., Saul, L., 2004. Learning a kernel matrix for nonlinear dimensionality reduction. In: *Proceedings of ICML-04, 21st International Conference on Machine Learning*, pp. 106–113.
- Weinstein, M., Horn, D., 2009. Dynamic quantum clustering: a method for visual exploration of structures in data. *Phys. Rev. E* 80(6), 066117.
- Weston, J., Mukherjee, S., Chapelle, O., Pontil, M., Poggio, T., Vapnik, V., 2000. Feature selection for SVMs. *Adv. Neural Inf. Process. Syst.* 13, 668–674.
- Wiebe, N., Berry, D., Høyer, P., Sanders, B.C., 2010. Higher order decompositions of ordered operator exponentials. *J. Phys. A Math. Theor.* 43(6), 065203.
- Wiebe, N., Kapoor, A., Svore, K.M., 2014. Quantum nearest neighbor algorithms for machine learning. [arXiv:1401.2142](https://arxiv.org/abs/1401.2142).
- Wittek, P., Tan, C.L., 2011. Compactly supported basis functions as support vector kernels for classification. *IEEE Trans. Pattern Anal. Mach. Intell.* 33(10), 2039–2050.
- Wittek, P., 2013. High-performance dynamic quantum clustering on graphics processors. *J. Comput. Phys.* 233, 262–271.
- Wolpert, D.H., 1992. Stacked generalization. *Neural Netw.* 5(2), 241–259.
- Wolpert, D.H., Macready, W.G., 1997. No free lunch theorems for optimization. *IEEE Trans. Evol. Comput.* 1(1), 67–82.

- Yang, Y., Chute, C., 1994. An example-based mapping method for text categorization and retrieval. *ACM Trans. Inf. Syst.* 12(3), 252–277.
- Yang, Y., Liu, X., 1999. A re-examination of text categorization methods. In: *Proceedings of SIGIR-99, 22nd International Conference on Research and Development in Information Retrieval*, pp. 42–49.
- Young, A.P., Knysh, S., Smelyanskiy, V.N., 2010. First-order phase transition in the quantum adiabatic algorithm. *Phys. Rev. Lett.* 104, 020502.
- Yu, H., Yang, J., Han, J., 2003. Classifying large data sets using SVMs with hierarchical clusters. In: *Proceedings of SIGKDD-03, 9th International Conference on Knowledge Discovery and Data Mining*, pp. 306–315.
- Yu, Y., Qian, F., Liu, H., 2010. Quantum clustering-based weighted linear programming support vector regression for multivariable nonlinear problem. *Soft Comput.* 14(9), 921–929.
- Zak, M., Williams, C.P., 1998. Quantum neural nets. *Int. J. Theor. Phys.* 37(2), 651–684.
- Zaki, M.J., Meira Jr., W., 2013. *Data Mining and Analysis: Fundamental Concepts and Algorithms*. Cambridge University Press, Cambridge.
- Zhang, L., Zhou, W., Jiao, L., 2004. Wavelet support vector machine. *IEEE Trans. Syst. Man Cybern. B Cybern.* 34(1), 34–39.
- Zhang, T., Yu, B., 2005. Boosting with early stopping: convergence and consistency. *Ann. Stat.* 33(4), 1538–1579.
- Zhou, R., Ding, Q., 2008. Quantum pattern recognition with probability of 100%. *Int. J. Theor. Phys.* 47, 1278–1285.