

References

- Abrahamsen, N. (1965) Arkaeomagnetisme og jernalderslagge, *Kuml*, 115–32.
- Agocs, W.B. (1955) The effect of line spacing illustrated by Mamora Ontario airborne magnetometer control and the determination of optimum spacing, *Geophysics*, 20, 871–85.
- Al-Chalabi, M. (1994) Seismic velocities—a critique, *First Break*, 12, 589–96.
- Al-Sadi, H.N. (1980) *Seismic Exploration (Technique and Processing)*, Birkhäuser, Basel.
- Arnetzl, H. (1980) *Prakla-Seismos Report*, 2/3, 8–15.
- Arzi, A.A. (1975) Microgravimetry for engineering applications, *Geophys. Prosp.*, 23, 408–25.
- Atchuta Rao, D. and Ram Babu, H.V. (1981) Nomograms for rapid evaluation of magnetic anomalies over long tabular bodies, *Pageophysics*, 119, 1037–50.
- Atchuta Rao, D. and Ram Babu, H.V. (1983) Quantitative interpretation of self-potential anomalies due to two-dimensional sheet-like bodies, *Geophysics*, 48, 1659–64.
- Balsley, J.R. and Buddington, A.F. (1958) Iron–titanium oxide minerals, rocks and aeromagnetic anomalies of the Adirondack area, New York, *Econ. Geol.*, 53, 777–805.
- Baranov, V. (1975) *Potential Fields and Their Transformations in Applied Geophysics*, Gebrüder Borntraeger, Berlin.
- Barongo, J.O. (1987) Geophysical detection of mineral conductors in tropical terrains with target conductors partly embedded in the conductive overburden, *Geophys. Prosp.*, 35, 568–89.
- Baule, H. (1953) Laufzeitmessungen an Bohrkernen und Gesteinsprobe, *Geophys. Prosp.*, 1, 111–24.
- Becker, A. (1967) Design formulas for electromagnetic sensing coils, *Geoexploration*, 5, 81–8.
- Bertin, J. and Loeb, J. (1976) *Experimental and Theoretical Aspects of Induced Polarization*, vols 1 and 2, Gebrüder Borntraeger, Berlin.
- Bezvoda, V. and Segeth, K. (1970) A two-layer ground in the field of an infinitely long cable, *Geophys. Prosp.*, 18, 343–51.
- Bližkovský, M. (1979) Processing and applications in microgravity surveys, *Geophys. Prosp.*, 27, 848–61.
- Bott, M.H.P. and Smith, R.A. (1958) The estimation of the limiting depth of gravitating bodies, *Geophys. Prosp.*, 6, 1–10.
- Butler, D.K. (1984) Microgravimetric and gravity gradient techniques for detection of subsurface cavities, *Geophysics*, 49, 1084–96.
- Chastenot de Gery, J. and Künetz, G. (1956) Potential and apparent resistivity over dipping beds, *Geophysics*, 21, 780–93.
- Coffeen, J.A. (1978) *Seismic Exploration Fundamentals*, Penn Well, Tulsa.
- Coggon, J.H. (1976) Magnetic and gravity anomalies of polyhedra, *Geoexploration*, 14, 93–105.
- Cole, K.S. and Cole, R.H. (1941) Dispersion and absorption in dielectrics, *J. Chem. Phys.*, 9, 341–51.
- Collinson, D.W. (1983) *Methods in Rock Magnetism and Palaeomagnetism*, Chapman & Hall, London.
- Cook, A.H. (1973) *Physics of the Earth and Planets*, Macmillan, London.
- Cook, A.H., Hospers, J. and Parasnis, D.S. (1951) The results of a gravity survey in the country between the Clee Hills and Nuneaton, *Q. J. Geol. Soc. Lond.*, 107, 287–306.
- Cook, J.C. (1995) Preface, *J. Appl. Geophys.*, 33, 1–3.

REFERENCES

- Cook, K.L. and van Nostrand, R.G. (1954) Interpretation of resistivity data over filled sinks, *Geophysics*, **19**, 761–90.
- Das, U.C. (1995) Apparent resistivity curves in controlled-source electromagnetic sounding directly reflecting true resistivities in a layered earth, *Geophysics*, **60**, 53–60.
- Datta, S. (1968) Absorption of dilatational waves in rocks, *Geoexploration*, **6**, 127–39.
- Davis, W.E., Jackson, W.H. and Richter, D.H. (1957) Gravity prospecting for chromite deposits in Camaguey Province, *Geophysics*, **22**, 848–69.
- Debye, P. (1909) Der Lichtdruck auf Kugeln von beliebigen Material, *Ann. Physik*, **4**, 57–135.
- Dehlinger, P. and Chiburis, E.F. (1972) Gravity at sea, *Marine Geol.*, **12**, 1–41.
- Dennison, A.T. (1953) The design of electromagnetic geophones, *Geophys. Prosp.*, **1**, 3–28.
- Dewan, J.T. (1983) *Essentials of Modern Open-Hole Log Interpretation*, Penn Well, Tulsa.
- Dizioglu, M.Y. (1967) Electromagnetic responses of a two-layer ground to an infinite cable carrying alternating current with reference to Turam anomalies, *Geoexploration*, **5**, 157–64.
- Dolan, W. (1970) Geophysical detection of deeply buried sulfide bodies in weathered regions, *Mining and Groundwater Geophysics 1967* (ed. L.W. Morley), pp. 336–44, Department of Energy, Mines and Resources, Ottawa.
- Dresser Atlas (1975) *Log Interpretation Fundamentals*, Dresser Atlas, Houston.
- Duval, T. and Loeb, J. (1967) Electromagnetic prospecting by Turam cable: induction versus conduction effects, *Geoexploration*, **5**, 31–51.
- EAEG (European Association of Exploration Geophysicists) (1958) *Geophysical Surveys in Mining, Hydrological and Engineering Projects*, EAEG, The Hague.
- EAEG (European Association of Exploration Geophysicists) (1969) *Standard Graphs for Resistivity Prospecting*, EAEG, The Hague.
- EAEG (European Association of Exploration Geophysicists) (1995) *Tidal Gravity Corrections for 1996*, EAEG, The Hague.
- Eberle, D. (1981) A method of reducing terrain relief effects from VLF-EM data, *Geoexploration*, **19**, 103–14.
- Edelmann, H. (1966) New filtering methods with Vibroseis, *Geophys. Prosp.*, **14**, 455–69.
- Eloranta, E. (1984) A method for calculating mise-à-la-masse anomalies in the case of high conductivity contrast by the integral equation technique, *Geoexploration*, **22**, 77–88.
- Eskola, L. (1992) *Geophysical Interpretation Using Integral Equations*, Chapman & Hall, London.
- Eskola, L. and Tervo, T. (1980) Solving the magnetostatic field problem (a case of high susceptibility) by means of the method of subsections, *Geoexploration*, **18**, 79–95.
- Evenden, B.S. and Pieuchot, M. (1984) *Seismic Prospecting Instruments*, vol. 2, Gebrüder Borntraeger, Berlin.
- Faust, L.Y. (1951) Seismic velocity as a function of depth and geologic time, *Geophysics*, **16**, 192–206.
- Flathe, H. (1955) Possibilities and limitations in applying geoelectrical methods to hydrogeological problems in the coastal areas of Northwest Germany, *Geophys. Prosp.*, **3**, 95–110.
- Fokin, A.F. (1971) *Metod Perekhodnikh Protsesov Pri Poickakh Mestorozdeniy Sulfidnikh Rud*, Nedra, Leningrad.
- Fournier, C. (1989) Spontaneous potentials and resistivity surveys applied to hydrogeology in a volcanic area: case history of the Chaîne de Puy (Puy-de-Dôme, France), *Geophys. Prosp.*, **37**, 647–68.
- Garland, G.D. (ed.) (1989) *Proceedings of Exploration '87*, Ontario Geological Survey, Canada.
- Gay, S.P. (1967a) Standard curves for interpretation of magnetic anomalies over long tabular bodies, *Mining Geophysics*, vol. 2, pp. 512–48, Society of Exploration Geophysicists, Tulsa.
- Gay, S.P. (1967b) A 1800 millivolt self-potential anomaly near Hualgayoc, Peru, *Geophys. Prosp.*, **15**, 236–45.
- Ghosh, D.P. (1971) Inverse filter coefficients for the computation of apparent resistivity standard curves for a horizontally stratified earth, *Geophys. Prosp.*, **19**, 769–75.
- Ginzburg, A. and Levanon, A. (1977) Direct current resistivity measurements in archaeology, *Geoexploration*, **15**, 47–56.

REFERENCES

- Ginzburg, I.I. (1960) *Principles of Geochemical Prospecting*, Pergamon Press, New York.
- Giret, R. and Malnar, N. (1965) Un nouveau magnétomètre arien: le magnétomètre à vapeur de caesium, *Geophys. Prosp.*, **13**, 225–39.
- Goudswaard, W. and Jenyon, M.K. (1988) *Seismic Atlas of Structural and Stratigraphic Features*, EAGE, Zeist, The Netherlands.
- Grant, F.S. and West, G.F. (1965) *Interpretation Theory in Applied Geophysics*, McGraw-Hill, New York.
- Green, R. (1974) The seismic refraction method—a review, *Geoexploration*, **12**, 259–84.
- Guptasarma, D. (1982) Optimization of short digital linear filters for increased accuracy, *Geophys. Prosp.*, **30**, 501–14.
- Guptasarma, D. and Biswas, S.K. (1966) A portable proton precession magnetometer, *Geophys. Prosp.*, **14**, 292–300.
- Guptasarma, D., Maru, V.M. and Varadarajan, G. (1976) An improved pulse transient airborne electromagnetic system for locating good conductors, *Geophysics*, **41**, 287–99.
- Habberjam, G.M. (1979) *Apparent Resistivity Observations and the Use of Square Array Techniques*, Gebrüder Borntraeger, Berlin.
- Hallof, P. (1967) *IP Newsletter Cases xxvii and xxviii*, McPhar Geophysics, Canada.
- Harrison, C.H. (1970) Reconstruction of subglacial relief from radio echo sounding records, *Geophysics*, **35**, 1099–115.
- Hartshorn, L. (1925) A critical résumé of recent work on dielectrics, *J. Inst. Electr. Eng.*, **64**, 1152.
- Hawkes, H.E. and Webb, J.S. (1962) *Geochemistry in Mineral Exploration*, Harper, New York.
- Hedström, H. (1937) Phase measurements in electrical prospecting, *Am. Inst. Min. Met. Eng., Tech. Publ.* 827, pp. 1–19.
- Hedström, H. and Parasnis, D.S. (1959) Reply to comments by N.R. Paterson, *Geophys. Prosp.*, **7**, 448–70.
- Heiland, C.A. (1940) *Geophysical Exploration*, Prentice-Hall, New York.
- Hjelt, S.E. (1972) Magnetostatic anomalies of dipping prisms, *Geoexploration*, **10**, 239–54.
- Hohmann, G.W. (1973) Electromagnetic coupling between grounded wires at the surface of a two-layer earth, *Geophysics*, **38**, 854–63.
- Hollier-Larousse, A. and Lagabriele, R. (1994) Utilisation de la radio-magnétotellurique pour la reconnaissance en site aquatique, *J. Appl. Geophys.*, **31**, 73–84.
- Homilius, J. and Lorch, S. (1957) Density determination on near-surface layers by gamma absorption, *Geophys. Prosp.*, **5**, 449–68.
- Homilius, J. and Lorch, S. (1958) On the theory of gamma-ray scattering in boreholes, *Geophys. Prosp.*, **6**, 342–64.
- Hughes, D.S. and Cross, J.H. (1951) Elastic wave velocities in rocks at high pressures and temperatures, *Geophysics*, **16**, 577–93.
- Hülensbeck, P.V. (1926) Verfahren zur elektrischen Bodenforschung, German Patent No. 489434.
- Hurley, D.G. (1977) The effect of a conductive overburden on the transient electromagnetic response of a sphere, *Geoexploration*, **15**, 77–85.
- IAG (International Association of Geodesy) (1971) *Geodetic Reference System 1967*, Special Publ. No. 3, IAG, Paris.
- IAG (International Association of Geodesy) (1980) *The Geodesist's Handbook* (ed. I.I. Mueller), *Bull. Géod.*, **54**, No. 3.
- Inman, J.R. Jr, Ryu, J. and Ward, S.H. (1973) Resistivity inversion, *Geophysics*, **38**, 1088–1108.
- Jackson, P.D. (1981) Focussed electrical resistivity arrays—some theoretical and practical experiments, *Geophys. Prosp.*, **29**, 601–26.
- Jahnke, E. and Emde, F. (1945) *Tables of Functions With Formulae and Curves*, Dover, New York.
- Jämtlid, A., et al. (1984) Electrical borehole measurements for the mapping of fracture zones in crystalline rock, *Geoexploration*, **31**, 203–16.
- Jeffreys, H. (1976) *The Earth*, Cambridge University Press, Cambridge.
- Jenyon, M.K. and Fitch, A.A. (1985) *Seismic Reflection Interpretation*, Gebrüder Borntraeger, Berlin.
- Johansen, H.K. (1975) An interactive computer-graphic-display-terminal system for interpretation of resistivity soundings, *Geophys. Prosp.*, **23**, 449–58.

REFERENCES

- Johansen, H.K. (1977) A man computer interpretation system for resistivity soundings over a horizontally stratified earth, *Geophys. Prosp.*, **25**, 667-91.
- Johnson, S.H. (1976) Interpretation of split-spread refraction data in terms of plane dipping layers, *Geophysics*, **41**, 418-24.
- Joseph, R.I. (1976) Short note on demagnetizing factors in nonellipsoidal samples—a review, *Geophysics*, **41**, 1052-4.
- Joseph, R.I. and Schlömann, E. (1965) Demagnetizing field in nonellipsoidal bodies, *J. Appl. Phys.*, **36**, 1579-93.
- Jung, K. (1953) Zur Bestimmung der Bodendichte nach dem Nettleton-Verfahren, *Z. Geophys.*, **19**, Sonderband, 54-8.
- Jung, K. (1959) Zur gravimetrischen Bestimmung der Bodendichte, *Gerlands Beitr. Geophys.*, **68**, 268-79.
- Kappelmeyer, O. and Hähnel, R. (1974) *Geothermics With Special Reference to Application*, Gebrüder Borntraeger, Berlin.
- Kaufman, A. and Keller, G. (1981) *The Magnetotelluric Sounding Method*, Elsevier, Amsterdam.
- Kaufman, A. and Keller, G. (1983) *Frequency and Transient Sounding*, Elsevier, Amsterdam.
- Kayal, J.R. (1979) Electrical and gamma-ray logging in Gondwana and Tertiary coal fields, *Geoexploration*, **17**, 243-58.
- Kellogg, O.D. (1953) *Foundations of Potential Theory*, Dover, New York.
- Kendall, M.G. and Moran, P.A.P. (1963) *Geometrical Probability*, Charles Griffin, London.
- Ketola, M. (1972) Some points of view concerning mise-à-la-masse measurements, *Geoexploration*, **10**, 1-21.
- Kilty, K.T. (1984) On the origin and interpretation of self-potential anomalies, *Geophys. Prosp.*, **32**, 51-62.
- Koefoed, O. (1968) *The Application of the Kernel Function in Interpreting Geoelectrical Resistivity Measurements*, Gebrüder Borntraeger, Berlin.
- Koefoed, O., (1979) *Geosounding Principles*, Elsevier, Amsterdam.
- Koefoed, O., Ghosh, D.P. and Polman, G.J. (1972) Computation of type curves for electromagnetic depth sounding with a horizontal transmitting coil by means of digital linear filters, *Geophys. Prosp.*, **20**, 406-20.
- Kristiansson, K. and Malmqvist, L. (1982) Evidence for non-diffusive transport of ^{222}Rn in the ground and a new physical model for the transport, *Geophysics*, **47**, 1444-52.
- Kristiansson, K. and Malmqvist, L. (1984) The depth-dependence of the concentration of ^{222}Rn in soil gas near the surface and its implication for exploration, *Geoexploration*, **22**, 17-42.
- Kunaratnam, K. (1981) Simplified expressions for the magnetic anomalies due to vertical rectangular prisms, *Geophys. Prosp.*, **29**, 883-90.
- LaCoste, L.J.B. (1934) A new type long period vertical seismograph, *Physics*, **5**, 178-80.
- Lajoie, J.J. and West, G.F. (1976) The electromagnetic response of a conductive inhomogeneity in a layered earth, *Geophysics*, **41**, 1133-56.
- Langer, R.E. (1933) An inverse problem in differential equations, *Am. Math. Soc. Bull.*, **29**, 814-20.
- Lee, T. (1972) A general technique for the direct interpretation of resistivity data over two-dimensional structures, *Geophys. Prosp.*, **20**, 847-59.
- Lee, T. (1975) Transient electromagnetic response of a sphere in a layered medium, *Geophys. Prosp.*, **23**, 492-512.
- Lehmann, H. (1971) A control of two-dimensional magnetic interpretation by three-dimensional model body anomalies, *Geophys. Prosp.*, **19**, 133-55.
- Logn, O. (1954) Mapping nearly vertical discontinuities by earth resistivities, *Geophysics*, **19**, 739-60.
- Logn, O. and Bölviken, B. (1974) Self-potentials at the Joma pyrite deposit, Norway, *Geoexploration*, **12**, 11-28.
- Lynch, E.J. (1962) *Formation Evaluation*, Harper and Row, New York.
- Maeda, K. (1955) Apparent resistivity for dipping beds, *Geophysics*, **20**, 123-47.
- Maillet, R. (1947) The fundamental equations of electrical prospecting, *Geophysics*, **12**, 529-56.

REFERENCES

- Makowiecki, L.Z., *et al.* (1970) A comparison of selected geophysical methods in mineral exploration, *Inst. Geol. Sci., Geophys. Paper 3*, pp. 1–80, IGS, London.
- Mallick, K. (1972) Effect of magnetic permeability on input response of a spherical orebody, *Geoexploration*, **11**, 183–6.
- Malmqvist, D. (1957) Eine elektromagnetische Methode zur Bestimmung elektrischen Leitfähigkeit und magnetischen Permeabilität von Bohrkernen, *Freiberger Forschungshefte*, **C32**, 20–39.
- Mayne, H. (1962) Common reflection point horizontal data stacking techniques, *Geophysics*, **27**, 927–39.
- McNeill, J.D. and Labson, V. (1991) Geological mapping using VLF radio fields, *Electromagnetic Methods in Applied Geophysics—Applications Part A and B* (ed. M.N. Nabighian), pp. 521–640, Society of Exploration Geophysicists, Tulsa.
- McQuillin, R.M., Bacon, M. and Barclay, W. (1979) *An Introduction to Seismic Interpretation*, Graham and Trotman, London.
- Medici, F. and Rybach, L. (1994) Measurements of indoor radon concentrations and assessment of radiation exposure, *J. Appl. Geophys.*, **31**, 153–64.
- Meiser, P. (1962) A method for quantitative interpretation of self-potential measurements, *Geophys. Prosp.*, **10**, 203–18.
- Mooney, H. (1952) Magnetic susceptibility measurements in Minnesota, *Geophysics*, **17**, 531–43.
- Morley, L.W. (ed.) (1970) *Mining and Groundwater Geophysics 1967*, Department of Energy, Mines and Resources, Ottawa.
- Mota, L. (1954) Determination of dips and depths of geological layers by the effects of weathering on refraction depths calculated on time-intercept method and break-point method, *Geophysics*, **19**, 242–54.
- Moxham, R.M. (1960) Airborne radioactivity surveys in geologic exploration, *Geophysics*, **25**, 408–32.
- Muskat, M. and Evinger, H.H. (1941) Current penetration in direct-current prospecting, *Geophysics*, **6**, 397–427.
- Nabighian, M.N. (1979) Quasi-static transient response of a conducting half-space—an approximate representation, *Geophysics*, **44**, 1700–5.
- Nabighian, M.N. (ed.) (1984) Time domain electromagnetic methods of exploration, *Geophysics*, **49**, 849–1029.
- Nabighian, M.N. (ed.) (1991) *Electromagnetic Methods in Applied Geophysics—Theory*, Society of Exploration Geophysicists, Tulsa.
- Nabighian, M.N. and Macnae, J.C. (1991) Time domain electromagnetic prospecting methods, *Electromagnetic Methods in Applied Geophysics—Applications Part A and B* (ed. M.N. Nabighian), pp. 427–520, Society of Exploration Geophysicists, Tulsa.
- Naidu, P.S. and Mathew, M.P. (1994) Correlation filtering: a terrain correction method for aeromagnetic maps with application, *J. Appl. Geophys.*, **32**, 269–78.
- Nair, M.R., *et al.* (1968) Experimental studies on the electromagnetic response of tilted conducting half-planes to a horizontal-loop prospecting system, *Geoexploration*, **6**, 207–44.
- Nayak, P.R. (1981) Electromechanical potential in surveys for sulphides, *Geoexploration*, **18**, 311–20.
- Negi, J.G. (1967) Electromagnetic screening due to a disseminated spherical zone over a conducting sphere, *Geophysics*, **32**, 69–87.
- Nettleton, L.L. (1939) Determination of density for reduction of gravimeter observations, *Geophysics*, **4**, 176–83.
- Nilsson, B. (1971) A new combined resistivity and induced-polarization instrument and a new theory of the induced-polarization phenomenon, *Geoexploration*, **9**, 35–54.
- Nissen, J. (1986) A versatile electromagnetic modeling program for 2-D structures, *Geophys. Prosp.*, **34**, 1099–110.
- Norton, K.A. (1937) The propagation of radiowaves over the surface of the Earth and the upper atmosphere. *Proc. IRE*, **25**, 1203–36.
- Ogilvy, A.A., Ayed, M.A. and Bogoslovsky, V.A. (1969) Geophysical studies of water leakages from reservoirs, *Geophys. Prosp.*, **17**, 36–62.

REFERENCES

- Olsson, O. (1978) Scattering of electromagnetic waves by a perfectly conducting half plane below a stratified overburden, *Radio Sci.*, **13**, No. 2.
- Olsson, O., *et al.* (1992) Borehole radar applied to characterization of hydraulically conductive fracture zones in crystalline rock, *Geophys. Prosp.*, **40**, 109–42.
- Orellana, E. (1966) Notas sobre la interpretación de sondeos eléctricos verticales, *Revista Geofis.*, **25**, 1–40.
- Paál, G. (1965) Ore prospecting based on VLF-radio signals, *Geoexploration*, **3**, 139–47.
- Palacky, G. and West, G.F. (1991) Airborne electromagnetic methods, *Electromagnetic Methods in Applied Geophysics—Applications Part A and B* (ed. M.N. Nabighian), pp. 811–80, Society of Exploration Geophysicists, Tulsa.
- Papamarinopoulos, St. P., *et al.* (1985) Magnetic and electric measurements on the island of Lesbos and the detection of buried ancient relics, *Geoexploration*, **23**, 483–90.
- Parasnis, D.S. (1952) A study of rock densities in the English Midlands, *Mon. Not. R. Astron. Soc., Geophys. Suppl.*, **6**, 252–71.
- Parasnis, D.S. (1966) Electromagnetic prospecting—CW techniques, *Geoexploration*, **4**, 177–208.
- Parasnis, D.S. (1967) Three-dimensional electric mise-à-la-masse survey of an irregular lead-zinc-copper deposit in Central Sweden, *Geophys. Prosp.*, **15**, 407–37.
- Parasnis, D.S. (1971) Analysis of some multi-frequency, multi-separation electromagnetic surveys, *Geophys. Prosp.*, **19**, 163–79.
- Parasnis, D.S. (1973) *Mining Geophysics*, 2nd edn, Elsevier, Amsterdam.
- Parasnis, D.S. (1988) Reciprocity theorems in geoelectric and geoelectromagnetic work, *Geoexploration*, **25**, 177–98.
- Parasnis, D.S. (1991) Large-layout harmonic field systems, *Electromagnetic Methods in Applied Geophysics—Applications Part A and B* (ed. M.N. Nabighian), pp. 271–84, Society of Exploration Geophysicists, Tulsa.
- Parasnis, D.S. and Soonawala, N.M. (eds) (1984) Nuclear fuel waste management, *Geoexploration*, **3/4**, Special Issue.
- Paterson, N.R. (1961) Experimental and field data for the dual-frequency phase-shift method of airborne prospecting, *Geophysics*, **26**, 601–47.
- Pedersen, L.B., *et al.* (1994) An airborne tensor VLF system. From concept to realization, *Geophys. Prosp.*, **42**, 863–83.
- Pekeris, C.L. (1940) Direct method of interpretation in resistivity prospecting, *Geophysics*, **5**, 31–42.
- Pelton, W.H., *et al.* (1978) Mineral discrimination and removal of inductive coupling with multi-frequency induced-polarization, *Geophysics*, **43**, 588–609.
- Pilkington, M. and Roest, W. (1992) Draping aeromagnetic data in areas of rugged topography, *J. Appl. Geophys.*, **29**, 145–42.
- Pirson, S.J. (1963) *Handbook of Well Log Analysis*, Prentice-Hall, Englewood Cliffs, NJ.
- Poddar, M. (1982) Interpretation of pulse electromagnetic anomalies over Gani conductors, Kurnool, India, *Geophys. Prosp.*, **30**, 86–100.
- Pooley, J. Ph. and van Steveninck, J. (1970) Geothermal prospecting—delineation of shallow salt-domes and surface faults by temperature measurements at a depth of approximately 2 metres, *Geophys. Prosp.*, **18**, 666–700.
- Porstendorfer, G. (1974) *Principles of Magnetotelluric Prospecting*, Gebrüder Borntraeger, Berlin.
- Pridmore, D., Hohmann, G.W. and Ward, S.H. (1981) An investigation of finite-element modeling for electrical and electromagnetic data in three-dimensions, *Geophysics*, **46**, 1009–24.
- Primdahl, F. (1970) The flux-gate mechanism, *IEEE Trans. Magn.*, **MAG-6**, 376–83.
- Ram Babu, H.V. and Atchuta Rao, D. (1988) Inversion of self-potential anomalies in mineral exploration, *Comput. Geosci.*, **14**, 377–87.
- Rasmussen, N. and Pedersen, L.B. (1979) End corrections in potential field modelling, *Geophys. Prosp.*, **27**, 749–60.
- Rathor, B.S. (1977) Transient electromagnetic field over a two-layer polarizable earth, *Geoexploration*, **15**, 137–49.
- Ricker, N. (1953) The form and laws of propagation of seismic wavelets, *Geophysics*, **18**, 10–40.

REFERENCES

- Robinson, E.A. and Treitel, S. (1980) *Geophysical Signal Analysis*, Prentice-Hall, Englewood Cliffs, NJ.
- Rocha Gomes, A.A. (1958) The discovery of a new ore body within the pyritic belt of Portugal by electromagnetic prospecting, *Geophysical Surveys in Mining, Hydrological and Engineering Projects*, pp. 97-110, EAEG, The Hague.
- Roy, A. (1966) The method of continuation in mining geophysics, *Geoexploration*, 4, 65-83.
- Roy, A. (1970) Gravity and magnetic interpretation on uneven topography by $\sin x/x$ method of continuation, *Geoexploration*, 8, 37-40.
- Roy, K.K. and Elliott, H.M. (1980) Resistivity and IP survey for delineating saline water and fresh water zones, *Geoexploration*, 18, 145-62.
- Sato, M. and Mooney, H.M. (1960) The electrochemical mechanism of sulphide self-potentials, *Geophysics*, 25, 226-49.
- Saxov, S. and Nygaard, K. (1953) Residual anomalies and depth estimation, *Geophysics*, 18, 913-28.
- Schuch, M. (1963) Beobachtungen von Eigenpotentialen an Torflagerstätten mit verschiedenartigen Elektroden, *Z. Geophys.*, 29, 174-96.
- Schwarzer, T.F. and Adams, J.A.S. (1973) Rock and soil discrimination by low altitude airborne gamma-ray spectrometry in Payne County, Oklahoma, *Econ. Geol.*, 68, 1297-312.
- Seara, J.L. and Granda, A. (1987) Interpretation of IP time domain/resistivity soundings for delineating sea-water intrusions in some coastal areas of the northeast of Spain, *Geoexploration*, 24, 153-68.
- Seigel, H.O. (1959) Mathematical formulation and type curves for induced-polarization, *Geophysics*, 24, 547-65.
- Seigel, H.O., et al. (1968) Discovery case history of the Pyramid ore bodies, Pine Point, Northwest Territories, Canada, *Geophysics*, 33, 645-56.
- Seismos GmbH (1923) Verfahren zur Bestimmung des Abstands einer reflektierenden Fläche mittels elektromagnetischen Wellen, insbesondere zur Feststellung der Lage elektrisch leitender Flächen in der Erde, Deutsches Reichspatent No. 458097.
- Semenov, A.S. (1980) *Elektrozvedka Metodom Estectvennogo Elektricheskogo Polya*, Nedra, Leningrad.
- Sheriff, R.E. (1973) *Encyclopaedic Dictionary of Exploration Geophysics*, Society of Exploration Geophysicists, Tulsa.
- Sheriff, R.E. and Geldart, L.P. (1982) *Exploration Seismology*, vols 1 and 2, Cambridge University Press, Cambridge.
- Shuey, R.T. (1975) *Semi-conducting Ore Minerals*, Elsevier, Amsterdam.
- Shumway, G. (1956) A resonant chamber method for sound velocity and attenuation measurements in sediments, *Geophysics*, 21, 305-19.
- Singh, S.K. (1977) Gravitational attraction of a vertical right circular cylinder, *Geophys. J. R. Astron. Soc.*, 50, 243-6.
- Sjögren, B. (1984) *Shallow Refraction Seismics*, Chapman & Hall, London.
- Skeels, D.C. (1947) Ambiguity in gravity interpretation, *Geophysics*, 12, 43-56.
- Slichter, L.B. (1933) An inverse boundary value problem in electrodynamics, *Physics*, 4, 307-22.
- Smith, R.A. (1959) Some depth formulae for local magnetic and gravity anomalies, *Geophys. Prosp.*, 7, 55-63.
- Smith, R.A. (1960) Some formulae for interpreting local gravity anomalies, *Geophys. Prosp.*, 8, 607-13.
- Soininen, H. (1987) Mise-à-la-masse modelling by integral equation with the continuity equation as a constraint, *Geoexploration*, 24, 455-60.
- Stacey, F.D. and Banerjee, S.K. (1974) *The Physical Principles of Rock Magnetism*, Elsevier, Amsterdam.
- Sternberg, B.K. and McGill, J.W. (1995) Archaeology studies in southern Arizona using ground penetrating radar, *J. Appl. Geophys.*, 33, 209-25.
- Stevens, K.M., et al. (1995) The application of ground penetrating radar for mapping fractures in plutonic rocks within the Whiteshell Research Area, Pinawa, Manitoba, Canada, *J. Appl. Geophys.*, 33, 125-42.

REFERENCES

- Summers, G.C. and Broding, R.A. (1952) Continuous velocity logging (acoustic), *Geophysics*, **17**, 598–614.
- Sumner, J.S. (1976) *Principles of Induced Polarization for Geophysical Exploration*, Elsevier, Amsterdam.
- Sundberg, K. (1931) Principles of the Swedish geo-electrical methods, *Gerlands Beitr. Geophys., Erg. Hft.*, **1**, 298–361.
- Syberg, F.J.R. (1972) A Fourier method for the regional-residual problem of potential fields, *Geophys. Prosp.*, **20**, 47–75.
- Tolstoy, I. (1973) *Wave Propagation*, McGraw-Hill, New York.
- Tsokas, G.N., *et al.* (1994) A large scale geophysical survey in the archaeological site of Europas (northern Greece), *J. Appl. Geophys.*, **32**, 85–97.
- Tucker, P.M. and Yorston, H.J. (1976) *Pitfalls in Seismic Interpretation*, Society of Exploration Geophysicists, Tulsa.
- Tuman, V.S. (1951) The telluric method of prospecting and its limitations under certain geological conditions, *Geophysics*, **16**, 102–14.
- Turberg, P., *et al.* (1994) Hydrological investigation of porous environments by radio magnetotelluric resistivity (RMT-R 12–240 kHz), *J. Appl. Geophys.*, **31**, 117–32.
- Vaniček, P. and Krakiwsky, E. (1986) *Geodesy—The Concepts*, North-Holland, Amsterdam.
- Várhegyi, A., *et al.* (1992) Experimental study of radon transport in water as test for a transportation microbubble model, *J. Appl. Geophys.*, **29**, 37–46.
- Verma, S.K. (1972) Transient electromagnetic response of a conducting sphere excited by different types of INPUT pulses, *Geophys. Prosp.*, **20**, 752–70.
- Vogel, C.B. (1952) A seismic velocity logging method, *Geophysics*, **17**, 586–97.
- Wait, J.R. (1953) A conducting permeable sphere in the presence of a coil carrying an oscillating current, *Can. J. Phys.*, **31**, 670–8.
- Wait, J.R. (ed.) (1959) *Overvoltage Research and Geophysical Applications*, Pergamon Press, New York.
- Wait, J.R. (1982) *Geoelectromagnetism*, Academic Press, London.
- Ward, S.H. (1959) Unique determination of conductivity, susceptibility, size and depth in multi-frequency electromagnetic exploration, *Geophysics*, **24**, 531–46.
- Ward, S.H. (1961) The electromagnetic response of magnetic iron ore deposit, *Geophys. Prosp.*, **9**, 191–202.
- Ward, S.H. and Hohmann, G.W. (1991) Electromagnetic theory for geophysical applications, *Electromagnetic Methods in Applied Geophysics—Theory* (ed. M.N. Nabighian), Society of Exploration Geophysicists, Tulsa.
- Waters, K. (1987) *Reflection Seismology*, Wiley, New York.
- Welin, E. (1958) Seismic refraction survey of a hydro-electric plant site in northern Sweden, *Geophysical Surveys in Mining, Hydrological and Engineering Projects*, pp. 262–70, EAEG, The Hague.
- Werner, S. (1945) Determinations of the magnetic susceptibility of ores and rocks from Swedish iron ore deposits, *Sveriges Geologiska Undersökning (Stockholm), Årsbok*, **39** (2), 1–79 (1945).
- Werner, S. (1953) Interpretation of magnetic anomalies at sheet-like bodies, *Sveriges Geologiska Undersökning (Stockholm), Årsbok*, **43** (6), 1–130 + xxi (1949).
- Western Geophysical (1979) *Wave-Theoretical Depth Migration*, Western Geophysical, Houston.
- Yüngül, S. (1954) Spontaneous-potential survey of a copper deposit at Sariyer, Turkey, *Geophysics*, **3**, 455–8.
- Yüngül, S. (1956) Prospecting for chromite with gravimeter and magnetometer over rugged topography in East Turkey, *Geophysics*, **21**, 433–54.
- Yüngül, S. (1977) The telluric methods in the study of sedimentary structures—a survey, *Geoexploration*, **15**, 207–38.
- Zachos, K. (1944) Geophysical (magnetic, electric and susceptibility) investigations at Lam (Forest of Bavaria), *Beitr. Angew. Geophys.*, **11**, 1–35.
- Zeschke, G. (1963) Use of radiation surveys on non-radioactive deposits formed by descending solutions, *Econ. Geol.*, **58**, 995–6.
- Zohdy, A.A.R. (1965) The auxiliary point method of electrical sounding interpretation and its relationship to the Dar-Zarrouk parameters, *Geophysics*, **30**, 644–60.