

Bibliography

- ActiveWorlds.com (2000). *Alpha World*. <http://www.activeworlds.com/>
- Aha, D. (1995). *Machine Learning*. Tutorial on Machine Learning. AI and Statistics Workshop. Ft Lauderdale, Florida.
- Alschuler L. (1995). *ABCD...SGML*. International Thomson Publishing, Boston
- ANZLIC (2000). *Australasian Spatial Data Directory*. <http://www.environment.gov.au/net/asdd/>
- ANZLIC Home Page. <http://www.anzlic.org.au/>
- Booch, G., Rumbaugh, J. and Jacobson, I., (1999). *The (U)nified (M)odelling (L)anguage User Guide*. Addison-Wesley, Reading, Massachusetts.
- Bossomaier, T.R.J. and Green, D.G. (2000). *Complex Systems*. Cambridge University Press, Cambridge.
- Bossomaier, T.R.J. and Green, D.G. (2001). *Spatial Metadata and Online GIS Website*. <http://www.csu.csu.edu.au/complexsystems/smdogis/>
- Brunsdon, C., Fotheringham, A.S. and Charlton, M.E. (1996). Geographically weighted regression: A method for exploring spatial non-stationarity. *Geographical Analysis* 28, 281–298.
- Bryan, M. (1988). *SGML: An Author's Guide to the Standard Generalized Markup Language*. Addison-Wesley, Reading, Massachusetts.
- Buckley, D.J., Ulbricht, C. and Berry, J. (1998). *The Virtual Forest: Advanced 3-D Visualization Techniques for Forest Management and Research*. ESRI User Conference, July 27–31, 1998 San Diego, CA. <http://www.innovativegis.com/products/vforest/>
- Burdet, H.M. (1992). What is IOPI? *Taxon* 41, 390– 392. <http://life.csu.edu.au/iopi/>
- Buttenfield, B.P. (1998). Looking Forward: Geographic Information Services and Libraries in the Future. *Cartography and GIS* 25(3), 161–171.
- Cathro, W. (1997). *Metadata: An Overview*. Standards Australia Seminar, August 1997. <http://www.nla.gov.au/nla/staffpaper/cathro3.html>
- Chawla, S., Shekhar, S., Wu, W.L. and Ozesmi, U. (2001). Modeling spatial dependencies for mining geospatial data: An introduction. In H.J. Miller and J. Han

- (eds) *Geographic Data Mining and Knowledge Discovery*. London, Taylor and Francis (in press).
- Clark, J. (1999). *XML Namespaces*. <http://www.jclark.com/xml/xmlns.htm>
- Cliff, A.D. and Haggett, P. (1998). On complex geographical space: Computing frameworks for spatial diffusion processes. In P.A. Longley, S.M. Brooks, R. McDonnell and B. MacMillan (eds) *Geocomputation: A Primer* (Chichester, U.K., John Wiley and Sons), pp. 231–256.
- Danko, D.M. (1992). The Digital Chart of the World Project. *Photogrammetric Engineering & Remote Sensing* 58(8), 1125–1128.
- DMA (Defense Mapping Agency) (1992). *Digital Chart of the World*. Defense Mapping Agency, Fairfax, Virginia. (Set of four CD-ROMs.) <http://edc.usgs.gov/glis/hyper/oldguides/dcw>
- Dietterich, T.G. (1996). Machine Learning. *ACM Computing Surveys*. 28(4es), December.
- DMG (2000). PMML 1.0 – Predictive Model Markup Language. Data Mining Group (DMG). http://www.dmg.org/html/pmml_v1_1.html
- Drew, P. and Ying, J. (1998). Metadata management for geographic information discovery and exchange. In Sheth, A. and Klas, W. (eds), *Multimedia Data Management: Using Metadata to Integrate and Apply Digital Media* (McGraw-Hill), pp. 89–121.
- Dublin Core. *Dublin Core Metadata Initiative* (homepage). <http://purl.org/dc/>
- Eklund, P. W., Kirkby, S. D. and Salim, A. (1998). Data mining and soil salinity analysis. *International Journal of Geographical Information Science* 12, 247–268.
- Ensign, C. (1997). *SGML: The Billion Dollar Secret*. Prentice Hall, New Jersey.
- Erdos, P. and Renyi, A. (1960). On the Evolution of Random Graphs, *Math. Inst Hungarian Acad*, 5, 17–61 (in Hungarian).
- ERIN (1995). *Species Mapper*. <http://www.environment.gov.au/> (now offline).
- ERIN (1999). *Environment Australia* <http://www.environment.gov.au/>
- Ester, M., Kriegel, H-P. and Sander, J. (1999). Knowledge Discovery in Spatial Databases Invited Paper at 23rd German Conference on Artificial Intelligence (KI '99). Bonn, Germany, 1999.
- Etzioni, O. (1996). The World Wide Web – Quagmire or Gold Mine? *The Communications of the ACM*. November (39)11, 65–68.
- European Petroleum Survey Group (2000). *Petrochemical Open Software Consortium*. <http://www.epsg.org/>

- Evans, C., Feather, C.D.W., Presler-Marshall, M., and Resnick, P. (1997). *PICSRules 1.1*. W3C. <http://www.w3.org/TR/REC-PICSRules>
- Fayyad, U.M., Piatetsky-Shapiro, G., and Smyth, P. (1996a). The KDD Process for Extracting Useful knowledge from Volumes of Data. *The Communications of the ACM*. November 39(11), 27–31
- Fayyad U.M., Piatetsky-Shapiro G., and Smyth P. (1996b). From Data Mining to Knowledge Discovery: An Overview. In: *Advances in Knowledge Discovery and Data Mining*. AAAI Press, Menlo Park, 1996, pp. 1–34.
- Ferraiolo, J. (2000). *Scalable Vector Graphics (SVG) 1.0 Specification*. W3C Candidate Recommendation. <http://www.w3.org/TR/2000/CR-SVG-20001102/>
- Gamma, E., Helm, R., Johnson, R. and Vlissides, J. (1995). *Design Patterns: Elements of Reusable Object-Oriented Software*. Addison-Wesley, Reading Massachusetts.
- Gardner, C. (1996). *IBM Data Mining Technology*. Stamford, IBM Corporation, Connecticut.
- Garfinkel, S., (1995). *PGP: Pretty Good Privacy*. O'Reilly & Associates, Sebastopol, CA.
- Giarrantano, J. and Riley, G. (1989). *Expert Systems: Principles and Programming*, Boston: PWS-KENT Publishing. <http://www.ghgcorp.com/clips/CLIPS.html>
- Goldfarb, C.F. and Prescod, P. (1998). *The XML Handbook*. Prentice Hall, N.J.
- Green, D.G. (1993a). *The Guide to Australia*. Charles Sturt University. <http://www.csu.edu.au/australia/>
- Green, D.G. (1993b). Emergent behaviour in biological systems, In Green, D.G. and Bossomaier, T.R.J. (eds), *Complex Systems – from Biology to Computation*. pp. 24–35, IOS Press, Amsterdam
- Green, D.G. (1994). Databasing diversity – a distributed public-domain approach . *Taxon* 43, 51–62.
- Green, D.G. (1995). From honey pots to a web of SIN – building the world-wide information system. In Tsang, P., Weckert, J., Harris, J. and Tse, S. (eds), *Proceedings of AUUG'95 and Asia-Pacific World Wide Web '95 Conference*, Charles Sturt University, Wagga Wagga, pp. 11– 18. <http://www.csu.edu.au/special/conference/apwww95/papers95/dgreen/dgreen.html>
- Green, D.G. and Croft, J.R. (1994). Proposal for Implementing a Biodiversity Information Network. In Canhos, D.A.L., Canhos, V. and Kirsop, B. (eds), *Linking Mechanisms for Biodiversity Information*. Proceedings of the Workshop for the Biodiversity Information Network, pp. 5– 17. Fundacao Tropical de Pesquisas e Tecnologia “Andre Tosello”, Campinas, Sao Paulo, Brazil.

- Green, D.G. (1996). A general model for on-line publishing. In: Bossomaier, T. and Chubb, L. (eds), *Proceedings of AUUG'96 and Asia-Pacific World Wide Web '96 Conference*. Australian Unix Users Group, Sydney. pp. 152– 158.
- Green, D.G. and Klomp, N. (1997). Networking Australian biological research. *Australian Biologist* 10(2), 117– 120.
- Green, D.G. Bristow, P., Ash, J., Benton, L., Milliken, P., and Newth, D. (1998). Network Publishing Languages. In Helen Ashman & Paul Thistletonwaite (eds), *Proceedings of the Seventh International World Wide Web Conference*. Elsevier, Amsterdam. <http://life.csu.edu.au/~dgreen/papers/www7.html>
- Green, D.G. (2000). Coping with complexity – the role of distributed information in environmental and resource management. In Salminen, H., Saarikko, J., and Virtanen, E. (eds), *Resource Technology '98 Nordic – Proceedings*. Finish Forestry Research Institute, Rovaniemi, Finland.
- Hammer, J., Garcia-Molia, H., Labio, W., Widom, J. and Zhuge, Y. (1995). The Stanford Data Warehousing Project. *Data Engineering Bulletin. Special Issue on Materialized Views and Data Warehousing* 18(2), 41– 48.
- Hardy, G. (1998). *The OECD's Megascience Forum Biodiversity Informatics Group*. <http://www.oecd.org/ehs/icgb/BIODIV8.HTM>
- Hawkins, H.S., Rimmington, G.M. and Peter, I. (1992). LandcareNET – A new medium for agricultural communication. *Agricultural Science* 5(2), 35– 40.
- Hubber, H. (1997). A Success Story: Wal-Mart Stores. In *Proceedings of the First State of Florida Data Warehousing Conference*. (UNPUBLISHED)
- Inmon, W.H. (1995). What is a Data Warehouse? *Prism* (1)1.
- Inmon, W.H. (1996). The Data Warehouse and Data Mining. *Communications of the ACM*. November 39(11), 49– 50.
- ISOC (2000). The Internet Society (ISOC), Home Page. <http://www.isoc.org/>
- IUBS (1998). Species 2000. International Union of Biological Sciences. <http://www.sp2000.org/>
- IUFRO (1998). *Global Forest Information Service*. International Union of Forestry Research Organisations. <http://iufro.boku.ac.at/>
- Jacobson, I., Griss, M. and Jonsson, P. (1997). *Software Reuse*. ACM Press, New York.
- Kennedy, R.L., Lee, Y., van Ray, B., Reed, C.D., and Lippman, R., (1998). *Solving Data Mining Problems Through Pattern Recognition*. The Data Mining Institute and Prentice Hall.
- Knuth, D.E., (1984). *The TeX Book*. Addison-Wesley, Massachusetts.

- Koperski, K., Han, J. and Adhikary, J. (1999). Mining knowledge in geographic data. *Comms. ACM.* <http://db.cs.sfu.ca/sections/publication/kdd/kdd.html>
- Krauskopf, T., Miller, J., Resnick, P. and Treese, W. (1996). *PICS Label Distribution, Label Syntax and Communication Protocols: Version 1.1*, W3C, <http://www.w3.org/TR/REC-PICS-labels>
- Krol, E. (1992). *The Whole Internet User Guide and Catalog*. O'Reilly & Associates, Sebastopol CA.
- Lamport, L. (1986). *LaTeX: A Document Preparation System*. Addison-Wesley, Massachusetts.
- Larman, C. (1998). *Applying UML and Patterns*. Prentice Hall, New York.
- Lassila, O. and Swick, R.R. (1998). *Resource Description Framework (RDF) Model and Syntax*. World Wide Web Consortium. (Online) <http://www.w3.org/TR/1998/WD-rdf-syntax-19980216>.
- Lassila, O. and Swick, R.R. (1999). *Resource Description Framework (RDF) Model and Syntax Specification*. W3C. <http://www.w3.org/TR/REC-rdf-syntax>.
- Lees, B.G. and Ritman, K. (1991). Decision-tree and rule-induction approach to integration of remotely sensed and GIS data in mapping vegetation in disturbed or hilly environments. *Environmental Management* 15, 823–831.
- Lonely Planet Publications (2000). *Lonely Planet Travel Guides*. <http://www.lonelyplanet.com/>
- Lu, H., Setiono, R., and Liu, H. (1996). Effective data mining using neural networks. *IEEE Transactions on Knowledge and Data Engineering* 8(6), 957 –961.
- Malhotra, A. and Maloney, M. (1999). *XML Schema Requirements*. W3C <http://www.w3.org/TR/NOTE-xml-schema-req>
- MacEachren, A.M., Wachowicz, M., Edsall, R., Haug, D. and Masters, R. (1999). Constructing knowledge from multivariate spatio-temporal data: integrating geographical visualization with knowledge discovery in database methods. *Intern. J. Geogr. Information Science* 13(4), 311–334.
- Malerba, D., Esposito, F. Lanza, A., and Lisi., F.A., (2001). Machine learning for information extraction from topographic maps. In H.J. Miller and J. Han (eds), *Geographic Data Mining and Knowledge Discovery*, (London, Taylor and Francis) (in press).
- Mesrobian, E., Muntz, R., Shek, E., Nittel, S., La Rouche, M., Kriguer, M., Mechoso, C., Farrara, J., Stolorz, P. and Nakamura, H. (1996). Mining geophysical data for knowledge. *IEEE Expert* 11(5), 34–44.
- Michalski, R.S., Bratko, I., and Kubat, M. (1998). *Machine Learning and Data Mining Methods and Applications*. John Wiley. New York.

- Miller, J., Resnick, P. and Singer, D. (1996). *Rating Services and Rating Systems (and their Machine Readable Descriptions): Version 1.1*, W3C, <http://www.w3.org/TR/REC-PICS-services>
- Miller, H. and Han, J., (eds) (2001). *Geographic Data Mining and Knowledge Discovery*. Taylor and Francis, London.
- NCDM (2000). *Data Space Transfer Protocol (DSTP)*. National Center for Data Mining, University of Illinois at Chicago (UIC). <http://www.ncdm.uic.edu/dstp/>
- National Center for Supercomputer Applications (NCSA) (1995). *NCSA Imagemap Tutorial*. <http://hoohoo.ncsa.uiuc.edu/docs/tutorials/imagemapping.html>
- NGDC (2000). WebMapper Interface. National Geophysical Data Center. <http://www.ngdc.noaa.gov/paleo/>
- NISO (1999). The ANSI/NISO Z39.50 Protocol: Information Retrieval in the Information Infrastructure. National Information Standards Organisation.
- OMG (1997). The Object Management Group (OMG) Home Page. <http://www.omg.org/>
- Online Computer Library Center (OCLC) (1997). *Center Home Page*. <http://www.oclc.org/>
- OGC (2000a). *OpenGIS® Abstract Specification*. Open GIS Consortium <http://www.opengis.org/>
- OGC (2000b). *Geography Markup Language (GML) v1.0*. Open GIS Consortium <http://www.opengis.org/>
- OSF (2000). *Open Source Foundation*, Home Page. <http://www.opensource.org/>
- Openshaw, S., Cross, A. and Charlton, M., (1990). Building a Prototype Geographical Correlates Machine. *Intern. J. Geographical Information Systems*, 4(4), 297–312.
- Orffali, R., Harkey, D. and Edwards, J. (1997). *Client/Server Survival Guide*, (3rd ed). John Wiley & Sons, New York.
- Orland, B. (1997). Forest visual modeling for planners and managers. *Proceedings, ASPRS/ACSM/ RT'97, Seattle*. American Society for Photogrammetry and Remote Sensing, Washington vol 4, pp.193– 203. <http://www.imlab.uiuc.edu/smartforest/>
- Plewe, B. (1997). *GIS Online*. Onward Press, Albany New York.
- Quinlan R.J. (1993). *C4.5 Programming for Machine Learning* . Morgan Kaufmann, New York.
- Roddick, J.F. and Spiliopoulou, M. (1999). A bibliography of temporal, spatial and spatio-temporal data mining research. *SIGKDD Explorations* 1(1), 34–38. <http://www.cis.unisa.edu.au/~cisjfr/STDMPapers/>

- Schwartz, R.L. (1993). *Learning Perl*. O'Reilly & Associates, Sebastopol CA.
- Steinke, A., Green, D.G. and Peters, D. (1996). On-line environmental and geographic information systems. In Saarenma, H. and Kempf, A. (eds), *Internet Applications and Electronic Information Resources in Forestry and Environmental Sciences*. EFI Proceedings No. 10. European Forestry Institute, Joensuu (Finland), pp. 89–98.
- Srinivasan, A. and Richards, J.A. (1993). Analysis of GIS spatial data using knowledge-based methods. *International Journal of Geographical Information Systems* 7, 479–500.
- Travis, B.E. (1997). *OmniMark at Work*. SGML University Press, Denver, CO.
- United Nations Environment Programme (UNEP) (1995). Background Documents on the Clearing-House Mechanism (CHM). *Convention on Biological Diversity*. Jakarta Indonesia. <http://www.biodiv.org/chm/info/official.html>
- US Census Bureau (1994). *The TIGER mapping system*. <http://tiger.census.gov/>
- Wall, L. and Schwartz, R.L. (1991). *Programming Perl*. O'Reilly & Associates, Sebastopol CA.
- Weibel, S., Kunze, J. and Lagoze, C. (1998). *Dublin Core Metadata for Simple Resource Discovery*. Dublin Core Workshop Series. (Online) http://purl.oclc.org/metadata/dublin_core_elements/draft-kunze-dc-02.txt
- Wessel, P. and Smith, W. H. F. (1991). Free software helps map and display data. *Eos Trans., American Geophysical Union* 72, 441.
- Wessel, P. and Smith, W.H.F. (1995). New Version of the Generic Mapping Tools Released, *Eos Trans. American Geophysical Union*. http://www.agu.org/eos_elec/95154e.html
- Whalen, D. (1999). *The Cookie FAQ*. Cookie Central. <http://www.cookiecentral.com/faq/>
- Wiener J.L. (1997). *Data Warehousing: What is it? And Related Stanford DB Research*. Stanford Database Research Laboratory.
- Worbel, S., Wettschereck, D., Sommer, E., and Emde, W. (1997). Extensibility in data mining systems. In Simoudis, E. and Han, J. (eds), *The Proceedings of The 2nd International Conference On Knowledge Discovery and Data Mining*. AAAI.
- World Wide Web Consortium (W3C) (1999). *The Document Object Model*. World Wide Web Consortium. <http://www.w3c.org/rdf>
- Xerox PARC (1993). *Map Viewer*. <http://pubweb.parc.xerox.com/map>
- Zhuge, Y., Garcia-Molina, H., Hammer, J., and Widom, J. (1995). View Maintenance in a Warehousing Environment In *Proceedings of the ACM SIGMOD*

