

Bibliography

- Acharya, S., Poosala, V., and Ramaswamy, S. (1999). Selectivity estimation in spatial databases. In *SIGMOD 1999, Proceedings ACM SIGMOD International Conference on Management of Data, June 1-3, 1999, Philadelphia, Pennsylvania, USA*, pages 13-24. ACM Press.
- Adam, N. and Gangopadhyay, A. (1997). *Database issues in Geographical Information Systems*. Kluwer Academics.
- Agrawal, R. and Srikant, R. (1994). Fast algorithms for mining association rules. In Bocca, J. B., Jarke, M., and Zaniolo, C., editors, *Proc. 20th Int. Conf. Very Large Data Bases, VLDB*, pages 487-499. Morgan Kaufmann.
- Albrecht, J. (1998). Universal analytical gis operations - a task-oriented systematization of data-structure-independent gis functionality. In *Geographic information research: transatlantic perspectives*, M. Craglia and H. Onsrud (Eds.), pages 557-591. Tylor & Francis.
- Ambrose, C., Dang, V., and Govaert, G. (1997). Clustering of spatial data by the EM algorithm. *Quantitative Geology and Geostatistics*, 9:493-504.
- Ang, C., Ling, T., and Zhou, X. (1998). Qualitative spatial relationships representation and its retrieval. In *Database and Expert Systems Applications(DEXA)*, volume 1460, pages 65-77. Springer-Verlag.
- Anselin, L. (1988). *Spatial econometrics: Methods and models*. Kluwer.
- Aref, W. and Samet, H. (1994). A cost model for query optimization using R-trees. In *The Proceedings of the Second ACM Workshop on Advances in Geographic Information Systems*, ACM Press.
- Arge, L., Procopiu, O., Ramaswamy, S., Suel, T., and Vitter, J. S. (1998). Scalable sweeping-based spatial join. In *VLDB '98, Proceedings of 24th International Conference on Very Large Data Bases, August 24-27, 1998, New York City, New York, USA*, pages 570-581. Morgan Kaufmann.
- Asano, T., Ranjan, D., Roos, T., Wiezl, E., and Widmayer, P. (1997). Space filling curves and their use in the design of geometric data structures. *Theoretical Computer Science*, 181(1):3-15.
- Bailey, D. (1998). *Java structures*. WCB McGraw-Hill.
- Bailey, T. C. and Gatrell, A. (1995). *Interactive spatial data analysis*. Longman Scientific & Technical.
- Barclay, T., Slutz, D. R., and Gray, J. (2000). Terraserver: A spatial data warehouse. *SIGMOD Record*, 29(2):307-318.
- Barnett, V. and Lewis, T. (1994). *Outliers in Statistical Data*. John Wiley, New York, 3rd edition.
- Baumann, P. (1994). Management of multidimensional discrete data. *The VLDB Journal*, 3(4):401-444.
- Beckmann, N., Kriegel, H., Schneider, R., and Seeger, B. (1990). The R*-tree: An efficient and robust access method for points and rectangles. In *Proceedings of the 1990 ACM SIGMOD International Conference on Management of Data*. ACM Press.
- Biskup, J., Rasch, U., and Stiefeling, H. (1990). An extension of sql for querying graph relations. *Computer Languages*, 15(2):65-82.
- Blyth, T. and Robertson, E. (1999). *Basic Linear Algebra*. Springer-Verlag.

- Booch, G., Rumbaugh, J., and Jacobson, I. (1999). *The unified modeling language user guide*. Addison Wesley.
- Brinkhoff, T., Kriegel, H., Schneider, R., and Seeger, B. (1994). Multi-step processing of spatial joins. In *Proceedings of ACM SIGMOD Int. Conf. on Management of Data*, pages 197–208. ACM Press.
- Brinkhoff, T., Kriegel, H., and Seeger, B. (1993). Efficient processing of spatial joins using r-trees. In *Proceedings of ACM SIGMOD Int. Conf. on Management of Data*, pages 237–246. ACM Press.
- Brinkhoff, T. and Kriegel, H.-P. (1994). The impact global clustering on spatial database systems. In *Proceedings of the 20th International Conference on Very Large Data Bases, (VLDB '94)*. Morgan Kaufmann.
- Brodeur, J., Bedard, Y., and Proulx, M.-J. (2000). Modelling geospatial application databases using uml-based repositories aligned with international standards in geomatics. In *ACM-GIS 2000, Proceedings of the Eighth ACM Symposium on Advances in Geographic Information Systems, November 10–11, 2000, Washington, D.C., USA*, pages 39–46. ACM.
- Chakrabarti, K. and Mehrotra, S. (1999). Efficient concurrency control in multidimensional access methods. In *SIGMOD 1999, Proceedings ACM SIGMOD International Conference on Management of Data, June 1–3, 1999, Philadelphia, Pennsylvania, USA*, pages 25–36. ACM Press.
- Chaudhuri, S. and Shim, K. (1996). Optimization of queries with user-defined predicates. In *VLDB '96, Proceedings of 22nd International Conference on Very Large Data Bases*, pages 87–98. Morgan Kaufmann.
- Chou, H.-T. and DeWitt, D. J. (1985). An evaluation of buffer management strategies for relational database systems. In *VLDB '85, Proceedings of 11th International Conference on Very Large Data Bases*, pages 127–141. Morgan Kaufmann.
- Chrisman, N. (1997). *Exploring geographic information systems*. John Wiley and Sons.
- Clementini, E. and Felice, P. D. (1995). A comparison of methods for representing topological relationships. *Information Sciences*, 3.
- Clementini, E., Felice, P. D., and van Oosterom, P. (1993). A small set of formal topological relationships suitable for end-user interaction. In *Lecture Notes in Computer Science, Vol. 692*, pages 277–295. SSD '93, Springer-Verlag.
- Corral, A., Manolopoulos, Y., Theodoridis, Y., and Vassilakopoulos, M. (2000). Closest pair queries in spatial databases. In *Proceedings of the 2000 ACM SIGMOD International Conference on Management of Data, May 16–18, 2000, Dallas, Texas, USA*, pages 189–200. ACM.
- Couclelis, H. (1992). People manipulate objects (but cultivate fields): beyond on the raster-vector debate in gis. In *Theories and Methods of Spatio-temporal Reasoning in Geographic Space*, pages 65–77.
- Cressie, N. A. (1993). *Statistics for spatial data*. Wiley Series in Probability and Statistics.
- de La Beaujardiere, J., Mitchell, H., Raskin, R. G., and Rao, A. (2000). The nasa digital earth testbed. In *ACM-GIS 2000, Proceedings of the Eighth ACM Symposium on Advances in Geographic Information Systems, November 10–11, 2000, Washington, D.C., USA*, pages 47–53. ACM.
- Delis, V., Hadzilacos, T., and Tryfona, N. (1994). An introduction to layer algebra. In *Proceedings of Advances in GIS Research*. Taylor and Francis.
- Dempster, A., Laird, N., and Rubin, D. (1977). Maximum likelihood from incomplete data using the EM algorithm. *Journal of the Royal Statistical Society*, 39(B).

- den Bercken, J. V., Seeger, B., and Widmayer, P. (1997). A generic approach to bulk loading multidimensional index structures. In *VLDB '97, Proceedings of 23rd International Conference on Very Large Data Bases, August 25–29, 1997, Athens, Greece*, pages 406–415. Morgan Kaufmann.
- Egenhofer, M. (1991a). Extending SQL for geographical display. *Cartography and Geographic Information Systems*, 18(4):230–245.
- Egenhofer, M. (1991b). Reasoning about binary topological relations. In *SSD '91, Advances in Spatial Databases, Second International Symposium*, pages 143–160. Springer-Verlag.
- Egenhofer, M. (1994). Spatial SQL: A Query and Presentation Language. *IEEE TKDE*, 6(1):86–95.
- Egenhofer, M. (1997). Query Processing in Spatial-Query-by-Sketch. *Journal of Visual Languages and Computing*, 8(4):403–424.
- Egenhofer, M., Frank, A. U., and Jackson, J. P. (1989). A topological data model for spatial databases. In *SSD '89, Design and Implementation of Large Spatial Databases, First Symposium*, pages 47–66. Springer-Verlag.
- Elmasri, R. and Navathe, S. (2000). *Fundamentals of database systems*. Addison Wesley & Benjamin Cummings.
- ESRI (1991). *Network analysis: Modeling network systems*. Environmental Systems Research Institute, Inc.
- Estivill-Castro, V. and Murray, A. (1998). Discovering associations in spatial data—an efficient medoid based approach. In *Research and Development in Knowledge Discovery and Data Mining (PAKDD-98)*, volume 1394, pages 110–121. Springer.
- Faloutsos, C. and Kamel, I. (1994). Beyond uniformity and independence: Analysis of r-tree using the concept of fractal dimension. In *Proceeding 13th ACM-SIGACT-SIGMOD-SIGART Symposium on Principles of Database Systems*, pages 4–13. ACM Press.
- Faloutsos, C. and Roseman, S. (1989). Fractals for secondary key retrieval. In *Proceedings of the ACM conference on Principles of Database Systems*, pages 247–252.
- Faloutsos, C., Seeger, B., Traina, A. J. M., and Jr., C. T. (2000). Spatial join selectivity using power laws. In *Proceedings of the 2000 ACM SIGMOD International Conference on Management of Data, May 16–18, 2000, Dallas, Texas, USA*, pages 177–188. ACM.
- Faloutsos, C. and Sellis, T. (1987). Analysis of object oriented spatial access methods. In *Proceedings of the 1987 ACM SIGMOD International Conference on Management of Data*, pages 426–439. ACM Press.
- Fischer, M. and Getis, A. (1997). *Recent developments in spatial analysis*. Springer Verlag.
- Fotheringham, A. S. and Rogerson, P. A. (1994). *Spatial Analysis and GIS*. Taylor and Francis.
- Gaede, V. and Gunther, O. (1998). Multidimensional access methods. *ACM Computing Surveys*, 30(2):170–231.
- Goldstein, J. and Ramakrishnan, R. (2000). Contrast plots and p-sphere trees: Space vs. time in nearest neighbour searches. In *VLDB 2000, Proceedings of 26th International Conference on Very Large Data Bases, September 10–14, 2000, Cairo, Egypt*, pages 429–440. Morgan Kaufmann.
- Goodchild, M. F. (1986). *Spatial Autocorrelation*. CATMOG 47, GeoBooks.
- Gray, J., Chaudhuri, S., Bosworth, A., Layman, A., Reichart, D., Venkatrao, M., Pellow, F., and Pirahesh, H. (1997). Data Cube: A Relational Aggregation Operator Generalizing Group-By, Cross-Tab, and Sub-Totals. *Data Mining and Knowledge Discovery*, 1(1):29–53.
- Griffith, D. (1999). Statistical and mathematical sources of regional science theory: Map pattern analysis as an example. *Papers in Regional Science*, 78(1):21–45.

- Guting, R. (1994a). An Introduction to Spatial Database Systems. *The VLDB Journal*, 3(4):357–399.
- Guting, R. (1994b). Graph DB: Modeling and querying graphs in databases. In *VLDB '94, Proceedings of 20th International Conference on Very Large Data Bases*. Morgan Kaufmann.
- Guttman, A. (1984). R-tree: A dynamic index structure for spatial searching. In *SIGMOD '84, Proceedings of the ACM SIGMOD Conference*. ACM Press, ACM Press.
- Hadzilacos, T. and Tryfona, N. (1997). An extended entity-relationship model for geographic applications. *SIGMOD Record*, 26(3).
- Hagen, L. and Kahng, A. (1991). Fast spectral methods for ratio cut partitioning and clustering. In *Proceedings of IEEE International Conference on Computer Aided Design*, pages 10–13.
- Han, J. and Kamber, M. (2000). *Data Mining: Concepts and Techniques*. Morgan Kaufmann.
- Han, J., Koperski, K., and Stefanovic, N. (1997). Geominer: A system prototype for spatial data mining. In *SIGMOD 1997, Proceedings ACM SIGMOD International Conference on Management of Data, May 13–15, 1997, Tucson, Arizona, USA*, pages 553–556. ACM Press.
- Hand, D. J. (1999). Statistics and Data Mining: Intersecting Disciplines. *SIGKDD Explorations*, 1(1):16–19.
- Hawkins, D. (1980). *Identification of Outliers*. Chapman and Hall.
- Hellerstein, J. and Stonebraker, M. (1993). Predicate migration: Optimizing queries with expensive predicates. In *SIGMOD '93, Proceedings of the ACM SIGMOD International Conference on Management of Data*, pages 267–276. ACM Press.
- Herring, J. (1991). The mathematical modeling of spatial and non-spatial information in geographic information systems. In Mark, D. and Frank, U., editors, *Cognitive and Linguistic Aspects of Geographic Space*, pages 313–350.
- Jiang, B. (1991). Traversing graphs in a paging environment, bfs or dfs? *Information Processing Letters*, 37(3):143–147.
- Jing, N., Huang, Y., and Rundensteiner, E. (1998). Hierarchical encoded path views for path query processing: An optimal model and its performance evaluation. *IEEE Transactions on Knowledge and Data Engineering*, 10(3):409–432.
- Kamel, I. and Faloutsos, C. (1993). On packing r-trees. In *CIKM'93, Proceedings of the Second International Conference on Information and Knowledge Management*, pages 490–499. ACM Press.
- Kanth, K. V. R., Ravada, S., Sharma, J., and Banerjee, J. (1999). Indexing medium-dimensionality data in oracle. In *SIGMOD 1999, Proceedings ACM SIGMOD International Conference on Management of Data, June 1–3, 1999, Philadelphia, Pennsylvania, USA*, pages 521–522. ACM Press.
- Karypis, G., Aggarwal, R., Kumar, V., and Shekhar, S. (1998). hmetis home page. <http://www-users.cs.umn.edu/~karypis/metis/hmetis/main.html>.
- Karypis, G. and Kumar, V. (1998). Metis home page. <http://www-users.cs.umn.edu/~karypis/metis/metis/main.html>.
- Keim, D. A. (1999). Efficient geometry-based similarity search of 3d spatial databases. In *SIGMOD 1999, Proceedings ACM SIGMOD International Conference on Management of Data, June 1–3, 1999, Philadelphia, Pennsylvania, USA*, pages 419–430. ACM Press.
- Kernighan, B. W. and Lin, S. (1970). An efficient heuristic procedure for partitioning graphs. *Bell System Technical Journal*, 49(2):291–307.

- Khoshafian, S. and Baker, A. (1998). *MultiMedia and Imaging Databases*. Morgan Kaufmann.
- Koperski, K. and Han, J. (1995). Discovery of spatial association rules in geographic information systems. In *Advances in Spatial Databases, 4th International Symposium (SSD '95)*, pages 47–66. Springer-Verlag.
- Korn, F. and Muthukrishnan, S. (2000). Influence sets based on reverse nearest neighbor queries. In *Proceedings of the 2000 ACM SIGMOD International Conference on Management of Data, May 16–18, 2000, Dallas, Texas, USA*, pages 201–212. ACM.
- Kornacker, M. and Banks, D. (1995). High-concurrency locking in R-trees. In *VLDB '95, Proceedings of 21th International Conference on Very Large Data Bases*. Morgan Kaufmann.
- Kriegel, H.-P., Muller, A., Potke, M., and Seidl, T. (2001). Spatial data management for computer aided design. In *ACM SIGMOD International Conference on Management of Data*, page 614. ACM Press.
- Laurini, R. and Thompson, D. (1992). *Fundamentals of spatial information systems*. Academic Press.
- Lehman, P. and Yao, S. (1981). Efficient locking for concurrent operations on b-trees. *ACM TODS*, 6(4).
- LeSage, J. (1997). Regression analysis of spatial data. *Journal of Regional Analysis and Policy (Publisher: Mid-Continent Regional Science Association and UNL College of Business Administration)*, 27(2):83–94.
- Leutenegger, S. T. and Lopez, M. A. (2000). The effect of buffering on the performance of r-trees. *IEEE Transactions on Knowledge and Data Engineering*, 12(1):33–44.
- Lin, H. and Huang, B. (2001). Sql/sda: A query language for supporting spatial data analysis and its web-based implementation. *IEEE Transactions on Knowledge and Data Engineering*, 13(4):671–682.
- Lo, M. and Ravishankar, C. (1996). Spatial hash joins. In *ACM SIGMOD International Conference on Management of Data*, pages 247–258. ACM Press.
- Luc, A. (1994). Exploratory Spatial Data Analysis and Geographic Information Systems. In Painho, M., editor, *New Tools for Spatial Analysis*, pages 45–54.
- Luc, A. (1995). Local Indicators of Spatial Association: LISA. *Geographical Analysis*, 27(2):93–115.
- Ma, W. and Manjunath, B. (1998). A texture thesaurus for browsing large aerial photographs. *Journal of the American Society for Information Science*, 49(7):633–48.
- Mamoulis, N. and Papadias, D. (1999). Integration of spatial join algorithms for processing multiple inputs. In *SIGMOD 1999, Proceedings ACM SIGMOD International Conference on Management of Data, June 1–3, 1999, Philadelphia, Pennsylvania, USA*, pages 1–12. ACM Press.
- Mannino, M. and Shapiro, L. (1990). Extensions to query languages for graph traversal problem. *IEEE TKDE*, 2(3):353–363.
- Merrett, T., Kimbayasi, Y., and Yasuura, H. (1981). Scheduling of page-fetches in join operations. In *Proceedings of the 7th International Conference on Very Large Data Bases*. Morgan Kaufmann.
- Moon, B., Jagadish, H., Faloutsos, C., and Saltz, J. H. (1996). Analysis of the clustering properties of hilbert space-filling curve. Technical Report UMIACS-TR-96-20, CS dept., University of Maryland.
- Murray, J. D. and van Ryper, W. (1999). *Encyclopedia of Graphics File Formats*. O'REILLY.

- Nievergelt, J., Hinterberger, H., and Sevcik, K. (1984). The grid file: An adaptable, symmetric multikey file structure. *ACM Transactions on Database Systems*, 9(1):38–71.
- OGIS (1999). Open GIS consortium: Open GIS simple features specification for SQL (Revision 1.1). In URL: <http://www.opengis.org/techno/specs.htm>.
- OGIS (2000). Web map server interfaces implementation specification. In URL: <http://www.opengis.org/techno/specs/00-028.pdf>.
- OpenGIS (1998). *Open GIS simple features specification for SQL*. Open GIS Consortium, Inc., <http://www.opengis.org>.
- Ordonez, C. and Cereghini, P. (2000). Sqllem: Fast clustering in sql using the em algorithm. *SIGMOD Record*, 29(2):559–570.
- Orenstein, J. (1986). Spatial query processing in an object-oriented database. In *Proceedings of the 1986 ACM SIGMOD International Conference on Management of Data*. ACM Press.
- Orenstein, J. and Manola, F. (1988). PROBE spatial data modeling and query processing in an image database application. *IEEE Trans on Software Engineering*, 14(5):611–629.
- Ozesmi, S. and Ozesmi, U. (1999). An artificial neural network approach to spatial habitat modeling with interspecific interaction. *Ecological Modeling*, 116:15–31.
- Pagel, B.-U., Six, H.-W., and Toben, H. (1993a). The transformation technique for spatial objects revisited. In *SSD, Lecture Notes in Computer Science, Vol. 2121*, pages 73–88. Springer-Verlag.
- Pagel, B.-U., Six, H.-W., Toben, H., and Widmayer, P. (1993b). Towards an analysis of range query performance in spatial data structures. In *Proceedings of the Twelfth ACM SIGACT-SIGMODSIGART Symposium on Principles of Database Systems*, pages 214–221. ACM Press.
- Papadias, D., Karacapilidis, N., and Arkoumanis, D. (1999). Processing fuzzy spatial queries: A configuration similarity. *International Journal of GIS*, 13(2):93–128.
- Patel, J. and Dewitt, D. (1996). Partition based spatial-merge join. *Proceedings of ACM SIGMOD*, pages 259–270.
- Patel, J. M. and DeWitt, D. J. (1996). Partition Based Spatial-Merge Join. In *Proceedings of the 1996 ACM SIGMOD International Conference on Management of Data*. ACM Press.
- Patel, J. M. and DeWitt, D. J. (2000). Clone join and shadow join: two parallel spatial join algorithms. In *ACM-GIS 2000, Proceedings of the Eighth ACM Symposium on Advances in Geographic Information Systems, November 10–11, 2000, Washington, D.C., USA*, pages 54–61. ACM.
- Petrakis, E. and Faloutsos, C. (1997). Similarity searching in medical image databases. *IEEE TKDE*, 9(3):433–447.
- Price, R., Tryfona, N., and Jensen, C. S. (2000). Modeling part-whole relationships for spatial data. In *ACM-GIS 2000, Proceedings of the Eighth ACM Symposium on Advances in Geographic Information Systems, November 10–11, 2000, Washington, D.C., USA*, pages 1–8. ACM.
- Ramakrishnan, R. (1998). *Database management system*. McGraw Hill.
- Ritter, G., Wilson, J., and Davidson, J. (1990). Image algebra: An overview. *Computer Vision, Graphics and Image Processing*, 49:297–331.
- Roussopoulos, N., Kelley, S., and Vincent, F. (1995). Nearest neighbor queries. In *Proceedings of the 1995 ACM SIGMOD International Conference on Management of Data*. ACM Press.
- Samet, H. (1990). *The design and analysis of spatial data structures*. Addison-Wesley.
- Sarawagi, S. and Stonebraker, M. (1994). Efficient organization of large multidimensional arrays. In *Tenth International Conference on Data Engineering*, pages 328–336. IEEE Computer Society.

- Schneider, R. and Kriegel, H.-P. (1991). The tr*-tree: A new representation of polygonal objects supporting spatial queries and operations. In *Lecture Notes in Computer Science, Vol. 553*, pages 249–264. SSD '93.
- Scholl, M. O., Voisard, A., and Rigaux, P. (2001). *Spatial database management systems*. Morgan Kaufmann Publishers.
- Seidl, T. and Kriegel, H.-P. (1998). Optimal multi-step k-nearest neighbor search. In *SIGMOD 1998, Proceedings ACM SIGMOD International Conference on Management of Data, June 2–4, 1998, Seattle, Washington, USA*, pages 154–165. ACM Press.
- Selinger, P. G., Astrahan, M. M., Chamberlin, D. D., Lorie, R. A., and Price, T. G. (1979). Access path selection in a relational database management system. In *Proceedings of the ACM SIGMOD International Conference on Management of Data*, pages 23–34. ACM Press.
- Sheikholeslami, G., Chatterjee, S., and Zhang, A. (1998). Wavecluster: A multi-resolution clustering approach for very large spatial databases. In *VLDB '98, Proceedings of 24rd International Conference on Very Large Data Bases, August 24–27, 1998, New York City, New York, USA*, pages 428–439. Morgan Kaufmann.
- Shekhar, S., Chawla, S., Ravada, S., Fetterer, A., Liu, X., and Lu, C. (1999a). Spatial databases—accomplishments and research needs. *IEEE TKDE*, 11(1):45–55.
- Shekhar, S., Coyle, M., Liu, D.-R., Goyal, B., and Sarkar, S. (1997). Data models in geographic information systems. *Communication of the ACM*, 40(4).
- Shekhar, S. and Huang, Y. (2001). Discovering spatial co-location patterns: A summary of results. In *Proceedings of the 7th International Symposium on Spatial and Temporal Databases, SSTD 2001, Redondo Beach, CA, USA, July 12–15, 2001*, volume 2121 of *Lecture Notes in Computer Science*, pages 236–256. Springer.
- Shekhar, S. and Liu, D.-R. (1997). A connectivity-clustered access method for networks and network computation. *IEEE TKDE*, 9(1):102–117.
- Shekhar, S., Lu, C., Chawla, S., and Ravada, S. (1999b). Efficient join index based join processing; a clustering approach. *TR99-030 (Also to appear in IEEE TKDE)*.
- Shekhar, S., Schrater, P. R., Vatsavai, R. R., Wu, W., and Chawla, S. (2002). Spatial contextual classification and prediction models for mining geospatial data. *IEEE Transactions on Multimedia*, 4(2):1–15.
- Shekhar, S., Vatsavai, R. R., Chawla, S., and Burk, T. E. (1999c). Spatial pictogram enhanced conceptual data models and their translation to logical data models. *Integrated Spatial Databases: Digital Images and GIS. Lecture Notes in Computer Science*, 1737:77–104.
- Shin, H., Moon, B., and Lee, S. (2000). Adaptive multi-stage distance join processing. *SIGMOD Record*, 29(2):343–354.
- Silberschatz, A., Korth, H., and Sudarshan, S. (1997). *Database system concepts, 3rd Ed.* McGraw-Hill.
- Song, J.-W., Whang, K.-Y., Lee, Y.-K., Lee, M.-J., and Kim, S.-W. (1999). Transformation-based spatial join. In *Proceedings of the 1999 ACM CIKM International Conference on Information and Knowledge Management, Kansas City, Missouri, USA, November 2–6, 1999*, pages 15–26. ACM.
- Stonebraker, M. and Moore, D. (1997). *Object relational DBMSs: The next great wave*. Morgan Kaufmann.
- Takeyama, M. and Couclelis, H. (1997). Map dynamics: integrating cellular automata and GIS through geo-algebra. *International Journal of GIS*, 11(1):73–91.

- Theodoridis, Y. and Sellis, T. (1996). A model for the prediction of r-tree performance. In *Proceedings of the Fifteenth ACM SIGACT-SIGMOD-SIGART Symposium on Principles of Database Systems*, pages 161–171. ACM Press.
- Theodoridis, Y., Stefanakis, E., and Sellis, T. (1998). Cost models for join queries in spatial databases. In *Proceedings of the Fourteenth International Conference on Data Engineering*, pages 476–483. IEEE Press.
- Theodoridis, Y., Stefanakis, E., and Sellis, T. (2000a). Efficient cost models for spatial queries using r-trees. *IEEE TKDE*, 12(1).
- Theodoridis, Y., Stefanakis, E., and Sellis, T. K. (2000b). Efficient cost models for spatial queries using r-trees. *IEEE Transactions on Knowledge and Data Engineering*, 12(1):19–32.
- Tobler, W. (1979). Cellular geography. In *Philosophy in Geography*, Eds., S. Gale and G. Olsson. D. Reidel Publishing Company: Dordrecht, Holland.
- Tomlin, C. (1990). *Geographic information systems and cartographic modeling*. Prentice-Hall.
- Ullman, J. and Widom, J. (1999). *A first course in database systems*. Prentice-Hall.
- van der Lans, R. F. (1992). *The SQL guide to Oracle*. Addison-Wesley.
- Vatsavai, R. R., Burk, T. E., Wilson, B. T., and Shekhar, S. (2000). A web-based browsing and spatial analysis system for regional natural resource analysis and mapping. In *Proceedings of the Eighth ACM Symposium on Advances in Geographic Information Systems ACMGIS*, pages 95–101.
- Wang, W., Yang, J., and Muntz, R. R. (1997). Sting: A statistical information grid approach to spatial data mining. In *VLDB '97, Proceedings of 23rd International Conference on Very Large Data Bases, August 25–29, 1997, Athens, Greece*, pages 186–195. Morgan Kaufmann.
- Worboys, M. (1995). *GIS: A computing perspective*. Taylor and Francis.
- Yoshitaka, A. and Ichikawa, T. (1999). A Survey on Content-Based Retrieval for Multimedia Databases. *IEEE TKDE*, 11(1):81–93.