

6 Literature/References

- Adriaens PA.** Preservation of bony sites. In: Lang NP, Karring T, Lindhe J, editors. Proceedings of the 3rd European Workshop on Periodontology: Implant Dentistry. Berlin: Quintessenz; 1999 p. 266–280.
- Akimoto K, Becker W, Persson R, Baker DA, Rohrer MD, O'Neal RB.** Evaluation of titanium implants placed into simulated extraction sockets: a study in dogs. *Int J Oral Maxillofac Implants.* 1999 May-Jun; 14(3): 351–60.
- Alliot B, Piotrowski B, Marin P, Zahedi S, Brunel G.** Regeneration procedures in immediate transmucosal implants: an animal study. *Int J Oral Maxillofac Implants.* 1999 Nov-Dec; 14(6):841–8.
- Amler MH, Johnson PL, Salman I.** Histological and histochemical investigation of human alveolar socket healing in undisturbed extraction wounds. *J Am Dent Assoc.* 1960 Jul; 61:32–44.
- Amler MH.** The time sequence of tissue regeneration in human extraction wounds. *Oral Surg Oral Med Oral Pathol.* 1969 Mar; 27(3):309–18.
- Araújo MG, Lindhe J.** Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *J Clin Periodontol.* 2005 Feb; 32(2):212–8. (a)
- Araújo MG, Sukekava F, Wennstrom JL, Lindhe J.** Ridge alterations following implant placement in fresh extraction sockets: an experimental study in the dog. *J Clin Periodontol.* 2005 Jun; 32(6):645–52. (b)
- Araújo MG, Wennstrom JL, Lindhe J.** Modeling of the buccal and lingual bone walls of fresh extraction sites following implant installation. *Clin Oral Implants Res.* 2006 Dec; 17(6):606–14.
- Artzi Z, Tal H, Dayan D.** Porous bovine bone mineral in healing of human extraction sockets. Part 1: histomorphometric evaluations at 9 months. *J Periodontol.* 2000 Jun; 71(6):1015–23.
- Bain CA, Moy PK.** The association between the failure of dental implants and cigarette smoking. Part 1: histomorphometric evaluations at 9 months. *Int J Oral Maxillofac Implants.* 1993; 8(6):609–15.
- Barone A, Rispoli L, Vozza I, Quaranta A, Covani U.** Immediate restoration of single implants placed immediately after tooth extraction. *J Periodontol.* 2006 Nov; 77(11):1914–20.
- Beagle JR,** The immediate placement of endosseous dental implants in fresh extraction sites. *Dent Clin North Am.* 2006 Jul; 50(3):375–89, vi.
- Becker W, Dahlin C, Becker BE, Lekholm U, van Steenberghe D, Higuchi K, Kultje C.** The use of e-PTFE barrier membranes for bone promotion around titanium implants placed into extraction sockets: a prospective multicenter study. *Int J Oral Maxillofac Implants.* 1994 Jan-Feb; 9(1):31–40. (a)
- Becker W, Becker BE, Polizzi G, Bergström C.** Autogenous bone grafting of bone defects adjacent to implants placed into immediate extraction sockets in patients: A prospective study. *Int J Oral Maxillofac Implants.* 1994 Jul-Aug; 9(4):389–396. (b)
- Belser UC, Bernard JP, Buser D.** Implant-supported restorations in the anterior region: prosthetic considerations. *Pract Periodontics Aesthet Dent.* 1996 Nov-Dec; 8(9):875–83; quiz 884.
- Belser UC, Buser D, Hess D, Schmid B, Bernard JP, Lang NP.** Aesthetic implant restorations in partially edentulous patients – a critical appraisal. *Periodontol 2000.* 1998 Jun; 17:132–50.
- Berglundh T, Lindhe J.** Dimension of the periimplant mucosa. Biological width revisited. *J Clin Periodontol.* 1996 Oct; 23(10):971–3.
- Bianchi AE, Sanfilippo F.** Single-tooth replacement by immediate implant and connective tissue graft: a 1–9-year clinical evaluation. *Clin Oral Implants Res.* 2004 Jun; 15(3):269–77.
- Botticelli D, Berglundh T, Lindhe J.** Hard-tissue alterations following immediate implant placement in extraction sites. *J Clin Periodontol.* 2004 Oct; 31(10):820–8.
- Boyne PJ.** Osseous repair of the postextraction alveolus in man. *Oral Surg Oral Med Oral Pathol.* 1966 Jun; 21(6):805–13.
- Brunel G, Benque E, Elharar F, Sansac C, Duffort JF, Barthet P, Baysse E, Miller N.** Guided bone regeneration for immediate non-submerged implant placement using bioabsorbable materials in beagle dogs. *Clin Oral Implants Res.* 1998 Oct; 9(5):303–12.
- Buser D, Bragger U, Lang NP, Nyman S.** Regeneration and enlargement of jaw bone using guided tissue regeneration. *Clin Oral Implants Res.* 1990 Dec; 1(1):22–32.

- Buser D, Dula K, Belser U, Hirt HP, Berthold H.** Localized ridge augmentation using guided bone regeneration. 1. Surgical procedure in the maxilla. *Int J Periodontics Restorative Dent.* **1993**; 13(1):29–45.
- Buser D, Dula K, Hirt HP, Schenk RK.** Lateral ridge augmentation using autografts and barrier membranes: a clinical study with 40 partially edentulous patients. *J Oral Maxillofac Surg.* **1996** Apr; 54(4):420–32.
- Buser D, Hoffmann B, Bernard JP, Lussi A, Mettler D, Schenk RK.** Evaluation of filling materials in membrane-protected bone defects. A comparative histomorphometric study in the mandible of miniature pigs. *Clin Oral Implants Res.* **1998** Jun; 9(3):137–50.
- Buser D, von Arx T, ten Bruggenkate C, Weingart D.** Basic surgical principles with ITI implants. *Clin Oral Implants Res.* **2000**; 11 Suppl 1:59–68.
- Buser D, Martin W, Belser UC.** Optimizing esthetics for implant restorations in the anterior maxilla. *Int J Oral Maxillofac Implants.* **2004**; 19 Suppl:43–61.
- Buser D, Martin WC, Belser UC.** Surgical considerations with regard to single-tooth replacements in the esthetic zone. In: Buser D, Belser U, Wismeijer D, editors. *ITI Treatment Guide, Vol. I: Implant therapy in the esthetic zone: single-tooth replacements.* Berlin: Quintessenz; **2007**. p. 26–37.
- Buser D, Chen ST, Weber HP, Belser, U.** The concept of early implant placement following single tooth extraction in the esthetic zone: biologic rationale and surgical procedures. *Int J Periodontics Restorative Dent.* **2008** (accepted for publication).
- Buser D, Halbritter S, Hart C, Bornstein MM, Grutter L, Chappuis V, Belser UC.** Early implant placement with simultaneous GBR following single-tooth extraction in the esthetic zone. 12-month results of a prospective study with 20 consecutive patients. *J Periodontol.* **2009** (accepted for publication).
- Camargo PM, Lekovic V, Weinlaender M, Klokkevold PR, Kenney EB, Dimitrijevic B, Nedic M, Jancovic S, Orsi ni M.** Influence of bioactive glass on changes in alveolar process dimensions after exodontia. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* **2000** Nov; 90(5):581–6.
- Cangini F, Cornelini R.** A comparison between enamel matrix derivative and a bioabsorbable membrane to enhance healing around transmucosal immediate post-extraction implants. *J Periodontol.* **2005** Oct; 76(10):1785–92.
- Cardaropoli G, Araújo M, Lindhe J.** Dynamics of bone tissue formation in tooth extraction sites. An experimental study in dogs. *J Clin Periodontol.* **2003** Sep; 30(9):809–18.
- Carlsson GE, Ericson S.** Changes in the soft-tissue profile of the face following extraction and denture treatment. A longitudinal x-ray cephalometric study. *Odontol Tidskr.* **1967** Apr 20; 75(2):69–98.
- Chen ST, Wilson TG Jr, Hämmrele CH.** Immediate or early placement of implants following tooth extraction: review of biologic basis, clinical procedures, and outcomes. *Int J Oral Maxillofac Implants.* **2004**; 19 Suppl:12–25.
- Chen ST, Darby IB, Adams GG, Reynolds EC.** A prospective clinical study of bone augmentation techniques at immediate implants. *Clin Oral Implants Res.* **2005** Apr; 16(2):176–84.
- Chen ST, Darby IB, Reynolds EC.** A prospective clinical study of non-submerged immediate implants: clinical outcomes and esthetic results. *Clin Oral Implants Res.* **2007** Oct; 18(5):552–62. Epub **2007** Jun 30.
- Choquet V, Hermans M, Adriaenssens P, Daelemans P, Tarnow DP, Malevez C.** Clinical and radiographic evaluation of the papilla level adjacent to single-tooth dental implants. A retrospective study in the maxillary anterior region. *J Periodontol.* **2001** Oct; 72(10):1364–71.
- Cochran DL, Hermann JS, Schenk RK, Higginbottom FL, Buser D.** Biologic width around titanium implants. A histometric analysis of the implanto-gingival junction around unloaded and loaded nonsubmerged implants in the canine mandible. *J Periodontol.* **1997** Feb; 68(2):186–98.
- Cornelini R, Cangini F, Martuscelli G, Wennström J.** De-proteinized bovine bone and biodegradable barrier membranes to support healing following immediate placement of transmucosal implants: a short-term controlled clinical trial. *Int J Periodontics Restorative Dent.* **2004** Dec; 24(6):555–63.
- Covani U, Cornelini R, Barone A.** Bucco-lingual bone remodeling around implants placed into immediate extraction sockets: a case series. *J Periodontol.* **2003** Feb; 74(2):268–73.
- Covani U, Bortolaia C, Barone A, Sbordone L.** Bucco-lingual crestal bone changes after immediate and delayed implant placement. *J Periodontol.* **2004** Dec; 75(12):1605–12.

- Covani U, Marconcini S, Galassini G, Cornelini R, Santini S, Barone A.** Connective tissue graft used as a biological barrier to cover an immediate implant. *J Periodontol.* **2007** Aug; 78(8):1644–9.
- Crespi R, Cappare P, Gherlone E, Romanos GE.** Immediate occlusal loading of implants placed in fresh sockets after tooth extraction. *Int J Oral Maxillofac Implants.* **2007** Nov-Dec; 22(6):955–62.
- Dawson T, Chen ST.** The SAC classification in implant dentistry. Berlin: Quintessenz; **2009**.
- De Bruyn H, Collaert B.** The effect of smoking on early implant failure. *Clin Oral Implants Res.* **1994** Dec; 5(4):260–4.
- De Kok IJ, Chang SS, Moriarty JD, Cooper LF.** A retrospective analysis of peri-implant tissue responses at immediate load/provisionalized microthreaded implants. *Int J Oral Maxillofac Implants.* **2006** May-Jun; 21(3):405–12.
- Degidi M, Piattelli A, Gehrke P, Felice P, Carinci F.** Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol.* **2006**; 32(6):277–85.
- Evans CJD, Chen ST.** Esthetic outcomes of immediate implant placements. *Clin Oral Impl Res.* **2008**; 19:73–80.
- Evian CI, Rosenberg ES, Cosslett JG, Corn H.** The osteogenic activity of bone removed from healing extraction sockets in human. *J Periodontol.* **1982** Feb; 53(2):81–5.
- Evian CI, Emling R, Rosenberg ES, Waasdorp JA, Halpern W, Shah S, Garcia M.** Retrospective analysis of implant survival and the influence of periodontal disease and immediate placement on long-term results. *Int J Oral Maxillofac Implants.* **2004** May-Jun; 19(3):393–8.
- Ferrara A, Galli C, Mauro G, Macaluso GM.** Immediate provisional restoration of postextraction implants for maxillary single-tooth replacement. *Int J Periodontics Restorative Dent.* **2006** Aug; 26(4):371–7.
- Fiorellini JP, Howell TH, Cochran D, Malmquist J, Lilly LC, Spagnoli D, Toljanic J, Jones A, Nevins M.** Randomized study evaluating recombinant human bone morphogenetic protein-2 for extraction socket augmentation. *J Periodontol.* **2005** Apr; 76(4):605–13.
- Fugazzotto PA.** Success and failure rates of osseointegrated implants in function in regenerated bone for 6 to 51 months: a preliminary report. *Int J Oral Maxillofac Implants.* **1997** Jan-Feb; 12(1):17–24.
- Fugazzotto PA.** Implant placement in maxillary first premolar fresh extraction sockets: description of technique and report of preliminary results. *J Periodontol.* **2002** Jun; 73(6):669–74.
- Fugazzotto PA.** Implant placement at the time of maxillary molar extraction: technique and report of preliminary results of 83 sites. *J Periodontol.* **2006** Feb; 77(2):302–9.
- Fugazzotto PA, Lightfoot WS, Jaffin R, Kumar A.** Implant placement with or without simultaneous tooth extraction in patients taking oral bisphosphonates: postoperative healing, early follow-up, and the incidence of complications in two private practices. *J Periodontol.* **2007** Sep; 78(9):1664–9.
- Fugazzotto PA.** Implant placement at the time of maxillary molar extraction: treatment protocols and report of results. *J Periodontol.* **2008** Feb; 79(2):216–23.
- Ganeles J, Wismeijer D.** Early and immediately restored and loaded dental implants for single-tooth and partial-arch applications. *Int J Oral Maxillofac Implants.* **2004**; 19 Suppl:92–102.
- Gelb DA.** Immediate implants surgery: three-year retrospective evaluation of 50 consecutive cases. *Int J Oral Maxillofac Implants.* **1993**; 8(4):388–99.
- Grunder U, Spielman HP, Gaberthuel T.** Implant-supported single tooth replacement in the aesthetic region: a complex challenge. *Pract Periodontics Aesthet Dent.* **1996** Nov-Dec; 8(9):835–42, quiz 844.
- Grunder U.** Stability of the mucosal topography around single-tooth implants and adjacent teeth: 1-year results. *Int J Periodontics Restorative Dent.* **2000** Feb; 20(1):11–7.
- Hämmerle CH, Chiantella GC, Karring T, Lang NP.** The effect of a deproteinized bovine bone mineral on bone regeneration around titanium dental implants. *Clin Oral Implants Res.* **1998** Jun; 9(3):151–62.
- Hämmerle CH, Chen ST, Wilson TG Jr.** Consensus statements and recommended clinical procedures regarding the placement of implants in extraction sockets. *Int J Oral Maxillofac Implants.* **2004**; 19 Suppl:26–8.

- Higginbottom F, Belser U, Jones J, Keith S.** Prosthetic management of implants in the esthetic zone. *Int J Oral Maxillofac Implants.* 2004; 19 Suppl:62–72.
- Horwitz J, Zuabi O, Peled M, Machtei EE.** Immediate and delayed restoration of dental implants in periodontally susceptible patients: 1-year results. *Int J Oral Maxillofac Implants.* 2007 May-Jun; 22(3):423–9.
- Hürzeler MB, Strub JR.** Guided bone regeneration around exposed implants: A new bioresorbable device and bioresorbable membrane pins. *Pract Periodontics Aesthet Dent.* 1995 Nov-Dec; 7(9):37–47; quiz 50.
- Hutmacher D, Hürzeler MB, Schliephake H.** A review of material properties of biodegradable and biore-sorbable polymers and devices for GTR and GBR applications. *Int J Oral Maxillofac Implants.* 1996 Sep-Oct; 11(5):667–78.
- Iasella JM, Greenwell H, Miller RL, Hill M, Drisko C, Bohra AA, Scheetz JP.** Ridge preservation with freeze-dried bone allograft and a collagen membrane compared to extraction alone for implant site development: a clinical and histologic study in humans. *J Periodontol.* 2003 Jul; 74(7):990–9.
- Johnson K.** A study of the dimensional changes occurring in the maxilla after tooth extraction. Part 1: Normal healing. *Aust Dent J* 1963; 7:428–434.
- Juodzbalys G, Wang HL.** Soft and hard tissue assessment of immediate implant placement: a case series. *Clin Oral Implants Res.* 2007 Apr; 18(2):237–43.
- Kan JY, Rungcharassaeng K, Lozada J.** Immediate placement and provisionalization of maxillary anterior single implants: 1-year prospective study. *Int J Oral Maxillofac Implants.* 2003 Jan-Feb; 18(1):31–9. (a)
- Kan JY, Rungcharassaeng K, Umezu K, Kois JC.** Dimensions of peri-implant mucosa: an evaluation of maxillary anterior single implants in humans. *J Periodontol.* 2003 Apr; 74(4):557–2. (b)
- Kan JY, Rungcharassaeng K.** Interimplant papilla preservation in the esthetic zone: a report of six consecutive cases. *Int J Periodontics Restorative Dent.* 2003 Jun; 23(3):249–59. (c)
- Kan JY, Rungcharassaeng K, Lozada JL.** Bilaminar subepithelial connective tissue grafts for immediate implant placement and provisionalization in the esthetic zone. *J Calif Dent Assoc.* 2005 Nov; 33(11):865–71.
- Kan JY, Rungcharassaeng K, Sclar AG, Lozada JL.** Effects of the facial osseous defect morphology on gingival dynamics after immediate tooth replacement and guided bone regeneration: 1-year results. *J Oral Maxillofac Surg* 2007 Jul; 65(7) Suppl 1:13–9.
- Kassolis JD, Baer ML, Reynolds MA.** The segmental osteotomy in the management of malposed implants: a case report and literature review. *J Periodontol.* 2003 Apr; 74(4):529–36.
- Khoury F, Happe A.** Soft tissue management in oral implantology: a review of surgical techniques for shaping an esthetic and functional peri-implant soft tissue structure. *Quintessence Int.* 2000 Jul-Aug; 31(7):483–99.
- Koch G, Bergendal T, Kvist S, Johansson UB,** editors. Consensus conference on oral implants in young patients. Stockholm: Gothia; 1996.
- Kois JC.** Predictable single tooth peri-implant esthetics: five diagnostic keys. *Compend Contin Educ Dent.* 2004 Nov; 25(11):895-6, 898, 900 passim; quiz 906–7.
- Lang NP, Berglundh T, Heitz-Mayfield LJ, Pjetursson BE, Salvi GE, Sanz M.** Consensus statements and recommended clinical procedures regarding implant survival and complications. *Int J Oral Maxillofac Implants.* 2004; 19 Suppl:150–4.
- Langer B, Calagna L.** The subepithelial connective tissue graft. *J Prosthet Dent.* 1980 Oct; 44(4):363–7.
- Lazzara RJ.** Immediate implant placement into extraction sites: surgical and restorative advantages. *Int J Periodontics Restorative Dent.* 1989; 9(5):332–43.
- Lekovic V, Kenney EB, Weinlaender M, Han T, Klokkevold P, Nedic M, Orsini M.** A bone regenerative approach to alveolar ridge maintenance following tooth extraction. Report of 10 cases. *J Periodontol.* 1997 Jun; 68(6):563–70.

- Lekovic V, Camargo PM, Klokkevold PR, Weinlaender M, Kenney EB, Dimitrijevic B, Nedic M.** Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. *J Periodontol.* **1998** Sep; 69(9):1044–9.
- Leonhardt A, Dahlen G, Renvert S.** Five-year clinical, microbiological, and radiological outcome following treatment of peri-implantitis in man. *J Periodontol.* **2003** Oct; 74(10):1415–22.
- Lindeboom JA, Tjiook Y, Kroon FH.** Immediate placement of implants in periapical infected sites: a prospective randomized study in 50 patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* **2006** Jun; 101(6):705–10. Epub 2006 Mar 22.
- Locante WM.** Single-tooth replacements in the esthetic zone with an immediate function implant: a preliminary report. *J Oral Implantol.* **2004**; 30(6):369–75.
- Malo P, Friberg B, Polizzi G, Gualini F, Vighagen T, Rangert B.** Immediate and early function of Bråne-mark System implants placed in the esthetic zone: a 1-year prospective clinical multicenter study. *Clin Implant Dent Relat Res.* **2003**; 5 Suppl 1:37–46.
- Mangos JF.** The healing of extraction wounds. An experimental study based on microscopic and radiographic investigations. *N Z Dent J* **1941**; 37: 4–22.
- Martin WC, Morton D, Buser D.** Diagnostic factors for esthetic risk assessment. In: Buser D, Belser U, Wismeijer D, editors. *ITI Treatment Guide, Vol. I: Implant therapy in the esthetic zone: single-tooth replacements.* Berlin: Quintessenz; **2007**. p. 11–20.
- Marx RE, Sawatari Y, Fortin M, Broumand V.** Bisphosphonate-induced exposed bone (osteonecrosis/osteopetrosis) of the jaws: risk factors, recognition, prevention, and treatment. *J Oral Maxillofac Surg.* **2005** Nov; 63(11):1567–75.
- Mayfield LJA.** Immediate, delayed and late submerged and transmucosal implants. In: Lang NP, Karring T, Lindhe J, editors. *Proceedings of the 3rd European Workshop on Periodontology: Implant Dentistry.* Berlin: Quintessenz; **1999**. p. 520–534.
- Mombelli A, Lang NP.** Antimicrobial treatment of peri-implant infections. *Clin Oral Implants Res.* **1992** Dec; 3(4):162–8.
- Mombelli A, Cionca N.** Systemic diseases affecting osseointegration therapy. *Clin Oral Implants Res.* **2006** Oct; 17 Suppl 2:97–103.
- Müller HP, Heinecke A, Schaller N, Eger T.** Masticatory mucosa in subjects with different periodontal phenotypes. *J Clin Periodontol.* **2000** Sep; 27(9):621–6.
- Nemcovsky CE, Artzi Z, Moses O.** Rotated split palatal flap for soft tissue primary coverage over extraction sites with immediate implant placement. Description of the surgical procedure and clinical results. *J Periodontol.* **1999** Aug; 70(8):926–34.
- Nemcovsky CE, Artzi Z, Moses O, Gelernter I.** Healing of dehiscence defects at delayed-immediate implant sites primarily closed by a rotated palatal flap following extraction. *Int J Oral Maxillofac Implants.* **2000** Jul-Aug; 15(4):550–8.
- Nemcovsky CE, Artzi Z.** Comparative study of buccal dehiscence defects in immediate, delayed, and late maxillary implant placement with collagen membranes: clinical healing between placement and second-stage surgery. *J Periodontol.* **2002** Jul; 73(7):754–61. (a)
- Nemcovsky CE, Artzi Z, Moses O, Gelernter I.** Healing of marginal defects at implants placed in fresh extraction sockets or after 4–6 weeks of healing. A comparative study. *Clin Oral Implants Res.* **2002** Aug; 13(4):410–9. (b)
- Nevins M, Camelo M, De Paoli S, Friedland B, Schenk RK, Parma-Benfenati S, Simion M, Tinti C, Wagenberg B.** A study of the fate of the buccal wall of extraction sockets of teeth with prominent roots. *Int J Periodontics Restorative Dent.* **2006** Feb; 26(1):19–29.
- Norton MR.** A short-term clinical evaluation of immediately restored maxillary TiOblast single-tooth implants. *Int J Oral Maxillofac Implants.* **2004** Mar-Apr; 19(2):274–81.
- Nyman S, Lang NP, Buser D, Bragger U.** Bone regeneration adjacent to titanium dental implants using guided tissue regeneration: a report of two cases. *Int J Oral Maxillofac Implants.* **1990** Spring; 5(1):9–14.

- Perry J, Lenchewski E.** Clinical performance and 5-year retrospective evaluation of Frialit-2 implants. *Int J Oral Maxillofac Implants*. 2004 Nov-Dec; 19(6):887–91.
- Price RB, Price DE.** Esthetic restoration of a single-tooth dental implant using a subepithelial connective tissue graft: a case report with 3-year follow-up. *Int J Periodontics Restorative Dent*. 1999 Feb; 19(1):92–101.
- Quinlan P, Nummikoski P, Schenk R, Cagna D, Mellonig J, Higginbottom F, Lang K, Buser D, Cochran D.** Immediate and early loading of SLA ITI single-tooth implants: an in vivo study. *Int J Oral Maxillofac Implants*. 2005 May-Jun; 20(3):360–70.
- Romanos G, Toh CG, Siar CH, Swaminathan D, Ong AH, Donath K, Yaacob H, Nentwig GH.** Peri-implant bone reactions to immediately loaded implants. An experimental study in monkeys. *J Periodontol*. 2001 Apr; 72(4):506–11.
- Ryser MR, Block MS, Mercante DE.** Correlation of papilla to crestal bone levels around single tooth implants in immediate or delayed crown protocols. *J Oral Maxillofac Surg*. 2005 Aug; 63(8):1184–95.
- Sammartino G, Marenzi G, di Lauro AE, Paolantoni G.** Aesthetics in oral implantology: biological, clinical, surgical, and prosthetic aspects. *Implant Dent*. 2007 Mar; 16(1):54–65.
- Sanchez-Perez A, Moya-Villaescusa MJ, Caffesse RG.** Tobacco as a risk factor for survival of dental implants. *J Periodontol*. 2007 Feb; 78(2):351–9.
- Schropp L, Kostopoulos L, Wenzel A.** Bone healing following immediate versus delayed placement of titanium implants into extraction sockets: a prospective clinical study. *Int J Oral Maxillofac Implants*. 2003 Mar-Apr; 18(2):189–99. (a)
- Schropp L, Wenzel A, Kostopolous L, Karring T.** Bone healing and soft tissue contour changes following single-tooth extraction: A clinical and radiographic 12-month prospective study. *Int J Periodontics Restorative Dent*. 2003 Aug; 23(4):313–23. (b)
- Schropp L, Kostopoulos L, Wenzel A, Isidor F.** Clinical and radiographic performance of delayed-immediate single-tooth implant placement associated with peri-implant bone defects. A 2-year prospective, controlled, randomized follow-up report. *J Clin Periodontol*. 2005 May; 32(5):480–7.
- Schwartz-Arad D, Chaushu G.** Immediate implant placement: a procedure without incisions. *J Periodontol*. 1998 Jul; 69(7):743–50.
- Schwartz-Arad D, Grossman Y, Chaushu G.** The clinical effectiveness of implants placed immediately into fresh extraction sites of molar teeth. *J Periodontol*. 2000 May; 71(5):839–44.
- Schwartz-Arad D, Laviv A, Levin L.** Survival of immediately provisionalized dental implants placed immediately into fresh extraction sockets. *J Periodontol*. 2007 Feb; 78(2):219–23.
- Sciar AG.** Ridge preservation for optimal esthetics and function: The Bio-Col technique. *Compendium* 1999; 6(1) Suppl: 3–11.
- Sciar AG.** The Bio-Col technique. In: *Soft tissue and esthetic considerations in implant therapy*. Quintessence, 2003. p. 75–112. (a)
- Sciar AG.** Treatment algorithms for esthetic implant therapy. In: *Soft tissue and esthetic considerations in implant therapy*. Quintessence, 2003. p. 263–273. (b)
- Sciar AG.** Flap designs and considerations for esthetic implant therapy. In: *Soft tissue and esthetic considerations in implant therapy*. Quintessence, 2003. p. 70–74. (c)
- Sciar AG.** Strategies for management of single-tooth extraction sites in aesthetic implant therapy. *J Oral Maxillofac Surg*. 2004 Sep; 62(9 Suppl 2):90–105.
- Scully C, Madrid C, Bagan J.** Dental endosseous implants in patients on bisphosphonate therapy. *Implant Dent*. 2006 Sep; 15(3):212–8.
- Serino G, Biancu S, Iezzi G, Piattelli A.** Ridge preservation following tooth extraction using a polylactide and polyglycolide sponge as space filler: a clinical and histological study in humans. *Clin Oral Implants Res*. 2003 Oct; 14(5):651–8.
- Siegenthaler DW, Jung RE, Holderegger C, Roos M, Hämerle CH.** Replacement of teeth exhibiting periapical pathology by immediate implants: a prospective, controlled clinical trial. *Clin Oral Implants Res*. 2007 Dec; 18(6):727–37. Epub 2007 Sep 20.

- Simion M, Dahlin C, Trisi P, Piattelli A.** Qualitative and quantitative comparative study on different filling materials used in bone tissue regeneration: a controlled clinical study. *Int J Periodontics Restorative Dent.* **1994** Jun; 14(3):198–215.
- Simion M, Misitano U, Gionso L, Salvato A.** Treatment of dehiscences and fenestrations around dental implants using resorbable and nonresorbable membranes associated with bone autografts: a comparative clinical study. *Int J Oral Maxillofac Implants.* **1997** Mar-Apr; 12(2):159–67.
- Simion M, Jovanovic SA, Trisi P, Scarano A, Piattelli A.** Vertical ridge augmentation around dental implants using a membrane technique and autogenous bone or allografts in humans. *Int J Periodontics Restorative Dent.* **1998** Feb; 18(1):8–23.
- Simion M, Fontana F, Rasperini G, Maiorana C.** Vertical ridge augmentation by expanded-polytetrafluoroethylene membrane and a combination of intraoral autogenous bone graft and deproteinized anorganic bovine bone (BioOss). *Clin Oral Implants Res.* **2007** Oct; 18(5):620–9.
- Simon BI, Von Hagen S, Deasy MJ, Faldu M, Resnansky D.** Changes in alveolar bone height and width following ridge augmentation using bone graft and membranes. *J Periodontol.* **2000** Nov; 71(11):1774–91.
- Small PN, Tarnow DP, Cho SC.** Gingival recession around wide-diameter versus standard-diameter implants: a 3- to 5-year longitudinal prospective study. *Pract Proced Aesthet Dent.* **2001** Mar; 13(2):143–6.
- Spray JR, Black CG, Morris HF, Ochi S.** The influence of bone thickness on facial marginal bone response: stage 1 placement through stage 2 uncovering. *Ann Periodontol.* **2000** Dec; 5(1):119–28.
- Stentz W, Mealey BL, Gunsolley JC, Waldrop TC.** Effects of guided bone regeneration around commercially pure titanium and hydroxyapatite-coated dental implants. II. Histologic Analysis. *Periodontol.* **1997** Oct; 68(10):933–49.
- Strietzel FP, Reichart PA, Kale A, Kulkarni M, Wegner B, Kuchler I.** Smoking interferes with the prognosis of dental implant treatment: a systematic review and meta-analysis. *J Clin Periodontol.* **2007** Jun; 34(6):523–44.
- Van Assche N, van Steenberghe D, Guerrero ME, Hirsch E, Schutyser F, Quirynen M, Jacobs R.** Accuracy of implant placement based on pre-surgical planning of three-dimensional cone-beam images: a pilot study. *J Clin Periodontol.* **2007** Sep; 34(9):816–21.
- Van de Velde T, Glor F, De Bruyn H.** A model study on flapless implant placement by clinicians with a different experience level in implant surgery. *Clin Oral Implants Res.* **2008** Jan; 19(1):66–72. Epub 2007 Oct 22.
- Vanden Bogaerde L, Rangert B, Wendelhag I.** Immediate/early function of Bränemark System TiUnite implants in fresh extraction sockets in maxillae and posterior mandibles: an 18-month prospective clinical study. *Clin Implant Dent Relat Res.* **2005**; 7 Suppl 1:121–30.
- von Arx T, Buser D.** Horizontal ridge augmentation using autogenous block grafts and the guided bone regeneration technique with collagen membranes: a clinical study with 42 patients. *Clin Oral Implants Res.* **2006** Aug; 17(4):359–66.
- Wagenberg B, Froum SJ.** A retrospective study of 1925 consecutively placed immediate implants from 1988 to 2004. *Int J Oral Maxillofac Implants.* **2006** Jan-Feb; 21(1):71–80.
- Wilson TG Jr, Weber HP.** Classification of and therapy for areas of deficient bony housing prior to dental implant placement. *Int J Periodontics Restorative Dent.* **1993** Sep-Oct; 13(5): 451–9.
- Wöhrle PS.** Single-tooth replacement in the aesthetic zone with immediate provisionalization: fourteen consecutive case reports. *Pract Periodontics Aesthet Dent.* **1998** Nov-Dec; 10(9):1107–14; quiz 1116.
- Wood DL, Hoag PM, Donnenfeld OW, Rosenfeld LD.** Alveolar crest reduction following full and partial thickness flaps. *J Periodontol.* **1972** Mar; 43(3):141–4.
- Zitzmann NU, Naef R, Schärer P.** Resorbable versus non-resorbable membranes in combination with BioOss for guided bone regeneration. *Int J Oral Maxillofac Implants.* **1997** Nov-Dec; 12(6):844–52.
- Zitzmann NU, Schärer P, Marinello CP.** Factors influencing the success of GBR. Smoking, timing of implant placement, implant location, bone quality and provisional restoration. *J Clin Periodontol.* **1999** Oct; 26(10):673–82.