

---

## Bibliography

---

- Agresti, A. (1984). *Analysis of Ordinal Categorical Data*. New York: Wiley.
- Agresti, A. (2013). *Categorical Data Analysis* (3 ed.). New York: John Wiley.
- Allison, T. and D. Cicchetti (1976). Sleep in mammals: Ecological and constitutional correlates. *Science* 194, 732–734.
- Andrews, D. and A. Herzberg (1985). *Data: A Collection of Problems from Many Fields for the Student and Research Worker*. New York: Springer-Verlag.
- Appleton, D., J. French, and M. Vanderpump (1996). Ignoring a covariate: An example of Simpson's paradox. *American Statistician* 50, 340–341.
- Bates, D. (2005). Fitting linear mixed models in R. *R News* 5(1), 27–30.
- Bellman, R. (1961). *Adaptive Control Processes: A Guided Tour*. Princeton, NJ: Princeton University Press.
- Bergman, B. and A. Hynen (1997). Dispersion effects from unreplicated designs in the  $2^{k-p}$  series. *Technometrics* 39, 191–198.
- Bickel, P. and K. Doksum (2015). *Mathematical Statistics: Basic Ideas and Selected Topics* (2 ed.). Boca Raton, FL: CRC Press.
- Bilder, C. R. and T. M. Loughin (2014). *Analysis of Categorical Data with R*. Boca Raton, FL: CRC Press.
- Bishop, C. (1995). *Neural Networks for Pattern Recognition*. Oxford: Clarendon Press.
- Bishop, Y., S. Fienberg, and P. Holland (1975). *Discrete Multivariate Analysis: Theory and Practice*. Cambridge, MA: MIT Press.
- Blasius, J. and M. Greenacre (1998). *Visualization of Categorical Data*. San Diego: Academic Press.
- Bliss, C. I. (1935). The calculation of the dose-mortality curve. *Annals of Applied Biology* 22, 134–167.
- Bliss, C. I. (1967). *Statistics in Biology*. New York: McGraw Hill.
- Bowman, A. and A. Azzalini (1997). *Applied Smoothing Techniques for Data Analysis: The Kernel Approach with S-Plus Illustrations*. Oxford: Oxford University Press.
- Box, G. and R. Meyer (1986). Dispersion effects from fractional designs. *Technometrics* 28, 19–27.
- Box, G. P., S. Bisgaard, and C. Fung (1988). An explanation and critique of

- Taguchi's contributions to quality engineering. *Quality and Reliability Engineering International* 4, 123–131.
- Box, G. P., W. G. Hunter, and J. S. Hunter (1978). *Statistics for Experimenters*. New York: Wiley.
- Breiman, L. (2001a). Random forests. *Machine Learning* 45(1), 5–32.
- Breiman, L. (2001b). Statistical modeling: The two cultures (with comments and a rejoinder by the author). *Statistical Science* 16, 199–231.
- Breiman, L., J. Friedman, R. Olshen, and C. Stone (1984). *Classification and Regression Trees*. Boca Raton, FL: Chapman & Hall.
- Breiman, L. and J. H. Friedman (1985). Estimating optimal transformations for multiple regression and correlation. *Journal of the American Statistical Association* 80, 580–598.
- Breslow, N. (1982). Covariance adjustment of relative-risk estimates in matched studies. *Biometrics* 38, 661–672.
- Breslow, N. E. and D. G. Clayton (1993). Approximate inference in generalized linear mixed models. *Journal of the American Statistical Association* 88, 9–25.
- Cameron, A. and P. Trivedi (1998). *Regression Analysis of Count Data*. Cambridge: Cambridge University Press.
- Christensen, R. (1997). *Log-Linear Models and Logistic Regression* (2 ed.). New York: Springer.
- Cleveland, W. (1979). Robust locally weighted regression and smoothing scatterplots. *Journal of the American Statistical Association* 74, 829–836.
- Clogg, C. and E. Shihadeh (1994). *Statistical Models for Ordinal Variables*. Thousand Oaks, CA: Sage.
- Cochran, W. (1954). Some methods of strengthening the common  $\chi^2$  tests. *Biometrics* 10, 417–451.
- Collett, D. (2003). *Modelling Binary Data* (2 ed.). London: Chapman & Hall.
- Comizzoli, R. B., J. M. Landwehr, and J. D. Sinclair (1990). Robust materials and processes: Key to reliability. *AT&T Technical Journal* 69(6), 113–128.
- Cox, D. (1970). *Analysis of Binary Data*. London: Spottiswoode, Ballantyne and Co.
- Cox, D. and D. Hinkley (1974). *Theoretical Statistics*. London: Chapman & Hall.
- Crainiceanu, C. and D. Ruppert (2004). Likelihood ratio tests in linear mixed models with one variance component. *Journal of the Royal Statistical Society, Series B* 66, 165–185.
- Crowder, M. (1978). Beta-binomial anova for proportions. *Applied Statistics* 27, 34–37.
- Crowder, M. J. and D. J. Hand (1990). *Analysis of Repeated Measures*. London: Chapman & Hall.
- Dalal, S., E. Fowlkes, and B. Hoadley (1989). Risk analysis of the space shuttle:

- Pre-Challenger prediction of failure. *Journal of the American Statistical Association* 84, 945–957.
- Dalgaard, P. (2002). *Introductory Statistics with R*. New York: Springer.
- Daubechies, I. (1991). *Ten Lectures on Wavelets*. Philadelphia: SIAM.
- Davies, O. (1954). *The Design and Analysis of Industrial Experiments*. New York: Wiley.
- Dey, D., S. Ghosh, and B. Mallick (2000). *Generalized Linear Models: A Bayesian Perspective*. New York: Marcel Dekker.
- Diggle, P. J., P. Heagerty, K. Y. Liang, and S. L. Zeger (2013). *Analysis of Longitudinal Data* (2 ed.). Oxford: Oxford University Press.
- Dobson, A. and A. Barnett (2008). *An Introduction to Generalized Linear Models* (3 ed.). London: Chapman & Hall.
- Draper, N. and H. Smith (1998). *Applied Regression Analysis* (3rd ed.). New York: Wiley.
- Dunn, P. K. and G. K. Smyth (2005). Series evaluation of Tweedie exponential dispersion model densities. *Statistics and Computing* 15(4), 267–280.
- Eubank, R. (1988). *Spline Smoothing and Nonparametric Regression*. New York: Marcel Dekker.
- Fahrmeir, L. and G. Tutz (2001). *Multivariate Statistical Modelling Based on Generalized Linear Models*. New York: Springer.
- Faraway, J. (2014). *Linear Models with R* (2 ed.). Boca Raton, FL: Chapman & Hall/CRC.
- Faraway, J. and C. Chatfield (1998). Time series forecasting with neural networks: A case study. *Applied Statistics* 47, 231–250.
- Firth, D. (1993). Bias reduction of maximum likelihood estimates. *Biometrika* 80, 27–38.
- Fitzmaurice, G., N. Laird, and J. Ware (2004). *Applied Longitudinal Analysis*. Hoboken, NJ: Wiley-Interscience.
- Fletcher, R. (1987). *Practical Methods of Optimization* (2 ed.). Chichester, UK: John Wiley.
- Fox, J. (2003). Effect displays in R for generalised linear models. *Journal of Statistical Software* 8(15), 1–27.
- Frees, E. (2004). *Longitudinal and Panel Data: Analysis and Applications in the Social Sciences*. Cambridge: Cambridge University Press.
- Friedman, J. (1991). Multivariate adaptive regression splines (with discussion). *Annals of Statistics* 19, 1–141.
- Frome, E. and R. DuFrain (1986). Maximum likelihood estimation for cytogenic dose-response curves. *Biometrics* 42, 73–84.
- Gelman, A. (2005). Analysis of variance — why it is more important than ever (with discussion). *Annals of Statistics* 33, 1–53.

- Gelman, A., J. B. Carlin, H. S. Stern, D. B. Dunson, A. Vehtari, and D. B. Rubin (2013). *Bayesian Data Analysis* (3 ed.). Boca Raton, FL: CRC Press.
- Gelman, A. and J. Hill (2006). *Data Analysis Using Regression and Multi-level/Hierarchical Models*. Cambridge: Cambridge University Press.
- Gelman, A. and Y.-S. Su (2013). *arm: Data Analysis Using Regression and Multi-level/Hierarchical Models*. R package version 1.6-10.
- Gill, J. (2001). *Generalized Linear Models: A Unified Approach*. Thousand Oaks, CA: Sage.
- Goldstein, H. (1995). *Multilevel Statistical Models* (2 ed.). London: Arnold.
- Green, P. and B. Silverman (1993). *Nonparametric Regression and Generalized Linear Models: A Roughness Penalty Approach*. London: Chapman & Hall.
- Gu, C. (2002). *Smoothing Spline ANOVA Models*. New York: Springer-Verlag.
- Haberman, S. (1977). *The Analysis of Frequency Data*. Chicago, IL: University of Chicago Press.
- Hadfield, J. D. (2010). MCMC methods for multi-response generalized linear mixed models: The MCMCglmm R package. *Journal of Statistical Software* 33(2), 1–22.
- Halekoh, U. and S. Højsgaard (2014). A Kenward-Roger approximation and parametric bootstrap methods for tests in linear mixed models—the R package pbkrtest. *Journal of Statistical Software* 59, 1–32.
- Hall, S. (1994). Analysis of defectivity of semiconductor wafers by contingency table. *Proceedings of the Institute of Environmental Sciences* 1, 177–183.
- Hallin, M. and J.-F. Ingenbleek (1983). The Swedish automobile portfolio in 1977. A statistical study. *Scandinavian Actuarial Journal* 83, 49–64.
- Hardin, J. and J. Hilbe (2003). *Generalized Estimating Equations*. Boca Raton, FL: Chapman & Hall/CRC Press.
- Härdle, W. (1991). *Smoothing Techniques with Implementation in S*. New York: Springer.
- Harrell, F. (2001). *Regression Modelling Strategies*. New York: Springer-Verlag.
- Hart, J. (1997). *Nonparametric Smoothing and Lack-of-Fit Tests*. New York: Springer.
- Hartigan, J. and B. Kleiner (1981). Mosaics for contingency tables. In W. Eddy (Ed.), *Computer Science and Statistics: Proceedings of the 13th Symposium on the Interface*, New York, pp. 268–273. Springer-Verlag.
- Hastie, T. and R. Tibshirani (1990). *Generalized Additive Models*. London: Chapman & Hall.
- Hastie, T., R. Tibshirani, and J. Friedman (2001). *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*. New York: Springer.
- Hauck, W. and A. Donner (1977). Wald's test as applied to hypotheses in logit analysis. *Journal of the American Statistical Association* 72, 851–853.
- Haykin, S. (1998). *Neural Networks: A Comprehensive Foundation* (2 ed.). Upper

- Saddle River, NJ: Prentice Hall.
- Hertz, J., A. Krogh, and R. Palmer (1991). *Introduction to the Theory of Neural Computation*. Redwood City, CA: Addison-Wesley.
- Hilbe, J. M. (2009). *Logistic Regression Models*. Boca Raton, FL: CRC Press.
- Hill, M. S. (1992). *The Panel Study of Income Dynamics: A User's Guide*. Newbury Park, CA: Sage.
- Hinde, J. and C. Demetrio (1988). Overdispersion: Models and estimation. *Computational Statistics and Data Analysis* 27, 151–170.
- Højsgaard, S., U. Halekoh, and J. Yan (2005). The R package geepack for generalized estimating equations. *Journal of Statistical Software* 15(2), 1–11.
- Hornik, K., M. Stinchcombe, and H. White (1989). Multilayer feedforward networks are universal approximators. *Neural Networks* 2, 359–366.
- Hosmer, D. and S. Lemeshow (2013). *Applied Logistic Regression* (3 ed.). New York: Wiley.
- Johnson, M. P. and P. H. Raven (1973). Species number and endemism: The Galápagos archipelago revisited. *Science* 179, 893–895.
- Kenward, M. and J. Roger (1997). Small sample inference for fixed effects from restricted maximum likelihood. *Biometrics* 53, 983–997.
- Kleinbaum, D. G. and M. Klein (2002). *Logistic Regression: A Self-Learning Text*. New York: Springer.
- Kosmidis, I. (2013). *brglm: Bias Reduction in Binary-Response Generalized Linear Models*. R package version 0.5-9.
- Kovac, A. and B. W. Silverman (2000). Extending the scope of wavelet regression methods by coefficient-dependent thresholding. *Journal of the American Statistical Association* 95(449), 172–183.
- Kunsch, H. R., L. A. Stefanski, and R. J. Carroll (1989). Conditionally unbiased bounded-influence estimation in general regression models, with applications to generalized linear models. *Journal of the American Statistical Association* 84(406), 460–466.
- Lawless, J. (1987). Negative binomial and mixed poisson regression. *Canadian Journal of Statistics* 15, 209–225.
- Le, C. T. (1998). *Applied Categorical Data Analysis*. Newbury Park, CA: Wiley.
- Leonard, T. (2000). *A Course in Categorical Data Analysis*. Boca Raton, FL: Chapman & Hall/CRC Press.
- Liaw, A. and M. Wiener (2002). Classification and regression by randomforest. *R News* 2(3), 18–22.
- Lindsey, J. K. (1997). *Applying Generalized Linear Models*. New York: Springer.
- Lindsey, J. K. (1999). *Models for Repeated Measurements* (2 ed.). Oxford: Oxford University Press.
- Loader, C. (1999). *Local Regression and Likelihood*. New York: Springer.

- Long, J. S. (1990). The origins of sex differences in science. *Social Forces* 68(4), 1297–1316.
- Lowe, C., C. Roberts, and S. Lloyd (1971). Malformations of the central nervous system and softness of local water supplies. *British Medical Journal* 15, 357–361.
- Lunn, D., C. Jackson, N. Best, A. Thomas, and D. Spiegelhalter (2012). *The BUGS Book: A Practical Introduction to Bayesian Analysis*. Boca Raton, FL: CRC Press.
- Maindonald, J. and J. Braun (2010). *Data Analysis and Graphics Using R* (3 ed.). Cambridge, UK: Cambridge University Press.
- Manly, B. (1978). Regression models for proportions with extraneous variance. *Biometrie-Praximetrie* 18, 1–18.
- Mantel, N. and W. Haenszel (1959). Statistical aspects of the analysis of data from retrospective studies of disease. *Journal of the National Cancer Institute* 22, 719–748.
- McCullagh, P. (1983). Quasi-likelihood functions. *Annals of Statistics* 11, 59–67.
- McCullagh, P. and J. Nelder (1989). *Generalized Linear Models* (2 ed.). London: Chapman & Hall.
- McCulloch, C. and S. Searle (2002). *Generalized, Linear, and Mixed Models*. New York: Wiley.
- McCulloch, W. and W. Pitts (1943). A logical calculus of ideas immanent in nervous activity. *Bulletin of Mathematical Biophysics* 5, 115–133.
- Mehta, C. and N. Patel (1995). Exact logistic regression: Theory and examples. *Statistics in Medicine* 14, 2143–2160.
- Menard, S. (2002). *Applied Logistic Regression Analysis* (2 ed.). Thousands Oaks, CA: Sage.
- Meyer, M. (2002). Uncounted votes: Does voting equipment matter? *Chance* 15(4), 33–38.
- Milliken, G. A. and D. E. Johnson (1992). *Analysis of Messy Data*, Volume 1. New York: Van Nostrand Reinhold.
- Morgan, J. and J. Sonquist (1963). Problems in the analysis of survey data, and a proposal. *Journal of the American Statistical Association* 58, 415–434.
- Mortimore, P., P. Sammons, L. Stoll, D. Lewis, and R. Ecob (1988). *School Matters*. Wells, UK: Open Books.
- Müller, S., J. L. Scealy, and A. H. Welsh (2013). Model selection in linear mixed models. *Statistical Science* 28(2), 135–167.
- Myers, R. and D. Montgomery (1997). A tutorial on generalized linear models. *Journal of Quality Technology* 29, 274–291.
- Myers, R., D. Montgomery, and G. Vining (2002). *Generalized Linear Models: With Applications in Engineering and the Sciences*. New York: Wiley.
- Nagelkerke, N. (1991). A note on a general definition of the coefficient of determination. *Biometrika* 78, 691–692.

- Nason, G. (2013). *wavethresh: Wavelets Statistics and Transforms*. R package version 4.6.6.
- Neal, R. (1996). *Bayesian Learning for Neural Networks*. New York: Springer-Verlag.
- Nelder, J., Y. Lee, B. Bergman, A. Hynen, A. Huele, and J. Engel (1998). Letter to editor: Joint modeling of mean and dispersion. *Technometrics* 40, 168–175.
- Nelder, J. and R. Wedderburn (1972). Generalized linear models. *Journal of the Royal Statistical Society, Series A* 132, 370–384.
- Payne, C. (1987). *The GLIM System Release 3.77 Manual* (2 ed.). Oxford: Numerical Algorithms Group.
- Pignatiello, J. J. and J. S. Ramberg (1985). Contribution to discussion of offline quality control, parameter design and the Taguchi method. *Journal of Quality Technology* 17, 198–206.
- Pinheiro, J. C. and D. M. Bates (2000). *Mixed-Effects Models in S and S-PLUS*. New York: Springer.
- Powers, D. and Y. Xie (2000). *Statistical Methods for Categorical Data Analysis*. San Diego, CA: Academic Press.
- Pregibon, D. (1981). Logistic regression diagnostics. *Annals of Statistics* 9, 705–724.
- Purott, R. and E. Reeder (1976). The effect of changes in dose rate on the yield of chromosome aberrations in human lymphocytes exposed to gamma radiation. *Mutation Research* 35, 437–444.
- Quinlan, J. (1993). *C4.5: Programs for Machine Learning*. San Mateo, CA: Morgan Kaufman.
- R Core Team (2015). *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing.
- Rasmussen, C. and C. Williams (2006). *Gaussian Processes for Machine Learning*. Cambridge, MA: The MIT Press.
- Raudenbush, S. and A. Bryk (2002). *Hierarchical Linear Models: Applications and Data Analysis Methods* (2 ed.). Thousand Oaks, CA: Sage.
- Rice, J. (1998). *Mathematical Statistics and Data Analysis*. Monterey, CA: Brooks Cole.
- Ripley, B. (1996). *Pattern Recognition and Neural Networks*. Cambridge, UK: Cambridge University Press.
- Rosenman, R. H., R. J. Brand, C. D. Jenkins, M. Friedman, R. Straus, and M. Wurm (1975). Coronary heart disease in the western collaborative group study: Final follow-up experience of 8 1/2 years. *JAMA* 233(8), 872–877.
- Rosenstone, S. J., D. R. Kinder, and W. E. Miller (1997). *American National Election Study*. Ann Arbor, MI: Inter-University Consortium for Political and Social Research.

- Rue, H., S. Martino, and N. Chopin (2009). Approximate bayesian inference for latent gaussian models by using integrated nested laplace approximations. *Journal of the Royal Statistical Society: Series B* 71(2), 319–392.
- Santner, T. and D. Duffy (1989). *The Statistical Analysis of Discrete Data*. New York: Springer.
- Schall, R. (1991). Estimation in generalized linear models with random effects. *Biometrika* 78(4), 719–727.
- Scheffé, H. (1959). *The Analysis of Variance*. New York: Wiley.
- Scheipl, F., S. Greven, and H. Kuechenhoff (2008). Size and power of tests for a zero random effect variance or polynomial regression in additive and linear mixed models. *Computational Statistics and Data Analysis* 52(7), 3283–3299.
- Scrucca, L. (2012). *dispmod: Dispersion Models*. R package version 1.1.
- Searle, S., G. Casella, and C. McCulloch (1992). *Variance Components*. New York: Wiley.
- Seshadri, V. (1993). *The Inverse Gaussian Distribution*. Oxford: Clarendon.
- Sheldon, F. (1960). Statistical techniques applied to production situations. *Industrial and Engineering Chemistry* 52, 507–509.
- Simonoff, J. (1996). *Smoothing Methods in Statistics*. New York: Springer.
- Simonoff, J. (2003). *Analyzing Categorical Data*. New York: Springer.
- Simpson, D. P., T. G. Martins, A. Riebler, G.-A. Fuglstad, H. Rue, and S. H. Sørbye (2014). Penalising model component complexity: A principled, practical approach to constructing priors. *arXiv:1403.4630*.
- Simpson, E. (1951). The interpretation of interaction in contingency tables. *Journal of the Royal Statistical Society, Series B* 13, 238–241.
- Smyth, G., F. Huele, and A. Verbyla (2001). Exact and approximate reml for heteroscedastic regression. *Statistical Modelling: An International Journal* 1, 161–175.
- Snedecor, G. and W. Cochran (1989). *Statistical Methods* (8 ed.). Ames, IA: Iowa State University Press.
- Snee, R. (1974). Graphical display of two-way contingency tables. *American Statistician* 28, 9–12.
- Spiegelhalter, D. J., N. G. Best, B. P. Carlin, and A. Van Der Linde (2002). Bayesian measures of model complexity and fit. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)* 64(4), 583–639.
- Stan Development Team (2015). *Stan Modeling Language Users Guide and Reference Manual, Version 2.8.0*.
- Steele, R. (1998). *Effect of Surface and Vision on Balance*. Ph. D. thesis, Department of Physiotherapy, University of Queensland.
- Stone, C. (1985). Additive regression and other nonparametric models. *Annals of Statistics* 13, 689–705.



- Stram, D. and J. Lee (1994). Variance components testing in the longitudinal mixed-effects model. *Biometrics* 50, 1171–1179.
- Stuart, A. (1955). A test for homogeneity of the marginal distributions in a two-way classification. *Biometrika* 42, 412–416.
- Thall, P. F. and S. C. Vail (1990). Some covariance models for longitudinal count data with overdispersion. *Biometrics* 46, 657–671.
- Tukey, J. (1977). *Exploratory Data Analysis*. New York: Addison Wesley.
- Venables, W. and B. Ripley (2002). *Modern Applied Statistics with S* (4 ed.). New York: Springer.
- Verbeke, G. and G. Molenberghs (2000). *Linear Mixed Models for Longitudinal Data*. New York: Springer.
- Wahba, G. (1990). *Spline Models for Observational Data*. Philadelphia: SIAM.
- Wand, M. and M. Jones (1995). *Kernel Smoothing*. London: Chapman & Hall.
- Wang, J., R. Zamar, A. Marazzi, V. Yohai, M. Salibian-Barrera, R. Maronna, E. Zivot, D. Roche, D. Martin, M. Maechler, and K. Konis. (2014). *robust: Robust Library*. R package version 0.4-16.
- Wedderburn, R. W. M. (1974). Quasilikelihood functions, generalized linear models and the Gauss–Newton method. *Biometrika* 61, 439–447.
- Weisberg, S. (2005). *Applied Linear Regression* (3 ed.). New York: Wiley.
- Wheeler, B. (2013). *SuppDists: Supplementary Distributions*. R package version 1.1-9.1.
- Whitmore, G. (1986). Inverse Gaussian ratio estimation. *Applied Statistics* 35, 8–15.
- Wickham, H. (2009). *ggplot2: Elegant Graphics for Data Analysis*. New York: Springer.
- Wickham, H. and R. Francois (2015). *dplyr: A Grammar of Data Manipulation*. R package version 0.4.1.
- Wilkinson, G. and C. Rogers (1973). Symbolic description of factorial models for the analysis of variance. *Applied Statistics* 22, 392–399.
- Williams, D. (1982). Extra-binomial variation in logistic linear models. *Applied Statistics* 31, 144–148.
- Williams, D. (1987). Generalized linear model diagnostics using the deviance and single case deletions. *Applied Statistics* 36, 181–191.
- Wold, S., A. Ruhe, H. Wold, and W. Dunn (1984). The collinearity problem in linear regression: The partial least squares (pls) approach to generalized inverses. *SIAM Journal on Scientific and Statistical Computing* 5, 735–743.
- Wood, S. (2000). Modelling and smoothing parameter estimation with multiple quadratic penalties. *Journal of the Royal Statistical Society, Series B* 62, 413–428.
- Wood, S. (2006). *Generalized Additive Models: An Introduction with R*. Boca Raton, FL: CRC Press.

- Wood, S. (2015). *Core Statistics*. Cambridge: Cambridge University Press.
- Yee, T. (2010). The vgam package for categorical data analysis. *Journal of Statistical Software* 32(10), 1–34.
- Yule, G. (1903). Notes on the theory of association of attributes in statistics. *Biometrika* 2, 121–134.
- Zeileis, A. (2004). Econometric computing with hc and hac covariance matrix estimators. *Journal of Statistical Software* 11(10), 1–17.
- Zeileis, A., C. Kleiber, and S. Jackman (2008). Regression models for count data in R. *Journal of Statistical Software* 27(8), 1–25.