

- Auguie, B. (2016), *gridExtra: Miscellaneous Functions for “Grid” Graphics*, R package version 2.3. Available from <https://CRAN.R-project.org/package=gridExtra>.
- Baddeley, A., Rubak, E., and Turner, R. (2015), *Spatial Point Patterns: Methodology and Applications with R*, Boca Raton, FL: Chapman & Hall/CRC.
- Bakar, K. S. and Sahu, S. K. (2015), “spTimer: Spatio-temporal Bayesian modelling using R,” *Journal of Statistical Software*, 63, 1–32.
- Banerjee, S., Carlin, B. P., and Gelfand, A. E. (2015), *Hierarchical Modeling and Analysis for Spatial Data*, 2nd ed., Boca Raton, FL: Chapman & Hall/CRC.
- Bates, D. and Maechler, M. (2017), *Matrix: Sparse and Dense Matrix Classes and Methods*, R package version 1.2-14. Available from <https://CRAN.R-project.org/package=Matrix>.
- Becker, R. A. and Wilks, A. R. (2017), *maps: Draw Geographical Maps*, R package version 3.3.0. (R version by Brownrigg, R. Enhancements by Minka, T. P. and Deckmyn, A.) Available from <https://CRAN.R-project.org/package=maps>.
- Benjamini, Y. and Hochberg, Y. (1995), “Controlling the false discovery rate: A practical and powerful approach to multiple testing,” *Journal of the Royal Statistical Society, Series B*, 57, 289–300.
- Berliner, L. M. (1996), “Hierarchical Bayesian time series models,” in *Maximum Entropy and Bayesian Methods*, eds. Hanson, K. M. and Silver, R. N., Dordrecht: Kluwer, Fundamental Theories of Physics, 79, pp. 15–22.
- Berliner, L. M., Milliff, R. F., and Wikle, C. K. (2003), “Bayesian hierarchical modeling of air-sea interaction,” *Journal of Geophysical Research: Oceans*, 108.
- Bivand, R. and Lewin-Koh, N. (2017), *maptools: Tools for Reading and Handling Spatial Objects*, R package version 0.9-3. Available from <https://CRAN.R-project.org/package=maptools>.

- Bivand, R. S., Pebesma, E., and Gomez-Rubio, V. (2013), *Applied Spatial Data Analysis with R*, 2nd ed., New York: Springer.
- Blangiardo, M. and Cameletti, M. (2015), *Spatial and Spatio-Temporal Bayesian Models with R-INLA*, Hoboken, NJ: John Wiley & Sons.
- Box, G. E. P. (1976), "Science and statistics," *Journal of the American Statistical Association*, 71, 791–799.
- (1979), "Robustness in the strategy of scientific model building," in *Robustness in Statistics*, eds. Launer, R. L. and Wilkinson, G. L., New York: Academic Press, pp. 201–236.
- Branstator, G., Mai, A., and Baumhefner, D. (1993), "Identification of highly predictable flow elements for spatial filtering of medium- and extended-range numerical forecasts," *Monthly Weather Review*, 121, 1786–1802.
- Briggs, W. M. and Levine, R. A. (1997), "Wavelets and field forecast verification," *Monthly Weather Review*, 125, 1329–1341.
- Bröcker, J. and Smith, L. A. (2007), "Scoring probabilistic forecasts: The importance of being proper," *Weather and Forecasting*, 22, 382–388.
- Brown, B. G., Gilleland, E., and Ebert, E. E. (2012), "Forecasts of spatial fields," in *Forecast Verification: A Practitioner's Guide in Atmospheric Science*, eds. Jolliffe, I. T. and Stephenson, D. B., 2nd ed., Chichester: John Wiley & Sons, pp. 95–117.
- Carlin, B. P. and Louis, T. A. (2010), *Bayes and Empirical Bayes Methods for Data Analysis*, Boca Raton, FL: Chapman & Hall/CRC.
- Carroll, S. S. and Cressie, N. (1996), "A comparison of geostatistical methodologies used to estimate snow water equivalent," *Water Resources Bulletin*, 32, 267–278.
- Carvalho, A. (2016), "An overview of applications of proper scoring rules," *Decision Analysis*, 13, 223–242.
- Christakos, G. (2017), *Spatiotemporal Random Fields: Theory and Applications*, 2nd ed., Amsterdam: Elsevier.
- Cohen, A. and Jones, R. H. (1969), "Regression on a random field," *Journal of the American Statistical Association*, 64, 1172–1182.
- Congdon, P. (2006), "Bayesian model choice based on Monte Carlo estimates of posterior model probabilities," *Computational Statistics & Data Analysis*, 50, 346–357.
- Cook, R. D. (1977), "Detection of influential observation in linear regression," *Technometrics*, 19, 15–18.

- Cressie, N. (1990), "The origins of kriging," *Mathematical Geology*, 22, 239–252.
- (1993), *Statistics for Spatial Data*, revised ed., New York: John Wiley & Sons.
- Cressie, N. and Huang, H.-C. (1999), "Classes of nonseparable, spatio-temporal stationary covariance functions," *Journal of the American Statistical Association*, 94, 1330–1339.
- Cressie, N., Shi, T., and Kang, E. L. (2010), "Fixed rank filtering for spatio-temporal data," *Journal of Computational and Graphical Statistics*, 19, 724–745.
- Cressie, N. and Wikle, C. K. (2011), *Statistics for Spatio-Temporal Data*, Hoboken, NJ: John Wiley & Sons.
- Crujeiras, R. M., Fernández-Casal, R., and González-Manteiga, W. (2010), "Nonparametric test for separability of spatio-temporal processes," *Environmetrics*, 21, 382–399.
- Dahl, D. B. (2016), *xtable: Export Tables to LaTeX or HTML*, R package version 1.8-2. Available from <https://CRAN.R-project.org/package=xtable>.
- Delmonico, R. (2017), *The Philosophy of Fractals*, independently published, ISBN 978197343066.
- Diggle, P. J. (2013), *Statistical Analysis of Spatial and Spatio-Temporal Point Patterns*, Boca Raton, FL: Chapman & Hall/CRC.
- Diggle, P. J. and Ribeiro Jr., P. J. (2007), *Model-Based Geostatistics*, New York: Springer.
- Douc, R., Moulines, E., and Stoffer, D. (2014), *Nonlinear Time Series: Theory, Methods and Applications with R Examples*, Boca Raton, FL: Chapman & Hall/CRC.
- Ebert, E. E. and McBride, J. L. (2000), "Verification of precipitation in weather systems: Determination of systematic errors," *Journal of Hydrology*, 239, 179–202.
- Finley, A. O., Banerjee, S., and Carlin, B. P. (2007), "spBayes: an R package for univariate and multivariate hierarchical point-referenced spatial models," *Journal of Statistical Software*, 19, 1–24.
- Fisher, R. A. (1935), *The Design of Experiments*, 8th ed., Edinburgh: Oliver and Boyd.
- Gamerman, D. and Lopes, H. F. (2006), *Markov Chain Monte Carlo: Stochastic Simulation for Bayesian Inference*, 2nd ed., Boca Raton, FL: Chapman & Hall/CRC.
- Gelfand, A. E. and Ghosh, S. K. (1998), "Model choice: A minimum posterior predictive loss approach," *Biometrika*, 85, 1–11.
- Gelman, A., Carlin, J. B., Stern, H. S., Dunson, D. B., Vehtari, A., and Rubin, D. B. (2014), *Bayesian Data Analysis*, 3rd ed., Boca Raton, FL: Chapman & Hall/CRC.

- Genton, M. G., Castruccio, S., Crippa, P., Dutta, S., Huser, R., Sun, Y., and Vettori, S. (2015), “Visuanimation in statistics,” *Stat*, 4, 81–96.
- Gilleland, E. (2018), *SpatialVx: Spatial Forecast Verification*, R package version 0.6-3. Available from <https://CRAN.R-project.org/package=SpatialVx>.
- Gilleland, E., Ahijevych, D. A., Brown, B. G., and Ebert, E. E. (2010), “Verifying forecasts spatially,” *Bulletin of the American Meteorological Society*, 91, 1365–1376.
- Gneiting, T. and Katzfuss, M. (2014), “Probabilistic forecasting,” *Annual Review of Statistics and its Application*, 1, 125–151.
- Gneiting, T. and Raftery, A. E. (2007), “Strictly proper scoring rules, prediction, and estimation,” *Journal of the American Statistical Association*, 102, 359–378.
- González, I. and Déjean, S. (2012), *CCA: Canonical Correlation Analysis*, R package version 1.2. Available from <https://CRAN.R-project.org/package=CCA>.
- Goodfellow, I., Bengio, Y., Courville, A., and Bengio, Y. (2016), *Deep Learning*, Cambridge, MA: MIT Press.
- Goulet, V., Dutang, C., Maechler, M., Firth, D., Shapira, M., and Stadelmann, M. (2017), *expm: Matrix Exponential, Log, “etc”*, R package version 0.999-2. Available from <https://CRAN.R-project.org/package=expm>.
- Gräler, B., Pebesma, E., and Heuvelink, G. (2016), “Spatio-temporal interpolation using gstat,” *R Journal*, 8, 204–218.
- Hanks, E. M., Schliep, E. M., Hooten, M. B., and Hoeting, J. A. (2015), “Restricted spatial regression in practice: Geostatistical models, confounding, and robustness under model misspecification,” *Environmetrics*, 26, 243–254.
- Harvey, A. C. (1993), *Time Series Models*, 2nd ed., Cambridge, MA: MIT Press.
- Haslett, J. (1999), “A simple derivation of deletion diagnostic results for the general linear model with correlated errors,” *Journal of the Royal Statistical Society, Series B*, 61, 603–609.
- Hastie, T., Tibshirani, R., and Friedman, J. (2009), *The Elements of Statistical Learning*, 2nd ed., New York: Springer.
- Henebry, G. M. (1995), “Spatial model error analysis using autocorrelation indices,” *Ecological Modelling*, 82, 75–91.
- Henry, L. and Wickham, H. (2017), *purrr: Functional Programming Tools*, R package version 0.2.5. Available from <https://CRAN.R-project.org/package=purrr>.

- Hlavac, M. (2015), *stargazer: Well-Formatted Regression and Summary Statistics Tables*, Harvard University, Cambridge, MA, R package version 5.2.2. Available from <http://CRAN.R-project.org/package=stargazer>.
- Hodges, J. S. and Reich, B. J. (2010), “Adding spatially-correlated errors can mess up the fixed effect you love,” *American Statistician*, 64, 325–334.
- Hodges, J. S. and Sargent, D. J. (2001), “Counting degrees of freedom in hierarchical and other richly-parameterised models,” *Biometrika*, 88, 367–379.
- Hoeting, J. A., Madigan, D., Raftery, A. E., and Volinsky, C. T. (1999), “Bayesian model averaging: A tutorial,” *Statistical Science*, 382–401.
- Hooten, M. B. and Hobbs, N. (2015), “A guide to Bayesian model selection for ecologists,” *Ecological Monographs*, 85, 3–28.
- Hotelling, H. (1936), “Relations between two sets of variates,” *Biometrika*, 28, 321–377.
- Hovmöller, E. (1949), “The trough-and-ridge diagram,” *Tellus*, 1, 62–66.
- Hughes, J. and Haran, M. (2013), “Dimension reduction and alleviation of confounding for spatial generalized linear mixed models,” *Journal of the Royal Statistical Society, Series B*, 75, 139–159.
- Jaeger, H. (2007), “Echo state network,” *Scholarpedia*, 2, 2330.
- James, G., Witten, D., Hastie, T., and Tibshirani, R. (2013), *An Introduction to Statistical Learning*, New York: Springer.
- Johnson, R. A. and Wichern, D. W. (1992), *Applied Multivariate Statistical Analysis*, 3rd ed., Englewood Cliffs, NJ: Prentice Hall.
- Jordan, A., Krueger, F., and Lerch, S. (2017a), *scoringRules: Scoring Rules for Parametric and Simulated Distribution Forecasts*, R package version 0.9.5. Available from <https://CRAN.R-project.org/package=scoringRules>.
- Jordan, A., Krüger, F., and Lerch, S. (2017b), “Evaluation of probabilistic forecasts with the scoringRules package,” in *EGU General Assembly Conference Abstracts*, vol. 19, p. 3295.
- Kahle, D. and Wickham, H. (2013), “ggmap: Spatial Visualization with ggplot2,” *R Journal*, 5, 144–161.
- Kalman, R. E. (1960), “A new approach to linear filtering and prediction problems,” *Journal of Basic Engineering*, 82, 35–45.

- Kang, E. L., Liu, D., and Cressie, N. (2009), "Statistical analysis of small-area data based on independence, spatial, non-hierarchical, and hierarchical models," *Computational Statistics & Data Analysis*, 53, 3016–3032.
- Kendall, M. G. and Stuart, A. (1969), *The Advanced Theory of Statistics*, vol. 1, 3rd ed., New York: Hafner.
- Kornak, J., Irwin, M. E., and Cressie, N. (2006), "Spatial point process models of defensive strategies: Detecting changes," *Statistical Inference for Stochastic Processes*, 9, 31–46.
- Krainski, E., Gómez-Rubio, V., Bakka, H., Lenzi, A., Castro-Camilo, D., Simpson, D., Lindgren, F., and Rue, H. (2019), *Advanced Spatial Modeling with Stochastic Partial Differential Equations Using R and INLA*, Boca Raton, FL: Chapman and Hall/CRC.
- Kuhnert, P. (2014), "Editorial: Physical-statistical modelling," *Environmetrics*, 25, 201–202.
- Kutner, M. H., Nachtsheim, C. J., and Neter, J. (2004), *Applied Multiple Regression Models*, Irwin, OH: McGraw-Hill.
- Laird, N. M. and Ware, J. H. (1982), "Random-effects models for longitudinal data," *Biometrics*, 963–974.
- Lamigueiro, O. P. (2018), *Displaying Time Series, Spatial, and Space-Time Data with R*, 2nd ed., Boca Raton, FL: Chapman and Hall/CRC.
- Laud, P. W. and Ibrahim, J. G. (1995), "Predictive model selection," *Journal of the Royal Statistical Society, Series B*, 247–262.
- Le, N. D. and Zidek, J. V. (2006), *Statistical Analysis of Environmental Space-Time Processes*, New York: Springer.
- Lindgren, F. and Rue, H. (2015), "Bayesian spatial modelling with R-INLA," *Journal of Statistical Software*, 63, 1–25.
- Lindgren, F., Rue, H., and Lindström, J. (2011), "An explicit link between Gaussian fields and Gaussian Markov random fields: The stochastic partial differential equation approach," *Journal of the Royal Statistical Society, Series B*, 73, 423–498.
- Lindstrom, J., Szpiro, A., Sampson, P. D., Bergen, S., and Oron, A. P. (2013), *SpatioTemporal: Spatio-Temporal Model Estimation*, R package version 1.1.7. Available from <https://CRAN.R-project.org/package=Spatiotemporal>.
- Livezey, R. E. and Chen, W. Y. (1983), "Statistical field significance and its determination by Monte Carlo techniques," *Monthly Weather Review*, 111, 46–59.

- Lucchesi, L. R. and Wikle, C. K. (2017), “Visualizing uncertainty in areal data with bivariate choropleth maps, map pixelation, and glyph rotation,” *Stat*, 6, 292–302.
- Lukoševičius, M. (2012), “A practical guide to applying echo state networks,” in *Neural Networks: Tricks of the Trade*, eds. Montavon, G., Orr, B., and Müller, K.-R., 2nd ed., New York: Springer, pp. 659–686.
- Lukoševičius, M. and Jaeger, H. (2009), “Reservoir computing approaches to recurrent neural network training,” *Computer Science Review*, 3, 127–149.
- Lumley, T. (2017), *leaps: Regression Subset Selection*, R package version 3.0, based on Fortran code by A. Miller. Available from <https://CRAN.R-project.org/package=leaps>.
- Lütkepohl, H. (2005), *New Introduction to Multiple Time Series Analysis*, Berlin: Springer.
- Mateu, J. and Müller, W. G. (2013), *Spatio-Temporal Design: Advances in Efficient Data Acquisition*, Chichester: John Wiley & Sons.
- McCullagh, P. and Nelder, J. A. (1989), *Generalized Linear Models*, Cambridge: Cambridge University Press.
- McCulloch, C. E. and Searle, S. R. (2001), *Generalized, Linear, and Mixed Models*, New York: John Wiley & Sons.
- McDermott, P. L. and Wikle, C. K. (2016), “A model-based approach for analog spatio-temporal dynamic forecasting,” *Environmetrics*, 27, 70–82.
- (2017), “An ensemble quadratic echo state network for non-linear spatio-temporal forecasting,” *Stat*, 6, 315–330.
- McDermott, P. L., Wikle, C. K., and Millspaugh, J. (2018), “A hierarchical spatiotemporal analog forecasting model for count data,” *Ecology and Evolution*, 8, 790–800.
- Micheas, A. C., Fox, N. I., Lack, S. A., and Wikle, C. K. (2007), “Cell identification and verification of QPF ensembles using shape analysis techniques,” *Journal of Hydrology*, 343, 105–116.
- Milliff, R. F., Bonazzi, A., Wikle, C. K., Pinardi, N., and Berliner, L. M. (2011), “Ocean ensemble forecasting. Part I: Ensemble Mediterranean winds from a Bayesian hierarchical model,” *Quarterly Journal of the Royal Meteorological Society*, 137, 858–878.
- Monahan, A. H., Fyfe, J. C., Ambaum, M. H., Stephenson, D. B., and North, G. R. (2009), “Empirical orthogonal functions: The medium is the message,” *Journal of Climate*, 22, 6501–6514.

- Montero, J.-M., Fernández-Avilés, G., and Mateu, J. (2015), *Spatial and Spatio-Temporal Geostatistical Modeling and Kriging*, Chichester: John Wiley & Sons.
- Morrison, P. and Morrison, P. (1982), *Powers of Ten: About the Relative Size of Things in the Universe*, Redding, CT: Scientific American Library, distributed by WH Freeman.
- Murphy, A. H. (1993), “What is a good forecast? An essay on the nature of goodness in weather forecasting,” *Weather and Forecasting*, 8, 281–293.
- Nakazono, Y. (2013), “Strategic behavior of Federal Open Market Committee board members: Evidence from members’ forecasts,” *Journal of Economic Behavior & Organization*, 93, 62–70.
- NCAR – Research Applications Laboratory (2015), *verification: Weather Forecast Verification Utilities*, R package version 1.42. Available from <https://CRAN.R-project.org/package=verification>.
- Neuwirth, E. (2014), *RColorBrewer: ColorBrewer Palettes*, R package version 1.1-2. Available from <https://CRAN.R-project.org/package=RColorBrewer>.
- Nychka, D., Furrer, R., Paige, J., and Sain, S. (2015), *fields: Tools for spatial data*, R package version 9.6. Available from [www.image.ucar.edu/fields](http://www.image.ucar.edu/fields).
- Obled, C. and Creutin, J. D. (1986), “Some developments in the use of empirical orthogonal functions for mapping meteorological fields,” *Journal of Climate and Applied Meteorology*, 25, 1189–1204.
- O’Hara-Wild, M. (2017), *ggquiver: Quiver Plots for ‘ggplot2’*, R package version 0.1.0. Available from <https://CRAN.R-project.org/package=ggquiver>.
- Overholser, R. and Xu, R. (2014), “Effective degrees of freedom and its application to conditional AIC for linear mixed-effects models with correlated error structures,” *Journal of Multivariate Analysis*, 132, 160–170.
- Paradis, E., Claude, J., and Strimmer, K. (2004), “APE: Analyses of phylogenetics and evolution in R language,” *Bioinformatics*, 20, 289–290.
- Patterson, H. D. and Thompson, R. (1971), “Recovery of inter-block information when block sizes are unequal,” *Biometrika*, 58, 545–554.
- Pebesma, E. (2012), “spacetime: Spatio-temporal data in R,” *Journal of Statistical Software*, 51, 1–30.
- Pinheiro, J., Bates, D., DebRoy, S., Sarkar, D., and R Core Team (2017), *nlme: Linear and Nonlinear Mixed Effects Models*, R package version 3.1-131. Available from <https://CRAN.R-project.org/package=nlme>.

- Prado, R. and West, M. (2010), *Time Series: Modeling, Computation, and Inference*, Boca Raton, FL: Chapman & Hall/CRC.
- Rasmussen, C. E. and Williams, C. K. I. (2006), *Gaussian Processes for Machine Learning*, Cambridge, MA: MIT Press.
- R Core Team (2018), *R: A Language and Environment for Statistical Computing*, R Foundation for Statistical Computing, Vienna.
- RESSTE Network et al. (2017), “Analyzing spatio-temporal data with R: Everything you always wanted to know – but were afraid to ask,” *Journal de la Société Française de Statistique*, 158, 124–158.
- Robinson, D. and Hayes, A. (2018), *broom: Convert Statistical Analysis Objects into Tidy Tibbles*, R package version 0.5.0. Available from <https://CRAN.R-project.org/package=broom>.
- Rue, H. and Held, L. (2005), *Gaussian Markov Random Fields: Theory and Applications*, Boca Raton, FL: Chapman & Hall/CRC.
- Rue, H., Martino, S., and Chopin, N. (2009), “Approximate Bayesian inference for latent Gaussian models by using integrated nested Laplace approximations,” *Journal of the Royal Statistical Society, Series B*, 71, 319–392.
- Sarkar, D. (2008), *Lattice: Multivariate Data Visualization with R*, New York: Springer.
- Schabenberger, O. and Gotway, C. A. (2005), *Statistical Methods for Spatial Data Analysis*, Boca Raton, FL: Chapman & Hall/CRC.
- Scheuerer, M. and Hamill, T. M. (2015), “Variogram-based proper scoring rules for probabilistic forecasts of multivariate quantities,” *Monthly Weather Review*, 143, 1321–1334.
- Schott, J. R. (2017), *Matrix Analysis for Statistics*, 3rd ed., Hoboken, NJ: John Wiley & Sons.
- Searle, S. R. (1982), *Matrix Algebra Useful for Statistics*, New York: John Wiley & Sons.
- Shaddick, G. and Zidek, J. V. (2015), *Spatio-Temporal Methods in Environmental Epidemiology*, Boca Raton, FL: Chapman & Hall/CRC.
- Shen, X., Huang, H.-C., and Cressie, N. (2002), “Nonparametric hypothesis testing for a spatial signal,” *Journal of the American Statistical Association*, 97, 1122–1140.
- Sherman, M. (2011), *Spatial Statistics and Spatio-Temporal Data: Covariance Functions and Directional Properties*, Chichester: John Wiley & Sons.

- Shumway, R. H. and Stoffer, D. S. (1982), "An approach to time series smoothing and forecasting using the EM algorithm," *Journal of Time Series Analysis*, 3, 253–264.
- (2006), *Time Series Analysis and its Applications with R Examples*, 2nd ed., New York: Springer.
- Siegert, S. (2017), *SpecsVerification: Forecast Verification Routines for Ensemble Forecasts of Weather and Climate*, R package version 0.5-2. Available from <https://CRAN.R-project.org/package=SpecsVerification>.
- Simpson, D., Rue, H., Riebler, A., Martins, T. G., and Sørbye, S. H. (2017), "Penalising model component complexity: A principled, practical approach to constructing priors," *Statistical Science*, 32, 1–28.
- Spiegelhalter, D. J., Best, N. G., Carlin, B. P., and van der Linde, A. (2002), "Bayesian measures of model complexity and fit," *Journal of the Royal Statistical Society, Series B*, 64, 583–639.
- Stanford, J. L. and Ziemke, J. R. (1994), "Field (MAP) statistics," in *Statistical Methods for Physical Science*, eds. Stanford, J. and Vardeman, S. B., San Diego, CA: Academic Press, pp. 457–479.
- Stevens, B., Duan, J., McWilliams, J. C., Münnich, M., and Neelin, J. D. (2002), "Entrainment, Rayleigh friction, and boundary layer winds over the tropical Pacific," *Journal of Climate*, 15, 30–44.
- Tobler, W. R. (1970), "A computer movie simulating urban growth in the Detroit region," *Economic Geography*, 46, 234–240.
- Ver Hoef, J. M. and Boveng, P. L. (2015), "Iterating on a single model is a viable alternative to multimodel inference," *Journal of Wildlife Management*, 79, 719–729.
- Verbeke, G. and Molenberghs, G. (2009), *Linear Mixed Models for Longitudinal Data*, New York: Springer.
- Von Storch, H. and Zwiers, F. W. (2002), *Statistical Analysis in Climate Research*, Cambridge: Cambridge University Press.
- Waller, L. A. and Gotway, C. A. (2004), *Applied Spatial Statistics for Public Health Data*, Hoboken, NJ: John Wiley & Sons.
- Weigel, A. P. (2012), "Ensemble forecasts," in *Forecast Verification: A Practitioner's Guide in Atmospheric Science*, eds. Jolliffe, I. T. and Stephenson, D. B., Chichester: John Wiley & Sons, pp. 141–166.

- Wickham, H. (2011), “The split-apply-combine strategy for data analysis,” *Journal of Statistical Software*, 40, 1–29.
- (2016), *ggplot2: Elegant Graphics for Data Analysis*, 2nd ed., New York: Springer.
- Wickham, H. and Chang, W. (2017), *devtools: Tools to Make Developing R Packages Easier*, R package version 1.13.6. Available from <https://CRAN.R-project.org/package=devtools>.
- Wickham, H., Francois, R., Henry, L., and Müller, K. (2017), *dplyr: A Grammar of Data Manipulation*, R package version 0.7.6. Available from <https://CRAN.R-project.org/package=dplyr>.
- Wickham, H. and Grolemund, G. (2016), *R for Data Science: Import, Tidy, Transform, Visualize, and Model Data*, Sebastopol, CA: O’Reilly Media.
- Wickham, H. and Henry, L. (2017), *tidyverse: Easily Tidy Data with “spread()” and “gather()” Functions*, R package version 0.8.1. Available from <https://CRAN.R-project.org/package=tidyr>.
- Wikle, C. K. and Hooten, M. B. (2016), “Hierarchical agent-based spatio-temporal dynamic models for discrete-valued data,” in *Handbook of Discrete-Valued Time Series*, eds. Davis, R. A., Holan, S. H., Lund, R., and Ravishanker, N., Boca Raton, FL: Chapman & Hall/CRC.
- Wilks, D. S. (2011), *Statistical Methods in the Atmospheric Sciences*, 3rd ed., Waltham, MA: Academic Press.
- Wood, S. N. (2017), *Generalized Additive Models: An Introduction with R*, 2nd ed., Boca Raton, FL: Chapman & Hall/CRC.
- Wu, C.-T., Gumpertz, M. L., and Boos, D. D. (2001), “Comparison of GEE, MINQUE, ML, and REML estimating equations for normally distributed data,” *American Statistician*, 55, 125–130.
- Xie, Y. (2013), “animation: An R package for creating animations and demonstrating statistical methods,” *Journal of Statistical Software*, 53, 1–27.
- (2015), *Dynamic Documents with R and knitr*, 2nd ed., Boca Raton, FL: Chapman & Hall/CRC.
- Xu, K., Wikle, C. K., and Fox, N. I. (2005), “A kernel-based spatio-temporal dynamical model for nowcasting weather radar reflectivities,” *Journal of the American Statistical Association*, 100, 1133–1144.

