

## References

- Baayen, R., Davidson, D., & Bates, D. (2008). Mixed-effects modeling with crossed random effects for subjects and items. *Journal of Memory and Language*, 59(4), 390–412.
- Bates, D. (2012). *Computational Methods for Mixed Models*. R Foundation for Statistical Computing.
- Bates, D., & Maechler, M. (2012). *Matrix: Sparse and Dense Matrix Classes and Methods*. R package version 1.0–10. <http://CRAN.R-project.org/package=Matrix>.
- Bates, D., Maechler, M., & Bolker, B. (2012). Fitting linear mixed-effects models using lme4. *Journal of Statistical Software* (forthcoming).
- Box, G. E. P., Jenkins, G. M., & Reinsel, G. C. (1994). *Time Series Analysis*. Prentice Hall Inc., third ed. Forecasting and control.
- Cantrell, C. (2000). *Modern Mathematical Methods for Physicists and Engineers*. Cambridge University Press.
- Carroll, R., & Ruppert, D. (1988). *Transformation and Weighting in Regression*. Chapman & Hall/CRC.
- Chambers, J., & Hastie, T. (1992). *Statistical Models in S*. Wadsworth & Brooks/Cole Advanced Books & Software.
- Chatterjee, S., Hadi, A., & Price, B. (2000). *The Use of Regression Analysis by Example*. John Wiley & Sons.
- Claflin, D.R., Larkin, L.M., Cederna, P.S., Horowitz, J.F., Alexander, N.B., Cole, N.M., Galecki, A.T., Chen, S., Nyquist, L.V., Carlson, B.M., Faulkner, J.A., & Ashton-Miller, J.A. (2011). Effects of high- and low-velocity resistance training on the contractile properties of skeletal muscle fibers from young and older humans. *Journal of Applied Physiology*, 111, 1021–1030.
- Crainiceanu, C., & Ruppert, D. (2004). Likelihood ratio tests in linear mixed models with one variance component. *Journal of the Royal Statistical Society: Series B*, 66, 165–185.
- Cressie, N., & Hawkins, D. (1980). Robust estimation of the variogram: I. *Mathematical Geology*, 12(2), 115–125.
- Cressie, N. A. C. (1991). *Statistics for Spatial Data*. Wiley Series in Probability and Mathematical Statistics: Applied Probability and Statistics. John Wiley & Sons.
- Dahl, D. B. (2009). *xtable: Export tables to LaTeX or HTML*. R package version 1.5-6. <http://CRAN.R-project.org/package=xtable>.
- Dalgaard, P. (2008). *Introductory Statistics with R*. Springer.
- Davidian, M., & Giltinan, D. (1995). *Nonlinear Models for Repeated Measurement Data*. Chapman & Hall.
- Demidenko, E. (2004). *Mixed Models: Theory and Applications*. Wiley-Interscience, first ed.
- A. Gałecki and T. Burzykowski, *Linear Mixed-Effects Models Using R: A Step-by-Step Approach*, Springer Texts in Statistics, DOI 10.1007/978-1-4614-3900-4,  
© Springer Science+Business Media New York 2013



- Fai, A., & Cornelius, P. (1996). Approximate F-tests of multiple degree of freedom hypotheses in generalized least squares analyses of unbalanced split-plot experiments. *Journal of Statistical Computation and Simulation*, 54(4), 363–378.
- Fitzmaurice, G. M., Laird, N. M., & Ware, J. H. (2004). *Applied Longitudinal Analysis*. Wiley Series in Probability and Statistics. John Wiley & Sons.
- Galecki, A. (1994). General class of covariance structures for two or more repeated factors in longitudinal data analysis. *Communications in Statistics-Theory and Methods*, 23(11), 3105–3119.
- Gelman, A., Carlin, J. B., Stern, H. S., & Rubin, D. B. (1995). *Bayesian Data Analysis*. Texts in Statistical Science Series. Chapman & Hall.
- Golub, G. H., & Van Loan, C. F. (1989). *Matrix Computations*, vol. 3 of *Johns Hopkins Series in the Mathematical Sciences*. Johns Hopkins University Press, second ed.
- Gurka, M. (2006). Selecting the best linear mixed model under REML. *The American Statistician*, 60(1), 19–26.
- Hastie, T., Tibshirani, R., & Friedman, J. (2009). *The Elements of Statistical Learning: Data Mining, Inference and Prediction*. Springer.
- Helms, R. (1992). Intentionally incomplete longitudinal designs: I. Methodology and comparison of some full span designs. *Statistics in Medicine*, 11(14–15), 1889–1913.
- Henderson, C. (1984). *Applications of Linear Models in Animal Breeding*. University of Guelph.
- Hill, H., Rowan, B., & Ball, D. (2005). Effect of teachers' mathematical knowledge for teaching on student achievement. *American Educational Research Journal*, 42, 371–406.
- Janssen, R., Tuerlinckx, F., Meulders, M., & De Boeck, P. (2000). A hierarchical IRT model for criterion-referenced measurement. *Journal of Educational and Behavioral Statistics*, 25(3), 285.
- Jones, R. (1993). *Longitudinal Data with Serial Correlation: A State-space Approach*. Chapman & Hall/CRC.
- Kenward, M., & Roger, J. (1997). Small sample inference for fixed effects from restricted maximum likelihood. *Biometrics*, 53(3), 983–997.
- Laird, N., & Ware, J. (1982). Random-effects models for longitudinal data. *Biometrics*, 38(4), 963–974.
- Leisch, F. (2002). Sweave: Dynamic generation of statistical reports using literate data analysis. In: W. Härdle, & B. Rönz (eds.) *Compstat 2002 — Proceedings in Computational Statistics*, (pp. 575–580). Physica Verlag, Heidelberg.
- Lenth, R. (2001). Some practical guidelines for effective sample size determination. *The American Statistician*, 55(3), 187–193.
- Liang, K.-Y., & Self, S. G. (1996). On the asymptotic behaviour of the pseudolikelihood ratio test statistic. *Journal of the Royal Statistical Society: Series B*, 58(4), 785–796.
- Litell, R., Milliken, G., Stroup, W., Wolfinger, R., & Schabenberger, O. (2006). *SAS for Mixed Models*. SAS Publishing.
- Molenberghs, G., & Verbeke, G. (2007). Likelihood ratio, score, and Wald tests in a constrained parameter space. *The American Statistician*, 61(1), 22–27.
- Murrell, P. (2005). *R Graphics*. Chapman & Hall/CRC.
- Murrell, P., & Ripley, B. (2006). Non-standard fonts in postscript and pdf graphics. *The Newsletter of the R Project*, 6(2), 41.
- Neter, J., Wasserman, W., & Kutner, M. (1990). *Applied Linear Statistical Models*. Irwin.
- Pharmacological Therapy for Macular Degeneration Study Group (1997). Interferon  $\alpha$ -IIA is ineffective for patients with choroidal neovascularization secondary to age-related macular degeneration. Results of a prospective randomized placebo-controlled clinical trial. *Archives of Ophthalmology*, 115, 865–872.
- Pinheiro, J., & Bates, D. (1996). Unconstrained parametrizations for variance-covariance matrices. *Statistics and Computing*, 6(3), 289–296.
- Pinheiro, J., & Bates, D. (2000). *Mixed-effects Models in S and S-PLUS*. Springer.
- R Development Core Team (2010). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing.



- Rothenberg, T. (1984). Approximate normality of generalized least squares estimates. *Econometrica*, 52(4), 811–825.
- Santos Nobre, J., & da Motta Singer, J. (2007). Residual analysis for linear mixed models. *Biometrical Journal*, 49(6), 863–875.
- Sarkar, D. (2008). *Lattice: Multivariate Data Visualization with R*. Springer.
- Satterthwaite, F. E. (1941). Synthesis of variance. *Psychometrika*, 6, 309–316.
- Schabenberger, O. (2004). Mixed model influence diagnostics in proceedings of the twenty-ninth annual sas users group international conference. *Proceedings of the Twenty-Ninth Annual SAS Users Group International Conference*, 189, 29.
- Schabenberger, O., & Gotway, C. (2005). *Statistical Methods for Spatial Data Analysis*, vol. 65. Chapman & Hall.
- Scheipl, F., Greven, S., & Kuechenhoff, H. (2008). Size and power of tests for a zero random effect variance or polynomial regression in additive and linear mixed models. *Computational Statistics & Data Analysis*, 52(7), 3283–3299.
- Schluchter, M., & Elashoff, J. (1990). Small-sample adjustments to tests with unbalanced repeated measures assuming several covariance structures. *Journal of Statistical Computation and Simulation*, 37(1-2), 69–87.
- Searle, S., Casella, G., & McCulloch, C. (1992). *Variance Components*. John Wiley & Sons.
- Self, S. G., & Liang, K.-Y. (1987). Asymptotic properties of maximum likelihood estimators and likelihood ratio tests under nonstandard conditions. *Journal of the American Statistical Association*, 82(398), 605–610.
- Shapiro, A. (1985). Asymptotic distribution of test statistics in the analysis of moment structures under inequality constraints. *Biometrika*, 72(1), 133–144.
- Stram, D., & Lee, J. (1994). Variance components testing in the longitudinal mixed effects model. *Biometrics*, 50(4), 1171–1177.
- Tibaldi, F., Verbeke, G., Molenberghs, G., Renard, D., Van den Noortgate, W., & De Boeck, P. (2007). Conditional mixed models with crossed random effects. *British Journal of Mathematical and Statistical Psychology*, 60(2), 351–365.
- Van den Noortgate, W., De Boeck, P., & Meulders, M. (2003). Cross-classification multilevel logistic models in psychometrics. *Journal of Educational and Behavioral Statistics*, 28(4), 369–386.
- Venables, W., & Ripley, B. (2010). *Modern Applied Statistics with S*. Springer.
- Verbeke, G., & Molenberghs, G. (2000). *Linear Mixed Models for Longitudinal Data*. Springer.
- Verbeke, G., & Molenberghs, G. (2003). The use of score tests for inference on variance components. *Biometrics*, 59(2), 254–262.
- Vonsh, E., & Chinchilli, V. (1997). *Linear and Nonlinear Models for the Analysis of Repeated Measurements*. CRC.
- West, B. T., Welch, K. B., & Galecki, A. T. (2007). *Linear Mixed Models: A Practical Guide Using Statistical Software*. Chapman and Hall/CRC.
- Wickham, H. (2007). Reshaping data with the reshape package. *Journal of Statistical Software*, 21(12).
- Wilkinson, G., & Rogers, C. (1973). Symbolic description of factorial models for analysis of variance. *Applied Statistics*, 22, 392–399.