
References

- Alderink, G.J., & Kuck, D.J. (1986). Isokinetic shoulder strength of high school and college-aged pitchers. *Journal of Orthopaedic and Sports Physical Therapy*, **7**, 163-172.
- Alexander, M.J.L. (1990). Peak torque values for antagonist muscle groups and concentric and eccentric contraction types for elite sprinters. *Archives of Physical Medicine and Rehabilitation*, **71**, 334-339.
- American College of Sports Medicine. (1991). *Guidelines for exercise testing and prescription*. Philadelphia: Lea & Febiger.
- Anderson, M.A., Gieck, J.H., Perrin, D.H., Weltman, A., Rutt, R., & Denegar, C. (1991). The relationship among isometric, isotonic, and isokinetic concentric and eccentric quadriceps and hamstring force and three components of athletic performance. *Journal of Orthopaedic and Sports Physical Therapy*, **14**, 114-120.
- Andersson, E., Sward, L., & Thorstensson, A. (1988). Trunk muscle strength in athletes. *Medicine and Science in Sports and Exercise*, **20**, 587-593.
- Appen, L., & Duncan, P.W. (1986). Strength relationship of the knee musculature: Effects of gravity and sport. *Journal of Orthopaedic and Sports Physical Therapy*, **7**, 232-235.
- Batzopoulos, V., & Brodie, D.A. (1989). Isokinetic dynamometry: Applications and limitations. *Sports Medicine*, **8**, 101-116.
- Batzopoulos, V., Williams, J.G., & Brodie, D.A. (1991). Sources of error in isokinetic dynamometry: Effects of visual feedback on maximum torque measurements. *Journal of Orthopaedic and Sports Physical Therapy*, **13**, 138-141.
- Barr, A.E., & Duncan, P.W. (1988). Influence of position on knee flexor peak torque. *Journal of Orthopaedic and Sports Physical Therapy*, **9**, 279-283.
- Basmajian, J.V. (1979). *Muscles alive: Their functions revealed by electromyography*. Baltimore: Williams & Wilkins.

- Baumgartner, T.A. (1989). Norm-referenced measurement: Reliability. In M.J. Safrit & T.M. Woods (Eds.), *Measurement concepts in physical education and exercise science* (pp. 45-60). Champaign, IL: Human Kinetics.
- Bemben, M.G., Grump, K.J., & Massey, B.H. (1988). Assessment of technical accuracy of the Cybex II isokinetic dynamometer and analog recording system. *Journal of Orthopaedic and Sports Physical Therapy*, **10**, 12-17.
- Bennett, J.G., & Stauber, W.T. (1986). Evaluation and treatment of anterior knee pain using eccentric exercise. *Medicine and Science in Sports and Exercise*, **18**, 526-530.
- Berg, K., Blanke, D., & Miller, M. (1985). Muscular fitness profile of female college basketball players. *Journal of Orthopaedic and Sports Physical Therapy*, **7**, 59-64.
- Bohannon, R.W., & Smith, M.B. (1989). Intrasession reliability of angle specific knee extension torque measurements with gravity corrections. *Journal of Orthopaedic and Sports Physical Therapy*, **11**, 155-157.
- Brooke, M.H., & Kaiser, K.K. (1970). Muscle fiber types: How many and what kind? *Archives of Neurology*, **23**, 369-379.
- Brown, L.P., Niehues, S.L., Harrah, A., Yavorsky, P., & Hirschman, H.P. (1988). Upper extremity range of motion and isokinetic strength of the internal and external shoulder rotators in major league baseball players. *American Journal of Sports Medicine*, **16**, 577-585.
- Burdett, R.G., & VanSwearingen, J. (1987). Reliability of isokinetic muscle endurance tests. *Journal of Orthopaedic and Sports Physical Therapy*, **8**, 484-488.
- Burnett, C.N., Betts, E.F., & King, W.M. (1990). Reliability of isokinetic measurements of hip muscle torque in young boys. *Physical Therapy*, **70**, 244-249.
- Burnie, J. (1987). Factors affecting selected reciprocal muscle group ratios in preadolescents. *International Journal of Sports Medicine*, **8**, 40-45.
- Campbell, D.E., & Glenn, W. (1979). Foot-pounds of torque of the normal knee and the rehabilitated postmeniscectomy knee. *Physical Therapy*, **59**, 418-421.
- Cawthorn, M., Cummings, G., Walker, J.R., & Donatelli, R. (1991). Isokinetic measurement of foot invertor and evertor force in three positions of plantar flexion and dorsiflexion. *Journal of Orthopaedic and Sports Physical Therapy*, **14**, 75-81.
- Chmelar, R.D., Shultz, B.B., Ruhling, R.O., Fitt, S.S., & Johnson, M.B. (1988). Isokinetic characteristics of the knee in female, professional and university, ballet and modern dancers. *Journal of Orthopaedic and Sports Physical Therapy*, **9**, 410-418.
- Clarke, H.H. (1948). Objective strength tests of affected muscle groups involved with orthopedic disabilities. *Research Quarterly*, **19**, 118-147.
- Colliander, E.B., & Tesch, P.A. (1989). Bilateral eccentric and concentric torque of quadriceps and hamstring muscles in females and males. *European Journal of Applied Physiology*, **59**, 227-232.
- Connelly Maddux, R.E., Kibler, W.B., & Ulh, T. (1989). Isokinetic peak torque and work values for the shoulder. *Journal of Orthopaedic and Sports Physical Therapy*, **11**, 264-269.
- Cook, E.E., Gray, V.L., Savinar-Nogue, E., & Medeiros, J. (1987). Shoulder antagonistic strength ratios: A comparison between college-level baseball pitchers and nonpitchers. *Journal of Orthopaedic and Sports Physical Therapy*, **8**, 451-461.

- Costain, R., & Williams, A.K. (1984). Isokinetic quadriceps and hamstring torque levels of adolescent, female soccer players. *Journal of Orthopaedic and Sports Physical Therapy*, **5**, 196-200.
- Costill, D.L., Coyle, E.F., Fink, W.F., Lesmes, G.R., & Witzmann, F.A. (1979). Adaptations in skeletal muscle following strength training. *Journal of Applied Physiology*, **46**, 96-99.
- Cote, C., Simoneau, J.A., Lagasse, P., Boulay, M., Thibault, M.C., Marcotte, M., & Bouchard, C. (1988). Isokinetic strength training protocols: Do they induce skeletal muscle fiber hypertrophy? *Archives of Physical Medicine and Rehabilitation*, **69**, 281-285.
- Coyle, E.F., Feiring, D.C., Rotkis, T.C., Cote, R.W., Roby, F.B., Lee, W., & Wilmore, J.H. (1981). Specificity of power improvements through slow and fast isokinetic training. *Journal of Applied Physiology*, **51**, 1437-1442.
- Croce, R.V. (1986). The effects of EMG biofeedback on strength acquisition. *Biofeedback and Self-Regulation*, **11**, 299-310.
- Daniels, L., & Worthingham, C. (1980). *Muscle testing: Techniques of manual examination*. Philadelphia: W.B. Saunders.
- Davies, G.J., & Gould, J.A. (1982). Trunk testing using a prototype Cybex II isokinetic dynamometer stabilization system. *Journal of Orthopaedic and Sports Physical Therapy*, **3**, 164-170.
- Day, R.W., Moore, R.J., & Patterson, P. (1988). Isokinetic torque production of the shoulder in a functional movement pattern. *Athletic Training*, **23**, 333-338.
- Dibrezzo, R., Gench, B.E., Hinson, M.M., & King, J. (1985). Peak torque values of the knee extensor and flexor muscles of females. *Journal of Orthopaedic and Sports Physical Therapy*, **7**, 65-68.
- Donatelli, R., Catlin, P.A., Backer, G.S., Drane, D.L., & Slater, S.M. (1991). Isokinetic hip abductor to adductor torque ratio in normals. *Isokinetics and Exercise Science*, **1**, 103-111.
- Douris, P.C. (1991). Cardiovascular responses to velocity-specific isokinetic exercise. *Journal of Orthopaedic and Sports Physical Therapy*, **13**, 28-32.
- Duncan, P.W., Chandler, J., Cavanaugh, D., Johnson, K., & Buehler, S. (1989). Mode and speed specificity of eccentric and concentric exercise. *Journal of Orthopaedic and Sports Physical Therapy*, **11**, 70-75.
- Durand, A., Malouin, F., Richards, C.L., & Bravo, G. (1991). Intertrial reliability of work measurements recorded during concentric isokinetic knee extension and flexion in subjects with and without meniscal tears. *Physical Therapy*, **71**, 804-812.
- Ellenbecker, T.S., Davies, G.J., & Rowinski, M.J. (1988). Concentric versus eccentric isokinetic strengthening of the rotator cuff. *American Journal of Sports Medicine*, **16**, 64-69.
- Engle, B. (1983). Clinical use of an isokinetic leg press. *Journal of Orthopaedic and Sports Physical Therapy*, **4**, 148-149.
- Falkel, J. (1978). Plantar flexor strength testing using the Cybex isokinetic dynamometer. *Physical Therapy*, **58**, 847-850.
- Farrell, M., & Richards, J.G. (1986). Analysis of the reliability and validity of the kinetic communicator exercise device. *Medicine and Science in Sports and Exercise*, **18**, 44-49.

- Feiring, D.C., Ellenbecker, T.S., & Derscheid, G.L. (1990). Test-retest reliability of the Biodex isokinetic dynamometer. *Journal of Orthopaedic and Sports Physical Therapy*, **11**, 298-300.
- Figoni, S.F., Christ, C.B., & Massey, B.H. (1988). Effects of speed, hip and knee angle, and gravity on hamstring to quadriceps torque ratios. *Journal of Orthopaedic and Sports Physical Therapy*, **9**, 287-291.
- Figoni, S.F., & Morris, A.F. (1984). Effects of knowledge of results on reciprocal, isokinetic strength and fatigue. *Journal of Orthopaedic and Sports Physical Therapy*, **6**, 190-197.
- Fillyaw, M., Bevins, T., & Fernandez, L. (1986). Importance of correcting isokinetic peak torque for the effect of gravity when calculating knee flexor to extensor muscle ratios. *Physical Therapy*, **66**, 23-29.
- Friedlander, A.L., Block, J.E., Byl, N.N., Stubbs, H.A., Sadowsky, H.S., & Genant, H.K. (1991). Isokinetic limb and trunk muscle performance testing: Short-term reliability. *Journal of Orthopaedic and Sports Physical Therapy*, **14**, 220-224.
- Fugl-Meyer, A.R. (1981). Maximum isokinetic ankle plantar and dorsal flexion torques in trained subjects. *European Journal of Applied Physiology*, **47**, 393-404.
- Fugl-Meyer, A.R., Sjostrom, M., & Wahlby, L. (1979). Human plantar flexion strength and structure. *Acta Physiologica Scandinavica*, **107**, 47-56.
- Ghena, D.R., Kurth, A.L., Thomas, M., & Mayhew, J. (1991). Torque characteristics of the quadriceps and hamstring muscles during concentric and eccentric loading. *Journal of Orthopaedic and Sports Physical Therapy*, **14**, 149-154.
- Gilliam, T.B., Villanacci, J.F., Freedson, P.S., & Sady, S.P. (1979). Isokinetic torque in boys and girls ages 7 to 13: Effect of age, height, and weight. *Research Quarterly*, **50**, 599-609.
- Grabiner, M.D., Jeziorowski, J.J., & Divekar, A.D. (1990). Isokinetic measurements of trunk extension and flexion performance collected with the Biodex clinical data station. *Journal of Orthopaedic and Sports Physical Therapy*, **11**, 590-598.
- Green, H.J. (1986). Muscle power: Fibre type recruitment, metabolism and fatigue. In N.L. Jones, N. McCartney, & A.J. McComas (Eds.), *Human muscle power* (pp. 65-79). Champaign, IL: Human Kinetics.
- Greenfield, B.H., Donatelli, R., Wooden, M.J., & Wilkes, J. (1990). Isokinetic evaluation of shoulder rotational strength between the plane of scapula and the frontal plane. *American Journal of Sports Medicine*, **18**, 124-128.
- Griffin, J.W. (1987). Differences in elbow flexion torque measured concentrically, eccentrically, and isometrically. *Physical Therapy*, **67**, 1205-1209.
- Gross, M.T., Huffman, G.M., Phillips, C.N., & Wray, J.A. (1991). Intramachine and intermachine reliability of the Biodex and Cybex II for knee flexion and extension peak torque and angular work. *Journal of Orthopaedic and Sports Physical Therapy*, **13**, 329-335.
- Guth, L., & Samaha, F.J. (1969). Qualitative differences between actomyosin ATPase of slow and fast mammalian muscle. *Experimental Neurology*, **25**, 139-152.
- Hageman, P.A., Gillaspie, D.M., & Hill, L.D. (1988). Effects of speed and limb dominance on eccentric and concentric isokinetic testing of the knee. *Journal of Orthopaedic and Sports Physical Therapy*, **10**, 59-65.

- Hageman, P.A., Mason, D.K., Rydlund, K.W., & Humpal, S.A. (1989). Effects of position and speed on eccentric and concentric isokinetic testing of the shoulder rotators. *Journal of Orthopaedic and Sports Physical Therapy*, **11**, 64-69.
- Hald, R.D., & Bottjen, E.J. (1987). Effect of visual feedback on maximal and submaximal isokinetic test measurements of normal quadriceps and hamstrings. *Journal of Orthopaedic and Sports Physical Therapy*, **9**, 86-93.
- Hanten, W.P., & Ramberg, C.L. (1988). Effect of stabilization on maximal isokinetic torque of the quadriceps femoris muscle during concentric and eccentric contractions. *Physical Therapy*, **68**, 219-222.
- Harding, B., Black, T., Bruulsema, A., Maxwell, B., & Stratford, P. (1988). Reliability of a reciprocal test protocol performed on the kinetic communicator: An isokinetic test of knee extensor and flexor strength. *Journal of Orthopaedic and Sports Physical Therapy*, **10**, 218-223.
- Harter, R.A., Osternig, L.R., Singer, K.M., James, S.L., Larson, R.L., & Jones, D.C. (1988). Long-term evaluation of knee stability and function following surgical reconstruction for anterior cruciate ligament insufficiency. *American Journal of Sports Medicine*, **16**, 434-443.
- Harter, R.A., Osternig, L.R., & Standifer, L.W. (1990). Isokinetic evaluation of quadriceps and hamstrings symmetry following anterior cruciate ligament reconstruction. *Archives of Physical Medicine and Rehabilitation*, **71**, 465-468.
- Hasue, M., Fujiwara, M., & Kikuchi, S. (1980). A new method of quantitative measurement of abdominal and back muscle strength. *Spine*, **5**, 143-148.
- Haymes, E.M., & Dickinson, A.L. (1980). Characteristics of elite male and female ski racers. *Medicine and Science in Sports and Exercise*, **12**, 153-158.
- Hellwig, E.V., & Perrin, D.H. (1991). A comparison of two positions for assessing shoulder rotator peak torque: The traditional frontal plane versus the plane of the scapula. *Isokinetics and Exercise Science*, **1**, 1-5.
- Hester, J.R., & Falkel, F.E. (1984). Isokinetic evaluation of tibial rotation: Assessment of a stabilization technique. *Journal of Orthopaedic and Sports Physical Therapy*, **6**, 46-51.
- Highgenboten, C.L., Jackson, A.W., & Meske, N.B. (1988). Concentric and eccentric torque comparisons for knee extension and flexion in young adult males and females using the kinetic communicator. *American Journal of Sports Medicine*, **16**, 234-237.
- Hill, A.V. (1938). The heat of shortening and the dynamic constants of muscle. *Proceedings of the Royal Society of London (Biology)*, **126**, 136-195.
- Hinson, M.N., Smith, W.C., & Funk, S. (1979). Isokinetics: A clarification. *Research Quarterly*, **50**, 30-35.
- Hinton, R.Y. (1988). Isokinetic evaluation of shoulder rotational strength in high school baseball pitchers. *American Journal of Sports Medicine*, **16**, 274-279.
- Hislop, H., & Perrine, J.J. (1967). The isokinetic concept of exercise. *Physical Therapy*, **47**, 114-117.
- Holmes, J.R., & Alderink, G.J. (1984). Isokinetic strength characteristics of the quadriceps femoris and hamstring muscles in high school students. *Physical Therapy*, **64**, 914-918.