

## Literatura:

- DUVIGNEAUD P. (1980): La synthèse écologique. – Doin éditeurs, Paris. Český překlad – Ekologická syntéza. – Academia, Praha 1988.
- ELLENBERG H. (ed.) (1973): Ökosystemforschung. – Springer Verlag, Berlin, Heidelberg, New York. – Die Ökosysteme der Erde. s. 235–265.
- GOODAL D. W. (ed.) (1983 a dále:) Ecosystems of the World. – Elsevier, Amsterdam, Oxford, New York. Vychází postupně, celkem 29 svazků.
- HAYNES R. (ed.) (1981): Environmental Science Methods. – Chapman and Hall, London, New York.
- JANETSCHEK H. (ed.) (1982): Ökologische Feldmethoden. – Ulmer, Stuttgart.
- JØRGENSEN S. E., JOHNSEN J. (1981): Principles of Environmental Science and Technology. Studies in Environmental Science 14. – Elsevier, Amsterdam, Oxford, New York.
- KLIKA J., NOVÁK V. (eds) (1941): Praktikum rostlinné sociologie, půdoznalství, klimatologie a ekologie. – Melantrich, Praha.
- KLIKA J., NOVÁK V., GREGOR A. (eds) (1954): Praktikum fytocenologie, ekologie, klimatologie a půdoznalství. – NČSAV, Praha.
- KORMONDY E. J. (1969): Concepts of Ecology. – Prentice-Hall, New Jersey.
- KUCERA C. L. (1978): The challenge of Ecology. Second ed. – The C. V. Mosby Comp., Saint Louis.
- ODUM E. P. (1977): Základy ekologie. Čes. překlad R. Obrtel a kol. – Academia, Praha.
- TANSLEY A. G. (1935): The use and abuse of vegetational concepts and terms. – Ecology 16: 284–307.

Během přípravy této příručky vyšly další významné publikace o ekosystémech i metodách jejich výzkumu. Kromě prací citovaných v Úvodu uvádíme proto ještě některé nové tituly, důležité k dalšímu studiu:

- BEGON M., HARPER J. L., TOWSEND C. R. (1986): Ecology.-Blackwell Sci. Publ., Oxford.
- CRAWLEY M. J. (ed.) (1986): Plant Ecology.-Blackwell Sci. Publ., Oxford.
- GRACE J., FORD E. D., JARWIS P. G. 1981: Plants and their Atmospheric Environment.-Blackwell Sci., Publ., Oxford.
- FITTER A. H., HAY R. K. M. (1983): Environmental Physiology of Plants.-Acad. Press, London.
- MOORE P. D., CHAPMAN S. B. (eds.) (1986): Methods in Plant Ecology.-Second ed., Blackwell Sci. Publ., Oxford.

Pro luční ekosystémy vyšla u nás příručka kolektivu M. Rychnovské:

RYCHNOVSKÁ M. a kolektiv (1987): Metody studia travinných ekosystémů – Academia, Praha.

## Literatura:

- DU RIETZ E. (1932): Vegetationsforschung auf Soziationsanalytischer Grundlage. — Abderh. Handbuch biol. Arb. Meth., 11: 293–480.
- HRBÁČEK J., BLAŽKA P., BRANDL Z., FOTT J., KOŘÍNEK V., KUBÍČEK F., LELLÁK J., PROCHÁZKOVA Z., STRAŠKRABA M., STRAŠKRABOVÁ V., ZELINKA M. (1972). Limnologické metody. Učební texty Univ. Karlovy, Praha.
- MILNER C., HUGHES R. E. (1968): Methods of the measurement of the primary production of grassland. — IBP Handbook No 6, Blackwell, Oxford and Edinburgh.
- RYCHOVSKÁ M. a kol. (1987): Metody studia travinných ekosystémů. — Academia, Praha.
- NEWBOULD P. J. (1967): Methods for estimating the primary production of forests. — IBP Handbook No 2, Blackwell, Oxford and Edinburgh.
- SUKAČEV V. (1929): Über einige Grundbegriffe in der Phytosozиologie. — Ber. d. deutsch. Bot. Ges. 47: 296–312.
- TANSLEY A. G. (1935): The use and abuse of vegetational concepts and terms. — Ecology, 16: 284–307.
- VOLLENWEIDER R. A. (1969): A manual of methods for measuring primary production in aquatic environments. — IPB Handbook No 12, Blackwell, Oxford and Edinburgh.

## Literatura:

- ELLENBERG H. (1956): Grundlagen der Vegetationsgliederung I. Aufgaben und Methoden der Vegetationskunde. – In: WALTER H. (ed.), Einführung in die Phytologie. – Stuttgart.
- HAUF M. a kol. (1982): Geodézie. – SNTL, Praha.
- JENÍK J. (1970): Obecná geobotanika, úvod do nauky o rostlinstvu. – Skripta přír. fak. UK, SPN, Praha.
- KLIKA J., NOVÁK V., GREGOR A. (1954): Praktikum fytocenologie, ekologie, klimatologie a půdznalství. – NČSAV, Praha.

KUBÍKOVÁ J. (1971): Geobotanické praktikum. — SPN, Praha. Skripta přír. fak. UK.

KUBÍKOVÁ J. a REJMÁNEK M. (1973): Poznámky k některým kvantitativním metodám studia struktury rostlinných společenstev. — Preslia, Praha, 45: 154–164.

RYŠAVÝ J., CACH F. a kol. (1960): Geodetická příručka. — SNTL, Praha.

STANĚK V., SVOBODA J. (1972–1974): Měřícké práce na stavbách 1, 2. — SNTL, Praha.

STEUBING L. (1965): Pflanzenökologisches Praktikum. — Paul Parey Verlag, Berlin und Hamburg.

Mapy:

MIKYŠKA R. a kol. (1968): Geobotanická mapa ČSSR 1. České země. — NČSAV, Praha.

Kolektiv Ústředního ústavu geologického: Soubor geologických map.

Ústřední správa geodézie a kartografie: Soubor státních map odvozených v měř. 1 : 5 000  
a 1 : 10 000.

Lesprojekt Brandýs n/L.: Soubor porostních map, soubor typologických map v měř. 1 : 10 000.

Geografický ústav ČSAV: Soubor biogeografických map.

## Literatura:

- BLANCHARD L. E., WEINSTEIN O. (1980): Design challenges of the thematic mapper. – Transact. on Geosci. and Remote Sensing; Ge 18: 146–160.
- BUREŠ E. a kol. (1981): Příspěvek k zdokonalení fotografického záznamu barevných syntéz kosmických a multispektrálních snímků. – Geodet. a kartogr. obzor, 27/69: 115–119.
- ESTES J. E. (1974): Remote Sensing. – Hamilton Publ. Co., Santa Barbara, California.
- FAIMAN Z. (1980a): Degradace radiometrických dat snímkovaných fotografickou kamerou. – Sborník konference: Dálkové snímání a dálkový průzkum Země. ČsVTS Brno, s. 51–60.
- FAIMAN Z. (1980b): Přístroje pro techniku dálkového průzkumu Země. – Sborník konference: Dálkové snímání a dálkový průzkum Země. ČsVTS Brno, s. 124–131.
- FAIMAN Z. (1982a): Dálkový průzkum Země. – Památky a příroda, 7: 41–45.
- FAIMAN Z. (1982b): Spektrální charakteristiky v dálkovém průzkumu Země. – Jem. mech. a opt., 27: 321–324, 332.

FAIMAN Z. (1983): Hlavní obecné rysy spektrálních charakteristik vegetace. — Jem. mech. a opt., 28: 69–72.

Kolektív autorů (1970): Remote sensing with special reference to agriculture and forestry. — Nat. Acad. of Sci., Washington D. C.

FURRITSCH G. S. (1981): Nonvisual remote sensing of trees affected by stress. — Canad. Forestry Service, s. 38.

REEVES R. G. a kol. (1975): Manual of Remote Sensing. — Am. Society of Photogramm. Eng.

SALOMONSON V. V. a kol. (1980): An overview of progress in the design of Landsat D systems. — IEEE Transact. on Geosci. and Remote Sensing. Ge 18: 137–146.

SWAIN P. H., DAVIS S. M. (1978): Remote Sensing – the Quantitative Approach McGraw-Hill Inc., New York.

ŠÍMA J. (1980): Tvorba barevných syntéz na multispektrálním projektoru MSP 4. — Geodet. a kart. obzor, 26/68: 219–224.

## Literatura:

- AJVAZJAN S., BEŽAJEVOVÁ Z., RIZNIČENKO G. Ju. (1981): Metody vícerozměrné analýzy. – SNTL, Praha.
- ANDĚL I. (1976): Statistická analýza časových řad. – SNTL, Praha.
- MUNN R. E. (1970): Biometeorological methods. – Academic Press, New York, London.
- NESMĚRÁK F. (1978): Hodnocení a modelování jakosti vody v tocích v pevném a kontrolním profilu. – SZN, Praha.
- NOSEK M. (1972): Metody v klimatologii. – Academia, Praha.
- RUBIN A. B., PYTJEVA N. F., RIZNIČENKO G. Ju. (1977): Kinetika biologičeskich processov. – Izd. Mosk. Univers.
- SNEDECOR G. W., COCHRAN G. W. (1968): Statistical methods applied to experiments in agriculture and biology. – Iowa State University Press, 6<sup>th</sup> edition.
- SOKAL R. R., ROHLF F. J. (1981): Biometry. The principles and practice of statistics in biological research. – W. H. Freeman and Comp., San Francisco 1969. 2<sup>nd</sup> ed.
- THORNLEY J. H. M. (1976): Matematical models in plant physiology. – Academic Press, London – New York – San Francisco.
- WEBER E. (1972): Grundriss der biologischen Statistik. – VEB Gustav Fisher Verlag, Jena, 7. Auflage.

## Literatura:

- ASATIANI Z. L. (1976): Analyz metod i sredstv izmerenia vlažnosti vozducha. — In: Modelirovanie počvennych processov i automatizacia ich issledovanij. — Nauka, Moskva, s. 181–213.
- BONHOMME R., CHARTIER P. (1972): The interpretation and automatic measurement of hemispherical photographs to obtain sunlit foliage area and gap frequency. — Israel J. agr. Res. 22: 53–61.
- BONHOMME R., VARLET GRANCHER C., CHARTIER P. (1974): The use of hemispherical photographs for determining the leaf area index of young crops. — Photosynthetica 8: 299–301.
- BUDYKO M. I. (1971): Klimat i žizn. — Gidrometeoizdat, Leningrad.
- BUSSINGER J. A. (1975): Aerodynamics of vegetated surfaces. — In: DE VRIES D. A., AFGAN N. H. (eds): Heat and Mass Transfer in the Biosphere. — Wiley, New York.
- CAMPBELL G. S. (1977): An Introduction to Environmental Biophysics. — Springer Verlag, New York – Heidelberg – Berlin.
- DAJOZ P. (1975): Precis d'Ecologie. — Dunod, Paris.
- DUNCAN W. G., LOOMIS R. S., WILLIAMS W. S., HANAU R. (1967): A model for simulating photosynthesis in plant communities. — Hildegerdia 38: 181–205.
- GATES D. M. (1980): Biophysical Ecology. — Springer Verlag, New York – Heidelberg – Berlin.
- KOCOUREK F. (1972): Měřící metody v meteorologii spodních vrstev ovzduší. — Hydrometeorologic-ký ústav, Praha.
- KREEB K. (1977): Methoden der Pflanzenekologie. — G. Fischer, Jena.
- KUBÍN Š. (1973): Zdroje fotosynteticky účinného záření a metody jeho měření. — Academia, Praha.
- KUBÍN Š. (1971): Measurement of radiant energy. — In: ŠESTÁK Z., ČATSKÝ J., JARVIS P. G. (eds): Plant Photosynthetic Production. Manual of Methods. — Dr. W. Junk, N. V. Publishers, The Hague, s. 702–765.
- KUBÍN Š., CHÁN B., MALEC V., ONDOK J. P. (1985): Integrační fytoaktinometr – univerzální přístroj pro měření fotosynteticky účinného záření. — Světelná techn. 18: 44–47.
- MÉSZAÁROS E. (1981): Atmospheric Chemistry. Fundamental Aspects. — Akadémiai Kiadó, Budapest.
- MOLDAN B. (1977): Geochemie atmosféry. — Academia, Praha.
- MONSI M., SAEKI T. (1953): Über den Lichtfaktor in den Pflanzengesellschaften und seine Bedeutung für die Stoffproduktion. — Jap. J. Bot. 14: 22–52.
- MONTEITH J. L. (1972): Survey of Instruments for Micrometeorology. IBP Handbook No 22. — Blackwell Scientific Publications, Oxford – London – Edinburgh – Melbourn.
- MONTEITH J. L. (1973): Principles of Environmental Physics. — Edward Arnold, London.
- MONTEITH J. L. (ed.) (1976): Vegetation and Atmosphere. Vol. 1. Principles; Vol. 2. Case Studies. — Academic Press, London – New York – San Francisco.
- NOBEL P. S. (1970): Introduction to Biophysical Plant Physiology. — W. H. Freeman and Company, San Francisco.
- NOSEK M. (1972): Metody v klimatologii. — Academia, Praha.
- ONDOK J. P. (1973a): Photosynthetically active radiation in a stand of *Phragmites communis* Trin. I. Distribution of irradiance and foliage structure. — Photosynthetica 7: 8–11.
- ONDOK J. P. (1973b): II. Model of light extinction in the stand. — Photosynthetica 7: 50–57.
- ONDOK J. P. (1973c): III. Distribution of irradiance on sunlight foliage area. — Photosynthetica 7: 311–319.
- ONDOK J. P. (1975): IV. Stochastic model. — Photosynthetica 9: 201–210.
- ONDOK J. P. (1977): Regime of Global and Photosynthetically Active Radiation in Helophyte Stands. — Studie ČSAV 10. — Academia, Praha.
- PENMAN H. L. (1948): Natural evaporation from open water, soil and grass. — Proc. R. Soc. A 194, s. 120.

- PERRIER A., ITIER B., BERTOLINI J. M., KATERJI N. (1976): A new device for continuous recording of the energy balance of natural surfaces. — Agric. Meteorol. 16: 71–84.
- PŘIBAŇ K. (1973): Climatological characteristics of the Třeboň basin and of Opatovický fishpond area. — In: HEJNÝ S. (ed.): Ecosystem Study on Wetland Biome in Czechoslovakia. — IBP/PT-PP Report No 3, Třeboň, s. 11–14.
- ROSENBERG V. J. (1974): Microclimate: The Biological Environment. — Wiley, New York.
- ROSS J. K. (1975): Radiacionnyj režim i architektonika rastitelnogo pokrova. — Gidrometeoizdat, Leningrad.
- ROSS J. K. (1975): Radiative transfer in plant communities. — In: MONTEITH J. L. (ed.): Vegetation and Atmosphere, Vol. 1 Principles. — Academic Press, London — New York — San Francisco, s. 13–55.
- RUTTER A. J. (1975): The hydrological cycle in vegetation. — In: MONTEITH J. L. (ed.): Vegetation and Atmosphere, Vol. 1 Principles — Academic Press, London — New York — San Francisco, s. 111–154.
- SAMIE B., DE VILLÈLE O. (1970): Méthodes et techniques de mesure de l'évapotranspiration. — In: Techniques d'Etude des Facteurs Physiques de la Biosphère. — INRA, Paris, s. 257–266.
- TOOMING H., NIJLISK M. (1967): Koeficienty perechoda ot integralnoi radiacii k FAR v estestvennykh usloviakh. — In: Fitoaktinometričeskie issledovania rastitelnogo pokrova. — Izd. Valgus, Tallin, s. 140–150.
- VANÝSEK V. (1980): Základy astronomie a astrofyziky. — Academia, Praha.
- WALTER H. (1970): Vegetationszonen und Klima. — Jena.
- WALTER H., LIETH H. (1967): Klimadiagramm-Weltatlas. — Jena.
- WARREN WILLSON J. (1967): Stand structure and light penetration III. Sunlit foliage area. — J. appl. Ecol. 4: 159–165.

## Literatura:

- FOWLER D. (1980): Removal of sulphur and nitrogen composition from the atmosphere in rain and by dry deposition. — In: DRABLOS D., TOLLAN A. (eds): Ecological Impact of Acid Precipitation. — Proc. of an International Conference, Sandefjord, Norway
- Hygienické předpisy (1981): Svazek 52/81. — Ministerstvo zdravotnictví, Praha.
- KATZ M. (1980): Advances in the analysis of air contaminants. — J. of the Air Poll. Contr. Ass. 30: 528–554.
- KRIŽAN V. a kol. (1981): Analýza ovzdušia. — Alfa, Bratislava.
- MOLDAN B. (1983): Koloběh hmoty v přírodě. — Academia, Praha.
- PETRENCHUK O. P., SELEZNEVA E. S. (1970): Chemical composition of precipitation in regions of the Soviet Union. — Journ. Geophys. Res. 75: 3629–3634.
- SEHNEL G. A. (1980): Particle and gas dry deposition: A review. — Atmos. Environ. 14: 983–1011.
- STERN A. C. (1976): Air Pollution. — 3 rd ed. — Academic Press, New York.
- URONE P. (1976): The primary air pollutants. — In: STERN A. C. (ed.): Air Pollution. — 3rd ed. — Academic Press, New York.

## Literatura:

- AUSTIN R. W. (1973): Problems in measuring turbidity as a water quality parameter. — Environmental Protection Agency, Seminar on Methodology for Monitoring the Marine Environment at Seattle, Washington, 1–12, Martek Instruments, Newport Beach, CA 92663, 879 W 16th St.
- BELLA D. A. (1970): Simulating the effect of sinking and vertical mixing on algal population dynamics. — J. of the Water Pollution Control Federation 42 (5): 140–152.
- BEYER G. L. (1969): Turbidimetry and nephelometry. — In: Kirk-Othmer, (ed.): Encyclopedia of Chemical Technology. — Interscience Publishers, New York 1969, 2nd ed. Vol. 20: 738–748.
- BRDIČKA R., DVOŘÁK J. (1977): Základy fyzikální chemie. — Academia, Praha, 850s.
- BRICAUD A., MOREL A., PRIEUR L. (1981): Absorption by dissolved organic matter of the sea (yellow substance) in the UV and visible domains. — Limnol. Oceanogr. 26 (1): 43–53.
- CARLSON R. E. (1980): More complications in the chlorophyl-Secchi disk relationship. — Limnol. Oceanogr. 25 (2): 379–382.
- DUB O., NĚMEC J. a kol. (1969): Hydrologie, Technický průvodce 34. — SNTL, Praha, 380 s.
- GATES M. D. (1980): Biophysical Ecology. — Springer-Verlag, New York, Heidelberg, Berlin, 611 s.
- GOLTERMAN H. L., CLYMO R. S. (1969): Methods for chemical analysis of fresh waters. — IBP Handbook 8. — Oxford, Blackwell Sci. Publ., 172 s.
- HØJERSLEV J. (1975): A spectral light absorption meter for measurements in the sea. — Limnol. Oceanogr. 20: 1024–1034.
- HORÁK Z., KRUPKA F. (1976): Fyzika, příručka pro vysoké školy technického směru. — SNTL, Praha, 1130 s.
- HORNBURGER G. M., KELLY M. G. (1974): A new method for estimating productivity in standing waters using free oxygen measurements. — Water Resources Bulletin 10: 265–271.
- HRBÁČEK J. a kol. (1974): Limnologické metody — Universita Karlova Praha, fakulta přírodnovědecká, Scriptum, 208 s.
- HUTCHINSON G. E. (1957): A treatise on limnology. Vol. I, 1015 s. — John Wiley & Sons, Inc.
- IDSO S. B., GILBERT R. G. (1974): On the universality of the Poole and Atkins Secchi disk-light extinction equation. — J. appl. Ecol. 11: 399–401.
- IVANOV A. P. (1975): Fizičeskie osnovy gidrooptiky — Nauka i technika, Minsk, 504 s.
- JERLOV N. G. (1965): Aspects of light measurement in the sea. — In: Bainbridge, R., Evans, G. C., Rackham, O.: Light as an ecological factor, British Ecol. Soc. Symp. — Blackwell Scientific Public. Oxford, s. 91–98.
- KIRK J. T. O. (1977): Use of a quanta meter to measure attenuation and underwater reflectance of photosynthetically active radiation in some inland and coastal south-eastern Australia waters. — Aust. J. Mar. Freshwater Res. 28: 9–21.
- KIRK J. T. O. (1976): Yellow substance (Gelbstoff) and its contribution to the attenuation of photosynthetically active radiation in some inland and coastal south-eastern Australian waters. — Aust. J. Mar. Freshwater Res. 27: 61–71.
- KIRK J. T. O. (1975): A theoretical analysis of the contribution of algal cells within natural waters. I. General treatment of pigmented cells. — New Phytol. 75: 11–20.

- KIRK T. O. (1983): Light and photosynthesis in aquatic ecosystems. — Cambridge University Press, Cambridge, London, New York, New Rochelle, Melbourne, Sydney, 401 s.
- KUBÍN Š. (1971): Measurement of radiant energy. — In: Šesták Z., Čatský J., Jarvis, P. G. (ed.): Plant Photosynthetic Production. Manual of Methods. — The Hague, s. 702–763.
- LERMAN A. (1971): Time to chemical steady-states in lakes and ocean. — Advanc. in Chem. Ser. 106: 30–76.
- LISS P. S., SLATER P. G. (1974): Flux of gases across the air-sea interface. — Nature 247: 181–184.
- LINGEMAN R., VERMIJ S. (1980): Estimation of primary productivity in aquatic systems using free oxygen measurements. — Water Resources Bulletin, Amer. Water Res. Ass. 16, 4: 745–748.
- LORENZEN M. W. (1980): Use of chlorophyl-Secchi disk relationships. — Limnol. Oceanogr. 25 (2): 371–372.
- MALÁT M. (1973): Absorpční anorganická fotometrie. — Academia, Praha, 894 s.
- MCCARTHY J. C., PYLE T. E., GRIFFIN G. M. (1974): Light transmissivity, suspended sediments and legal definition turbidity. — Estuarine and Coastal Mar. Sci. 2: 291–299.
- MEGARD R. O., SETLES J. C., BOYER H. A., COMBS Sr. W. S. (1980): Light, Secchi disks and tropic states. — Limnol. Oceanogr. 25 (2): 373–377.
- MORTIMER C. H. (1974): Lake hydrodynamics. — Mitteilungen Int. Ver. Limnol. 20: 131–197.
- MOSER H. (1977): Temperaturmessung. — Leipzig, 358 s.
- MRKVÁ M. (1975): Použití ultrafialové spektrofotometrie k hodnocení organického znečištění vod. — Výzkumný ústav vodohospodářský, Práce a studie, sešit 138, 212 s.
- NOBEL P. S. (1974): Introduction to biophysical physiology. — W. H. Freeman and Company, San Francisco, 488 s.
- ODUM E. P. (1977): Základy ekologie. — Academia, Praha, 733 s.
- ONDOK J. P., PŘIBÁŇ K. (1982): Vliv vodní vegetace na fyzikální faktory ve vodním prostředí. Sborník: Význam makrofyt ve vodním hospodářství, hygieně vody a rybářství, ČSVTS, Dům Techniky Č. Budějovice, Tábor, s. 56–61.
- ONDOK J. P., POKORNÝ J. (1982): Model of diurnal regime of  $O_2$  and  $CO_2$  in stands of submerged aquatic vegetation. — Ekológia (ČSSR) 1: 381–394.
- POKORNÝ J., KVĚT J., ONDOK J. P., TOUL Z., OSTRÝ J. (1984) Production-ecological analysis of a plant community dominated by *Elodea canadensis* (L. C. Richard). — Aquatic Bot. 19: 293–305.
- PŘIBÁŇ K. a HARTVICH P. (1982): Zmeny teploty v nádrži vzniklé těžbou štěrkopísku. — Sborník VŠZ Praha, Provozně ekonomická fakulta Č. Budějovice, řada biologická 915/2: 33–52.
- QUAY P. D., BROECKER W. S., HESSLEIN R. H., SCHINDLER D. W. (1980): Vertical diffusion rates determined by tritium tracer experiments in the thermocline and hypolimnion of two lakes. — Limnol. Oceanogr. 25 (2): 201–218.
- STERNBERG R. W., BAKER E. T., McMANICS D. A., SMITH S., MORRISON D. R. (1974): An integrating nephelometer for measuring particle concentrations in the deep sea. — Deep Sea Res. 21: 887–892, Perg. Press.
- STEWART A. J., WETZEL R. G. (1981): Asymmetrical relationships between absorbance, fluorescence and dissolved organic carbon. — Limnol. Oceanogr. 26: 590–597.
- STRAŠKRABA M. (1980): The effects of physical variables on freshwater production: analyses based on models. — In: LECREN, E. D., LOWE R. H., McCONNELL (eds): The functioning of freshwater ecosystems, — IBP 22 — Cambridge University Press, s. 13–84.
- STRAŠKRABA M., HRBÁČEK J., JAVORNICKÝ P. (1973): Effect of an upstream reservoir on the stratification conditions in Slapy Reservoir. — Hydrobiol. Studies 2: 7–82.
- ŠINDELÁŘ V. (1969): Mezinárodní praktická teploměrná stupnice 1968, Normalizace, s. 7–8.
- UPHOFF G. D., HERGENRADER G. L. (1976): A portable quantum meter — spectroradiometer for use in aquatic studies. — Freshwater Biol. 6: 215–219.
- VERDUIN J. (1961): Separation rate and neighbour diffusivity. — Science 134: 837–838.

- VERDUIN J. (1972): Metabolismus of the dominant autotrophs of the North American Great Lakes.  
— Verh. Internat. Verein. Limnol. 18: 105–112.
- VOLLENWEIDER R. A. (ed.) (1969): Primary production in aquatic environments — IBP Handbook  
12. — Blackwell Sci. Publ., Oxford, s. 158–171.
- WALKER T. A. (1980): A correction to the Poole and Atkins Secchi disc light — attenuation formula.  
— J. Mar. Biol. Ass. U. K. 60: 769–771.
- WALKER T. A. (1982): Use of Secchi disc to measure attenuation of underwater light photosynthesis.  
— J. of appl. Ecol. 19: 539–544.
- WESTLAKE D. F. (1964): Some problems in the measurement of radiation under water. — A Review  
Photochem. and Photobiol., 4: 849–868.
- WESTLAKE, D. F. (1964): Light extinction, standing crop and photosynthesis within weed beds. —  
Verh. Int. Ver. Limnol., 15: 415–425
- WETZEL R. G. (1975): Limnology. — W. B. Saunders Company, Philadelphia, 743 s.
- WILLIAMS P. J. et JENKINSON N. W. (1980): A simple and inexpensive 4 light collector and two designs  
for a light meter for light attenuation studies. — Freshwater Biol. 10: 491–496.

## Literatura:

- ANONYMUS (1977): Ročenka Jakost vody v tocích. — CHMÚ Praha.
- ARMSTRONG F. A., WILLIAMS P. M., J. D. STRICKLAND (1966): Photooxidation of organic matter in sea water by ultra-violet radiation. Analytical and other applications. — Nature 211 (5048): 481–483.
- BACHMAN R. W., GOLDMAN C. R. (1964): The determination of microgram quantities of molybdenum in natural waters. — Limnol. Oceanogr. 9: 143–146.
- BENDSCHNEIDER K., ROBINSON R. J. (1952): A new spectrophotometric determination of nitrite in sea water. — J. Mar. Res. 2: 87–96.
- BJÖRK S. (1973): Restoring lakes in Sweden. — Technol. Rev. Massachusetts 76(2): 1–10.
- BLAŽKA P. (1966a): Bestimmung der Kohlenhydrate und Lipide. — Limnologica, Berlin, 4: 404–418.
- BLAŽKA P. (1966b): Bestimmung der Proteine im Material aus Binnengewässern. — Limnologica, Berlin, 4: 387–396.
- BLAŽKA P., PROCHÁZKOVÁ L. (1983): Mineralization of organic matter in water by U. V. radiation. — Water Res. 17(4): 355–364.
- BLAŽKA P., PROCHÁZKOVÁ L. (1984): Organic Carbon in a Eutrophic Fishpond. — Int. Rev. ges. Hydrobiol. 69 (3): 429–441.
- BRANDL Z. (1977): Odběr vzorků fytoplanktonu a zooplanktonu se zřetelem k údolním nádržím. — In: Metody a technika vzorkování přírodních vod. — Brno. ČSTS při VÚGI, s. 177–187.
- Československá státní norma — ČSN 83 0530, části 1–50 — Vydavatelství úřadu pro normalizaci a měření Praha 1981, sin pag.
- DILLON P. J. a RIGLER F. H. (1975): A simple method predicting the capacity of a lake for development based on lake trophic status. — J. Fish. Res. Board Canad. 32 (9): 1519–1531.
- EMERY R. M., WELCH E. B., CHRISTMAN R. F. (1971): The total organic carbon analyzer and its application to water research. — J. Water Pollut. Contr. Fed. 43: 1834.
- EYSTER C. (1963): Micronutrient requirements for green plants, especially algae. In: Jackson D. F.: Algae et Man, Plenum Press N. Y.: 86–119.
- FAUST S. D., HUNTER J. V. (1971): Organic components in aquatic environment. — Dekker, N. Y.
- GOLDMAN C. R. (1960): Molybdenum as a factor limiting primary productivity in Castle Lake, California. — Science 132: 1016–1017.
- GOLTERMAN H. L. (1969): Methods for chemical analysis of fresh waters. — IBP Handbook No. 8 — Blackwell Sci. Publ., Oxford, Edinburg, 172 s.

- HOFMANN P. a kol. (1965): Jednotné příručky chemického rozboru vod. — SNTL, Praha, 449 s.
- HORÁKOVÁ M., LISCHKE P., PEKÁRKOVÁ K., GRÜNWALD A. (1981): Metody chemické analýzy vod. — Scriptum, VŠCHT, fakulta technologie vody, Praha, 271 s.
- HORÁKOVÁ M., LISCHKE P., GRÜNWALD A. (1986): Chemické a fyzikální metody analýzy vod. — SNTL, Alfa, Praha 1986, 389 s.
- HRBÁČEK J. (1954): Hydrobiologie — SNP Praha, Učební texty vysokých škol, UK Praha, fak. biologická, 154 s.
- HRBÁČEK J. a kol. (1972): Limnologické metody. Učební texty vysokých škol, UK Praha, 208 s.
- HUTCHINSON G. E. (1957): A treatise on limnology, vol. I. Geography, physics and chemistry. — John Wiley et sons N. Y. — Chapman et Hall, London, 1015 s.
- CHAN K. M., RILEY J. P. (1967): The determination of molybdenum in natural waters, silicates and biological materials. — Anal. Chem. Acta. 35: 337—345.
- KEELER R. F. (1959): Color reaction for certain aminoacids, amines and proteins. — Science 129: 1617—1618.
- Kolektiv autorů (1965): Standard methods for the examination of water and waste water including bottom sediments and sludges. — Amer. Publ. Health Assoc. N. Y., 12. vyd., 769 s.
- KOMÁRKOVÁ J., PŘIBIL S. (1973): Chemical and physical properties of pelagial and littoral water in Opatovický fishpond. — In: HEJNÝ S. (ed.): Ecosystem Study on Wetland Biome in Czechoslovakia. — Czechosl. IBP, PT-PP Report No 3, Třeboň 1973, s. 15—27.
- KOMÁRKOVÁ J. (1974): Limitation of phytoplankton growth by the lack of nutrients in two reservoirs in Czechoslovakia. — Arch. Hydrobiol./Suppl. 46. — Algolog. Studies 10: 55—89.
- KREY J. (1951): Quantitative Bestimmung von Eiweiss im Plankton mittels der Biuretreaktion. — Kieler Meeresforschung 8: 16—29.
- LEGLER C. (ed.) a kol. (1971): Ausgewählte Methoden der Wasseruntersuchung. Band 1 — Chemische, physikalisch-chemische, physikalische u. elektrochemische Methoden. — VEB G. Fischer Verl. Jena, sin pag.
- LEE G. F., STUMM W. (1960): Determination of ferrous ion in presence of ferric ion with bathophenanthroline method. — J. A. W. W. A. 52: 1567—1574.
- LHOTSKÝ O. (1954): Hydrochemické tabulky. — SNTL, Praha, 83 s.
- PEKÁRKOVÁ K., LISCHKE P. (1974): Základy chemie vody. — Skriptum, VŠCHT, fakulta technologie vody. — SNTL, Praha, 220 s.
- PITTER P. (1979): Vztah mezi obsahem org. látek, organického uhlíku, TSK a CHSK — Vodní hospodářství 29 B: 308—313.
- PITTER P. (1981): Hydrochemie. — SNTL, Praha, 373 s.
- PITTER P. a kol. (1987): Hydrochemické tabulky. — SNTL Praha 1987, 320 s.
- POPOVSKÝ J. (1970): Determination of total phosphorus in fresh waters. — Internat. Rev. ges. Hydrobiol. 55 (3): 435—443.
- PROCHÁZKOVÁ L. (1959): Bestimmung der Nitrate im Wasser. — Z. anal. Chem. 167: 254—260.
- PROCHÁZKOVÁ L. (1961): Über die Anwendung des Chloranilsäureverfahrens zur kolorimetrischen Sulfat-bestimmung im Wasser. — Z. anal. Chem. 182: 103—107.
- PROCHÁZKOVÁ L. (1964): Spectrophotometric determination of ammonia as rubazonic acid with bispyrazolone reagent. — Anal. Chem. 36: 865—871.
- PROCHÁZKOVÁ L. (1976): Field fertilization and concentration of nutrients in water bodies. — Limnologica 10 (2): 287—292.
- PROCHÁZKOVÁ L. (1983): Dlouhodobé změny chemického složení vody Slapské nádrže. — Vodní hospodářství 3 (B): 71—76.
- PROCHÁZKOVÁ L., BLAŽKA P. (1984): Relationship between organic carbon and chemical oxygen demand. — Acta Hydrochem. et Hydrobiol. 12 (4): 383—392.
- PROCHÁZKOVÁ L., STRAŠKRABOVÁ V., POPOVSKÝ J. (1973): Changes of some chemical constituents

- and bacterial numbers in Slapy Reservoir during eight years. — In: HRBÁČEK J. a STRAŠKRABA M. (ed.): Hydrobiological Studies 2, Academia, Praha, s. 83–154
- PROCTOR C. M., HOOD D. W. (1954): Determination of inorganic phosphate in sea water by an isobutanol extraction procedure. — J. Mar. Res. 13: 122–132.
- ROBINSON R. J. (1941): Perchloric acid oxidation phosphorus in lake water. — Industr. Engng. Chem. Anal. 13 (7): 465–466.
- ROY A. B., TREUDINGER P. A. (1970): The biochemistry of inorganic compounds of sulphur. — Univ. Press, Cambridge.
- SCHAFFER R. G. a kol. (1965): Application of a carbon analyzer in waste treatment. — J. Wat. Poll. Contr. Fed. 37: 1545.
- STEPHENS K. (1963): Determination of low phosphate concentration in lake and marine waters. — Limnol. Oceanogr. 8 (3): 361–362.
- STRAŠKRABOVÁ V., DESORTOVÁ B., ŠIMEK K., VYHNÁLEK V., BOJANOVSKI B. (1983): Ovlivnění biochemické spotřeby kyslíku v povrchových vodách přítomností řas. — Vodní hospodářství 6: 165–168.
- STUMM W., MORGAN J. J. (1970): Aquatic Chemistry. An Introduction Emphasizing Chemical Equilibria in Natural Waters. — Wiley – Intersci. N. Y., L., Sydney, Toronto, 583 s.
- TARRAS M. (1948): Photometric determination of magnesium in water with brilliant yellow. — Analyt. Chem. 20: 1156–1158.
- THOMAS E. A. (1969): Phosphat trophierung des Zürichsees und anderer Schweizer Seen. — Mitt. Internat. Verein. Limnol. 14: 231–242.
- TOMAJKA J. (1983): Vybrané chemické ukazatele. — In: ERTL M. a kol.: Prebežná správa za čiastkovú úlohu VI-2-4/02 „Hydrocenózy jazier TANAP-u. (Reprint) — Laboratórium rybárstva a hydrobiologie, Bratislava.
- ÚLEHOVÁ B., PŘIBIL S. (1978): Water chemistry in the Fishpond Littorals. — In: D. DYKYJOVÁ a J. KVĚT (eds.): Pond Littoral Ecosystems. — Ecol. Stud. 28: 126–140, Springer Verl.
- YEMM E. W., WILLIS A. J. (1954): The estimation of carbohydrates in plant extracts by anthrone. — Biochem. J. 57: 508–514.
- ZÝKA J. a kol. (1979): Analytická příručka 1. — SNTL, ALFA, Praha, 792 s.
- ZÝKA J. a kol. (1980): Analytická příručka 2. — SNTL, ALFA, Praha, 831 s.

## Literatura:

DUVIGNEAUD P. (1968): L'écologie, science moderne de synthèse. II. Ecosystèmes et biosphère. 2<sup>e</sup> ed. – Bruxelles.

HRAŠKO J., LINKEŠ V., NĚMEČEK J., ŠÁLY R., ŠURINA B. (1974): Půdní mapa ČSSR, měř. 1 : 500 000. – Slov. Geodéz. Kartografie. – VÚPVR, Bratislava.

KOVDA V. A. (1973): Osnovy učenija o počvach. I. II. – Izd. Nauka, Moskva.

KUBIENA W. (1952): Bestimmungsbuch u. Systematik der Böden Europas. – Ferd. Encke, Stuttgart.

KUCERA C. L. (1978): The challenge of ecology. Second ed. – The C. V. Mosby Comp., Saint Louis.

MÜCKENHAUSEN E. (1962): Enstehung, Eigenschaften u. Systematik der Böden der Bundesrepublik Deutschland. – DLG Verlag, Frankfurt am Main.

NĚMEČEK J. (1973): Přehled nejnovějších klasifikačních systémů půd. – SI – ÚVTL, Půdoznalství – meliorace – výživa rostlin, č. 1.

NĚMEČEK J. (1981): Základní diagnostické znaky a klasifikace půd ČSR. – Studie ČSAV č. 8 – Academia, Praha.

PELÍŠEK J. (1961): Atlas hlavních půdních typů ČSSR. – SZN, Praha.

PELÍŠEK J. (1964): Lesnické půdoznalství. – SZN, Praha.

SMOLÍK L. (1965): Pedologie. – SNTL, Praha.

SMOLÍKOVÁ L. (1965): Pedologie pro posluchače geologie. – Učební texty vysokých škol. – SPN, Praha.

Soil Survey Staff (1960): Soil classification. A comprehensive system. 7<sup>th</sup> approximation. – SCS USDA, Washington D.C. Supplements 1964–1968.

Soil Survey Staff (1975): Soil taxonomy. A basic system of soil classification for making and interpreting soil surveys. – Agriculture Hadbook No 436. – SCS USDA, Washington D. C.

SPIRHANZL J. (1951): Rašelina, její vznik, těžba a využití. – Přír. vydav., Praha.

SPIRHANZL J. (1953): Klíč k určování půdních typů na území ČSR. – Věda a výzkum, 1. – ÚVTI, Praha.

ŠALY R. (1962): Hlavné typy lesných pôd na Slovensku. – SAV, Bratislava.

## Literatura:

- DRBAL J. (1971): Praktikum meliorační pedologie. – SPN, Praha (skripta VŠZ Praha).
- HANKS R. J., ASHCROFT G. L. (1980): Applied Soil Physics. Soil Water and Temperature Application. – Springer Verlag, Berlin–Heidelberg–New York.
- HRAŠKO J., ČERVENKA L., FACEK Z., KOMÁREK J., NĚMEČEK J., POSPÍŠIL F., SIROVÝ V. (1962): Rozbory pôdy. – SVPL, Bratislava.
- KLIKA J., NOVÁK V., GREGOR A. (eds.) (1954): Praktikum fytocenologie, ekologie, klimatologie a půdoznalství. – ČSAV, Praha.
- KUBÍKOVÁ J. (1971): Geobotanické praktikum. – SPN, Praha (skripta Přír. fak UK, Praha).
- KUTÍLEK M. (1966): Vodohospodářská pedologie. – SNTL, SVTL, Praha.
- KUTÍLEK M. (1978): Vodohospodářská pedologie. – SNTL – ALFA, Praha.
- NEHRING K. (1960): Agrikulturchemische Untersuchungen für Dünge – und Futtermittel, Böden und Milch. – Hamburg, Berlin.
- PALLMANN H., EICHENBERGER E., HASLER A. (1940): Eine neue Methode der Temperaturmessung

bei ökologischen und bodenkundlichen Untersuchungen. — Ber. Schweiz. Bot. Ges. 50: 337–362.

PAVEL L. a kol. (1984): Geologie a půdoznalství. — VŠZ, Praha (skripta).

SMOLÍK L., PRÁT S., NĚMEC A., (1955): Pedologická příručka pro potřeby geobotanické. — Praha.

VÁŠA J. (1959): Stanovení půdních hydrokonstant. — Vodní hosp. 3, Praha.

## Literatura:

- AEPPLI H. (1971): Erfahrungen mit Untersuchungsmethoden zur K-Fixierung. Kali-Briefe. Fachgebiet 1–2.
- ANTIPOV-KARATAJEV I. N. (ed.) (1956): Fiziko-chimičeskije svojstva počv i metody issledovanija. — Moskva.
- ARINUŠKINA JE. V. (1961): Rukovodstvo po chimičeskому analizu počv. — Moskva.
- BAILEY P. L. (1980): Analysis with Ion-Selective Electrodes. — Heiden, London, Philadelphia and Reine.
- BAILEY L. D., BEAUCHAMP E. G. (1973): Gas chromatography of gases emanating from a saturated soil system. — Canad. J. Soil Sci., 53: 122–124.
- BANIN A., KAKATI K. (eds) (1980): Agrochemicals in Soils. — Pergamon Press, Jerusalem.
- BARANOVSKAJA V. A. (1966): Sravnitel'noje izučenije metodov opredelenija sostava gumusa počv i statističeskaja ich ocenka. — Počvovedenije, 10: 66–69.
- BEAR F. E. (ed.) (1955): Chemistry of the Soil. — New York.
- BEAR F. E. (ed.) (1964): Chemistry of the Soil. — New York.
- BEARD W. E., GUENZI W. D. (1976): Separation of soil atmospheric gases by gas chromatography with parallel columns. — Soil Sci. Soc. Amer. J., 40: 319–321.
- BEDRNA Z., HRAŠKO J., SOTÁKOVÁ S. (1968): Poľnohospodárske pôdoznalectvo. — SVPL, Bratislava.
- BEDRNA Z., LOPATNÍK J. (1982): Zvyšovanie úrodnosti pôdy hnojením. — Príroda, Bratislava.
- BEGHEIJN L. T. (1980): Methods of chemical analysis for Soils and Water. — Wageningen.
- BEĽČIKOVA N. P. (1972): Metody opredelenija obščego soderžanija i sostava gumusa počv. — Nauka, Moskva.
- BEĽČIKOVA N. P., KONOVOVA M. M. (1972): Elektronnyje aspekty pogloščenija gumusovych veščestv počvy. — In: Organičeskoje veščestvo celinnych i osvojennych počv. — Nauka, Moskva.
- BERMAN E. (1980): Toxic Metals and their Analysis. — Heiden.
- BLACKMER A. M., BREMNER J. M. (1977): Gas chromatographic analysis of soil atmospheres. — Soil Sci. Soc. Amer. J. 41: 908–912.
- BOHN H. L., MCNEAL B. L., O'CONNOR G. A. (1979): Soil Chemistry. — New York, Chichester.
- BOLT G. H. (ed.) (1979): Soil Chemistry. Part B. — Elsevier.
- BORLAN Z., HERA C. (1973): Metode de apreciere a starii de fertilitate a solului in vederea folosirii rationale a ingrasamintelor. — Bucuresti.
- BOWEN H. (1961): Trace elements in biochemistry. — Academic Press, London.
- BREMNER J. M. (1959): Determination of fixed ammonium in soil. — J. Agric. Sci. 52:
- BUK J. a kol. (1976): Soil Chemistry — Amsterdam.
- CLARC C., WESCOTT J. (1978): pH Measurement. — New York, London.
- ČAKRT M. (1981): Potenciometrická analýza s iónovoselektívymi membránovými elektródami. — In: Analytické metódy v agrochémii, Komárno, s. 1–21.
- ČUMAKOV A. (1981): Možnosti využitia elektroultrafiltrácie v agrochémii a výživa rastlín. — In: Analytické metódy v agrochémii, Komárno, s. 42–59.

- CZUBA R. (1968): Chemiczno Rolnicze badania gleb. — Warszawa.
- DAMAŠKA J. (1975): Kritičeskaja ocenka metodičeskich principov opredelenija dostupnych form fosfora i kalija v sel'skochozjajstvennych počvach. — Ved. Práce VÚRV, Praha, 20: 67–74.
- DOHNAL Z. a kol. (1965): Československá rašeliniště a slatiniště. — ČAV, Praha.
- DUPUIS T., JAMBÚ P. (1973): Sur quelques propriétés des humates et fulvates de calcium. — C. R. Acad. Sci. D. 276.
- EVERAERTS F. M., BECKERS J. L., VERHEGGEN T. (1976): P. E. M. Isotachophoresis Theory, Instrumentation and Applications. — Elsevier, Sc. Publ. Co., Amsterdam.
- FACEK Z. a kol. (1983): Zvyšování hygieny zemědělských půd. — ČSAZ, Praha.
- FIALA K. (1981): Využitelnosť prístupných foriem mikroživín. — Kand. diz, práce. — VÚPVR, Bratislava.
- FIEDLER H. J. (1965): Die Untersuchungen der Boden. — Dresden, Leipzig.
- FLAIG W. (1958): Die Chemie organischer Stoffe um Boden und deren physiologische Wirkung. IV kom. Int. Boden. Ges. Bd II. Braunschweig.
- FLAIG W., SCHARRER K., JUDEL G. K. (1955): Bestimmung des Redoxpotentials im Boden. — Zeitsch. f. Pflanzeneernähr. 68: 97–123.
- GEDROJC K. K. (1955): Chimičeskij analiz počv. Sel'chozgiz. — Moskva.
- GILLY G. (1958): Acidité et aluminium échangeable. — Ann. Agric. 5: 59–68.
- GODLIN M. M. (1959): Sravnitel'naja ocenka variantov metodiki opredelenija summy pogloščennych osnovanij. — Počvovedenie 5.
- GREENLAND D. J., HAYES M. H. (1978): The Chemistry of Soil Constituents. — Chichester, New York.
- HESSE P. R. (1972): A textbook of soil chemical analysis. — New York.
- HOLOBRADÝ K. (1981): Zásady hygieny pôd v oblastiach kontaminovaných priemyselnými exhalátmi. — Zborník VÚPVR, Bratislava.
- HRAŠKO J. a kol. (1962): Rozbory pôdy. — SVPL, Bratislava.
- HRTÁNEK B. (1980): Metódy stanovenia obsahu živín v pôde a kritéria ich hodnotenia. — Záv. správa VÚPVR, Bratislava.
- HUTZINGER O. (1980): The handbook of environmental chemistry. Vol. 1–3. — Springer, Berlin.
- CHANG S. C., JACKSON M. L. (1957): Fractionation of soil phosphorus. — Soil Sci. 84: 133–144.
- CHARLOT G. (1961): Les méthodes de la chimie analytique. Analyse quantitative minéral. — Masson et Cie, Paris.
- CHRENEKOVÁ E. (1976): Input zvýšených množstiev ťažkých kovov vo vzťahu ku kvalite pôdných vlastností. — In: Ochrana pôdy a jej úrodnosti. — Smokovec.
- IVANOV D. N. (1974): Spektral'nyj analiz počv. — Kolos, Moskva.
- IVANUŠKINA K. B. (1971): On the methods of soil organic matter fractionation. — In: Humus et Planta V, Praha.
- JACKSON M. L. (1964): Soil chemical analysis. — Englewood Cliffs, Prentice-Hall.
- JAMBOR P., PRUGAR J. (1983): Racionálna výživa začína na pôde. — VÚPVR, Bratislava.
- JAVORSKÝ P. a kol. (1983): Chemické rozborové v zemědělských laboratořích. — MZV ČSR, Praha.
- Kolektív (1975): Agrochimičeskie metody issledovanija počv. — Nauka, Moskva.
- KONOVOVA M. M. (1963): Organičeskoje veščestvo počvy. — Nauka, Moskva.
- LIŠTVAN I. I., KOROL N. T. (1975): Osnovnyje svojstva torfa i metody ich opredelenija. — Minsk.
- LITYNSKI T., JURKONSKA H., GORLACH E. (1968): Analiza chemiczno-rolnicza. Gleby i nawozy. — Warszawa.
- MICHELL M. J. (1973): An improved method for microrespirometry using gas chromatography. — Soil Biol. Biochem. 5: 271–274.
- NAJMR S. (1957): Humus ve výrobně důležitých půdních typech. — SZN, Praha.
- ORLOV D. S., GRIŠINA L. A., JEROŠIČEVA N. L. (1969): Praktikum po biochimii gumusa. — MGU, Moskva.

- PELÍŠEK J. (1957): Lesnické půdoznalství. — Praha.
- PETERBURGSKIJ A. V. (1954): Praktikum po agrochimii. — GISL, Moskva.
- PIRKL J., KOTEK J. (1976): Změny fosfátového potenciálu v půdě v závislosti na fosforečném hnojení a čase. — Rost. výr. 22: 1271–1277.
- PIRKL J., MACHÁČEK V. (1979): Vztah mezi sorpčním komplexem, faktorem intenzity a odběrem fosforu pšenici. — Rost. výr. 52: 153–160.
- POLONSKÝ J. (1981): Základy izotachofórey a možnosti jej využitia v praxi. — In: Analytické metódy v agrochémii. — Komárno, s. 22–41.
- POSPÍŠIL F. (1964): Frakcionace humusových látek některých půdních typů ČSSR. — Rost. výr. 5–6: 567–579.
- POSPÍŠIL F. (1980): Obsah a složení humusu v půdách v Českých zemích. — Academia, Praha.
- PRICE W. J. (1979): Spectrochemical Analysis by Atomic Absorption. — Heyden, London, Philadelphia.
- PURVES D. (1976): Trace elements contamination of the environment. — Elsevier, London.
- RAKOVSKIJ V. E. (1967): Biologičeski aktivnyje veščestva torfa. — In: Chimija i chimičeskaja technologija, III, Moskva.
- REICHENBACH H., SCHROEDER D. (1960): Ein Vergleich verschieden Methoden zur Bestimmung des Kaliumfestlegungsvermögens an einigen Schleswigholsteinische Böden. — Z. Pfl. Bod. 90: 116–132.
- RENAULT R. (1958): Chimie agricole. — Paris.
- RINKINS G. J., NOLLENDORF V. F. (1977): Optimalizacija mineral'nogo pitanija polevych i tepličnych kul'tur. — Zinatne, Riga.
- SAPEK A. (1974): Lead and nickel content in peat soil profiles of the Kavasy bog. — Ing. peat Symposium, Gdansk.
- SEGEŤOVÁ V. (1975): Vliv průmyslových exhalací a intenzivní chemizace zemědělství na vlastnosti půdy. — ÚVTIZ, Praha.
- SCHARAFAT J. (1970): Vorschlag einer verbesserten Methode zur Fraktionierung der Rodenphosphate. — Die Phosphorsäure 28: 272–286.
- SCHEFFER F., SCHACHTSCHABEL P. (1966): Lehrbuch der Bodenkunde. — Enke, Stuttgart.
- SCHEFFER F., ULRICH B. (1960): Humus und Humusdüngung. — Enke, Stuttgart.
- SCHLICHTING E., BLUME H. P. (1966): Bodenkundliches Praktikum. — Parey, Hamburg.
- SIROVÝ V., FACEK Z., POSPÍŠIL F., KULÍKOVÁ A., JAVORSKÝ P., KALAŠ V. (1967): Průzkum zemědělských půd ČSSR. III. díl. — MZVŽ ČSR, Praha.
- SMOLÍK L. (1957): Pedologie. — Praha.
- SOTÁKOVÁ S. (1982): Organická hmota a úrodnosť pôdy. — Príroda, Bratislava.
- STEJSKAL J. (1962): Minerální síla matečních hornin zemědělských půd. — Sborník VŠZ, Praha.
- STUCKI J. V., BARWART V. L. (eds) (1980): Advanced Chemical Methods for Soil and Clay Minerals Research. — Illinois.
- ŠÁLY R. (1962): Hlavné typy lesných pôd na Slovensku. — SAV, Bratislava.
- ŠPIRHANZL J. (1956): Rašelina a její využití v zemědělství. — Praha.
- TACKETT J. L. (1968): Theory and application of gas chromatography in soil aeration research. — Soil Sci. Soc. Amer. Proc. 32: 346–350.
- ŤURIN I. V. (1951): K metodike analiza dl'a sravnitel'nogo izuchenija sostava počvennogo peregrinoja ili gumusa. — In: Trudy počv. inst. 38.
- VINOGRADOV A. P., RIABČIKOV D. I. (eds) (1961): Metody opredelenija i analiza redkich elementov. — AN SSSR, Moskva.
- VOLAROVIČ M. P., LIŠTVAN I. I., ČURAJEV N. V. (1963): Issledovaniye poglotitel'noj sposobnosti torfa radioaktivnymi metodami. — Kolloidnyj žurnal 25.

WAKSMANN E. (1938): Humus. — London.

WALSH L. M., BEATON J. D. (1973): Soil Testing and Plant analysis. — Washington.

WANG S. C., CHENG S., TUNG H. (1967): Extraction and analysis of soil organic acids. — Soil Sci.

103.

ZYRIN N. G., ORLOV D. S. (1964): Fyziko-chimické metody issledovanija počv. — Moskva.

## Literatura:

- ANDREWARTHA H. G. (1961): Introduction to the study of animal populations. — University of Chicago Press, Chicago.
- AYALA F. J. (1972): Competition between species. — American Scientist 60: 348–357.
- BARCLAY H. J., GREGORY P. T. (1982): An experimental test of life history evolution using *Drosophila melanogaster* and *Hyla regilla*. — Amer. Natur. 120: 26–40.
- BAZZAZ F. A. (1979): The physiological ecology of plant succession. — Ann. Rev. Ecol. Syst. 10: 351–371.
- BEGON M. (1979): Investigating animal abundance. Capture – recapture for biologist. — University Park Press, Baltimore.
- BERENDSE F. (1983): Interspecific competition and niche differentiation between *Plantago lanceolata* and *Anthoxanthum odoratum* in a natural hayfield. — J. Ecol. 71: 379–390.
- BERRYMAN A. A. (1981): Population systems: A general introduction. — Plenum Press, New York.
- BLISS C. I. (1971): The aggregation of species within spatial units. — In: PATIL G. P., PIELOU E. C., WATERS W. E. (eds): Spatial patterns and statistical distributions. — Statistical ecology. Pennsylvania State University Press 1: 311–336.

- BLISS C. I., FISHER R. A. (1953): Fitting the negative binomial distribution to biological data and a note on the efficient fitting of the negative binomial. — *Biometrics* 9: 176–200.
- BOER P. J. DEN (1977): Dispersal power and survival. Carabids in a cultivated countryside. — *Misc. Papers Ladb. School Wageningen* 14: 1–190.
- BOUCHER D. H., JAMES S., KEELER K. N. (1982): The ecology of mutualism. — *Annu Rev. Ecol. Syst.* 13: 315–348.
- BRAUN-BLANQUET J. (1928): *Pflanzensoziologie*, — Springer, Wien.
- BREEV K. A. (1973): Primenenie negativnogo binomialnogo raspredelenija dla izuchenija populacionnoj ekologii parazitov. — Ser. Metody parazitologicheskikh issledovanij 6. — Nauka, Moskva.
- BRIGGS D., WALTERS S. M. (1973): *Premenlivost a vývoj rastlín*. — Slov. ped. vyd., Bratislava.
- CLARK P. J., EVANS E. G. (1954): Distance to nearest neighbour as a measure of spatial relationships in populations. — *Ecology* 35: 445–453.
- COCHRAN W. G. (1963): *Sampling techniques*. — Wiley, New York.
- COLE L. C. (1949): The measurement of interspecific association. — *Ecology* 30: 411–424.
- CONNOLLY J. (1988): What is wrong with replacement series. — *TREE* 3: 24–26.
- CUSHING J. M. (1977): *Integrodifferential Equations and Delay Models in Population Dynamics*. — Springer, Berlin.
- DAVID F. N., MOORE P. G. (1954): Notes on contagious distributions in plant populations. — *Ann. Bot. N. S.* 18: 47–53.
- DEAN A. M. (1983): A simple model of mutualism. — *Amer. Nat.* 121: 409–417.
- DIXON W. J., BROWN M. B. (eds) (1977): *BMDP-77. Biomedical Computer programs. P-series*. — Univ. California, Berkeley.
- ELTON C., NICHOLSON M. (1942): The ten-year cycle in numbers of the lynx in Canada. — *J. anim. Ecol.* 11: 215–244.
- FORD E. B. (1971): *Ecological genetics*. — Chapman and Hall, London.
- GOLDBERG D. E., WERNER F. A. (1983): Equivalence of competitors in plant communities: a null hypothesis and field experimental approach. — *Amer. J. Bot.* 70: 1098–1104.
- GOODAL D. W. (1952): Some considerations in the use of point quadrats for the analysis of vegetation. — *Aust. J. Sci. Res.* 5: 1–41.
- GREIG-SMITH P. (1952): The use of random and contiguous quadrats in the study of structure of plant communities. — *Ann. Bot.* 16: 293–316.
- GRIME J. P. (1979): *Plant strategies and vegetation processes*. — Wiley, Chichester.
- GURLAND J., HINZ P. (1971): Estimating parameters, testing fit and analyzing untransformed data pertaining to the negative binomial and other distributions. — In: PATIL G. P., PIELOU E. C., WATERS E. W. (eds): *Spatial patterns and statistical distributions*. — *Statistical ecology* 1: 143–178. — Pennsylvania State University Press, Pennsylvania.
- HÁJEK J. (1960): *Teorie pravděpodobnostního výběru s aplikacemi na výběrová šetření*. — Nakl. ČSAV, Praha.
- HARLEY J. L., SMITH S. E. (1983): *Mycorrhizal symbiosis*. — Acad. Press, London.
- HARPER J. L. (1977): *Population biology of plants*. — Academic Press, London.
- HILL M. O. (1973): The intensity of spatial pattern in plant communities. — *J. Ecol.* 62: 225–235.
- HILL R. R. (1920): Charting quadrats with a pantograph. — *Ecology* 1: 270–273.
- HOLLING C. S. (1965): The functional response of predator to prey density and its role in mimicry and population regulation. — *Mem. Entomol. Soc. Canada* 45: 1–60.
- HOPKINS B. (1954): A new method for determining the type of distribution of plants individuals. With an appendix by J. G. SKELLAM. — *Ann. Bot.* 18: 213–227.
- HOZUMI K. (1977): Ecological and mathematical considerations on self-thinning in even-aged pure stands I. Mean plant weight-density trajectory during the course of self-thinning. — *Bot. Mag. Tokyo* 90: 165–179.

- HRBAČEK J. (1962): Species composition and the amount of the zooplankton in relation to the fish stock. — *Rozpravy ČSAV* ser. MPV, 72, 10: 1–114.
- HURLBERT S. H. (1971): The nonconcept of species diversity: a critique and alternative parameters. — *Ecology* 52: 577–586.
- JENÍK J. (1961): Alpinská vegetace Krkonoš, Králického Sněžníku a Hrubého Jeseníku. — Nakl. ČSAV, Praha.
- JÍLEK M. (1980): Co je to  $\bar{x} \pm S$ ? (Poznámka o konfidenčních a tolerančních intervalech.) — *Biol. listy* 45: 111–118.
- KELLMANN M. C. (1970): The viable seed content of some forest soil in coastal British Columbia. — *Canad. J. Bot.* 52: 1123–1133.
- KENNEDY C. R. (1975): Ecological Animal Ecology. — Blackwell, Edinburg, s. 163.
- KENNEDY C. R. (1983): Problems of disease assessment in natural fish populations: a population ecologist's view of diplostomiasis. — In: Parasites and parasitic diseases of fish. Abstracts of papers, 1st Intern. Symp. of Ichtyoparasitology, 18–23 August 1983, České Budějovice, s. 45–47.
- KERSHAW K. A. (1957): The use of cover and frequency in the detection of pattern in plant communities. — *Ecology* 38 (2): 291–299.
- KERSHAW K. A. (1964): Quantitative and dynamic ecology. — Edward Arnold Publ., London.
- KERSHAW K. A. (1973): Quantitative and dynamic plant ecology. — Edward Arnold Publ., London.
- KOLMOGOROV A. N. (1972): Kačestvennoje izučenije matematičeskich modelej populacij. — Nauka, Moskva.
- KREBS C. J. (1972): Ecology. — Harper and Row, New York.
- KROPÁČ Z. (1966): Estimation of weed seeds in arable soil. — *Pedobiologia* 6: 105–128.
- KWIATKOWSKA A. J., SYMONIDES E. (1978): Metody pomiaru zageszczenia populacji roślin wyższych. — *Wiadom. Ekol.* 24: 127–143.
- LEPŠ J., OSBORNOVÁ-KOSINOVÁ J., REJMÁNEK M. (1982): Community stability, complexity and species life history strategies. — *Vegetatio* 50: 53–63.
- LEPŠ J. (1989): Kvantitativní metody studia ekologie společenstev. — Academia, Praha, s. (v tisku).
- LEVINGS S. C., FRANKS N. R. (1982): Patterns of nest dispersion in a tropical ground ant community. — *Ecology* 63: 338–344.
- LIKEŠ J., LAGA J. (1978): Základní statistické tabulky. — SNTL, Praha.
- LLOYD M. (1967): Mean crowding. — *J. Anim. Ecol.* 36: 1–30.
- LOGAN J. A., STINNER R. E., RABB R. L., BACHELER J. S. (1979): A descriptive model for predicting spring emergence of *Heliothis zea* populations in North Carolina. — *Environ. Entomol.* 8: 141–146.
- LOTKA A. J. (1925): Elements of physical biology. — Williams and Wilkins, Baltimore.
- LUDWIG J. A. (1979): A test of different quadrant variance methods for analysis of spatial pattern. — Spatial and temporal analysis in ecology. Stat. Ecol. Stud. 8: 389–304; CORMACK R. M., ORD J. K. (eds) — Intern. Publ. House Fairland, Maryland.
- LUDWIG J. A., GOODALL D. W. (1978): A comparison of paired-with blocked-quadrat variance methods for the analysis of spatial pattern. — *Vegetatio* 38: 49–59.
- MAC ARTHUR R. H., CONNELL J. H. (1966): The biology of populations. — Wiley, New York.
- MAC ARTHUR R. H., WILSON E. O. (1967): The theory of island biogeography. — Princeton University Press, Princeton.
- MAC DONALD N. (1978): Time Lags in Biological Models. — Springer, Berlin.
- MARGALEF R. (1968): Perspectives in ecological theory. — University of Chicago Press, Chicago.
- MAY R. M. (1973): Stability and complexity in model ecosystems. — Princeton Univ. Press, Princeton.
- MAY R. M. (1979): Fluctuations in abundance of tropical insects. — *Nature* 278: 505–507.
- MCNAUGHTON S. J., WOLF L. L. (1979): General ecology. (2nd ed.) — Holt, Rinehart and Winston, New York.

- MAYNARD SMITH J. (1975): Models in ecology. — Cambridge University Press, Cambridge.
- MEAD R. (1974): A test for spatial pattern at several scales using data from a grid of contiguous quadrats. — *Biometrics* 30: 295–307.
- MOUNTFORD M. D. (1961): On E. C. Pielou's index of non-randomness. — *J. Ecol.* 49: 271–275.
- NAGY J. (1978): Elementární metody řešení obyčejných diferenciálních rovnic. — SNTL, Praha.
- NEČÁSEK J., CETL I. a kol. (1979): Obecná genetika. — SPN, Praha.
- NISBET R. M., GURNEY W. S. C. (1982): Modelling fluctuating populations. — J. Wiley, Chichester.
- NOVÁK I., SPITZER K. (1975): Adult dormancy in some species of the genus *Noctua* (*Lepidoptera, Noctuidae*) in Central Europe. — *Acta Ent. Bohemoslov.* 72: 215–221.
- ODUM E. P. (1977): Základy ekologie. — Academia, Praha.
- OLOUMI-SADEGHI H., SHOWERS W. B., REED G. L. (1975): European corn borer: lack of synchrony of attraction to sex pheromone and capture in light traps. — *J. Econ. Ent.* 68: 663–667.
- PAIN R. T. (1966): Food web complexity and species diversity. — *Amer. Naturalist* 100: 65–75.
- PARK T. (1954): Experimental studies on interspecies competition II. Temperature, humidity and competition in two species of *Tribolium*. — *Physiol. Zool.* 27: 177–238.
- PATTEN B. C., AUBLE G. T. (1981): System theory of the ecological niche. — *Amer. Naturalist* 117: 893–922.
- PELIKÁN J., ZEJDA J., HOLIŠOVÁ V. (1977): Efficiency of different traps in catching small mammals. — *Folia Zool.* 26: 1–13.
- PIANKA E. R. (1974): Evolutionary ecology. — Harper and Row, New York.
- PIELOU E. C. (1959): The use of point-to-plan distances in the study of the pattern of plant populations. — *J. Ecol.* 47: 607–613.
- PIELOU E. C. (1974): Population and community ecology. Principles and methods. — Gordon and Breach Sci. Publ., New York.
- PIELOU E. C. (1977): Mathematical ecology. — Wiley, New York.
- PIELOU E. C. (1981): Rapid estimation of the standing crop of intertidal fucoids on exposed shores. — *J. Environment. Management* 13: 85–98.
- PIMM S. L. (1980): Food web design and the effect of species deletion. — *Oikos* 35: 139–149.
- PRACH K. (1982): Samozředovací procesy u vybraných populací ruderálních druhů. — *Preslia* 54: 271–275.
- PRESTON F. W. (1963): The canonical distribution of commonness and rarity. — *Ecology* 43: 185–216, 410–432.
- RAO R. C. (1978): Lineární metody statistické indukce a jejich aplikace. — Academia, Praha, 666 s.
- REISENAUER R. (1970): Metody matematické statistiky. — SNTL, Praha.
- REJMÁNEK M. (1975): K ekologické teorii populační struktury společenstev. — MS (Kand. Dis. Pr. — Kat. Bot. PřFUK, Praha).
- REJMÁNEK M., JENÍK J. (1975): Niche, habitat, and related ecological concepts. — *Acta Biotheor.* 24: 100–107.
- REJMÁNEK M., SPITZER K. (1982): Bionomic strategies and long-term fluctuations in abundance of *Noctuidae* (*Lepidoptera*). — *Acta ent. bohemoslov.* 79: 81–96.
- REKTORYS K. a kol. (1973): Přehled užité matematiky. — SNTL, Praha.
- RICE E. L. (1974): Allelopathy. — Academic Press, New York.
- RICE E. L. (1979): Allelopathy – an update. — *Botanical Review* 45: 15–109.
- RUESINK W. G. (1980): Introduction to sampling theory. — In: KOGAN M., HERZOG D. C. (eds): Sampling methods in soybean entomology. — Springer, New York, s. 61–78.
- SHEPARD M. (1980): Sequential sampling plans for soybean arthropods. — In: KOGAN M., HERZOG D. C. (eds): Sampling methods in soybean entomology. — Springer, Heidelberg, s. 79–93.
- SILVERTOWN J. W. (1982): Introduction to plant population ecology. — Longman, London and New York.

- SOUTHWOOD T. R. E. (1978): Ecological methods with particular reference to the study of insect populations. 2nd ed. — Chapman and Hall, London.
- SPITZER K., REJMÁNEK M., SOLDÁN T., ZELENÝ J. (1983): Flight activity of some moths (*Lepidoptera*) monitored by sex pheromones in Vietnam: dry season. — Acta ent. bohemoslov. 80: 413–418.
- STRAŠKRABA M. (1983): Teorie systémů a systémová analýza pro ochranu životního prostředí. (Skriptum) — PřFUK, Praha.
- STRAŠKRABA M., GNAUCK A. (1983): Aquatische Ökosysteme. Modellierung und Simulation. — Fischer, Jena.
- SUCHÝ J. (1969): Takový je život. In: SUCHÝ J.: Písničky. — Československý spisovatel, Praha.
- SVIREŽEV JU. M., LOGOFET D. O. (1978): Ustojčivost' biologičeskich soobščestv. — Nauka, Moskva.
- TAYLOR L. R. (1961): Aggregation, variance and the mean. — Nature, London 189: 732–735.
- TAYLOR L. R. (1973): Monitoring change in the distribution and abundance of insects. — Rep. Rothamsted Exp. Stn. for 1973, part 2: 202–239.
- TILMAN D. (1982): Resource competition and community structure. — Princeton Univ. Press, Princeton.
- UTIDA S. (1957): Cyclic fluctuations of population density intrinsic to the host-parasite system. — Ecology 38: 422–449.
- VOLTERRA V. (1926): Variazioni e fluttuazioni del numero d'individui in specie animali conviventi. — Mem. Acad. Lincei 2: 31–113.
- WERNER P. A. (1975): A seed trap for determining pattern of seed deposition in terrestrial plants. — Canad. J. Bot. 53: 810–813.
- WHITTAKER R. H., LEVIN S. A. (eds.) (1975): Niche. Theory and application. — Dowden, Hutchinson and Ross, Stroudsburg.
- WIEGERT R. G. (1962): The selection of an optimum quadrat size for sampling the standing crop of grasses and forbs. — Ecology 43: 125–129.
- WINKWORTH R. E., GOODALL D. W. (1962): A crosswire sighting tube for point quadrat analysis. — Ecology 43: 342–343.
- WIT C. T. DE (1960): On competition. — Versl. Landbouwk. — Onderz. 66: 1–82.
- WIT C. T. DE and GOUDRIAAN J. (1974): Simulation of ecological processes. — PUDOC, Wageningen.
- YARRANTON G. A., MORRISON R. G. (1974): Spatial dynamics of a primary succession: nucleation. — J. Ecol. 62: 417–428.
- YODZIS P. (1978): Competition for space and the structure of ecological communities. — Lecture Notes in Biomathematics, 25, — Springer, Berlin.
- YULE G. U. (1912): On the methods of measuring association between two attributes. — J. Statist. Soc. 75: 579–642.
- ZAHL S. (1974): Application of the S-method to the analysis of spatial pattern. — Biometrics 30: 513–524.
- ZAHL S. (1977): A comparison of three methods for the analysis of spatial pattern. — Biometrics 33: 681–692.

## Literatura:

- BASKERVILLE G. L. (1972): Use of logarithmic regression in the estimation of plant biomass. — Canad. J. For. Res., Ottawa, 2: 49–53.
- BLACKMAN V. H. (1919): The compound interest law and plant growth. — Ann. Bot., London, 33: 353–360.
- BÖHM W. (1979): Methods of Studying Roots Systems. — Ecological Studies 33. — Springer Verlag, Berlin, 188 s.
- BOYSEN-JENSEN P. (1932): Die Stoffproduktion der Pflanzen. — Jena, 108 s.
- DYKYJOVÁ D. (1970): Comparative biometry of *Phragmites communis* ecotypes and its significance to investigation of reed-stand productivity. — In: DYKYJOVÁ D. (ed.): Productivity of Terrestrial Ecosystems. Production Processes. — Czechosl. IBP/PT-PP Report No 1., Praha, s. 105–110.
- FEHRENBACHER J. B., ALEXANDER J. D. (1955): A method for studying corn root distribution using a soil-core sampling machine and a shaker-type washer. — Agron. J., Madison, 47: 468–472.
- FIALA K. (1976): Underground organs of *Phragmites communis*, their growth, biomass and net production. — Folia Geobot. Phytotax., Praha, 11: 225–259.
- FIALA K. (1979): Estimation of annual increment of underground plant biomass in a grassland community (*Polygalo-Nardetum*). — Folia Geobot. Phytotax., Praha, 14: 1–10.
- FIALA K. (1987): Stanovení podzemní biomasy porostů. — In.: RYCHNOVSKÁ M. a kol. Metody studia travinných ekosystémů. Academia, Praha s. 104–107.
- GATES D. M. (1962): Energy Exchange in the Biosphere. — New York.
- GEYGER E. (1964): Methodische Untersuchungen zur Erfassung der assimilierenden Gesamtoberflächen von Wiesen. — Ber. Geobot. Inst. ETH, Stift. Rübel, Zürich, 35: 41–112.
- GOEDEWAAGEN M. A. J. (1954): Beordeling van de vitaliteit van het wortelstsel. — Landbouwk. Tijdschr., Wageningen, 66: 553–555.
- GREIG-SMITH P. (1964): Quantitative Plant Ecology. — Butterworths, London, 198 s.
- HILPOLTSTEINER L. (1960): An improved sampling technique for grassland experiments. — Landwirtsch. Forsch., Frankfurt/M., 13: 1–42.
- JACQUES W. A., SCHWASE R. H. (1956): Root development in some common New Zealand pasture plants. VII. Seasonal root replacement in perennial ryegrass (*Lolium perenne*), Italian ryegrass (*L. multiflorum*) and tall fescue (*Festuca arundinacea*) — N. Z. J. Sci. Technol., Wellington, Sect. A. 37: 569–583.
- JAKROVÁ J. (1975): Primary production and plant chemical composition in flood-plain meadows. — Acta Sci. Nat. Brno, Praha, 9: 1–52.

- JAKRLOVÁ J. (1987): Destruktivní stanovení nadzemní biomasy. — In: RYCHNOVSKÁ M. a kol.: Metody studia travinných ekosystémů. Academia, Praha, s. 72–82.
- JAKRLOVÁ J. (1987): Stanovení asimilačního povrchu. — In: RYCHNOVSKÁ M. a kol.: Metody studia travinných ekosystémů. Academia, Praha, s. 72–82.
- JAKRLOVÁ J. (1987): Stanovení obsahu chlorofylu v porostu. — In: RYCHNOVSKÁ M. a kol.: Metody studia travinných ekosystémů. — Academia Praha, 83–85.
- JANETSCHEK H. (1982): Ökologische Feldmethoden. — E. Ulmer Verlag, Stuttgart.
- JENÍK J. (1970): Obecná geobotanika. — SPN, Praha, 300 s.
- JENÍK J. (1954): Metodika výzkumu kořenů. — In: KLIKA J., NOVÁK V., GREGOR A. (eds): Praktikum fytocenologie, ekologie, klimatologie a půdoznalství. — ČSAV, Praha, s. 91–100.
- KLAPP E. (1954): Wiesen und Weiden. — Berlin.
- KROPÁČOVÁ A. (1958): Ekologické faktory v typologii jihoslovenských luk a pastvin. — In: HOLUBIČKOVÁ B., KROPÁČOVÁ A. (eds): Vegetační poměry okresu Štúrovo. — Bratislava, s. 185–341.
- KUBÍKOVÁ J. (1970): Geobotanické praktikum. — SPN, Praha, 186 s.
- KUBÍKOVÁ J., REJMÁNEK M. (1973): Poznámky k některým kvantitativním metodám studia struktury rostlinných společenstev. — Preslia, Praha, 45: 154–164.
- KVĚT J. (1982): Produkce organické hmoty ve vodních makrofytních porostech. — In: Význam makrofyt ve vodním hospodářství, hygieně vody a rybářství. — ČSVTS Čes. Budějovice, s. 73–81.
- KVĚT J., NEČAS J., ONDOK J. P. (1971): Metody růstové analýzy. — Studijní informace UVTI, Praha.
- LELLÁK J. (1984): Produktivita a produkce. — In: LOSOS B. a kol.: Ekologie živočichů. — SPN, Praha, s. 248–265.
- LIETH H., WHITTAKER R. H. (1975): Primary Productivity of the Biosphere. — Ecological Studies 14. — Springer Verlag, Berlin.
- MALOCH M., REGAL V., BUREŠ F., KLOFERA V. (1956): Pícninářství. — Praha, 496 s.
- MILNER C., HUGHES R. E. (1968): Methods for Measurement of the Primary Production of Grassland. — IBP Handbook No 6. — Blackwell, Oxford, 70 s.
- MONSI M., SAEKI T. (1953): Über den Lichtfaktor in den Pflanzengesellschaften und seine Bedeutung für die Stoffproduktion. — Jap. J. Bot. 14: 22–52.
- NEAL D. L., NEAL J. L. (1973): Uses and capabilities of electronic capacitance instruments for estimating standing herbage. — J. Brit. Grassl. Soc., Hurley, 28: 81–89.
- NEWBOULD P. J. (1967): Methods for Estimating the Primary Production of Forests. — IBP Handbook No 2. — Blackwell, Oxford, 62 s.
- OKUBO T., HOSHINO M., NISHIMURA S. (1964): Chlorophyll amount for analysis of matter production in forage crops I. Changes in leaf area index and chlorophyll amount with the regrowth of ladino clover sward. — Proc. Crop Sci. Jap Tokyo, 33: 125–129.
- ONDOK J. P. (1968): Analyse des Blattwachstums als Methode zur Bestimmung des Maßstabes der ontogenetischen Entwicklung. — Stud. Biophys., Berlin, 11: 161–168.
- ONDOK J. P. (1971): Indirect estimation of primary values in growth analysis. — In: ŠESTÁK Z., ČATSKÝ J., JARVIS P. G. (eds): Plant Photosynthetic Production. Manual of Methods. — Dr. W. Junk Publishers, The Hague, s. 392–410.
- ONDOK J. P. (1977): Regime of Global and Photosynthetically Active Radiation in Helophyte Stands. — Studie ČSAV 10, Academia, Praha.
- PELIKÁN J. (1985): Živočichové ve struktuře a funkci lučních ekosystémů. — In: RYCHNOVSKÁ M. a kol.: Ekologie lučních porostů, Academia, Praha, s. 159–181.
- PELIKÁN J., SVOBODA J., KVĚT J. (1970): On some relations between the production of *Typha latifolia* and muskrat population. — Zoologické listy 19: 303–320.
- REJMÁNKOVÁ E. (1973): Seasonal changes in the growth rate of duckweed (*Lemna gibba L.*) in the littoral of the Nesyt fishpond. — In: KVĚT J. (ed.): Littoral of the Nesyt Fishpond. — Studie ČSAV, Praha 1973 (15): 103–106.

- ROSS J. (1981): The Radiation Regime and Architecture of Plant Stands. — Dr W. Junk Publ., The Hague — Boston — London.
- ŠALYT M. S. (1960): Metodika izučenija morfologii i ekologii podzemnoj časti otdel'nych rastenij i rastitel'nych soobščestv. — In: LAVRENKO E. M., KORČAGIN A. A. (eds): Polevaja geobotanika 2. — Izdatel'stvo AN SSSR, Moskva, s. 369—447.
- ŠESTÁK Z., ČATSKÝ J. (1966): Metody studia fotosyntetické produkce rostlin. — Academia, Praha, 394 s.
- ŠESTÁK Z., ČATSKÝ J., JARVIS P. G. (1971): Plant Protosynthetic Production. Manual of Methods. — Dr. W. Junk Publishers, The Hague.
- TROUGHTON A. (1962): The Roots in Temperate Cereals. — Commonw. Bur. Past. Field Crops, Hurley.
- UNGER K. (1962): Die Bestimmung der Pflanzenmasse von Einzelpflanzen und Pflanzenbeständen mit Hilfe ionisierender Strahlen zur Ermittlung des Wachstumsverlaufes unter natürlichen Bedingungen. — In: Fragen der Pflanzenzüchtung und Pflanzenphysiologie. — Tagungsberichte DALW 48, Berlin, s. 31—33.
- UNGER K. (1968): The use of gamma rays for the determination of change in biomass with time. — In: ECKARDT F. E. (ed.): Functioning of Terrestrial Ecosystems at the Primary Production Level. — Paris, s. 229—231.
- VACLAVÍK J. (1969): Effect of different constant soil moisture levels on foliage development in maize. — Biol. Plant., Praha, 11: 68—78.
- VYSKOT M. (1981): Biomass of the Tree Layer of a Spruce Forest in the Bohemian Uplands. — Academia, Praha, 396 s.
- WARD K. J., KLEPPER B., RICKMAN R. W., ALLMARAS R. R. (1978): Quantitative estimation of living wheat-root lengths in soil cores. — Agron. J., Madison, 70: 675—677.
- WARREN WILSON J. (1963): Estimation of foliage denseness and foliage angle by inclined point quadrats. — Aust. J. Bot., Melbourne, 11: 95—105.
- WHITTAKER R. H., BORMANN F. H., LIKENS G. E., SICCAMA T. G. (1974): The Hubbard Brook Ecosystem Study: Forest Biomass and Production. — Ecol. Monogr., Durham, 44: 233—254.
- WHITTAKER R. H., MARKS L. P. (1975): Methods of assessing terrestrial productivity. — In: LIETH H., WHITTAKER R. H. (eds): Primary Productivity of the Biosphere. Ecological Studies 14. — Springer Verlag, Berlin, s. 55—118.
- WIT C. T. DE (1965): Photosynthesis of leaf canopies. — Agricult. Research Research Reports No 633, Wageningen.
- ZEJDA J. (1985): Energy flow through the mammal community of a floodplain forest ecosystem. — In: PENKA a kol.: Floodplain Forest Ecosystem I. Academia, Praha, s. 357—372.

## **Literatura:**

ASSMAN A. V. (1951): Rol' vodoroslevych obrastanij v obrazovanii organičeskogo veščestva v vodoe-  
me. – Dokl. Akad. Nauk SSSR 76: 905–908.

ASSMAN A. V. (1953): Rol' vodoroslevych obrastanij v obrazovanii organičeskogo veščestva v Glubo-  
kom ozere. – Tr. vsesojuzn. gidrobiol. Obšč. 5: 138–157.

BREITIG G., TÜMPLING W. a kol. (1970): Ausgewählte Methoden der Wasseruntersuchung II. Biolo-

- gische, mikrobiologische und toxikologische Methoden. — VEB Fischer Verlag, Jena, Heft C, 11s.
- DESORTOVÁ B. (1981): Relationship between chlorophyll *a* concentration and phytoplankton biomass in several reservoirs in Czechoslovakia. — Int. Rev. ges. Hydrobiol. 66 (2): 153–169.
- DESORTOVÁ B., FOTT J., STRAŠKRABA M. (1977): Metodika stanovenia a hodnotenia koncentrácie chlorofylu v povrchových vodách. — MLHV SSR, Bratislava 1977, 33 s.
- ERNST D. E., SCHULZE E. (1982): Chlorophyll determination in the field by fluorometry. — Arch. Hydrobiol., Beih. Ergeb. Limnol. 16: 55–61.
- ERTL M., TOMAJKA J. (1973): Primary production of the periphyton in the littoral of the Danube. — Hydrobiologia 42 (4): 429–444.
- ETTL H. (1980): Grundriss der allgemeinen Algologie. — VEB Fischer Verlag, Jena, 549 s.
- FINDENEGG I. (1966): Die Bedeutung kurzwelliger Strahlung für die planktische Primärproduktion in Seen. — Verh. Int. Verein. Limnol. 16: 314–320.
- FOTT B. (1967): Sinice a řasy. — Academia, Praha, 518 s.
- FOTT J. a kol. (1982): Hydrobiologie pro postgraduální studium. — UK Praha (Scriptum), 93 s.
- FOTT B. (1971): Algenkunde. — Fischerverlag, Stuttgart, 581 s.
- GEßNER F. (1955): Hydrobotanik I. Energiehaushalt. — VEB Dtsch. Wissensch., Berlin, 517 s.
- GEßNER F. (1959): Hydrobotanik II. Stoffhaushalt. — VEB Dtsch. Wissensch., Berlin, 701 s.
- GOLTERMAN H. L. (1975): Physiological limnology. — Developm. in Water Sci. 2, Elsevier Sci. Publ. Comp., Amsterdam – Oxford – New York, 489 s.
- HARRIS G. P. (1978): Photosynthesis, production and growth: The physiological ecology of phytoplankton. — Ergebnisse der Limnol. — Arch. f. Hydrobiol., Beih. 10, 171 s.
- HINDÁK F. (ed.) (1978): Sladkovodné řasy. — SPN Bratislava, 724 s.
- HINDÁK F., KOMÁREK J., MARVAN P., RŮŽIČKA J. (1975): Klúč na určovanie výtrusných rastlín. I. Řasy. — SPN Bratislava, 397 s.
- HOLMES R. W. (1962): The preparation of marine phytoplankton for microscopic examination and enumeration on molecular filters. — U.S. Fish. Wildl. Service, Spec. Sci. Rep. Fish. 433: 1–6.
- HOUK V. (1983): Phytoplankton counting on membrane filters. — Int. Symp. Curr. Probl. Algology, Bratislava, s. 49–50. Abstrakt.
- HRBÁČEK J. a kol. (1972): Limnologické metody. — Uč. texty vysokých škol, UK Praha, 208 s.
- HUTCHINSON E. (1967): A treatise on limnology Vol. II. — Introduction to lake biology and the limnoplankton. — John Wiley Sons Inc., N. York, London, Sydney, 1115 s.
- JAVORNICKÝ P. (1958): Revize některých metod pro zjišťování kvantity fytoplanktonu. — Sborn. VŠCHT, odd. technol. paliv a vody 21: 283–367.
- JAVORNICKÝ P. (1973): A field method for measuring the photosynthesis of snow and aerophytic algae. — Arch. Hydrobiol./Suppl. 41, Algolog. Studies 8: 363–371.
- JEFFREY S. N. (1981): An improved thin layer chromatographic technique for measure phytoplankton pigments. — Limnol. Oceanogr. 26: 191–197.
- KOMÁRKOVÁ J. (1984): Fytoplankton, obsah chlorofylu a primární produkce v nádrži Klíčava v r. 1967. — In: STRAŠKRABA a kol. (ed.), Hydrobiologie a kvalita vody údolních nádrží II, Sborn. ref., Č. Budějovice, s. 373–378.
- KOMÁRKOVÁ J., FAINA R., PAŘÍZEK J. (1986): Influence of the watershed and fishstock upon the fishpond biocenoses. — Limnologica (Berlin) 17: 335–354.
- KOMÁRKOVÁ J., JAVORNICKÝ P. (1977): Circadian changes in the phytoplankton capacity and chlorophyll content of phytoplankton in eutrophic waters. — Arch. Hydrobiol./Suppl. 51, Algolog. Studies 18: 77–100.
- KOMÁRKOVÁ J., MARVAN P. (1978): Primary production and functioning of algae in the fishpond littoral. — In: DYKYJOVÁ D., KVĚT J. (eds.): Pond Littoral Ecosystems. — Springer Verlag Stuttgart, s. 321–334.
- LORENZEN C. J. (1967): Determination of chlorophyll and phaeo-pigments: spectrophotometric equations. — Limnol. Oceanogr. 12: 343–346.

- MORRIS I. (1980): The physiological ecology of phytoplankton. — Studies in ecology 7, Blackwell Sci. Publ., Oxford — Edinburgh — Boston — Melbourne, 625 s.
- ONDOK J. P., POKORNÝ J. (1982): Model of diurnal regime of oxygen and carbon dioxide in stands of submerged vegetation. — Ecology, Praha 4: 381—394.
- PLATT T. (ed.) (1981): Physiological bases of phytoplankton ecology. — Can. Bull. Fish. Aquat. Sci. 210, Ottawa 1981, 346 s.
- Report of SCOR (1966): Determination of photometric pigments in sea water. — UNESCO working group 17, Paris, 69 s.
- REYNOLDS C. S. (1984): The ecology of freshwater phytoplankton. — Cambr. Stud. in Ecol., Cambr. Univ. Press, 394 s.
- RÝTHER J. H., YENTSCH C. S. (1957): The estimation of phytoplankton production in the ocean from chlorophyll and light data. — Limnol. Oceanogr. 2: 281—286.
- SCHANZ F. (1982): A fluorometric method of determining chlorophyll *a* and phaeophytin *a* concentrations. — Arch. Hydrobiol., Beih. Ergeb. Limnol. 16: 91—100.
- SLÁDEČEK V., OTTOVÁ V., SLÁDEČKOVÁ A. (1973): Návody k základním pracím v technické hydrobiologii. — Uč. texty vysokých škol, VŠCHT — fak. technol. paliv a vody, 187 s.
- SLÁDEČKOVÁ A. (1962): Limnological investigation methods for the periphyton (Aufwuchs) community. — Bot. Rev. 28: 287—350.
- SOURNIA A. (1978): Phytoplankton Manual. — Paris: UNESCO, 337 pp.
- STRAŠKRABA M. (1967): Estimation of respiration in the field of natural populations of Cladocera and Copepoda using the quantitative method of plankton sorting. — Arch. Biol. 63(4): 497—511.
- STRAŠKRABA M. (1968): Der Anteil der höheren Pflanzen an der Produktion der stehenden Gewässer. — Mitt. Int. Ver. theor. angew. Limnol. 14: 212—230.
- STRAŠKRABA M., PIECZYŃSKA E. (1970): Field experiments on shading effect by emergents on littoral phytoplankton and periphyton production. — Rozpr. ČSAV 80 (6): 70—132.
- STRAŠKRABA M., GNAUCK A. (1983): Aquatische Ökosysteme — Modellierung und Simulation. — VEB Fischer Verlag, Jena, 279 s.
- STRICKLAND J. D., PARSONS T. R. (1968): A practical handbook of seawater analysis. — Fish. Res. Bd. Canada Bull. 168, 311.
- TALLING J. F., DRIVER D. (1963): Some problems in the estimation of chlorophyll *a* in phytoplankton. — Proc. Conf. Primary Production Measurem., Marine and Freshw., Univ. Hawaii 1961: 142—146.
- UHLMANN D. (1982): Hydrobiologie. Ein Grundriss für Ingenieure und Naturwissenschaftler. — VEB Fischer Verlag, Jena, 315 s.
- URBAN Z., KALINA T. (1980): Systém a evoluce nižších rostlin. — SPN Praha, 415 s.
- UTERMÖHL H. (1958): Zur Vervollkommung der quantitativen Phytoplankton-Methodik. — Mitt. Int. Ver. Limnol. 9: 1—38.
- VERDUIN J. (1956): Primary production in lakes. — Limnol. Oceanogr. 1 (2): 85—91.
- VOLLENWEIDER R. A. (1971): A manual on methods for measuring primary production in aquatic environments. — IBP Handb. 12, Blackwell Sci. Publ., 2nd ed., Oxford — Edinburgh, 213 s.
- WETZEL R. G. (1963): Primary productivity of periphyton. — Nature 197: 1026—1027.
- WETZEL R. G. (1964): A comparative study of the primary productivity of higher aquatic plants, periphyton and phytoplankton in a large shallow lake. — Int. Rev. ges. Hydrobiol. 49: 1—61.
- WETZEL R. G. (1975): Limnology. — Saunders Co., Philadelphia — London — Toronto, 743 s.
- WINBERG G. G. (1960): Pervičnaja produkcija vodoemov. — Izd. Akad. Nauk SSSR, Minsk, 329 s.
- WINBERG G. G. (ed.) (1971): Symbols, units and conversion factors in studies of freshwater productivity. — IBP Sect. PF, IBP Centr. Office, London, 23 s.
- YENTSCH C. S., MENZEL D. W. (1963): A method for the determination of phytoplankton chlorophyll and phaeophytin by fluorescence. — Deep Sea Res. 10: 221—231.

## Literatura:

- APEL P. (1966): Herstellung CO<sub>2</sub> – haltiger Gasgemische für Photosynthesemessungen mit dem URAS. — Flora 157A: 330–333.
- AUDUS L. J. (1976): Herbicides — Physiology, Biochemistry, Vol. 1., — Academic Press, London, New York, San Francisco.
- AUSTIN R. B., LONGDEN P. C. (1967): A rapid method for the measurement of rates of photosynthesis using <sup>14</sup>CO<sub>2</sub>. — Ann. Bot. 31: 245–253.
- AVRATOVŠČUKOVÁ N. (1968): Differences in photosynthetic rate of leaf disks in five tobacco varieties. — Photosynthetica 2: 149–160.
- BARTOŠ J., KUBÍN Š., ŠETLÍK I. (1960): Dry weight increase of leaf disks as a measure of photosynthesis. — Biol. Plant. 2: 201–215.
- BATE G. C., D'AOUST A., CANVIN D. T. (1969): Calibration of infrared CO<sub>2</sub> gas analysers. — Plant Physiol. 44: 1122–1126.
- BAUMGARTNER A. (1969): Meteorological approach to the exchange of CO<sub>2</sub> between the atmosphere and vegetation, particularly forest stands. — Photosynthetica 3: 127–149.
- BEGG J. E., LAKE J. V. (1968): Carbon dioxide measurement: A continuous conductimetric method. — Agr. Meteorol. 5: 283–290.

- BISCOE P. V., SCOTT R. K., MONTEITH J. L. (1975): Barley and its environment III. Carbon budget of the stand. — *J. appl. Ecol.* 12: 269–293.
- BISCOE P. V., INCOLL L. D., LITTLETON J. V., OLLERENSHAW J. H. (1977): Barley and its environment VII. Relationships between irradiance, leaf photosynthetic rate and stomatal conductance. — *J. appl. Ecol.* 14: 293–302.
- BLACKLOW W. M., MAYBURY K. G. (1980): A battery-operated instrument for non-destructive measurements of photosynthesis and transpiration of ears and leaves of cereals using  $^{14}\text{CO}_2$  and lithium chloride hygrometer. — *J. exp. Bot.* 31: 1119–1129.
- BOWMAN G. E. (1968): The measurement of carbon dioxide concentration in the atmosphere. — In: WADSWORTH R. M. a kol. (eds): *Ecology*. — Blackwell Sci. Publ., Oxford – Edinburgh, s. 131–139.
- BRDIČKA R., DVOŘÁK J. (1977): Základy fyzikální chemie. — Academia, Praha, 850 s.
- CLEGG M. D., SULLIVAN C. Y., EASTIN J. D. (1978): A sensitive technique for the rapid measurement of carbon dioxide concentration. — *Plant Physiol.* 62: 924–926.
- ČAP J., POKORNÝ J., ŠERÁK L. (1985): Využití elektrochemických měření v ekologii mělkých vodních nádrží. — In: KALVODA R. (ed.): *Elektroanalytická chemie životního prostředí*. — SNTL, Praha, s. 168–178.
- ČATSKÝ J. (1970): Méthodes et techniques de mesure de la concentration en anhydride carbonique dans l'air. — In: *Techniques d'Étude des Facteurs Physiques de la Biosphère*. — I. N. R. A., Paris, s. 181–188.
- ČATSKÝ J., SLAVÍK B. (1958): Eine neue Anwendung der  $\text{CO}_2$ -Bestimmung nach Kauko zu Assimilationsmessungen. — *Planta* 51: 63–69.
- ČATSKÝ J., SLAVÍK B. (1960): Polevoj pribor dlja opredělenija intěnsivnosti fotosintěza. — *Biol. Plant.* 2: 107–112.
- ČMORA S. N. (1966): Svetovyje krivyje fotosintěza v poseve kukuruzy. — In: NIČIPOROVIČ A. A. (ed.): *Fotosintězirujuščije systémy vysokoj produktivnosti*. — Nauka, Moskva, s. 142–148.
- DENMEAD O. T. (1970): Transfer processes between vegetation and air: measurement, interpretation and modelling. — In: *Prediction and Measurement of Photosynthetic Productivity*. — PUDOC, Wageningen, s. 149–164.
- DENMEAD O. T. (1971): Measurements of carbon dioxide exchange in the field. — In: ŠESTÁK Z. a kol. (eds): *Plant Photosynthetic Production. Manual of Methods*. — Dr. W. Junk, N. V. Publ., The Hague, s. 467–516.
- GLOSER J. (1977): Characteristics of  $\text{CO}_2$  exchange in *Phragmites communis* Trin. derived from measurements in situ. — *Photosynthetica* 11: 139–147.
- GOLDSWORTHY A. (1966): A simple apparatus for generating an air stream containing a constant concentration of  $^{14}\text{CO}_2$ . — *J. exp. Bot.* 17: 147–150.
- GOLTERMAN H. L., CLYMO R. S. (1969): *Methods for Chemical Analysis of Fresh Waters*. — IBP Handbook 8, Oxford, Blackwell Sci. Publ., 172 s.
- HORNBERGER G. M., KELLY M. G. (1974): A new method for estimating productivity in standing waters using free oxygen measurements. — *Water Res. Bull.* 10: 265–271.
- HRBÁČEK J. a kol. (1972): Limnologické metody. Učební texty vysokých škol. — UK, Praha, 208 s.
- INOUE E., TANI N., IMAI K., ISOBE S. (1958): The aerodynamic measurement of photosynthesis over the wheat field. — *J. Agr. Meteorol. (Tokyo)* 13: 121–125.
- JANAČ J. (1970): The accuracy of the differential measurement of small  $\text{CO}_2$ -concentration differences with the infrared gas analyzer. — *Photosynthetica* 4: 302–308.
- JARVIS P. G. (1970): Characteristics of the photosynthetic apparatus derived from its response to natural complex of environment factors. — In: *Prediction and Measurement of Photosynthetic Productivity*. — PUDOC, Wageningen, s. 353–367.
- JARVIS P. G., SLATYER R. O. (1966): A controlled-environment chamber for studies of gas exchange by each surface of a leaf. — *CSIRO Div. Land Res. Tech. Paper* 29: 1–16.

- KARLSSON S., SVEINBJÖRNSSON B. (1981): Methodological comparison of photosynthetic rates measured by the  $^{14}\text{CO}_2$  technique or infra-red gas analysis. — *Photosynthetica* 15: 447–452.
- KERN D. M. (1960): The hydration of carbon dioxide. — *J. chem. Education* 37: 14–22.
- KLUGE M., TING I. P. (1978): Crassulacean Acid Metabolism. — Springer Verlag, Berlin, Heidelberg, New York.
- KOCH W., KLEIN E., WALZ H. (1968): Neuartige Gaswechsel-Messanlage für Pflanzen in Laboratorium und Freiland. — *Siemens Z.* 42: 392–404.
- KOLLER D., SAMISH Y. (1964): A null-point compensating system for simultaneous and continuous measurement of net photosynthesis and transpiration by controlled gas-stream analysis. — *Bot. Gaz.* 125: 81–88.
- KONČALOVÁ, H., ALBRECHT, G., POKORNÝ, J., WIEDENROTH E. M. (1989): Measurement of respiratory  $\text{CO}_2$  production of roots in an aquatic medium. — *Biologia Plantarum* (in press).
- KUBÍN Š. (1973): Zdroje fotosynteticky účinného záření a metody jeho měření. — Academia, Praha.
- LAKE J. V. (1972): Gas exchange of field crops. — In: RESS A. R. a kol. (eds.): *Crop Processes in Controlled Environments*. — Academic Press, London, s. 139–155.
- LASCOMBES G. (1963): Remarques sur l'utilisation des analyseurs de gaz à infrarouge pour l'étude écologique de la photosynthèse. — *Ann. Sci. Nat., Bot. (Paris)*, Ser. 12, 4: 251–264.
- LEMON E. R. (1967): Aerodynamic studies of  $\text{CO}_2$  exchange between the atmosphere and the plant. — In: SAN PIEDRO A., GREER F. A., ARMY T. J. (eds.): *Harvesting the Sun*. — Academic Press, New York, London, s. 263–290.
- LEUSCHNER D. (1974): Ein Computer-Program zur Berechnung Gasstoff-wechselphysiologischer Kenngrößen im geschlossenen System. — *Photosynthetica* 8: 87–90.
- LINGEMAN R., VERMIJ S. (1980): Estimation of primary productivity in aquatic systems using free oxygen measurements. — *Water Resources Bulletin, Am. Water Res. Ass.* 16(4): 745–748.
- LISS P. S., SLATER P. G. (1974): Flux of gases across the air-sea interface. — *Nature* 247: 181–184.
- LISTER R. G., KROTKOV G., NELSON C. D. (1961): A closed circuit apparatus with an infrared  $\text{CO}_2$  analyzer and a Geiger tube for continuous measurement of  $\text{CO}_2$  exchange in photosynthesis and respiration. — *Canad. J. Bot.* 39: 581–591.
- LOEWENTHAL R. E., MARAIS G. V. (1976): Carbonate chemistry in aquatic systems. Theory and application. — *Ann. Arbor. Sci.*, 433 s.
- MACKERETH F. J. H., HERON J., TALLING J. F. (1978): Water analysis: Some revised methods for limnologists. — Freshwater Biological Association, Sci. Publ. No 36, s. 37–38.
- MAHON J. D., DOMEY J. (1979): A light-weight battery operated infrared gas analyser for field measurements of photosynthetic  $\text{CO}_2$ -exchange. — *Photosynthetica* 13: 459–466.
- MARSHALL B., BISCOE P. V. (1977): A mobile apparatus for measuring leaf photosynthesis in the field. — *J. exp. Bot.* 28: 1008–1017.
- MILLINGTON R. J., PETERS D. B. (1969): Exchange (mass transfer) coefficients in crop canopies. — *Agron. J.* 61: 815–819.
- MONTEITH J. L. (1968): Analysis of the photosynthesis and respiration of field crops from vertical fluxes of carbon dioxide. — In: ECKARD F. E. (ed.): *Functioning of Terrestrial Ecosystems at the Primary Production Level*. — UNESCO, Paris, s. 349–358.
- MONTEITH J. L., SZEICZ G., YABUKI J. (1964): Crop photosynthesis and the flux of carbon dioxide below the canopy. — *J. appl. Ecol.* 1: 321–337.
- MUSGRAVE R. B., MOSS D. N. (1961): Photosynthesis under field conditions I. A portable, closed system for determining net assimilation and respiration of corn. — *Crop. Sci.* 1: 37–41.
- NÁTR L. (1969): Influence of assimilate accumulation on rate of photosynthesis of barley leaf segments. — *Photosynthetica* 3: 120–126.
- NÁTR L., GLOSER J. (1967): Carbon dioxide absorption and dry weight increase in barley leaf segments. — *Photosynthetica* 1: 19–27.

- NÁTR L., PURŠ J. (1969): The relation between rate of photosynthesis and N, P, K concentration in barley leaves. I. Nitrogen absent from the solution. — *Photosynthetica* 3: 320—325.
- NÁTR L., ŠPIDLA J. (1961): Application of the leaf-disk method to the determination of photosynthesis in cereals. — *Biol. Plant.* 3: 245—251.
- NIELSON R. E. (1977): A technique for measuring photosynthesis in conifers by  $^{14}\text{CO}_2$  uptake. — *Photosynthetica* 11: 241—250.
- ONDOK J. P., POKORNÝ J. (1982): Model of diurnal regime of oxygen and carbon dioxide in stands of submerged vegetation. — *Ecology, Praha* 4: 381—394.
- ONDOK J. P., POKORNÝ J., KVĚT J. (1984): Model of diurnal changes in oxygen, carbon dioxide and bicarbonate concentrations in a stand of *Elodea canadensis* Michx. — *Aquat. Bot.* 19: 293—305.
- ORCHARD B., HEATH O. V. S. (1964): Carbon assimilation at low carbon dioxide levels. I. Apparatus and technique. — *J. exp. Bot.* 15: 314—330.
- PAČES T. (1972): Chemické rovnováhy v přírodním systému voda—hornina—atmosféra. — Ústř. ústav geolog., ČSAV Praha, 191 s.
- PARKINSON K. J., DAY W. (1979): Use of orifices to control the flow rate of gases. — *J. appl. Ecol.* 16: 623—632.
- PARKINSON K. J., DAY W., LEACH J. E. (1980): A portable system for measuring the photosynthesis and transpiration of graminaceous leaves. — *J. exp. Bot.* 31: 1441—1453.
- PATTERSON M. S., GREENE R. C. (1965): Measurement of low energy beta-emitters in aqueous solution by liquid scintillation counting of emulsions. — *Anal. Chem.* 37: 854—857.
- PERSON P. (1976): A leaf disc mounting method for measurement of net photosynthesis under field conditions. — *Photosynthetica* 10: 264—265.
- PITTER P. (1981): Hydrochemie — SNTL, Praha, 373 s.
- POKORNÝ J., KVĚT J., ONDOK J. P., TOUL Z., OSTRÝ I. (1984): Production-ecological analysis of a plant community dominated by *Elodea canadensis* Michx. — *Aquatic Botany* 19: 263—292.
- POKORNÝ J., HAMMER, L., ONDOK, J. P. (1987): Oxygen budget in the reed belt and open water of a shallow lake. — In: POKORNÝ, J., Lhotský, O., DENNY, P. et TURNER, E. G. (eds.): Waterplants and wetland processes. — Arch. Hydrobiol. Stuttgart, Beih. Ergebn. Limnol. 27: 185—201.
- RAWSON H. M., LOVE D. C. (1982): A chamber for rapid measurement of cereal leaf gas exchange. — *Photosynthetica* 16: 67—70.
- REDMANN R. E. (1973): Photosynthesis, plant respiration and soil respiration measured with controlled environment chambers in the field 1. Methods and results. — University of Saskatchewan Tech. Report 18, Saskatoon, s. 1—77.
- REDSHAW A. J., MEIDNER H. (1970): A fine — control carbon dioxide injection circuit for the measurement of rates of net photosynthesis by infra-red gas analysis. — *J. exp. Bot.* 21: 410—413.
- RYCHNOVSKÁ M. (1967): A contribution to the autecology of *Phragmites communis* Trin. I. Physiological heterogeneity of leaves. — *Folia geobot. phytotax.*, Praha, 2: 179—188.
- RYCHNOVSKÁ M., BARTOŠ J. (1962): Measurement of photosynthesis by dry weight increment of samples composed of leaf segments. — *Biol. Plant.* 4: 91—97.
- SHIMSHI D. (1969): A rapid field method for measuring photosynthesis with labelled carbon dioxide. — *J. exp. Bot.* 20: 381—401.
- SCHULZE E.-D. (1972): A new type of climatized gas exchange chamber for net photosynthesis and transpiration measurements in the field. — *Oecologia* 10; 243—251.
- SINCLAIR T. R., JOHNSON M. N., DRAKE G. M., VAN HOUTE R. C. (1979): Mobile laboratory for continuous, long term gas exchange measurements of 39 leaves. — *Photosynthetica* 13: 446—453.
- SLAVÍK B., ČATSKÝ J. (1965): Colorimetric determination of  $\text{CO}_2$  exchange in field and laboratory. — In: ECKARD F. E. (ed.): Methodology of Plant Eco-Physiology. — UNESCO, Paris, s. 251—298.
- STOKER O., VIEWEG G. H. (1960): Die Darmstädter Apparatur zur Momentalmessung der Photosynthese unter ökologischen Bedingungen. — *Ber. dtsch. bot. Ges.* 73: 198—208.

- STREBEYKO P. (1967): Rapid method for measuring photosynthetic rate using  $^{14}\text{CO}_2$ . — Photosynthetica 1: 45–49.
- ŠERÁK L. (1979): Možnosti elektrochemie při měření kyslíku v biologických systémech. — Moderní elektroanalytické metody VTS, Dům techniky, Ústí nad Labem.
- ŠERÁK L. (1985): Měření koncentrace kyslíku v biologických systémech. — In: KALVODA R. (ed.): Elektroanalytická chemie životního prostředí. — SNTL, Praha, s. 151–166.
- ŠESTÁK Z., ČATSKÝ J. (1966): Metody studia fotosyntetické produkce rostlin. — Academia, Praha.
- ŠESTÁK Z., ČATSKÝ J., JARVIS P. G. (1971): Plant photosynthetic production. Manual of methods. — Dr. W. Junk, N. V. Publ., The Hague.
- ŠETLÍK I., AVRATOVŠČUKOVÁ N., KRÍTEK J. (1967): An annular irradiation chamber for photosynthesis measurements in leaf disks. — Photosynthetica 1: 89–95.
- STUMM W., MORGAN, J. J. (1970): Aquatic Chemistry, An Introduction Emphasizing Chemical Equilibria in Natural Waters. Wiley-Interscience New York, London, Sydney, Toronto, 583 s.
- TIESZEN L. L., JOHNSON D. A., CALDWELL M. M. (1974): A portable system for measurement of photosynthesis using 14-carbon dioxide. — Photosynthetica 8: 151–160.
- TRLICA M. J., DYE A. J., MOIR W. H., BROWN L. F., JAMESON D. A., RICE W. A. (1973): A field laboratory for gas exchange measurements of grassland swards. — Photosynthetica 7: 257–261.
- VERDUIN J. (1972): Metabolism of the dominant autotrophs of the North American Great Lakes. — Verh. Internat. Verein. Limnol. 18: 105–112.
- VOLLENWEIDER R. A. (1971): A manual on methods for measuring primary production in aquatic environments. — IBP Handbook 12, Blackwell Sci. Publ., 2nd ed., Oxford, Edinburgh, 213 s.
- VOZNĚSENSKIJ V. L. (1955): Količestvennyje izmerenija intensivnosti fotosintéza pri pomošći radioaktivnovo izotopa ugleroda  $\text{C}^{14}$ . — Bot. Ž. 40: 402–408.
- VOZNĚSENSKIJ V. L., ZALENSKIJ O. V., SEMICHATOVA O. A. (1965): Metody issledovanija fotosintéza i dychanija rastenij. — Nauka, Moskva — Leningrad.
- VOZNĚSENSKIJ V. L. (1964): Conductometric apparatus for determining the photosynthetic rate. — Biol. Plant. 6: 79–83.
- WHITEFIELD D. W. A. (1980): Accurate calibration of an absolute IRGA over a wide range of  $\text{CO}_2$  concentrations. — Photosynthetica 14: 171–176.
- WILLIAMS G. J. (1973): The photosynthetic pathway type of North American shortgrass prairie species and some ecological implications. — Photosynthetica 7: 262–270.

## Literatura:

- ASTON M. J., LAWLOR D. W. (1979): The relationship between transpiration, root water uptake, and leaf water potential. — *J. exp. Bot.* 30: 169–181.
- BENNETT J. M., CORTES P. M., LORENS G. F. (1986): Comparison of water potential components measured with a thermocouple psychrometer and a pressure chamber and the effects of starch hydrolysis. — *Agron. J.* 78: 239–244.
- BIKHELE Z. N., MOLDAU KH. A., ROSS YU. K. (1980): (Mathematical Modelling of Transpiration and Photosynthesis in Plants Affected by Soil Moisture Stress) in Russian. — Gidrometeoizdat, Leningrad.
- BOYSEN-JENSEN P. (1928): Über neue Apparate zur Messung der Kohlensäure-Assimilation, der Respiration, der Öffnungsweite der Spaltöffnungen und der Beleuchtungsstärke. — *Planta* 5: 456–472.
- BRINGFELT B. (1982): A Forest Evapotranspiration Model Using Synoptic Data. — Swedish Meteorological and Hydrological Institute, Stockholm.
- BROUWER R. (1953): Water absorption by the roots of *Vicia faba* at various transpiration strengths. I. Analysis of the uptake and the factors determining it. — *Proc. kon. Ned. Akad. Wetensch. Ser. C* 56: 106–115.
- BÜCHNER K.-H., ZIMMERMANN, U., BENTRUP, F.-W. (1981): Turgor pressure and water transport properties of suspension-cultured cells of *Chenopodium rubrum L.* — *Planta* 151: 95–102.
- BYRNE G. F., FENN M. D., BURGAR M. I. (1986): Nuclear magnetic resonance studies of water in tree sections. — *Agr. Forest Meteorol.* 38: 307–317.
- CALVET R. (ed.) (1988): Etudes sur les Transferts d'Eau dans le Systeme Sol-Plante-Atmosphère. — INRA, Paris 1988.

- CAMPBELL G. S., CAMPBELL, M. D. (1974): Evaluation of a thermocouple hygrometer for measuring leaf water potential in situ. — Agron. J. 66: 24—27.
- ČATSKÝ J. (1965): Leaf-disk method for determining water saturation deficit. — In: ECKARDT, F. E. (ed.): Methodology of Plant Eco-Physiology. UNESCO, Paris, s. 353—360.
- ČATSKÝ J. (1969): Temperature effects in the measurement of water saturation deficit (relative water content) in tobacco and kale. — Biol. Plant. 11: 381—383.
- ČATSKÝ J. (1974): Water saturation deficit (relative water content). — In: SLAVÍK, B.: Methods of Studying Plant Water Relations. Academia, Praha, s. 136—156.
- ČERMÁK J., DEML M., PENKA M. (1973): A new method of sap flow rate determination in trees. — Biol. Plant. 15: 171—178.
- ČERMÁK J., KUČERA J., PENKA M. (1976): Improvement of the method of sap flow rate determination in full-grown trees based on heat balance with direct electric heating of xylem. — Biol. Plant. 18: 105—110.
- ČERMÁK J., KUČERA J., SIMON J., DUŠEK V. (1983): The electric conductance of seedling stems and the water content of spruce and pine seedlings in the course of desiccation. — Biol. Plant. 25: 468—471.
- ČERMÁK J., ÚLEHLA J., KUČERA J., PENKA M. (1982): Sap flow rate and transpiration dynamics in the full-grown oak (*Quercus robur* L.) in floodplain forest exposed to seasonal floods as related to potential evapotranspiration and tree dimensions. — Biol. Plant. 24: 446—460.
- CHLOUPEK O.: (1976) Die Bewertung des Wurzelsystems von Senfpflanzen auf Grund der dielektrischen Eigenschaften und mit Rücksicht auf der Endertrag. — Biol. Plant. 18: 44—49.
- COLE D. W. (1958): Alundum tension lysimeter. — Soil Sci. 85: 293—296.
- COOKE J. R., DE BAERDEMAEKER J. G., RAND R. H., MANG H. A. (1976): A finite element shell analysis of guard cell deformations. — Trans. ASAE 19: 1107—1121.
- COWAN I. R. (1965): Transport of water in the soil-plant-atmosphere system. — J. appl. Ecol. 2: 221—239.
- COWAN I. R., FARQUHAR G. D. (1977): Stomatal function in relation to leaf metabolism and environment. — In: JENNINGS D. H. (ed.): Integration of Activity in the Higher Plant. Cambridge University Press, Cambridge, s. 471—505.
- COX J. R., HUGHES H. G. (1982): Leaf water potentials of perennial grasses — leaf press and pressure chamber evaluation. — J. Range Manage. 35: 5—6.
- CRUIZIAT P. (1985): Quelques réflexions concernant l'étude du mécanisme de transfert de l'eau chez les végétaux. — In: IV<sup>e</sup> Séminaire de l'École de Biologie Théorique. CNRS, Paris 1985, s. 241—251.
- EDWARDS W. R. N., JARVIS P. G. (1983): A method for measuring radial differences in water content of intact tree stems by attenuation of gamma radiation. — Plant Cell Environ. 6: 255—260.
- FAIZ S. M. A., WEATHERLEY P. E. (1977): The location of the resistance to water movement in the soil supplying the roots of transpiring plants. — New Phytol. 78: 337—347.
- FARQUHAR G. D. (1978): Feedforward responses of stomata to humidity. — Aust. J. Plant Physiol. 5: 787—800.
- FEDDES R. A., KOWALIK P. J., ZARADNY H. (1978): Simulation of Field Water Use and Crop Yield. — Centre for Agricultural Publishing and Documentation, Wageningen.
- FEINHALS J., KÜHN W. (1986): Zerstörungsfreie Bestimmung von Biomasse und Wassergehalt in Pflanzen mit radiometrischen Methoden. — Angew. Bot. 60: 357—364.
- FERRIER J. M., DAINTY J. (1977): Water flow in *Beta vulgaris* storage tissues. — Plant Physiol. 60: 662—665.
- FISCUS E. L. (1977): Determination of hydraulic and osmotic properties of soybean root systems. — Plant Physiol. 59: 1013—1020.
- FROESCHEL P. (1953): Das Druckstomatometer, ein neuer pflanzenphysiologischer Apparat zur Messung der Apertur der Stomata. — Cellule 56: 63—70.
- FROESCHEL P., CHAPMAN P. (1951): A new method of measuring the size of the stomata apertures. — Cellule 54: 233—250.

- GARNIER E., BERGER A. (1986): Effect of water stress on stem diameter changes of peach trees growing in the field. — J. appl. Ecol. 23: 193–209.
- GENSLER W. G. (1986): Advanced Agricultural Instrumentation. Design and use. — Martinus Nijhoff Publ., Dordrecht — Boston — Lancaster.
- GIBBERT J., VAN BAVEL C. M. H. (1954): A simple field instalation for measuring maximum evapo-transpiration. — Trans. Amer. geophys. Union 35: 937–942.
- GLOVER J. (1941): A method for continuous measurement of transpiration of single leaves under natural conditions. — Ann. Bot. 5: 25–34.
- GLOVER J., FORSGATE J. A. (1962): Measurement of evapo-transpiration from large tanks of soil. — Nature 195: 1330.
- GRANIER A. (1977): Transfert de sève brute dans le tronc des arbres. Aspects méthodologiques et physiologiques. — Ann. Sci. forest. 34: 17–45.
- GUSEV N. A., KIVAEVA L. S. (1978): (On Physiological significance and modern methods for studying water-exchange and state of water in plants) in Russian. — Fiziol. Biokhim. kul't. Rast. 10: 3–17.
- GUTSCHICK v! P. (1987): A Functional Biology of Crop Plants. — Croom Helm, London — Sydney.
- GUYOT G., VERBRUGGE M. (ed.) (1981): Signatures Spectrales d'Objects en Télédétection. — INRA, Versailles.
- HALL A. E. (1982): Mathematical models of plant water loss and plant water relations. — In: LANGE O. L., NOBEL P. S., OSMOND C. B., ZIEGLER H.: Physiological Plant Ecology II. Springer-Verlag, Berlin — Heidelberg — New York, s. 231–261.
- HELLKVIST J., PARSBY J. (1976): The water relations of *Pinus sylvestris*. III. Diurnal and seasonal patterns of water potential. — Physiol. Plant. 38: 61–68.
- HOFFMAN G. J., RAWLINS S. L. (1972): Silver-foil psychrometer for measuring leaf water potential in situ. — Science 177: 802–804.
- HSIEH J. J. C., HUNGATE F. P. (1970): Temperature compensated Peltier psychrometer for measuring plant and soil water potentials. — Soil Sci. 110: 253–257.
- HUNT R. E., JR., WEBER J. A., GATES D. M. (1984): Differences between tree species in hydraulic press calibration of leaf water potential are correlated with specific leaf area. — Plant Cell Environ. 7: 597–600.
- HYGEN G. (1951): Studies in plant transpiration I. — Physiol. Plant. 4: 57–183.
- HYGEN G. (1953): Studies in plant transpiration II. — Physiol. Plant. 6: 106–133.
- IDSO S. B., REGINATO R. J., JACKSON R. D., PINTER P. J., JR. (1981): Measuring yield-reducing plant water potential depressions in wheat by infrared thermometry. — Irrig. Sci. 2: 205–212.
- IVANOV L. A., SILINA A. A., CEL'NIKER YU. L. (1950): (Method of rapid weighing for determination of transpiration under natural conditions) in Russian. — Bot. Zh. 36: 5–20.
- JARVIS P. G. (1976): The interpretation of the variations in leaf water potential and stomatal conductance found in canopies in the field. — Phil. Trans. roy. Soc. London B 273: 593–610.
- JARVIS P. G., MANSFIELD T. A. (eds.) (1981): Stomatal Physiology. — Cambridge University Press, Cambridge — London — New York — New Rochelle — Melbourne — Sydney.
- JOHNSON T., ODIN H. (1978): Measurements of evapotranspiration using a dynamic lysimeter. — Stud. forest. Suec. 146: 5–29.
- JONES H. G. (1973): Estimation of plant water status with the beta-gauge. — Agr. Meteorol. 11: 345–355.
- JONES H. G. (1980): Interaction and integration of adaptive responses to water stress: the implications of an unpredictable environment. — In: TURNER N. C., KRAMER P. J. (ed.): Adaptation of Plants to Water and High Temperature Stress. John Wiley and Sons, New York — Chichester — Brisbane — Toronto, s. 353–365.
- KANDIKO R. A., TIMMIS R., WORRALL J. (1980): Pressure-volume curves of shoots and roots of normal and drought conditioned western hemlock seedlings. — Can. J. Forest Res. 10: 10–16.

- MILLAR B. D., HANSEN G. K. (1975): Exclusion errors in pressure chamber estimates of leaf water potential. — Ann. Bot. 39: 915–920.
- MOLZ F. J., KERNS D. V., JR., PETERSON C. M., DANE J. H. (1979): A circuit analog model for studying quantitative water relations of plant tissues. — Plant Physiol. 64: 712–716.
- MOLZ F. J., TRUELOVE B., PETERSON C. M. (1975): Dynamics of rehydration in leaf disks. — Agron. J. 67: 511–515.
- MONTEITH J. L. (1965): Evaporation and environment. — In: The State and Movement of Water in Living Organisms. Cambridge University Press, Cambridge, s. 205–224.
- MONTEITH J. L. (1973): Principles of Environmental Physics. — Edward Arnold, London.
- MORIZET J. (1976): Description d'un potomètre enregistreur un exemple d'observations portant sur une journée. — Ann. agron. 27: 247–257.
- MORRIS L. G. (1959): A recording weighing machine for the measurement of evapotranspiration and dew fall. — J. agr. Eng. Res. 4: 161–173.
- MOURAVIEFF I. (1955): Action du CO<sub>2</sub> et de la lumière sur le stomate séparé du mesophylle I. — Comp. Rend. Acad. Sci. Paris 242: 926–927.
- NAKAYAMA F. S., EHRLER W. L. (1964): Beta ray gauging technique for measuring leaf water content changes and moisture status of plants. — Plant Physiol. 39: 95–98.
- NAVARA J., KOZINKA V. (1983): Die Ermittlung des Gesamtwasserverbrauches von Holzpflanzen mittels Kompensationslysimeter. — Biológia (Bratislava) 38: 39–50.
- NELSEN C. E., SAFIR G. R., HANSON A. D. (1978): Water potential in excised leaf tissue. Comparison of a commercial dew point hygrometer and a thermocouple psychrometer on soybean, wheat, and barley. — Plant Physiol. 61: 131–133.
- NEUMANN H. H., THURTELL G. W. (1972): A Peltier cooled thermocouple dewpoint hygrometer for in situ measurement of water potentials. — In: BROWN R. W., VAN HAVEREN B. R. (ed.): Psychrometry in Water Relations Research. Utah State University, Logan, s. 103–112.
- PARKHURST D. F. (1978): The adaptive significance of stomatal occurrence on one or both surfaces of leaves. — J. Ecol. 66: 367–383.
- PAZOURKOVÁ Z., PAZOUREK J. (1960): Rychlé metody botanické mikrotechniky. — ČSAZV, Praha.
- PENKA M. (1985): Transpirace a Spotřeba Vody Rostlinami. — Academia, Praha.
- PENKA M., ČERMÁK J., KUČERA J., PRAX A., ÚLEHLA J., ŽÍDEK V. (1983): Spotřeba vody u dubu (*Quercus robur L.*) v aluviu řeky Dyje za nelimitujících vlhkostních podmínek. — Lesnictví 29: 481–496.
- PENMAN H. L. (1948): Natural evaporation from open water, bare soil and grass. — Proc. roy. Soc. London A 193: 120–145.
- PERSSON T. (ed.) (1980): Structure and Function of Northern Coniferous Forests – An Ecosystem Study. — Swedish Natural Science Research Council, Stockholm.
- PERTU K., BISCHOF W., GRIP H., JANSSON P.-E., LINDGREN Å., LINDROTH A., NORÉN B. (1980): Micrometeorology and hydrology of pine forest ecosystems. I. Field studies. — In: PERSSON T. (ed.): Structure and Function of Northern Coniferous Forests – An Ecosystem Study. Swedish Natural Science Research Council, Stockholm, s. 75–121.
- PICKARD W. F. (1982): Distribution of evaporation in the sub-stomatal chamber, the possibility of transpiration-linked pore narrowing, and the pathway of water near the site of evaporation. — Ann. Bot. 49: 545–548, 1982.
- PLESKANKA J. (1983): Matematické modelování transportních vlastností intercelulárních prostorů listové čepele pro difúzi vodní páry. — Disertační práce ÚEB ČSAV, Praha.
- PLESKANKA J., POSPÍŠILOVÁ J., SOLÁROVÁ J., TICHÁ I., ČATSKÝ J. (1983): Response of epidermal conductance to irradiance as affected by changes in carbon dioxide concentration, leaf water potential or age. Mathematical approximation. — Photosynthetica 17: 161–167.
- POSPÍŠILOVÁ J., SOLÁROVÁ J. (1975–1986): Water-in-Plants Bibliography. Volume 1–10. — Dr. W. Junk b. v. Publishers, The Hague – Boston – London.

- POSPÍŠILOVÁ J., SOLÁROVÁ J. (eds.) (1987–1988): Water in Plants Bibliography. Volume 11–13. SPB Academic Publishing, The Hague.
- PRUITT W. O., ANGUS D. E. (1960): Large weighing lysimeters for measuring evapotranspiration. — Trans. Amer. Soc. agr. Eng. 3: 13–18.
- PŘIBÁŇ K., ONDOK J. P. 1978: Microclimate and evapotranspiration in two wet grassland communities. — Folia Geobot. Phytotax. 13: 113–128.
- PŘIBÁŇ K., ONDOK J. P. 1980: The daily and seasonal course of evapotranspiration from a Central European sedge-grass marsh. — J. Ecol. 68: 547–559.
- RAND R. H. (1977): Gaseous diffusion in the leaf interior. — Trans. ASAE 20: 701–704.
- RASCHKE K. (1965): Das Seifenblasenporometer (zur Messung der Stomaweite an amphistomatischen Blättern). — Planta 66: 113–120.
- RATKOVIĆ S., BAČIĆ G., RADENOVIĆ Č., VUČINIĆ Ž. (1982): Water in plants: a review of some recent NMR studies concerning the state and transport of water in leaf, root and seed. — Stud. biophys. 91: 9–18.
- REICHMAN G. A., DOERING E. J., BENZ L. C., FOLLETT R. F. (1979): Construction and performance of large automatic (nonweighing) lysimeters. — Trans. ASAE 22: 1343–1346.
- RICHTER H. (1976): The water status in the plant. Experimental evidence. — In: LANGE O. L., KAPPEN L., SCHULZE E.-D. (eds.): Water and Plant Life. Problems and Modern Approaches. Springer-Verlag, Berlin – Heidelberg – New York 1976, s. 42–58.
- RICHTER H., DUHME F., GLATZEL G., HINCKLEY T. M., KARLIC H. (1980): Some limitations and applications of the pressure-volume curve technique in ecophysiological research. — In: GRACE J., FORD E. D., JARVIS P. G. (eds.): Plants and their Atmospheric Environment. Blackwell Scientific Publications, Oxford – London – Edinburgh – Boston – Melbourne, s. 263–272.
- ITCHIE G. A., HINCKLEY T. M. (1975): The pressure chamber as an instrument for ecological research. — In: MACFADYEN A. (ed.): Advances in Ecological Research. Volume 9. Academic Press, London, s. 165–254.
- ROA R. L., PICKARD W. F. (1975): The applicability of the magnetohydrodynamic technique to water flux measurements in forest trees. — J. exp. Bot. 26: 469–475.
- ROWSE H. R., BARNES A. (1979): Weather, rooting depth and water relations of broad beans – a theoretical analysis. — Agr. Meteorol. 20: 381–391.
- ROWSE H. R., GOODMAN D. (1981): Axial resistance to water movement in broad bean (*Vicia faba*) roots. — J. exp. Bot. 32: 591–598.
- ROY J., BERGER A. (1983): Water potential measurement, water compartmentation and water flow in *Dactylis glomerata* L. leaves. — New Phytol. 93: 43–52.
- RUTTER A. J. (1975): The hydrological cycle in vegetation. — In: MONTEITH J. L. (ed.): Vegetation and the Atmosphere. Academic Press, London, s. 111–154.
- SAEED M. (1986): The estimation of evapotranspiration by some equations under hot and arid conditions. — Trans. ASAE 29: 434–438.
- SATO K., SAKURATANI T. (1982): Water consumptions at different levels of soybean canopies of different plant spacings in the field estimated from the water fluxes in the stem. — Jap. J. Crop Sci. 57: 75–81.
- SCHOPFER P. (1986): Experimentelle Pflanzenphysiologie. — Springer-Verlag, Berlin – Heidelberg – New York – Tokyo.
- SCHURER K., GRIFFIOEN H., KORNET J. G., VISSCHER G. J. W. (1979): Measurement of the rate of water flow in plants. — Neth. J. agr. Sci. 27: 136–141.
- SHAEFER N. L., TRICKETT E. S., CERESA A., BARRS H. D. (1986): Continuous monitoring of plant water potential. — Plant Physiol. 81: 45–49.
- SHARPE P. J. H., DEMICHELE D. W. (1974): A morphological and physiological model of the leaf. — Trans. ASAE 17: 355–359.
- SHERIFF D. W. (1972): A new apparatus for the measurement of sap flux in small shoots with the magnetohydrodynamic technique. — J. exp. Bot. 23: 1086–1095.

- SHERIFF D. W. (1976): A new dendrometer for the measurement of small stems in the laboratory. — J. exp. Bot. 27: 175–183.
- SHIRAZI G. A., STONE J. F., BACON C. M. (1976): Oscillatory transpiration in a cotton plant: an IBM / CSMP computer simulation. — Oklahoma State University Experiment Station Technical Bulletin T-143: 1–27.
- SHONE M. G. T., FLOOD A. V. (1980): Studies on uptake and loss of water by barley roots in relation to changes in root resistance. — J. exp. Bot. 31: 1147–1159.
- SINCLAIR T. R., MURPHY C. E., JR., KNOERR K. R. (1976): Development and evaluation of simplified models for simulating canopy photosynthesis and transpiration. — J. appl. Ecol. 13: 813–829.
- SLATYER R. O., BIERHUIZEN J. F. (1964): A differential psychrometer for continuous measurements of transpiration. — Plant Physiol. 39: 1051–1056.
- SLAVÍK B. (1965): Metody Studia Vodního Provozu Rostlin. — ČSAV, Praha.
- SLAVÍK B. (1974): Methods of Studying Plant Water Relations. — Academia, Praha.
- SOJA G. (1986a): Neue Wege der Photosynthese- und Wasserhaushaltmessungen bei Pflanzen. I. Konventionelle Untersuchungsmethoden (Sammelreferat). — Bodenkultur 37: 45–61.
- SOJA G. (1986b): Neue Wege der Photosynthese- und Wasserhaushaltmessungen bei Pflanzen. II. Erste Erfahrungen mit einem tragbaren, computersgestützten Gaswechselmesssystem. — Bodenkultur 37: 149–163.
- SOLÁROVÁ J. (1964): Fyziologie a ekologie průduchů jako faktoru určujícího fotosyntézu. — Studijní Informace ÚVTI MZLVH 7–8: 1–116.
- QUIRE G. R., BLACK C. R., GREGORY P. J. (1981): Physical measurements in crop physiology. II. Water relations. — Exp. Agr. 17: 225–242.
- STÄLFELT M. G. (1956): Die stomatäre Transpiration und die Physiologie der Spaltöffnungen. — In: RUHLAND W. (ed.): Encyclopedia of Plant Physiology III. Pp. 351–426. Springer-Verlag, Berlin – Göttingen – Heidelberg.
- STONE J. F., SHIRAZI G. A. (1975): On the heat-pulse method for the measurement of apparent sap velocity in stems. — Planta 122: 169–177.
- ŠESTÁK Z., ČATSKÝ J. (1966): Metody studia fotosynthetické produkce rostlin. — Academia, Praha.
- ŠESTÁK Z., ČATSKÝ J., JARVIS P. G. (eds.) (1971): Plant Photosynthetic Production. Manual of Methods. — Dr. W. Junk b. v. Publishers, The Hague.
- TESCHE M., SCHOBER B. (1976): Zur Methode der Erfassung des Wasserhaushaltes von Koniferen über den elektrischen Widerstand der Nadeln. — Biochem. Physiol. Pflanz. 170: 427–432.
- TOLLNER E. W., MOLZ F. J. (1983): Simulating plant water uptake in moist, lighter textured soils. — Trans. ASAE 26: 87–91.
- TOMOS A. D., STEUDLE E., ZIMMERMANN U., SCHULZE E.-D. (1981): Water relations of leaf epidermal cells of *Tradescantia virginiana*. — Plant. Physiol. 68: 1135–1143.
- TURNER N. C. (1981): Techniques and experimental approaches for the measurement of plant water status. — Plant Soil 58: 339–366.
- TURNER N. C., BEGG J. E. (1973): Stomatal behavior and water status of maize, sorghum, and tobacco under field conditions. I. At high soil water potential. — Plant Physiol. 51: 31–36.
- TYREE M. T., CAMERON S. I. (1977): A new technique for measuring oscillatory and diurnal changes in leaf thickness. — Canad. J. Forest Res. 7: 540–544.
- TYREE M. T., FENSON D. S. (1968): Methods of measuring hydrokinetic pressure gradients in the xylem of plants in situ. — Canad. J. Bot. 46: 310–314.
- TYREE M. T., RICHTER H. (1981): Alternative methods of analysing water potential isotherms: some cautions and clarifications. — J. exp. Bot. 32: 643–653.
- TYREE M. T., ZIMMERMANN M. H. (1971): The theory and practice of measuring transport coefficients and sap flow in the xylem of red maple stems (*Acer rubrum*). — J. exp. Bot. 22: 1–18.
- ÚLEHLA J. (1963): Changes in sap exudation of maize and occurrence of lags in exudation during the growing season. — Biol. Plant. 5: 190–197.

VAN BAVEL C. H. M., NAKAYAMA F. S., EHRLER W. L. (1965): Measuring transpiration resistance of leaves. — *Plant Physiol.* 40: 535—540.

WENKERT W., LEMON E. R., SINCLAIR T. R. (1978): Changes in water potential during pressure bomb measurement. — *Agron. J.* 70: 353—355.

WOODWARD F. I., SHEEHY J. E. (1983): Principles and Measurements in Environmental Biology. — Butterworths, London — Boston — Durban — Singapore — Sydney — Toronto — Wellington

ZÁMEČNÍK J. (1983): Závislost hodnot vodního sytostního deficitu na teplotě během sycení terčíků. — In: Dny rostlinné fyziologie III. ČSBS, Praha, s. 313—314.

ZANSTRA P. E., HAGENZIEKER F. (1977): Comments on the psychrometric determination of leaf water potentials in situ. — *Plant Soil* 48: 347—367.

ZEIGER E., FARQUHAR G. D., COWAN I. R. (eds.) (1987): Stomatal Function. — Stanford University Press, Stanford.

ZIMMERMANN U., STEUDLE E. (1980): Fundamental water relations parameters. — In: SPANSWICK R. M., LUCAS W. J., DAINTY J. (eds.): Plant Membrane Transport: Current Conceptual Issues. Elsevier/North-Holland Biomedical Press, Amsterdam, s. 113—127.

## Literatura:

- ALLEN S. E., PEARSALL W. H. (1963): Leaf analysis and shoot production in *Phragmites*. – Oikos 14: 176–189.
- BOYD C. E., LAWRENCE J. M. (1967): The mineral composition of several freshwater algae. – Proc. Twentieth Annual Confer. Southeastern Assoc. of Game and Fish Commissioners (Separatum), s. 413–424.
- COWGILL U. M. (1974): The hydrochemistry of Linsley Pond, II. The chemical composition of the aquatic macrophytes. – Arch. Hydrobiol., Suppl. 45: 1–119.
- DUVIGNEAUD P. (1967): L'Écologie, science moderne de synthèse. Vol. 2. Ecosystèmes et Biosphère. – Bruxelles, 2ème Edit.

- DUVIGNEAUD P. (1968): Aperçu sur la biomasse, la productivité et le cycle des éléments biogènes. — Bull. Soc. Roy. Bot. Belg. 101: 111–127.
- DUVIGNEAUD P., DENAEYER DE SMET S. (1968): Essai de classification chimique éléments minéraux des plantes gypsoïques du bassin de l'Ebre. — Bull. Soc. Roy. Bot. Belg. 101: 279–291.
- DUVIGNEAUD P., DENAEYER DE SMET S. (1970): Biological cycling of minerals in temperate deciduous forests. — In: REICHLE D. E. (ed.): Analysis of temperate forest ecosystems, London, s. 199–225.
- DYKYJOVÁ D. (1976): Makrofyta jako testovací organismy. — In: PŘIBIL S., MARVAN P., LHOŠTský S. (eds): Kolokvium o řasových testech. — Čes. Budějovice, s. 179–192.
- DYKYJOVÁ D. (1979) Selective uptake of mineral ions and their concentration factors in aquatic higher plants. — Folia Geobot. Phytotax. 14: 267–325.
- DYKYJOVÁ D., HEJNÝ S. (1975): Produkce a podíl pobřežních rostlinných společenstev na eutrofizaci Opatovického rybníka. — Sborník JČ muzea v Čes. Budějovicích, Přír. Vědy 15: 11–66.
- DYKYJOVÁ D. (1973): Content of mineral macronutrients in emergent macrophytes during their seasonal growth and decomposition. — In: HEJNÝ S. (ed.): Ecosystem study on wetland biome in Czechoslovakia. — Czechosl. IBP/PT-PP Rep. No. 3., Třeboň, s. 163–172.
- DYKYJOVÁ D., KVĚT J. (1978): Pond littoral Ecosystems. — Ecol. Studies No 28, Heidelberg.
- DYKYJOVÁ D., DRBAL K. (1984): Chemismus rostlin přechodových rašelinišť a kyselých slatinišť Třeboňska. — Preslia, Praha 56: 73–91.
- DYKYJOVÁ D., KVĚT J. (1982): Mineral nutrient economy in wetlands of the Třeboň basin Biosphere reserve, Czechoslovakia. — In: GOPAL B., TURNER R. E., WETZEL R. G., WHIGHAM D. F. (eds): Wetlands: Ecology and Management, Jaipur, India, s. 335–355.
- ETHERINGTON J. R. (1976): Environment and Plant Ecology. — London, New York, Sydney, Toronto.
- GERLOFF G. C., KROMBHLZ P. H. (1966): Tissue analysis as a measure of nutrient availability for the growth of angiosperm aquatic plants. — Limnol. Oceanogr. 11: 529–537.
- GERLOFF G. C., FISHBECK K. A. (1973): Plant content of elements as a bioassay of nutrient availability in lakes and streams. — Bioassay Techniques and Environmental Chemistry, s. 159–176.
- GOLDMAN C. R. (ed.) (1966): Primary Productivity in Aquatic Environments. — Univ. of California Press, Berkeley.
- GOODALL D. W., GREGORY F. G. (1947): Chemical composition of plants as an index of their nutritional status. — Imp. Bureau of Horticult. and Plantation Crops, East Malling 17: 1–167.
- JACKSON M. L. (1962): Soil Chemical Analysis. — London.
- KOPPOVÁ A., PIRKL J., KALINA J. (1955): Stanovení popelovin v rostlinném materiálu přesními experimentálními metodami. — Věd. práce Výzk. úst. rostl. výroby ČSAZV v Praze-Ruzyni, s. 119–127.
- KORMONDY E. J. (1969): Concepts of Ecology. — Pentice-Hall, Inc., New Jersey.
- LUNDEGARDH H. (1943): Die Blattanalyse. — G. Fischer, Jena.
- LUNDEGARDH H. (1951): Leaf Analysis. Engl. transl. by R. L. MITCHELL, London.
- PAECH K. M., TRACEY M. (1955–1964): Moderne Methoden der Pflanzenanalyse. — Berlin, Göttingen, Heidelberg.
- PEVERLY J. H. (1984): Elemental accumulation and release by aquatic plants in a wetland stream. — Aq. Bot., v tisku.
- PIPER C. (1944): Soil and Plant Analysis. — New York.
- PLANTER M. (1973): Physical and chemical conditions in the helophytes zone of the lake littoral. — Pol. Arch. Hydrobiol 20: 1–7.
- POMEROY L. R. (1970): The strategy of mineral cycling. — Ann. Rev. Ecol. Syst. 1: 171–190.
- POONAMPERUMA F. N. (1972): The chemistry of submerged soils. — Adv. Agron. 24: 29–95.
- SMITH P. F. (1962): Mineral analysis of plant tissues. — Ann. Rev. Plant Physiol. 13: 81–108.
- STANGENBERG M. (1934): Psammolitoral, ein extrem eutrophes Wassermedium. — Arch. Hydrobiol. Ryb. 8: 273–284.

STRÁŠKRABA M. (1968): Der Anteil der höheren Pflanzen an der Production der stehenden Gewässer. — Mitt. Intern. Verein Limnol. 14: 212–230.

TUSNEEM M. E., PATRICK W. H. Jr. (1971): Nitrogen transformations in waterlogged soil. — Bulletin No 657, Louisiana State University.

WETZEL R. G., LINKENS G. E. (1979): Limnological Analyses. — W. B. Saunders Co, Philadelphia.

## Literatura:

- BLACKMAN V. H. (1919): The compoud interest and law plant growth. — Ann. Bot. 33: 353–360.
- DYKYJOVÁ D. (1970): Comparative biometry of *Phragmites communis* ecotypes and its significance to investigation of reed-stand productivity. — In: DYKYJOVÁ D. (ed.): Productivity of Terrestrial Ecosystems. Production Processes. Czechosl. IBP/PT–PP Report No 1., Praha, s. 105–110.
- DYKYJOVÁ D. (1969): Kontaktdiagramme als Hilfsmethode für vergleichende Biometrie, Allometrie und Produktionsanalyse von *Phragmites* Ökotypen. — Rev. Roum. Biol. — Zoologie, T.14, Bucarest, s. 107–119.
- DYKYJOVÁ D., KVĚT J. (eds) (1978): Pond Littoral Ecosystems. — Ecolog. Studies Vol. 28, Springer, Berlin — Heidelberg — New York.
- ENGEL K. H., RAEUBER A., MEINL G. (1968): Phenometric studies on cultivated plants. — Photosynthetica, 2: 298–302.
- ERICKSON R. O., MICHELINI F. J., (1957): The plastochnron index. — Amer. J. Bot., 44: 297–303.
- ESAU K. (1953): Plant Anatomy. — J. Wiley, New York and London.
- EVANS G. C. (1972): The Quantitative Analysis of Plant Growth. — Blackwell Sci. Publ., Oxford, London, Edinburg, Melbourne, s. 734.
- HUNT R. (1982): Plant Growth Curves. The functional approach to plant growth analysis. — E. Arnold, London.
- JAKRLOVÁ J. (1975): Primary production and plant chemical composition in flood-plain meadows. — Acta Sc. Nat. Brno, Praha, 9: 1–52.
- KAMEL M. S. (1959): A physiological study of shading and density on the growth and the efficiency of solar energy conversion in some field crops. — Mededelingen v.d. Landbouw. Wageningen, 59: 1–101.
- KVĚT J., NEČAS J., ONDOK J. P. (1971): Metody růstové analýzy. — UVTI, Praha, s. 110.
- MONSI M., SAEKI T. (1953): Über den Lichtfaktor in den Pflanzengesellschaften und seine Bedeutung für die Stoffproduktion. — Jap. J. Bot., Tokyo, 14: 22–52.
- ONDOK J. P. (1968): Analyse des Blattwachstums als Methode zur Bestimmung des Massstabes der ontogenetischen Entwicklung. — Stud. Biophys., Berlin, 11: 161–168.
- ONDOK J. P. (1969): Die Probleme der Anwendung der Wachstumsanalyse auf Forschungen von *Phragmites communis* Trin. — Hidrobiologia, Bucuresti, 10: 87–95.
- ONDOK J. P. (1971): Indirect estimation of primary values used in growth analysis. — In: ŠESTÁK Z.,

- ČATSKÝ J., JARVIS P. G. (eds): Plant Photosynthetic Production. Manual of Methods. — Dr. W. Junk Publishers, The Hague, s. 392—411.
- ONDOK J. P. (1972): Vegetative propagation of *Scirpus lacustris* L. — Biologia Plantarum, Praha, 14: 213—218.
- ONDOK J. P. (1977): Regime of Global and Photosynthetically Active Radiation in helophyte stands. — Studie ČSAV, č. 10, Academia, Praha.
- SAEKI T. (1961): Leaf growth as influenced by dry matter production. — The Bot. Magaz., Tokyo, 74: 70—78.
- ŠESTÁK Z., ČATSKÝ J. (1966): Metody studia fotosyntetické produkce rostlin. — Academia, Praha, s. 394.
- ŠESTÁK Z., ČATSKÝ J., JARVIS P. G. (1971): Plant Photosynthetic Production. Manual of Methods. — Dr. W. Junk Publishers, The Hague.
- TANAKA A. (1961): Studies on the nutrio-physiology of leaves of rice plant. — Fac. of Agric. Hokaido University, 51: 449—550.

## Literatura:

- ALLEN K. R., 1950: The computation of production in fish population. N. Z. Sci. Rev., Wellington. 8: 89 pp.
- BATTEN L. A., WILLIAMSON K. 1974: The common bird census in the British Isles. Acta ornithologica 14, 8: 234–244.
- BAUER Z., 1975: The biomass production of the tree sparrow, *Passer m. montanus* (L.). Population in the conditions of the flood forest. International studies on Sparrows. Dziekanów Leśny 8, 2: 124–139.
- BEACHAM T. D., KREBS C. J. 1980: Pitfall versus live-trap enumeration of fluctuating population of *Microtus townsendii*. J. Mamm. 61 3: 486–499.
- BEJČEK V., 1981: Vliv lesnické rekultivace výsypek po povrchové hnědo-uhelné těžbě na společenstva drobných savců. Sborn. Okr. Muz. Most, Řada přír. 3/1981: 117–131.
- BEJČEK V., 1982: Společenstva drobných zemních savců na nerekultivovaných výsypkách v Mostecké pánvi. Kand. disertační práce, ÚKE ČSAV, 164 pp.
- BLONDEL J., FROCHOT B., FERRY C., 1970: La méthode des Indices Ponctuels d' Abundance IPA ou des relevés d'avifaune per „stations d' écoute“. Alauda, 38: 55–71.
- BLONDEL J., 1975: L'analyse des peuplements d' Oiseaux, éléments d' un diagnostic écologique. I. La méthode des Echantillonnages Frequentiels Progressifs EFP. La Terre et la Vie, 29: 533–589.
- BLONDEL J., 1977: The diagnosis of bird communities by means of frequential sampling E. F. P. Pol. ecol. Stud. 3: 19–26.
- BRAAE L., LAURSEN K., 1979: Populationsindex for danske ynglefugle 1975–1978. Dansk. orn. Foren. Tidsskr 73: 311–316.
- DE LURY D. B., 1947: On the estimation of biological populations. Biometrics, 3: 145–167.

- FERRY C., 1974: Comparisons between breeding bird communities in an oak forest and a beech forest, censused by the IPA method. *Acta Ornithologica* 14: 302–309.
- FROCHOT B., RENDET D., LERUTH Y., 1977: A comparison of preliminary results of three census methods applied to the same populations of forest birds. *Pol. ecol. Stud.* 3: 71–75.
- GÓRECKI A., 1965: Energy values of body in small mammals. *Acta theriol.* 10: 333–352.
- GÓRECKI A., 1967: Caloric values of the body in small rodents. In: Petrusewicz K. ed.: Second. prod. of terr. ecosyst. Warszawa, Krakow, 315–321.
- GRODZIŃSKI W., PUCEK Z., RYSZKOWSKI L., 1966: Estimation of rodent numbers by means of prebaiting and intensive removal. *Acta theriol.* 10: 297–314.
- HANSSON L., 1969: Home range, population structure and density estimates at removal catches with edge effect. *Acta theriol.* 14: 153–160.
- HANSSON L., 1971: Estimation of the productivity of small mammals in a South Swedish spruce plantation. *Ann. Zool. Fennici* 8: 118–126
- HODROVÁ M., 1977: Kolik ropuch žilo v tůni v době páření. *Živa* XXV, 6: 225–226.
- HODROVÁ M., 1981: Populační dynamika ropuchy obecné, *Bufo bufo* (Linnaeus, 1758). *Sbor. Nár. muz.* 37, B, 3–4: 161–192.
- HUDEC K., 1975: Density and breeding of birds in the reed swamps of southern Moravian ponds. *Acta Sc. Nat. Brno* 9, 6: 1–40.
- HUDEC K., 1980: Zu den menschlichen Einflüssen auf die Tatra – Vogelwelt. *Acta Sc. Nat. Brno*, 10: 1–36.
- IVLEV V. S., 1966: The biological productivity of waters. *J. Fish. Res. Bd. Canada*, Ottawa, 23: 1727–1758.
- JANDA J., ŠŤASTNÝ K., 1984: Jednotný program sčítání ptáků. Výsledky sčítání a změny v počtu hnízdních ptáků v letech 1982 a 1983. *Zprávy ČSO* 26: 25–33.
- JANION M., RYSZKOWSKI L., WIERZBOWSKA T., 1968: Estimate of number of rodents with variable probability of capture. *Acta theriol.* 13: 285–294.
- JÄRVINEN O., 1976: Estimating relative densities of breeding birds by the line transect method. II. Comparison between two methods. *Ornis Scan.* 7: 43–48.
- KAUFMANN D. W., GENTRY J. B., KAUFMANN G. A., SMITH M. H., WIENER J. G., 1978: Sensity estimation of small mammals: Comparison of techniques utilizing removal trapping. *Acta Theriol.* 23, 7: 147–171.
- LESLIE P. H., DAVIS D. H. S., 1939: An attempt to determine the absolute number of rats on a given area. *J. Anim. Ecol.* 8: 94–113.
- LIBOSVÁRSKÝ J., 1968: A study of brown trout population in the Loučka creek (Czechoslovakia). *Acta Sci. Nat. Brno*, 2: 56 pp.
- LUKÁŠ J., 1970: Kolik čolků žilo v tůni? *Živa* XVIII, 4: 144–145.
- MILES P., WEBER H., 1979: Rozbor hnízdní populace avifauny Státní přírodní rezervace Na Rýchorách v období tří let akce Balt – Studie č. 2, sekce ČSSR. *Opera corcontica* 16: 169–179.
- MORAVEC J., 1983: Odhad četnosti populace rosničky zelené a skokana menšího. *Živa* XXXI, 4: 158.
- MYRCHA A., 1969: Seasonal changes in carolic values, body water and fat in some shrews. *Acta theriol.* 14: 211–227.
- NIKOLSKIJ G. V., 1974: Ekologia ryb. 3. vydání, Moskva: 366 pp.
- OLIVA O., 1955: K metodice odhadu počtu ryb v přirozené vodní nádrži. *Věst. Čs. spol. zool.*, Praha, 19: 365–373.
- OLIVA O., 1957: Některé zkušenosti s hubením ryb při studiu rybích populací. *Věst. Čs. spol. zool.*, Praha, 21: 363–375.
- PELIKÁN J., 1968: The edge effect of the trapping area in estimates of numbers of small mammals. *Zool. listy* 17: 97–108.
- PELIKÁN J., 1970: Testing and elemination of the edge effect in trapping small mammals. In: PETRU-

SEWICZ K., RYSZKOWSKI L. eds.: Energy flow through small mammals populations, 57–61, Warszawa.

PELIKÁN J., 1971a: Quadrat size and density estimates of small mammals. Zool. listy 20: 139–152.

PELIKÁN J., 1971b: Calculated densities of small mammals in relation to the quadrat size. Ann. Zool. Fennici 8: 3–6.

PELIKÁN J., 1976: Způsoby výpočtu odhadové velikosti úlovku. Lynx, n. s., 18: 119–129.

PELIKÁN J., ŽEJDA J., HOLIŠOVÁ V., 1972: Influence of prebaiting on the catch of small mammals. Zool. listy 21: 209–225.

PELIKÁN J., ŽEJDA J., HOLIŠOVÁ V., 1974: Standing crop estimates of small mammals in Moravian forests. Zool. listy 23: 197–216.

PELIKÁN J., ŽEJDA J., HOLIŠOVÁ V., 1977: Efficiency of different traps in catching small mammals. Folia Zool. 26: 1–13.

PIVNIČKA K., 1979: Production of perch and fry in the Klíčava reservoir. Věst. Čs. spol. zool., Praha, 43: 43–47.

PUCEK Z., BOBEK B., LABUDZKI L., MILKOWSKI L., MOROW K., TOMEK A., 1975: Estimates of density and number of ungulates. Pol. ecol. Stud. 1 2: 121–135.

RICKER W. E., 1975: Computation and interpretation of biological statistic of fish populations. Bull. of the Fish. Rs. Bd. of Canada, Ottawa, 191: 370 PP.

ROBSON D. S., REGIER H. A., 1964: Sample size in Petersen mark – recapture experiments. Trans. Am. Fish. Soc., Lawrence, Kansas, 93: 215–232.

RYSZKOWSKI L., PETRUSEWICZ K., 1967: Estimation of energy flow through small rodent populations. In: PETRUSEWICZ K. ed., Second. Prod. Of Terr. Ecosyst., 125–146, Warszawa, Krakow.

SPITZ F., 1974: Démographie du campagnol des champs *Microtus arvalis* en vendée. Ann. Zool. – Ecol. anim. 6 2: 259–312.

SVENSSON S., 1977: Land use planning and bird census work with particular reference to the application of the point sampling method. Pol. ecol. Stud. 3: 99–117.

ŠTASTNÝ K., 1974: Návrh jednotné metodiky kvantitativního výzkumu ptáků. Zprávy MOS 1974: 13–21.

ŠTASTNÝ K., 1982: Příspěvek k metodice kvantitativního výzkumu ptactva v rákosinách. Sbor. příspěvků k ornitol. výzk. Jihoč. kraje. Jihočeské muzeum v Č. Budějovicích. Přír. vědy: 74–76.

ŠTASTNÝ K., JANDA J., 1982: Cíle, perspektivy a současný stav sčítání ptáků v ČSSR. Zprávy ČSOS 23: 48–50.

ŠTASTNÝ K., BEJČEK V., 1984: Zkušenosti s melioracemi rybníků jako hnázdiště vodního ptactva: Závislost hnázdní hustoty vodního ptactva na rybničních úpravách. Vodní ptactvo a jeho prostředí v ČSSR. Sbor. referátů, Brno: 241–254.

VINBERG G. G., 1956: Intenzivnost obměna i piščevye potrebnosti ryb. Minsk: 250 pp.

WEINER J., 1972: Energy requirements of house sparrows, *Passer d. domesticus* (L.), in Southern Poland. In: (Productivity, population dynamics and systematics of granivorous birds. Eds. S. C. KENDEIGH, J. PINOWSKI) – Warszawa, 45–58.

ZEJDA J., HOLIŠOVÁ V., 1970: On the prebaiting of small mammals in the estimation of their abundance. Zool. listy 19: 103–118.

ZIPPIN C., 1958: The removal method of population estimation. J. Wildl. Mgmt. 22: 82–90.

## Literatura:

- ALI M. (1973): Influence of photoperiod and temperature on the food consumption of the alfalfa beetle, *Subcoccinella vigintiquatorpunctata* L. (Coleoptera: Coccinellidae). — Acta Phytopathol. Acad. Sci. Hung. 8 (1–2): 207–215.
- ANDREWARTHA H. G., BIRCH L. C. (1954): The distribution and abundance of animals. — Chicago, 782 s.
- BALOGH J. (1958): Lebensgemeinschaften der Landtiere. — Akademie-Verlag, Berlin, 560 s.
- BARBER H. (1931): Traps for cave-inhabiting insects. — J. Elisha Mitchell Sci. Soc. 46: 259–266.
- BARTOŠ J. a kol. (1971): Ochrana rostlin. Vybrané kapitoly ze zemědělské entomologie a ochrany rostlin. — St. pedag. nakl., Praha, 206 s.
- BEALL G. (1935): Study of Arthropod populations by the method of sweeping. — Ecology, Brooklyn, N. Y., 16: 216–225.
- BEREZANCEV J. A. (1952): Pribori dlja lovlji gnusa. — Zool. žurn. 31 (3): 467–470.
- BERLINGER M. J. (1980): A yellow sticky trap for whiteflies *Trialeurodes vaporarium* and *Bemisia tabaci* (Aleyrodidae). — Ent. exp. and appl. 27: 98–102.
- BERYMAN A. A., STARK R. W. (1962): Radiography in forest entomology. — Ann. ent. Soc. Amer. 55: 456–466.
- BIRCH M. C. (Ed.), (1974): Pheromones. — Amer. Elsevier, New York.
- BLOMBERG O., ITÄMIES J., KUZELA K. (1976): Insect catches in blended and black light-trap in northern Finland. — Oikos 27 (1): 57.
- BREWER F. D., KING E. G. (1978): Effects of parasitism by a tachinid *Lixophaga diatraeae*, on growth and food consumption of sugarcane borer larvae. — Ann. entomol. Soc. Amer. 71 (1): 19–22.
- BROADBENT L., DONCASTER J. P., HULL R., WATSON M. A. (1948): Equipment used for trapping and identifying aphids. — Proc. R. ent. Soc. (Lond.), Ser. A, 23: 57–58.
- BUSCARLET L. A., LASCEVE G., GARCIN J. (1974): Utilisation de la cinétique de  $^{22}\text{Na}$  pour estimer la ration alimentaire de *Sitophilus granarius* dans différentes conditions de température et d'alimentation. — Int. J. appl. Rad. Isotopes, 25 (10): 445–453.
- CALABRESE E. J., STOFFOLANO J. G. Jr. (1974): The influence of age and diet on respiration in adult

male and female blowflies, *Phormia regina* (Diptera, Calliphoridae). — J. Insect. Physiol., 20 (2): 383–393.

CARPENTER J. R., FORD J. (1936): The use of sweep net samples in an ecological survey. — J. Soc. Brit. Ent. 1: 155–161.

ČAPEK R. (1978): Dálkový průzkum a fotointerpretace z hlediska geografa. I., II. — Státní pedag. nakl., Praha, 279 s.

ČERNÝ V. (1971): Sammelmethoden für Federmilben. — Angew. Parasitol. 12: 85–89.

DAMPF A. (1925): Anweisung zu biocönotischen Kescherfängen auf Mooren. — Beitr. Kunde Estlands, Reval 10: 129–136.

DANIEL M. (1969): Sammelmethoden für Herbstgrassmilben (*Neotrombicula autumnalis*). — Anz. Parasitol. 10: 224–228.

DEONIER D. L. (1971): A systematic and ecological study of Nearctic *Hydraelia* (Diptera, Ephydidae). — Smith. Contr. Zool. 68: 1–147.

DIETRICK E. J., SCHLINGER E. I., BOSH R. VAN DEN (1959): A new method for sampling Arthropods using a suction collecting machine and modified Berlese funnel separator. — J. econ. Ent. 52: 1085–1091.

DIRLBEK J. (1971): Metody používané při zjišťování výskytu a studiu hmyzích škůdců. — In: BARTOŠ J. a kol.: Ochrana rostlin. — Státní pedag. nakl. Praha, 37–82.

DOSKOČIL J., HŮRKA K. (1962): Entomofauna louky (svaz Arrhenatherion elatioris) a její vývoj. — Rozpravy ČSAV, 72 (7): 95 s.

DOSKOČIL J., CHVÁLA M. (1970): Mechanical trap and possibility of its application in studies of insect communities. — Acta univ. Carolinae, Biol. (1968): 359–370.

DOSKOČIL J., CHVÁLA M. (1972): Studium aktivity čeledi *Tabanidae* (Diptera) sbíraných pomocí manitobské pasti s CO<sub>2</sub>. — Sborník Jihočesk. muzea v Českých Budějovicích, Přír. vědy, 12, Suppl. 2: 79–90.

DRIFT J. VAN DER (1951): Analysis of the animal community in beech forest floor. — Tijdschr. Ent. 94: 1–168.

ELLENBERG H. (1971): Integrated experimental ecology. — Springer Verlag, Berlin, Heidelberg, New York, 214 s.

ENGELBRECHT H., JÍROVEC O., NEMESÉRI L., ROSICKÝ B. (1965): Parasitologische Arbeitsmethoden in Medizin und Veterinärmedizin. — Akademie – Verlag, Berlin, 259 s.

ESCHERICH K. (1931): Die Forstinsekten Mitteleuropas. 3. Band. — Paul Parey, Berlin, 825 s.

EVANS F. C., CLARK P. J., BRAND R. H. (1955): Estimation of the number of species present in given area. — Ecology 36: 342–343.

FLEISCHER S. S., ALLEN W. A., LUNA J. M., PIENKOWSKI R. L. (1982): Absolute density estimation from sweep sampling, with a comparison of absolute density sampling techniques for adult potato leafhopper in alfalfa. — J. econ. Ent. 75 (3): 425–430.

FLETCHER B. S., KAPATOS F., SOUTHWOOD T. R. E. (1981): A modification of the Lincoln index for estimation the population densities of mobile insects. — Ecol. Ent. 6 (4): 397.

FRIDERICH K. (1941): Wie kann die Vorkommensdichte einer Art zweckmäßig gestaffelt werden. — Ent. Blätter 37: 212.

FROST S. W. (1952): Light traps for insect collection, survey and control. — Bull. Pa. agric. Exp. Sta. 550: 1–32.

FUNKE W. (1971): Food and energy turnover of leaf-eating insects and their influence on primary production. — In: ELLENBERG H.: Integrated experimental ecology, 81–93.

GILLON Y., GILLON D. (1967): Méthodes d'estimation des nombres et des biomasses d'Arthropodes en savane tropicale. — In: PETRUSEWICZ K.: Secondary productivity of terrestrial ecosystems, 2. Vol., 519–543.

GLEASON H. A. (1922): On the relation between species and area. — Ecology 3: 158–162.

- GLICK P. A. (1939): The distribution of insects, spiders and mites in the air. — Techn. Bull. No. 673, USDA, Washington, D. C.
- GLICK P. A. (1965): Review of collections of *Lepidoptera* by airplane. — J. Lepidopt. Soc. 19: 129–137.
- GOETZ B. (1941): Neue Apparate zum Studium der Insektenphysiologie. — Umschau, 45: 779–781.
- GOTZWALD R. (1971): Eine neue Klopfkäschermethode. — Nachrichtenbl. Pflschutzdienst in der DDR, 25 (2): 36–37.
- GREGOR F., MINÁŘ J. (1980): Collecting of synbovinne Diptera in Skufin and Manitoba traps. — Acta Univ. Carolinae, Biol. (1977): 287–295.
- GREGOR F., POVOLNÝ D. (1960): Beitrag zur Kenntnis synanthropen Fliegen Ungarns. — Acta Soc. ent. Čechosl. 57: 158–177.
- HARRIS J. W., DAWSON A. F., BROWN R. G. (1982): Evaluation of mountain Pine beetle damage using aerial photography. — Environment Canada BC-X-228: 3–10.
- HARRIS M. K., MAGGIO R. C., HART W. G., INGLE S. J., DAVIS M. R. (1982): Use of remote sensing to characterize defoliation of pecnas by the walnut caterpillar. — Southwest. Entomol. 7 (3): 146–154.
- HEATHCOTE G. D. (1957): The comparison of yellow cylindrical, flat and water traps, and Johnson suction traps, for sampling Aphids. — Ann. appl. Biol. 45 (1): 133–139.
- HENDERSON I. F., WHITAKER T. M. (1977): The efficiency of an insect suction sampler in grassland. — Ecol. ent. 2 (1): 57–60.
- HENNINGER J., HILDEBRANDT G., REICHERT P., SANWALD E. (1979): Bibliography of publications on damage assessment in agriculture and forestry with remote sensing techniques. — EARSel Publications, Freiburg, 122 s.
- HEROLD W. (1928): Kritische Untersuchungen über Methode der Zeitfänge zur Analyse von Landbiocoenosen. — Z. f. Morph. u. Oek. Tiere 10: 420–432.
- HEYDEMANN B. (1958): Erfassungsmethoden für die Biocönosen der Kulturbiotope. In: BALOGH J.: Lebensgemeinschaften der Landtiere. — Akad. Verlag Berlin, s. 451–507.
- HIENTON T. E. (1974): Summary of investigations of electric insect traps. — Techn. Bull. No 1498, USDA, 136 s.
- HRDÝ I. (1979): Současný stav a možnosti dalšího využití feromonů hmyzu v ochraně rostlin. — Agrochémia 19 (5): 143–150.
- HUGHES R. D., WOOLCOCK L. T. (1963): The use of an electronic counter in population studies of the cabbage aphid (*Brevicoryne brassicae* (L.)) — N. Z. J. agric. Res. 6: 320–327.
- CHAUVIN R. (1957): Réflexions sur l'écologie entomologique. — Soc. Zool. Agricole Bordeaux, 79 s.
- CHIARAPPA L. (ed.) (1971): Crop loss assessment methods. FAO Manual on the evaluation and prevention of losses by pests, diseases and weeds.
- JACOBSON M. (1972): Insect sex pheromones. — Academia Press, New York.
- JÍROVEC O. (1958): Zoologická technika. — ČSAV, Praha, 314 s.
- JOHNSON C. G. (1950): A suction trap for airborne insects which automatically segregates the catch into successive hourly samples. — Ann. appl. Biol. 37: 80–91.
- JOHNSON C. G., SOUTHWOOD T. R., ENTWISTLE J. (1957): A new method of extracting Arthropods and Mollusca from grassland and herbage with suction apparatus. — Bull. Ent. Res. 48: 211–218.
- JOHNSON C. G., TAYLOR L. R. (1955): The measurement of insect density in the air. — Rev. appl. Ent. 45 (2): 76.
- JUILLET J. A. (1963): A comparison of four types of traps used for capturing flying insects. — Canad. J. Zool. 41: 219–223.
- KARNECKÁ H. (1980): A method for collecting *Ephydriidae* (Diptera) on the water level. — Acta Univ. Carolineae, Biol. (1977): 325–327.
- KAY C. A., WHITFORD W. G. (1975): Influences of temperature and humidity on oxygen consumption

on of five Chihuahuan desert ants (Hym., Formicidae). — Comp. Biochem. Physiol. 52 (2): 281–286.

KLEINZELLER A., MÁLEK J., LONGMUIR I. S., KOVÁČ L., ČERKASOV J., CHALOUPKA J., KOTYK A., BURGER M. (1964): Manometrické metody a jejich použití v biologii a biochemii. — Stát. zdrav. nakl., Praha, 543 s.

KOGAN M., HERZOG D. C. (1980): Sampling methods in soybean entomology. — Springer Verlag, New York, Heidelberg, Berlin, 587 s.

Kolektiv autorů (1977): Sborník referátů druhého celostátního semináře: „Automatizace sběru dat v ekologii“, Liblice, 25. – 27. 4. 1977. Parasitologický ústav ČSAV, 1977, 211 s.

KOURA A. (1958): A new transparency method for detecting internal infestation in grains. — Agric. Res. Rev. 36: 110–113.

KOZLOVSKY D. G. (1968): A critical evaluation of the trophic level concept. I. Ecological efficiencies. — Ecology 49: 48–59.

KŘÍSTEK J. (1957): Použití roentgenu ke kontrole zámotků pilatek. Lesnická práce, s. 270.

LEE Y., OSWALD E. T., HARRIS J. W. E. (1974): A preliminary evaluation of ERTS imagery for forest land management in British Columbia. Second Canadian Symposium on remote sensing, University Guelph., s. 87–101.

LEWIS L. C., MUTCIMOR J. A., LYNCH R. E. (1971): Effect of *Perezia pyraustae* (*Protozoa, Microsporidia*) on oxygen consumption by the European corn borer, *Ostrinia nubilalis* (Lep., Pyralidae). — J. Insect Physiol. 17: 2457–2468.

LEWIS T. (1959): A comparison of water traps, cylindrical sticky traps and suction traps for sampling Thysanopteran populations at different levels. — Ent. exp. et appl. 2 (3): 204–216.

LINCOLN F. (1930): Calculating waterfowl abundance on the basis of banding returns. — U. S. Dep. Agric. Circular, No 118: 1–4.

MACDOWALL F. D. (1972): Photoactic action spectrum for whitefly and the question of colour vision. — Canad. Ent. 104: 299–307.

MACFADYEN A. (1967): Methods of investigation of productivity of invertebrates in terrestrial ecosystems. — In: PETRUSEWICZ K. (ed.): Secondary productivity of terrestrial ecosystems, Vol. 2: 383–412.

MACLEOD J., DONNELLY J. (1957): Some ecological relationship of natural populations of Calliphoridae blowflies. — J. anim. Ecol. 26: 135–170.

MILNER M., LEE M. R., KATZ R. (1950): Application of X-ray technique to the detection of insects infesting grain. — J. econ. Ent. 43: 933–835.

MINÁŘ J. (1959): Pozorování vlivu meteorologických činitelů na aktivitu komářů v podmírkách lužního lesa v oblasti jihozápadních Čech. — Čs. parazitologie 6: 57–74.

MÖRICKE V. (1951): Eine Farbfalle zur Kontrolle des Fluges von Blattläusen insbesondere der Pfirsichblattlaus *Myzodes persicae* (Sulz.). — Nachrbl. Dtsch. Pflschd. (Braunschweig) 3: 23–24.

MOHAMED K. A. K. (1982): Pathogenicity of *Nomuraea rileyi* and its effect on food consumption and utilization by *Heliothis virescens* larvae. — J. Ga. Entomol. Soc. 17 (3): 356–362.

MONČADSKIJ A. S. (1952): Letajúšcie krovososušie dvukrylye-gnus. — Izd. ZINAN SSSR 16: 1–66.

MORGAN C. V. G., CHANT D. A., ANDERSON N. H., AYRE G. L. (1955): Methods for estimating orchard mite populations, especially with the mite brushing machine. — Canad. Ent. 87: 189–200.

MORRIS R. F. (1955): The development of sampling techniques for forest insect defoliators, with particular reference to the spruce budworm. Canad. Ent. 87: 225–294.

MUIR R. C., GAMBRILL R. G. (1960): A note on the knock down method for estimating numbers of insect predators on fruit trees. — Ann. Rep. E. Malling Res. Sta., 1959, s. 109–111.

NICHOLLS C. F. (1960): A portable mechanical insect trap. — Canad. Ent. 92: 48–51.

NOSEK J., KOŽUCH O. (1969): The use of carbon dioxide for collecting of ticks. — Zbl. Bakt. I. Orig. 209: 385.

NOVÁK B. (1969): Bodenfallen mit grossem Öffnungsdurchmesser zur Untersuchung der Bewegung-

- saktivität von Feldcarabiden (Col., Carabidae). — Acta Univ. Palackianae Olomucensis, Fac. Rerum nat., 31: 71–86.
- NOVÁK B. (1972): Saisondynamik der Tageszeitlichen Aktivität bei Carabiden in einem Feldbiotop (Coleoptera, Carabidae). — Acta Univ. Palackianae Olomucensis, Fac. Rerum nat. 39: 59–97.
- NOVÁK K. a kol. (1969): Metody sběru a preparace hmyzu. — Academia, Praha, 243 s.
- NOVÁK K., SKUHRAVÝ V. (1957): Benutzung von Insektiziden zur Feststellung der Abundanz und Dominanz der Insekten. — Zool. Anz. 159: 35–38.
- NOVÁK K., SKUHRAVÝ V. (1958): Kvantitativní metody v entomologii. In: JÍROVEC O.: Zoologická technika. — NČSAV, Praha.
- OBRTĚL R. (1969): The insect fauna of the herbage stratum of lucerne fields in Southern Moravia (Czechoslovakia). — Acta Sci. Nat., Brno, 3 (10): 1–49.
- OBRTĚL R. (1971): Number of pitfall traps in relation to the structure of the catch of soil surface Coleoptera. — Acta Ent. Bohemoslov. 68: 300–309.
- PATOČKA J. (1958): Anwendung der Photoelektore im Forstschutz. — Anz. Schädlingskunde 31: 81–83.
- PETERSON A. (1934): A manual of entomological equipment and methods. Part 1. Ann. Arbor.
- PETRUSEWICZ K. (ed.) (1967): Secondary productivity of terrestrial ecosystems (Principles and methods). — PWN Warszawa – Krakow. Vol. 1: 1–382; Vol. 2: 383–879.
- RABASSE J. M., BOUCHERY J. (1967): New data on evaluation methods of Aphididae populations. Extraction techniques of Aphids from plant and counting technique. — Ann. Zool. ecol. Anim. 9 (3): 407.
- REICHERT P., SANWALD E., HENNINGER J. (1980): Application of multispectral remote sensing on agriculture and forestry. — EARSel Publications, Freiburg, 134 s.
- REICHLE D. E., GOLDSTEIN R. A., VAN HOOK JR. R. I., DODSON G. J. (1973): Analysis of insect consumption in a forest canopy. — Ecology, 54 (5): 1074–1084.
- RIEGL H., CROFT B. A. (1981): A timing trap for segregating catches of insects by discrete intervals. — Canad. Ent. 113: 765–768.
- ROBINSON H. S., ROBINSON P. J. M. (1950): Some notes on the observed behaviour of Lepidoptera in flight in the vicinity of lightsources together with a description of a light-trap designed to take entomological samples. — Ent. Gaz. 1: 3–15.
- SERVICE M. W. (1977): Mosquito ecology. Field sampling methods. — Applied Science Publishers. Ltd. London, 583 s.
- SHIYOMI M. (1978): A rapid graphic estimation of population density by a quasi-sequential method. — Bull. Nat. Inst. Agric. Sci. Ser. A, 25: 33–57.
- SHOREY H. H. (1976): Animal communication by pheromones. — Acad. Press, New York, San Francisco, London, 167 s.
- SHOREY H. H., MCKELVEY J. J. JR. (1977): Chemical control of insect behavior. Theory and application. — John Wiley + Sons, New York, Chichester, Brisbane, Toronto, 414 s.
- SCHROEDER L. A. (1977): Caloric equivalents of some plant and animal material. — Oecologia 28: 261–267.
- SCHÜTTE F. (1957): Methoden zur Erfassung der Baum – und Strauchfauna. 14. Verhandlungsbericht der Deutschen Ges. für angew. Entomologie, s. 82–86.
- SIMAK M. (1955): Insect damage on seeds of Norway spruce determined by X-ray photography. — Medd. Stat. Skogsforsknings-Inst., Uppsala, 41: 299–310.
- SKUFIN K. V. (1951): Opyt primenenija čučeloobraznoj lovушки dlja slepnej. — Zool. Ž. 30: 378–380.
- SKUHRAVÁ M. (1975): Die Wertung der Vorkommensfrequenz der Gallmücken (Diptera: Cecidomyiidae). — Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa. — Junk, The Hague, s. 243–248.
- SKUHRAVÁ M. (1982): The use of faunal data in zoogeographic studies. — Folia Fac. Sci. nat. Univ. Purkynianae Brunensis 23 (7): 127–131.

- SKUHRAVÁ M. (1982): Fytofágní bejlohmorky (*Cecidomyiidae*, *Diptera*) jako model plánovitého faunistického výzkumu. — Zprávy Čsl. zool. spol. (17–18): 35–56.
- SKUHRAVÝ V. (1955): Studium hmyzí části biocenos. — In: HRBAČEK J.: Jak a proč sbírat hmyz. — NČSAV, s. 175–184.
- SKUHRAVÝ V. (1956): Fallenfang und Markierung zum Studium der Laufkäfer. — Beitr. Ent. 6 (3–4): 285–287.
- SKUHRAVÝ V. (1957): Metoda zemních pastí. Die Fallenfangmethode. — Acta Soc. Ent. Bohemoslovaca, 54 (1): 27–40.
- SKUHRAVÝ V. (1981): The use of pheromones in ecological studies. — Scientific Papers of the Institute of Organic and Physical Chemistry of Wroclaw Technical University, No 22, Conferences 7: 1043–1056.
- SKUHRAVÝ V., NOVÁK K. (1957): (Entofauna brambořiště a její vývoj.) Entomofauna des Kartoffelfeldes und ihre Entwicklung. — Rozpravy ČSAV, Praha, 67 (7): 1–50.
- SKUHRAVÝ V., NOVÁK K., STARÝ P. (1959): (Entomofauna jetele (*Trifolium pratense L.*) a její vývoj.) Entomofauna des Kleefeldes und ihre Entwicklung. — Rozpravy ČSAV, Praha, 69 (7): 1–82.
- SKUHRAVÝ V., POKORNÝ V., PELIKÁN J., SKUHRAVÁ M., HUDEC K., RYCHNOVSKÝ B. (1981): Invertebrates and vertebrates attacking reed stands (*Phragmites communis*) in Czechoslovakia. — Studie ČSAV, Praha, 1981 (1): 112.
- SKUHRAVÝ V., ZUMR V. (1978): Zur Migration der Nonnenmännchen (*Lymantria monacha L.*), untersucht durch Markierung und Fang an Pheromon-Lockfallen. — Anz. Schädlingsk., Pflanzenschutz, Umweltschutz 51: 39–42.
- SOUTHWOOD T. R. E. (1966): Ecological methods with particular reference to the study of insect populations. — Methuen, London, 524 s.
- STAMMER H. (1948): Die Bedeutung der Aethylen-Glykolfallen für tierökologische und phänologische Untersuchungen. — Verhandl. Dtsch. Zool., Kiel, s. 387–391.
- STEINER H. (1967): Die Anwendungsmöglichkeiten der Klopfmethode bei Arbeiten über die Obstbaumfauna. — Entomophaga Memoire, H. S. No 3: 17–23.
- STEWART R. K., KHATTAT A. R. (1980): Economic injury levels of the tarnished plant bug, *Lygus lineolaris* (*Hemiptera, Heteroptera, Miridae*) on green beans in Quebec.—Canad. Ent. 112 (3): 301–305.
- ŠKAPEC L. (1983): Ekologická studie entomofauny travinného ekosystému [asociace Polygalo-Nardetum (Prsg. 1950) Oberd. 1957]. Dissertation, 117 s.
- ŠTĚPANOVIČOVÁ O. (1957): Príspevok k poznaniu entomofauny tabákových polí. I. Heteroptera. — Acta Fac. Rerum nat. Univ. Comen. 2: 141–154.
- ŠTĚPANOVIČOVÁ O., BELÁKOVÁ H. (1960): Entomofauna kukuřičného pola. — Acta Fac. Rerum nat. Univ. Comen. 4: 301–352.
- ŠTUSÁK J. M. (1962): Entomofauna vojtěškového pole na Karlštejnsku. Rozpravy ČSAV, Praha, 72 (9): 3–77.
- TATSURO KONO (1953): On the estimation of insect population by time unit collecting. — Res. popul. Ecol. 2 (11): 85–95.
- TAYLOR L. R. (1951): An improved suction trap for insects. — Ann. appl. Biol. 38: 582.
- TAYLOR L. R. (1955): The development of large suction traps for airborne insects. — Ann. appl. Biol. 43: 390–408.
- TAYLOR L. R. (1962): The absolute efficiency of insect suction traps. — Ann. appl. Biol. 50: 405–421.
- TAYLOR L. R. (1962): The efficiency of cylindrical sticky insect traps and suspended nets. — Amer. appl. Biol. 50: 681–685.
- TAYLOR L. R. (1971): The measurement of Arthropod numbers and activity by sampling with sweep-nets and traps. — In: CHIARAPPA L.: Crop loss assessment methods, FAO, 9 s.

- TAYLOR P. (1977): The respiratory metabolism of tsetse flies *Glossina* spp., in relation to temperature, blood meal size and pregnancy. — Physiol. Entomol. 2 (4): 317–322.
- THORSTEINSON A. J., BRACKEN G. K., HANEC W. (1964): The Manitoba horse fly trap. — Canad. Ent. 96: 166.
- TISCHLER W. (1955): Synökologie der Landtiere. — Gustav Fischer, Verlag Stuttgart, 414 s.
- TISCHLER W. (1965): Agrarökologie. — VEB Gustav Fischer, Verlag Jena. 499 s.
- TONKIN D. W. (1980): The formula for the volume sampling by a sweep net. — Ann. Ent. Soc. Amer. 73 (4): 448.
- VILLACORTA A., BELL J. A., CALLENBACH P. T. (1972): Respiratory activity during development and diapause of *Cephus cinctus* (*Hymenoptera, Cephidae*), with emphasis on effect of temperature. — Ann. Entomol. Soc. Amer. 65: 419–422.
- VYSOCKAJA S. O., DANIEL M. K. (1973): Členistonogie gnezd melkých mlekopitajúčich. — Metody parazitologických issledovaní 7. Nauka, Leningrad, 71 s.
- WALDBAUER G. P. (1968): The consumption and utilization of food by insects. — Adv. Insect Physiol. 5: 229–288.
- WATT A. S. (1964): The community and the individual. — J. Ecol. 52 (Suppl.): 203–211.
- WILLIAMS C. B. (1948): The Rothamsted light trap. — Proc. R. ent. Soc. (Lond.), Ser. A, 23: 80–85.
- YAPP W. B. (1956): The theory of line transects. — Bird Study 3: 93–104.
- ZISER S. W., NETTLES W. C. JR. (1979): The rate of oxygen consumption by *Eucelatoria* sp. in relation to larval development and temperature. — Ann. Entomol. Soc. Amer. 72 (4): 540–543.

## Literatura:

BOTTRELL H. H., DUNCAN A., GLIWICZ Z. M., GRYGIEREK E., HERZIG A., HILLBRICHT-ILKOWSKA A., KURASAWA H., LARSSON P., WEGLENSKA T. (1976): A review of some problems in zooplankton production studies. *Norw. J. Zool.*, 24: 419–456.

GRAS R. SAINT-JEAN L. (1978): Taux de natalité et relations entre les paramètres d'abondance dans une population à structure d'âge stable: cas d'une population de Cladocèyes à reproduction par parthénogénèse. *Cah. ORSTOM*, sér. Hydrobiol., 12, 1: 19–63, Paris.

EDMONDSON W. T. (1972): Instantaneous birth rates of zooplankton. Limnol. Oceanogr., 17,5: 792–795.

EDMONDSON W. T. (1974): Secondary production. Mitt. Internat. Verein. Limnol., 20: 229–272.

EDMONDSON W. T., WINBERG G. G. (1971): Methods for Estimation of Secondary Production in Fresh Waters. IBP Handbook, 17, 358 s., Blackwell Sc. Publications, Oxford.

LEGNER M. (1980): Growth rate of infusorian populations. Advances in aquatic microbiology, 2: 205–255. Acad. Press, London.

LYNCH M. (1982): How well does the Edmondson-Paloheimo model approximates instantaneous birth rates. Ecology, 63, 1: 12–18.

PALOHEIMO J. E. (1974): Calculation of instantaneous birth rate. Limnol. Oceanogr., 5, 19: 692–707.

PREPAS E., RIGLER F. H. (1978): The enigma of *Daphnia* death rates. Limnol. Oceanogr., 23: 970–988.

VINBERG G. G. (1968): Metody opredělenija produkcií vodnych životnych. Sovět. nac. komitět mězd. biol. programmy, AN SSSR, 245 s., Izd. Vyšejšaja škola, Minsk.

## Literatura:

- BELL R. G. (1976): Persistence of fecal coliform indicator bacteria on alfalfa irrigated with municipal sewage lagoon effluent. — J. Environ. Qual. 5: 39–42.
- BONDE G. J. (1981): *Salmonella* and other pathogenic bacteria. — The Science of the Total Environment 18: 1–11.
- BITTON G. (1980): Introduction to Environmental Virology. — John Wiley and Sons, New York.
- BUCHANNAN R. E., GIBBONS N. E. (1974): Berge's Manual of Determinative Bacteriology. — The Williams and Wilkins Co., Baltimore.
- COLLINS C. H., LYNE M. (1980): Microbiological Methods. — University Park Press, Baltimore.
- ČSN 83 0532 (1980): Biologický rozbor povrchové vody. — Vyd. ÚNM, Praha.
- ČSN 83 0602 (1965): Posuzování jakosti povrchové vody a způsob její klasifikace. — Vyd. ÚNM, Praha.
- ČSN 83 0611 (1974): Pitná voda. — Vyd. ÚNM, Praha.
- DART R. K., STRETTON R. J. (1980): Microbiological aspects of pollution control. — Elsevier, Amsterdam.
- DAUBNER J. (1967): Mikrobiológia vody. — Vyd. SAV, Bratislava.
- DRAPEAU D. J., JANKOWICZ V. (1974): Manuel de Microbiologie l'environnement. — Organisation Mondiale de la Santé, Genéve.
- DUDLEY D. J., GUENTZEL M. N., IBARRA M. J., MOORE E. E., SADIK R. P. (1980): Enumeration of Potentially Pathogenic Bacteria from Sewage Sludges. — Appl. Environ. Microbiol. 39: 118–126.
- DUTKA B. J. (1978): Methods for Microbiological Analysis of Waters, Wastewaters and Sediments. — Environment Canada, Budington, Ontario.
- EKLUND C., LANKFORD C. E. (1983): Laboratory Manual for General Microbiology. — Prentice-hall International, New Delhi.
- GELDREICH E. E. (1975): Handbook for Evaluating Water Bacteriological Laboratories. — U.S. EPA, Cincinnati, Ohio.
- GELDREICH E. E. (1976): Fecal coliform and fecal streptococcus density relationships in waste discharges and receiving water. — CRC critical reviews in environmental control. Bocarason, Fla., s. 349–371.
- JANSSEN W. A., MEYERS C. D. (1972): Science 159: 547, 1968. — In: MITHELL R. (ed.): Water Pollution Microbiology, Willey Interscience, New York.
- KIBBEY H. J., HAGEDORN C., MCCOY E. L. (1978): Use of fecal streptococci as indicators of pollution in soil. — Appl. Environ. Microbiol. 35: 711–717.
- KLEIN D. A., CASIDA L. E. (1976): *Escherichia coli* dieout from normal soil as related to nutrient availability and the indigenous microflora. — Can. J. Microbiol. 13: 1461–1470.
- LECLERC H., MOSSEL D. A., TRINEL P. A., GAVINI F. (1977): Microbiological Monitoring — A New Test for Fecal Contamination. — In: HOADLEY A. W., DUTKA B. J. (eds): Bacterial Indicators / Health Hazards Associated with Water. — American Society for Testing and Materials, Philadelphia.
- LUNDHOLM I. M. (1982): Comparison of Methods for Quantitative Determinations of Airborne Bacteria and Evaluation of Total Viable Counts. — Appl. Environ. Microbiol. 44: 179–183.
- REDDY K. R., KHALEEL R., OVERCASH M. R. (1981): Behavior and Transport of Microbial Pathogens and Indicator Organismus in Soil Treated with Organic Wastes. — J. Environ. Qual. 10: 255–266.
- SHELDON A. (1970): Experimental Microbiology, Ecology. — Academic Press, New York – London.
- ŠTĚPÁNEK a kol. (1979): Hygienický význam životních dějů ve vodách. — Avicenum, Praha.
- ŠTĚPÁNEK a kol. (1982): Biologické metody vyšetřování vod ve zdravotnictví. — Avicenum, Praha.
- TANNOCK G. W., SMITH J. M. B. (1971): Studies on the survival of *Salmonella typhimurium* and *Salmonella bovismoricitans* on pasture and in water. — Aust. Vet. J. 47: 557–559.

TUITE J. (1969): Plant Pathological Methods (Fungi and Bacteria). — Burgess Publishing Company,  
Minneapolis.

VAN DONSEL D. J., GELDREICH E. E., CLARKE N. A. (1967): Seasonal variations in survival of indicator bacteria in soil and their contribution to storm water pollution. — Appl. Microbiol. 15:  
1361–1370.

## Literatura:

- ALEXANDER F. E. S., JACKSON R. M. (1955): Preparation of sections for study of soil microorganisms. — In: MC. E. KERAN (ed.): *Soil Zoology*, London.
- ANDERSON J. P. E., DOMSCH K. H. (1978): Mineralization of bacteria and fungi in chloroform-fumigated soils. — *Soil Biol. Biochem.* 12: 207–213.
- ANDERSON J. R., WESTMORELAND D. (1971): Direct counts of soil organisms using a fluorescent brightener and an europium chelate. — *Soil Biol. Biochem.* 3: 85–87.
- ANDERSON J. R., SLINGER J. M. (1975): Europium chelate and fluorescent brightener staining of soil propagules and their photomicrographic counting. — *J. Soil biol. Biochem.* 7: 205–209.
- ANDREYUK E. I., KUNC F., SHEVCHENKO S. I., KOZLOVA I. A. (1982): Microbial transformations of inorganic sulphur compounds in soil under conditions of heterocontinuous cultivation. — *Folia Microbiol.* 27: 428–432.
- ARISTOVSKAJA T. V., ZYKINA L. V. (1972): Differential assessment of living and dead bacteria in soils. — *Sov. Soil Sci.* 4: 626–632.
- BURRIS R. H. (1974): Methodology. — In: QUISPTEL A. (ed.): *The biology of nitrogen fixation*. Amsterdam–Oxford, s. 9–33.
- BABIUK L. A., PAUL E. A. (1970): The use of fluorescein isothiocyanate in the determination of the bacterial biomass of a grassland soil. — *Canad. J. Microbiol.* 16: 57–62.
- BUCHERER H. (1966): Zur Frage der Differentialfärbung lebender und toter Mikroorganismen mit Acridinorange nach Strugger. — *Z. Biol.* 115: 175–184.
- CASIDA L. E. (1971): Microorganisms in unamended soil as observed by various forms of microscopy and staining. — *Appl. Microbiol.* 21: 1040–1045.
- CLOUGH K. S., SUTTON J. C. (1978): Direct observation of fungal aggregates in sand dune soil. — *Canad. J. Microbiol.* 24: 333–335.
- COLEMAN D. C. (1973): Compartmental analysis of „total soil respiration“: and exploratory study. — *Oikos* 24: 361–366.
- CONN H. S. (1918): The microscopic study of bacteria and fungi in soil. — *N. Y. Agric. Exp. Sta. Tech. Bull.* No 64.
- COUTEAUX M. M. (1967): Une technique d'observation des Thécamoebiens du sol pour l'estimation de leur densité absolue. — *Rev. Biol. Sol.* 4: 539–590.
- DOMMERGUES J. (1968): Dégagement tellurique de CO<sub>2</sub>, mesure et signification. — *Ann. Inst. Pasteur* 115: 627–656.
- DOMSCH K. H. (1963): Bodenatmung. — *Ztbl. Bakt.* 2: 116–133.
- DROBNÍK J. (1960): Primary oxidation of organic matter in the soil. — *Plant Soil* 12: 199–211.
- FIALA K. (1979): Estimation of annual increment of underground plant biomass in the grassland community (Polygalo-Nardetum). — *Folia Geobot. Phytotax.* 14: 1–10.

- FIALA K. (1980): Roční produkce a rychlosť obratu rostlinné biomasy lučného porostu Polygalonardetum. — In: Zborník referátov zo seminára „Ekológia trávného porastu“, 199–209. ČSVTS Banská Bystrica, Výsk. Ústav lúk a pasienok.
- FRANKLAND J. C. (1974): Importance of phase contrast microscopy for estimation of total fungal biomass by the agar film method. — Soil Biol. Biochem. 6: 409–410.
- FREDERICK L. R. (1965): Microbial populations by direct microscopy. — In: BLACK C. A. (ed.) Methods of Soil analysis. — Amer. Soc. of Agronomy, Madison, s. 1452–1459.
- GLOSER J., TESAŘOVÁ M. (1978): Litter, soil and root respiration measurement. — Pedobiologia 18: 76–81.
- HAGEN C. A., HAWRYLEWICZ E. S., ANDERSON B. T., TOKACZ V. K., CEPHUS M. L. (1968): Use of the scanning electron microscope for viewing bacteria in soil. — Appl. Microbiol. 16: 932–934.
- HANSEN J. F., THINGSTAD T. F., GOKSÖYR J. (1974): Correlation of hyphal lengths and fungal biomass in soil by a membrane filter technique. — Oikos 25: 102–107.
- HANZLÍKOVÁ A., JANDERA A., KUNC F. (1984): Formation of poly-3-hydroxybutyrate by a soil microbial community during batch and heterocontinuous cultivation. Folia Microbiol. 29: 233–241.
- HANZLÍKOVÁ A., JANDERA A., KUNC F. (1985): Production of poly-3-hydroxybutyrate and changes of bacterial community in the soil. Folia Microbiol. 30: 58–64.
- JANDERA A. (1982): Production and activity of urease in soil. — Folia Microbiol. 27: 96–97.
- HARDY R. W. F., HOLSTEN R. D. (1977): Methods for measurement of dinitrogen fixation. In: HARDY R. W. F., GIBSON A. H. (eds): A Treatise on Dinitrogen Fixation. Section IV, Agronomy and Ecology. New York, J. Wiley and Sons, s. 451–486.
- JACKSON R. M., RAW F. (1966): Life in the soil. — New York.
- JENKINSON D. S. (1966): Studies on the decomposition of plant material in soil II. — J. Soil Sci. 17: 280–302.
- JENKINSON D. S., POWLSON D. S., WEDDERBURN R. W. M. (1976): The effects of biocidal treatments on metabolism in soil. III. — Soil Biol. Biochem. 8: 189–202.
- JENKINSON D. S. (1977): The nitrogen economy of the Broadbalk experiments. — J. Rep. Rothamsted Exper. Sta. for 1976. Pt. 2., s. 103–139.
- JENKINSON D. S., LADD H. S. (1981): Soil biomass. — Soil Biochemistry Vol. V., Marcel Dekker Inc., New York.
- JENNY H., GESSEH S. P., BINGHAM F. T. (1949): Comparative study of decomposition rates of organic matter in temperate and tropical regions. — Soil Sci. 68: 419–432.
- JOHNEN B. G., DREW E. A. (1978): Morphology of microorganisms stained with europium chelate and fluorescent brightener. Soil Biol. Biochem. 10: 487–494.
- JONES P. C. T., MOLISSON J. E. (1948): A technique for the quantitative estimation of soil microorganisms. — J. Gen. Microbiol. 2: 54–69.
- KOEPEL H. (1954): Die biologische Aktivität des Bodens und ihre experimentelle Kennzeichnung. — Z. Pfl. Ernähr., Düng. Bodenkd. 64: 138–146.
- KONONOVA M. N. (1975): Humus of virgin and cultivated soils. — In: GIESEKING J. E. (ed.): Soil Components. New York, s. 475–523.
- KUNC F., MACURA J. (1966): Decomposition of root exudates in soil. — Folia Microbiol. 11: 239–247.
- KUNC F., RYBÁŘOVÁ J. (1983): Microbial decomposition of 2,4-D in the soil: some mechanisms of the effect of available organic substrates. In: SZEGI J. (ed.): Soil Biology and Conservation of the Biosphere. Académiai kiadó, Budapest.
- LOMNICKI A., BANDOLA E., JANKOWSKA K. (1968): Modification of the Wiegert-Evans method for estimation of net primary production. — Ecology 49: 147–149.
- LUNDEGARDH H. (1927): Carbon dioxide evolution of soil and crop growth. — Soil Sci. 23: 417–453.
- MACURA J. (1961a): The use of continuous flow method for studying soil metabolism. — Trans. 7th Int. Soil. Sci. Soc. Congress, Madison, 1960, Vol. 2: 664–671.

- MACURA J. (1961b): Continuous flow method in soil microbiology. I. Apparatus. — *Folia Microbiol.* 6: 328–334.
- MACURA J., KUNC F. (1961): Continuous flow method in soil microbiology. II. Observations on glucose metabolism. *Folia Microbiol.* 6: 398–407.
- MACURA J., KUNC F. (1965a): Continuous flow method in soil microbiology. III. Biological immobilization of nitrogen and phosphorus. — *Folia Microbiol.* 10: 36–43.
- MACURA J., KUNC F. (1965b): Continuous flow method in soil microbiology. IV. Decomposition of glycine. — *Folia Microbiol.* 10: 44–54.
- MACURA J., KUNC F. (1965c): Continuous flow method in soil microbiology. V. Nitrification. — *Folia Microbiol.* 10: 125–135.
- MACURA J., MÁLEK I. (1958): Continuous-flow method for the study of microbiological processes in soil samples. — *Nature (London)* 182: 1796–1797.
- MACURA J., SZOLNOKI J., KUNC F., VANČURA V., BABICKÝ A. (1965): Decomposition of glucose continuously added to soil. — *Folia Microbiol.* 10: 44–54.
- MÁLEK I., FENCL Z. (eds.). (1966): Theoretical and Methodological Basis of Continuous Culture of Microorganisms. — Publ. House Czechosl. Acad. Sci., Prague and Academic Press, New York and London.
- MARTINEZ A. T., RAMIREZ C. (1978): Microfungal biomass and number of propagules in an andosol. — *Soil Biol. Biochem.* 10: 529–531.
- MAŠKOVÁ H. P., KUNC F., VASILYEVÁ L. V. (1984): Cellulolytic activity of soil continuously enriched with carboxymethylcellulose under air and  $N_2$  atmosphere. — Proc. 16th Meeting FEBS, Moscow Abstracts XXII–059, 449.
- MCLAREN A. D. (1969): Steady state studies of nitrification in soil. Theoretical considerations. — *Soil Sci. Soc. Amer., Proc.* 33: 273–276.
- MCLAREN A. D. (1980): Nitrification reactions in a column of soil with a flowing nutrient solution. — *Folia Microbiol.* 25: 86–89.
- MAYFIELD C. I. (1977): A fluorescence staining method for microscopically counting viable microorganisms in soil. *Canad. J. Microbiol.* 23: 15–83.
- NICHOLAS D. P., PARKINSON D., BURGES N. A. (1965): Studies of fungi in a podzol. II. Applications of the soil sectioning-technique to the study of amounts of fungal mycelium in the soil. — *J. Soil Sci.*: 636–641.
- NICHOLAS D. P., PARKINSON D. (1967): A comparison of methods for assessing the amount of fungal mycelium in soil samples. — *Pedobiologia* 7: 23–41.
- NIKITIN D. I. (1973): Direct electron microscopic techniques for the observation of microorganisms in soil. — *Ecol. Res. Comm. Bull.* 17: 85–92.
- NOVÁK B. (1970): Mikrobielle Humusbildung. Verwendete Methoden. *Zbl. Bakt. II.* 125: 578–583.
- OLSON J. S. (1963): Energy storage and balance of producers and decomposers in ecological systems. — *Ecology* 44: 322–331.
- PARKINSON D., GRAY T. R. C., WILLIAMS S. T. (1971): Methods for studying the ecology of soil microorganisms. — IBP Handbook No 19, Blackwell Sci. Publ., London.
- PAUL E. A., MCLAREN A. D. (1975): Biochemistry of the soil subsystem. — In: PAUL E. A. and MCLAREN A. D. (eds): *Soil Biochemistry*, Vol. 3, s. 1–36.
- PAYNE W. J. (1970): Energy yields and growth of heterotrophs. — *Ann. Rev. Microbiol.* 24: 17–52.
- PAYNE W. J., WIEBE W. S. (1978): Growth yield and efficiency in chemosynthetic microorganisms. — *Ann. Rev. Microbiol.* 32: 155–183.
- RYCHNOVSKÁ M. a kol. (1986): Metody studia lučních ekosystémů. — *Academia, Praha*.
- RYŠAVÝ P. (1981): Activity of  $\beta$ -galactosidase in soil continuously enriched with lactose. — *Folia Microbiol.* 26: 317–320.
- RYŠAVÝ P. (1983): Mineralization of cellobiose and activity of  $\beta$ -glucosidase in soil heterocontinuous system. — *Folia Microbiol.* 28: 112–117.

- SCHLESINGER W. H. (1977): Carbon balance in terrestrial detritus. — Ann. Rev. Ecol. Syst. 8: 51–81.
- SINGH J. S., GUPTA S. R. (1977): Plant decomposition and soil respiration in terrestrial ecosystems. — Bot. Rev. 43: 449–528.
- SKINNER F. A., JONES P. C. T., MOLLISON J. E. (1952): A comparison of a direct and plate-counting technique for the quantitative estimation of soil microorganisms. — J. Gen. Microbiol. 6: 261–271.
- SÖDERSTRÖM B. E. (1977): Vital staining of fungi in pure culture and in soil with fluorescein diacetate. — Soil Biol. Biochem. 9: 59–63.
- SÖDERSTRÖM B. E. (1979): Some problems in assessing the fluorescein diacetate- active fungal biomass in the soil. — Soil Biol. Biochem. 11: 147–148.
- STRUGGER S. (1948): Fluorescence microscope examinations of bacteria in soils. — Canad. J. Res. Sci., Ser. C. 26: 188–193.
- SUNDMAN V., SIVELÄ S. (1978): A comment on the membrane filter technique for estimation of length of fungal hyphae in soil. — Soil Biol. Biochem. 10: 399–401.
- SZOLNOKI J., KUNC F., MACURA J., VANČURA V. (1963): Effect of glucose on the decomposition of organic materials added to soil. — Folia Microbiol. 8: 356–361.
- TAKAI Y., MACURA J., KUNC F. (1969): Anaerobic decomposition of glucose continuously added to the soil. — Folia Microbiol. 14: 327–333.
- TESAŘOVÁ M., GLOSER J. (1976): Total CO<sub>2</sub> output from alluvial soils with two types of grassland communities. — Pedobiologia 16: 191–200.
- THOMAS A., NICHOLAS D. P., PARKINSON D. (1965): Modifications of the agar film technique for assaying lengths of mycelium in soil. — Nature 205: 105.
- TROLLDENIER G. (1973): The use of fluorescence microscopy for counting soil microorganisms. — Ecol. Res. Comm. Bull. 17: 53–59.
- TROLLDENIER G. (1972): Fluoreszenzmikroskopische Zählung von Boden Bakterien. — Zentralblt. Bacteriol. Parasitenkd. Infektions, Hyg. Abt. 2, Naturwiss. 127: 41–50.
- WAGNER G. H. (1975): Microbial growth and carbon turnover. — In: PAUL E. A., McLAREN A. D. (eds), Vol. 3., New York, s. 269–305.
- WIEGERT R. G., EVANS F. C. (1964): Primary production and the disappearance of dead vegetation on an old field in SE Michigan. — Ecology 45: 46–63.
- WITKAMP M., OLSON J. S. (1963): Breakdown of confined and non confined oak litter. — Oikos 14: 138–147.
- ZVJAGINTSEV M. V. (1964): Study of shapes and sizes of soil microorganisms with the fluorescence microscope. — Sov. Soil Sci.: 307–310.

## Literatura:

Atlas podnebí Československé republiky. – Praha, 1958.

BEJČEK V. (1981): Vliv lesnické rekultivace výsypek po povrchové hnědouhelné těžbě na společenstva drobných savců. – Sborník okresního muzea v Mostě, řada přírodověd. 3: 117–131.

- CRAKER L. E. a kol. (1974): Community monitoring of air pollution with plants. — Atmospheric Environment 8: 845—853.
- DÄSSLER H. G. (1976): Einfluss von Luftverunreinigungen auf die Vegetation. — Jena.
- FERENČÍK J., ŠKARKA B. a kol. (1981): Biochemické laboratorné metódy. — Bratislava.
- HECK W. W., ANDERSON C. E. (1980): Effects of air pollutants on plants. In: GUTHRIE F. E., PERRY J. J. (eds): Introduction to Environmental Toxicology. — New York, s. 135—153.
- HOMOLKA J. (1971): Klinické biochemické vyšetřovací metody s použitím mikro- a ultra-mikroanaly-  
sy. — Praha.
- HOŘEJŠÍ J. (1970): Základy klinické biochemie ve vnitřním lékařství. — Praha.
- HUNT E. G., BICHOFF A. I. (1960): Inimical effects on wildlife of periodic DDD applications to Clear  
Lake. — California Fish and Game 46: 91—106.
- JACOBSON J. S., HILL A. C. (1970): Recognition of air pollution injury to vegetation. A pictural atlas.  
— Pittsburg.
- JENÍK J., REJMÁNEK M. (1969): Interpretation of direct solar radiation in ecology. — Arch. Met.  
Geoph. Biokl., ser. B, Wien 17: 413—428.
- KRATOCHVÍL J. a kol. (1959): Hraboš polní, *Microtus arvalis*. —
- KUCERA C. L. (1978): The Challenge of Ecology. — 2nd edit., The C. V. Mosby Comp., Saint Louis.
- LEPP N. W. (1975): The potential of tree-ring analyses for monitoring heavy metal pollution patterns.  
— Environ. Pollution 9: 49—61.
- LOCHMAN J. a kol. (1979): Posuzování věku živé a ulovené zvěře užitkové. — Praha.
- MARTIŠ M. (1982): Ispolzovanje epigeona v monitoringe izmenenja ekologičeskogo balansa landšafta.  
— Razrabortka i vnedrenie na kompleksnyh fonovych stancijach metodov biologičeskogo monito-  
ringa. — Riga Zinantne 1: 104—111.
- MARTIŠ M. (1980): Carabid beetles as bioindicators of landscape ecological balance. Bioindikation  
auf der Ebene der Populationen und Biozönosen 2 (Bioindikation 5). KTB Martin-Luther-  
Universität Halle-Wittenberg. Wissenschaftliche Beiträge 1980/28 (P 12): 44—49.
- MEZERA A. (1955): Lesnická typologie, budoucí základ pěstování lesů. — Lesnictví 28: 249—264.
- MIKYŠKA R. a kol. (1968): Geobotanická mapa ČSSR 1.: České země. — Praha.
- NOVÁKOVÁ E. (1970): Využití savců a ptáků v krajinné ekologii. — Lesnictví 16: 1031—1040.
- NOVÁKOVÁ E. (1979): Návrh metody na výzkum hnízdění jiřičky obecné pro potřeby dlouhodobého  
sledování změn znečištění prostředí na území regionální stanice „GEMS“. — Regionální stanice  
„GEMS“ 1. svazek, Hydrometeorologický ústav, Praha, s. 137—141.
- NOVÁKOVÁ E., HANZL R. (1966): Vliv antropogenních změn prostředí na početní stavu koroptví  
v třeboňské pánvi a na Berounsku. — In: Symposium o koroptvi VÚLHM-ČSMS, Zbraslav — Pra-  
ha, s. 45—72.
- NOVÁKOVA E., PAUKERT J. (1979): Návrh metody na výzkum dlouhodobého sledování změn znečiš-  
tění prostředí na území regionální stanice „GEMS“. — Regionální stanice „GEMS“ 1. svazek, Hy-  
drometeorologický ústav Praha, s. 142—148.
- STROH G. (1931): Zwei sichere Altersmerkmale beim Hasen. — Berliner Tierärztl. Wochenschrift  
12: 180—181.
- ŠTASTNÝ K., ŠOLC J. (1980): The utilization of bird communities in biodiagnostics. — In: Bioindikati-  
on auf der Ebene der Populationen und Biogeozönosen 2 (Bioindikation 5) KTB, Martin-Luther-  
Universität Halle-Wittenberg, Wissenschaftliche Beiträge, 28 (P 12): 68—76.
- ŠTEJFA M. (1965): Základní klinické vyšetřovací metody. — Praha.
- TEISINGER J. a kol. (1956): Chemické metody k vyšetřování biologického materiálu v průmyslové to-  
xikologii. — Praha.
- TRINGEY D. T., BARD L., FIELD R. W. (1978): The relative sensitivity of selected plant species to se-  
veral pollutants singly and in combination. The bioenvironmental impact of a coal fired power  
plant. — Third Interim Report USEPA. Ecol. Research EPA 600/3-78-021: 508—513.
- RŮŽIČKA V. (1982): The structure of spider communities based upon the ecological strategy as a bio-

indicator of the landscape deterioration. — Proc. IVth Int. Conf. Bioindicatores Deteriorisationis Regionis, Liblice.

VANĚK J. (1971): Die Methode der zoozönologischen Bioindikation. — In: Bioindicators of Landscape Deterioration TERPIAN — VTEI 5: 66–71.

VANĚK J. (1974): Změny vyvolané průmyslovými imisemi na společenstvech pancířníků (*Acarina*, *Oribatoidea*) půd smrkového lesa. — Quaestiones geobiologicae Praha 14: 34–116.

ZEJDA J. (1961): Věkové složení populací norníka rudného, *Clethrionomys glareolus* Schreber, 1780. — Zoologické listy 10: 249–264.

ZLATNÍK A., RAUŠER J. (1966): Biogeografie I. — In: Atlas Československé socialistické republiky, Praha.

ZLATNÍK A. a kol. (1973): Základy ekologie. Praha.

## Literatura:

- ANDERSSON A. (1976): On the determination of ecologically significant fractions of some heavy metals in soils. — *Swed. J. Agric. Res.* 6: 19–25.
- BOTT T. L. (1976): Bacteria and the assessment of water quality. — In: CAIRNS J. jr., DICKSON K. L. (eds): *Biological methods for the assessment of water quality*; Symp. 75th Annual Meeting of the American Society for Testing and Materials, Baltimore, s. 61–75.
- CABRIDENC R., CHOUROULIKOV I. (1977): Tests biologiques d'évaluation d'effets toxiques de substances chimiques dans l'environnement. — Collection Recherche environnement, No 5.
- CAIRNS J. jr. and DICCKSON K. L. (eds) (1976): *Biological methods for the assessment of water quality*; Symp. 75th Annual Meeting of the Amer. Society for Testing and Materials, Baltimore.
- FÖRSTNER K., WITTMANN G. T. W. (1984): *Metal Pollution in the Aquatic Environment*. — 2nd ed., Springer, Heidelberg, Berlin, New York.
- GAUFIN A. R. (1976): Use of aquatic Invertebrates in the Assesment of Water Quality. — In: CAIRNS J. jr., DICKSON K. L. (eds): *Biological Methods for the Assessment of Water Quality*, 96–116.
- GERLOFF G. C., FISHBECK K. A. (1973): Plant content of elements as a bioassay of nutrient availability in lakes and streams. *Bioassay Techniques and Environmental Chemistry*, s. 159–176.
- GLASS G. E. (ed.) (1973): *Bioassay Techniques and Environmental Chemistry*. — Ann Arbor Sci. Publ., Michigan.
- HYTTEBORN H. (ed.) (1979): *The Use of Ecological Variables in Environmental Monitoring*. — proc. 1<sup>st</sup> Nordic Oikos conference, 1978 Oct. 2–4, Uppsala. — The National Swedish Envir. Protection Board, Rep. PM 1151, Stockholm.
- JOHNSEN J. (1979): Succession of epiphytes as a criterium of environmental changes. In: HYTTEBORN H. (ed.): *The Use of Ecological Variables in Environmental Monitoring*, s. 53–58.
- JOHNSEN I., SØCHTING W. (1973): Influence of air pollution on the epiphytic lichen vegetation and bark properties of deciduous trees in the Copenhagen area. — *Oikos* 24: 344–351.
- LUKAVSKÝ J. (1982): Stanovení obsahu využitelných živin a toxicity vody kultivací řas na pevných půdách. — In: ŠTĚPÁNEK M. (ed.): *Biologické a mikrobiologické metody vyšetřování vody ve zdravotnictví*. — Avicenum, Praha, s. 297–305.
- LUKAVSKÝ J. (1984): Mikrometoda stanovení trofického potenciálu a toxicity vody řasovým testem. — Vodní hospodářství (v tisku).
- MARVAN P., PŘIBIL S., LHOTSKÝ O. (eds) (1976): *Kolokvium o řasových testech*. — Třeboň 1976. Sborník referátů. — České Budějovice.
- PATRICK R. (1973): Diatoms as bioassay organisms. — In: GLASS G. E. (ed.): *Bioassay Techniques and Environmental Chemistry*, s. 139–151.

ROSSWALL H. (1979): Monitoring functional changes in microbial populations. – In: HYTTEBEORN H. (ed.): The use of ecological variables in environmental monitoring, s. 247–254.

SALOMONS W., FÖRSTNER U. (1984): Metals in the Hydrocycle. – Springer, Heidelberg – Berlin – New York.

SAROSIEK J., WOŽAKOWSKA-NATKANIEC H. (1980): The populations of *Lemna minor* L. and *Spirodela polyrrhiza* L. Schleiden as bioindicators of heavy metals water pollutions in extent of foundry emission. – In: SPÁLENÝ J. (ed.) (1980): Proc. III<sup>rd</sup> Int. Conf. Bioindicatores Deteriorisationis Regionis, 1977 Liblice – Academia Praha, s. 25–31.

SPÁLENÝ J. (ed.) (1980): Proceedings of the III<sup>rd</sup> international Conference Bioindicatores Deteriorisationis Regionis, 12–16th Sept. 1977, Liblice – Academia, Praha.

## Literatura:

- Doporučené analytické metody chemického rozboru vod – „Pesticidy“ (1977): Příloha č. 16, Acta hygienica, epidemiologica et microbiologica, 82 s.
- Fyzikálně-chemický rozbor pitné vody. (1977): ČSN 83 0520, část 18.
- Chemický a fyzikální rozbor povrchové vody. (1979): ČSN 83 0530, část 1–50.
- Metody stanovení cizorodých látek v poživatinách. (1981): Příloha č. 19, Acta hygienica, epidemiologica et microbiologica, 85 s.
- Report on fish toxicity testing procedures. (1975): FAO, Rome, EIFAC Techn. Pap., č. 24, 28 s.
- Revised report of fish toxicity testing procedures. (1983): FAO, Rome, IEFAC Techn. Pap., č. 24 (rev. 1), 37 s.
- Unificirovannyje metody issledovanija kačestva vod. (1975): Čast' III. Metody biologičeskogo analiza vod. Izdanije vtoroje. SEV Moskva, 176 s.
- Unificirovannyje metody issledovanija kačestva vod. (1976): Čast' III. Metody biologičeskogo analiza vod. Izdanije tretje. SEV Moskva, 185 s.
- ARDÓ J. (1983): Metodika a vyhodnotenie toxikologických testov. – Sborník referátů semináře Toxicita a biologická rozložitelnost látek významných ve vodním hospodářství, Ostrava, s. 96–106.
- BESCH W. (1977): Biotele in der limnologischer Toxikologie. – Studien zum Gewässerschutz 2, Karlsruhe.
- CALDERBANK A., YUEN S. H. (1966): An improved method for determining residues of diquat. – Analyst 91: 625–629.
- CYRUS Z., SLÁDEČEK V. (1965, 1966, 1969): Jednotné metody biologického rozboru vod I., II. – Zvl. příl. – Vodní hospodářství 15: 1–8, 16: 9–32, 19: 1–63.
- DOČKAL P. (1983): Analýza záměru československé databanky toxikologických dat látek kontaminujících vodu. 2. pracovní materiál VÚV Praha – pobočka Ostrava, 15 s.
- FUKA T., SVOBODOVÁ Z. (1981): Pokyny pro hodnocení biologické rozložitelnosti a toxicky vodohospodářsky závadných látek. – ČSVTS, Ústředí rybářské sekce, Vodňany, 35 s.
- FUKA T. (1983): Metodika testů biologické rozložitelnosti a jejich vyhodnocení. – Sborník referátů semináře Toxicita a biologická rozložitelnost látek významných ve vodním hospodářství. Ostrava, s. 188–196.
- GAJDUŠKOVÁ V. (1983): Multidetekční metoda na stanovení reziduí herbicidů na bázi diazinů a triazinů v krmivu, vodě a mléce. – Realizační výstup R 05, VÚVel Brno, 9 s.
- HAVLÍKOVÁ J., SVOBODOVÁ Z., FILIPOVÁ O., MALECHA M. (1983): Akutní toxicita vybraných anionaktivních tenzidů pro vodní organismy. – Buletin VÚRH Vodňany 19, s. 18–27.

- HAVLÍKOVÁ J., SVOBODOVÁ Z., ROUDNICKÁ H., ŠAUER J. (1983): Selected water herbicides: toxicity to hydrobionts and biological decomposability. — Práce VÚRH Vodňany 12, s. 29–45.
- HEJTMÁNEK M., SVOBODOVÁ Z. (1979): Diagnostické metody v intoxikacích ryb. — Realizační výstup st. úkolu C16-331-112-05-02, VÚRH Vodňany, 13 s.
- HORÁKOVÁ M., LISCHKE P., PEKÁRKOVÁ K., GRÜNWALD A. (1981): Metody chemické analýzy vod. — SNTL, Praha, 270 s.
- HRBAČEK J. a kol. (1974): Limnologické metody. — SPN, Praha, 208 s.
- HRUŠKA J., KOCIÁNOVÁ M. (1978): Stanovení reziduí chlorovaných pesticidů v potravinách, biologickém materiálu a ve vodě metodou plynové chromatografie. — Průmysl potravin 29: 49–51.
- JANÁK P. (1983): Metodika a hodnocení testů biologické rozložitelnosti. — Sborník referátů semináře Toxicita a biologická rozložitelnost látok významných ve vodním hospodářství. Ostrava, s. 177–187.
- LESNIKOV L. A. (1979): Razrabortka normativov dopustimogo soderžanja vrednych veščestv v vode rybochozjastvennyx vodoemov. — Sb. nauč. trudov, GosNIORCH, Leningrad, 144: 3–41.
- LUCKÝ Z. (1976): Metodické návody k diagnostice nemocí ryb. — SPN, Praha, 146 s.
- PÍSKAČ A. a kol. (1985): Veterinární toxikologie. — SZN, Praha, 254 s.
- PITTER P. (1974): Návrh standardního testu pro stanovení biologické rozložitelnosti organických látok. — Vodní hospodářství 24: 247–250.
- PITTER P. (1981): Vliv pH, teploty a iontové síly na poměrné zastoupení forem výskytu amoniakálního dusíku ve vodách. — Vodní hospodářství 31: 217–219.
- PITTER P. (1983): Vztah mezi biologickou rozložitelností a toxicitou. — Sborník referátů semináře Toxicita a biologická rozložitelnost látok významných ve vodním hospodářství. Ostrava, s. 149–153.
- POKORNÝ J., ČULÍKOVÁ H. (1977): K persistenci některých herbicidů ve vodním prostředí. — Čs. hygiena 22: 18–23.
- PŘIKRYL I., SVOBODOVÁ Z. (1983): Odhad letálních koncentrací v testech akutní toxicity numericky mi postupy: — Sborník referátů semináře Toxicita a biologická rozložitelnost látok významných ve vodním hospodářství. Ostrava, s. 87–95.
- ROTHSCHEIN J. (1973): Probitová analýza a jej použitie vo vodohospodárskej toxikológii. — Vodní hospodářství, B. 23, 17–20.
- SACKMAUEROVÁ M., PALUŠOVÁ O., SZOKOLAY A., NEMÁK J. (1977): Dynamika reziduí organochlórových pesticidov v biocenóze rieky Dunaj. — Agrochémia 17: 46–48.
- SLÁDEČEK V. (1983): Systém akutní toxicity, metodika stanovení podle jednotných metod RVHP. — Sborník referátů semináře Toxicita a biologická rozložitelnost látok významných ve vodním hospodářství. Ostrava, s. 13–25.
- STUDNICKA M., SVOBODOVÁ Z. (1973): Aktivita hydrolázy acetylcholinu v mozku ryb. — Buletin VÚRH, Vodňany 9: 3–6.
- SVOBODOVÁ Z. (1974): Vypracovat a zavést do praxe vhodný způsob konzervace vzorků ryb. Operativní úkol č. 095/1, — VÚRH Vodňany, 7 s.
- SVOBODOVÁ Z., FAINA R., VÁCHA J., HAVLÍKOVÁ J. (1981): Použití Soldepu při likvidaci daktylogrozny kaprů. — Čs. rybníkářství 4: 85–89.
- SVOBODOVÁ Z., GROCH L. (1971): Možnosti diagnostiky intoxikace ryb amoniakem. — Buletin VÚRH Vodňany 7: 9–18.
- SVOBODOVÁ Z., HAVLÍKOVÁ J., ŠAUER J. (1983): Acute toxicity of chemicals on the basis of copper oxychloride to fish and aquatic invertebrates. — Práce VÚRH Vodňany, 12: 16–28.
- SVOBODOVÁ Z., HEJTMÁNEK M. (1982): Rtúť ve vodním prostředí. — Živa 3: 93–95.
- SVOBODOVÁ Z., HEJTMÁNEK M., DOLEŽAL J., FAINA R. (1981): Obsah celkové rtuti v základních složkách ekosystému řeky Berounky. — In: Sborník Společenský význam ekologických výzkumů, Bratislava, s. 45–54.
- TRUELLE M. A. (1957): Biologické zkoušky při posuzování jakosti vod. — Čs. rybářství 12: 178.
- VÁMOS R., SZÖLLÖSSY G. (1974): Oxigénböségen nincs ammóniaveszély. — Halászat, 20: 124.

## Literatura:

- BLEDSOE L. J., JAMESON D. A. (1969): Model structure of a grassland ecosystem. – In: DIX R. L., BEIDLEMAN R. G. (eds): *The Grassland Ecosystem: A Preliminary Synthesis*, Colorado State Univ., Fort Collins.
- DUVIGNEAUD P. (1967): *L'écologie, Science Moderne de Synthèse*. Vol. 2. *Ecosystèmes et Biosphère*. – 2<sup>e</sup> éd., Bruxelles.
- HALLAM T. G., LEVIN S. A. (eds) (1986): *Mathematical Ecology*. – Springer Verl., Berlin – Heidelberg – New York.
- JEFFERS J. N. R. (1978): *An Introduction to Systems Analysis. With ecological applications*. – E. Arnold, London.
- KORMONDY E. J. (1969): *Concepts of Ecology*. – Prentice-Hall, INC, New Jersey.
- MCNAUGHTON S. J., WOLF L. L. (1979): *General Ecology*. 2<sup>nd</sup> edit. – Holt, Rinehart and Winston, New York.

## Literatura:

- BERRYMAN A. A. (1981): Population Systems. — Plenum Press, New York — London.
- BRYLINSKY M. (1972): The ecosystem: analysis. — In: PATTEN B. C. (ed.): System analysis and Simulation in Ecology, Vol. II, — Academic Press, New York — London, s. 81—101.
- CAUGHLEY G. (1976): Plant-herbivore systems. — In: MAY R. M. (ed.): Theoretical Ecology. Principles and Applications. — Blackwell Scientific Publications, Oxford — London — Edinburgh — Melbourne, s. 94—113.
- DALE H. B. (1970): System analysis and ecology. — Ecol. 51: 1—16.
- DEMIDOVIC B. P., MARON I. A., ŠUVALOVA E. Z. (1967): Čislennye metody analyza. — Nauka, Moskva.
- FORESTER J. W. (1961): Industrial Dynamics. — HIT Press, Cambridge, Massachusetts.
- FUČÍK S., KUFNER A. (1978): Nelineární diferenciální rovnice. — SNTL, Praha.
- GOH B. S. (1980): Management and Analysis of Biological Population. — Elsevier, Amsterdam.
- HALFON E. (1977): Analytical solution of the system sensitivity equation associated with a linear model. — Ecological Modelling 3: 301—307.
- JARWINSKI A. H. (1970): Stochastic processes and filtering theory, Mathematics in Science and Engineering 64. — Academic Press, New York — London.
- INNIS G. S. (1977): A spiral approach to ecosystem simulation. — In: INNIS G. S., O'NEILL R. V. (eds): System Analysis of Ecosystems. — International Co-operative Publishing House, Fairland, Maryland, s. 211—386.
- KURTZ T. G. (1980): Relationships between stochastic and deterministic population models. — In: JÄGER W., ROST H., TAUTU P. (eds): Biological Growth and Spread. Lecture Notes in Biomathematics 38. — Springer Verlag, Berlin — Heidelberg — New York, s. 449—467.
- KURZWEIL J. (1978): Obyčejné diferenciálne rovnice. — SNTL, Praha.
- KVĚTOŇ K., HEBÁK P., KUBÁČEK L. (1979): Tvorba empirických modelov metodami regresní analýzy. — ČSVTS—FEL—ČVUT, Praha.
- MAY R. L. (1973): Stability and Complexity in Model Ecosystems. — Princeton University Press, Princeton, New Jersey.
- MAY R. L. (1976): Models for two interacting populations. — In: MAY R. L. (ed.): Theoretical Ecology. — Blackwell Scientific Publications, Oxford — London — Edinburgh — Melbourne, s. 49—70.
- MAYNARD SMITH J. (1974): Models in Ecology. — University Press, Cambridge.
- MAÑAS M. (1979): Optimalizační metody. — SNTL, Praha.
- MICHLIN S. G., SMOLNICKIJ C. L. (1973): Približné metódy riešenia diferenciálnych a integrálnych rovnic. — Alfa, Bratislava.
- NAGY J. (1980a): Soustavy obyčejných diferenciálních rovnic. — SNTL, Praha.
- NAGY J. (1980b): Stabilita řešení obyčejných diferenciálních rovnic. — SNTL, Praha.
- O'NEILL R. V., RUST B. (1979): Aggregation error in ecological models. — Ecological Modelling 7: 91—105.
- O'NEILL R. V., GARDNER R. H., MANKIN J. P. (1980): Analysis of parameter error in a nonlinear model. — Ecological Modelling 8: 297—311.
- ODUM H. T. (1972): An energy circuit language for biological and social systems: its physical basis. — In: PATTEN B. C. (ed.): System Analysis and Simulation in Ecology, Vol. II. — Academic Press, New York — London, s. 139—211.
- ODUM H. T., ODUM B. C. (1981): Energy Basis for Man and Nature. — McGraw Hill, New York.
- ODUM H. T. (1983): System Ecology. An Introduction. — John Wiley, New York.
- ONDOK J. P. (1975): Photosynthetically active radiation in a stand of *Phragmites communis* Trin. IV. Stochastic model. — Photosynthetica 9: 201—210.
- PIELOU F. G. (1977): Mathematical Ecology. — Wiley, London — Sydney — Toronto.
- RALSTON A. (1973): Základy numerické matematiky. — Academia, Praha.

REJMÁNEK M. (1979): Stability and complexity in biotic communities. – In: RŮŽIČKA M. (ed.): V<sup>th</sup> Int. Symp. Probl. Ecol. Land. Res., Bratislava, s. 65–72.

SCHWARTZ J., BREMERMAN H. (1975): Discussion of parameter estimation in biological modelling: algorithms for estimation and evaluation of the estimates. – J. Math. Biol. 1: 241–257.

STEINHORST R. K., HUNT H. W., INNIS G. S., HAYDOCK K. P. (1978): Sensitivity analyses of the ELM model. – In: INNIS G. S. (ed.): Grassland Simulation Model. – Ecological Studies, Vol. 26, Springer Verlag, New York Inc., s. 231–255.

STEPANOV V. V. (1951): Kurs diferenciálních rovnic. – Přírodovědecké nakladatelství, Praha.

## Literatura:

- DUNCAN W. G., LOOMIS R. S., WILLIAMS W. A., HANAU R. (1967): A model for simulating photosynthesis in plant communities. — *Hildegardia* 38: 181–205.
- IDSO S. B. (1968): A holocoenotic analysis of environment-plant relationships. With special emphasis being given to the calculation of net photosynthesis, transpiration, and sensible heat exchange. — *Tech. Bull. agr. exp. Sta.*, Minnesota (St. Paul) 264: 1–147.
- INNIS G. S. (1975): Role of total systems models in the grassland biome study. — In: PATTEN B. C. (ed.): *Systems Analysis and Simulation in Ecology*, Vol. 3. — Academic Press, New York – San Francisco – London, s. 13–47.
- ODUM E. P. (1977): *Základy ekologie*. — Academia, Praha.
- ODUM H. T. (1983): *Systems Ecology. An Introduction*. — John Wiley, New York.
- O'NEILL R. V., GOLDSTEIN R. A., SHUGART H. H., MANKIN B. (1972): Terrestrial Ecosystem Energy Model. — Eastern Dec. Forest Biome, Memo Pep., s. 282.
- ONDOK J. P. (1976): Phytoplankton production in a eutrophic fishpond. I. Shortwave radiation régime in the water. — *Arch. Hydrobiol./Suppl.* 49, *Algological Studies* 16: 361–376.
- ONDOK J. P. (1977): Regime of Global and Photosynthetically active Radiation in Helophyte Stands. — *Studie ČSAV* 10, Academia, Praha.
- ONDOK J. P., POKORNÝ J. (1982): Model of diurnal régime of O<sub>2</sub> and CO<sub>2</sub> in stands of submerged aquatic vegetation. — *Ekológia ČSSR*, 1: 381–394.
- PATTEN B. C., EGLOFF D. A., RICHARDSON T. H. a kol. (1975): Total ecosystem model for a Cove in Lake Texoma. — In: PATTEN B. C. (ed.): *System Analysis and Simulation in Ecology*, Vol. 3. — Academic Press, New York – San Francisco – London, s. 205–421.

- ROSS J. (1967): Systema uravněnij dlja opisanija količestvennogo rosta rastenij. — In: Fytoaktinopmetričeskie issledovanija rastitelnogo pokrova. — Izd. Valgus, Tallin, s. 64—68.
- ROSS J. K. (1975): Radiacionnyj režim i architektonika rastitelnogo pokrova. — Gidrometeoizdat, Leningrad.
- ROSS J., BICHELE Z. (1968): Razčet fotosinteza rastitelnogo pokrova I. — In: Fotosyntez i produktivnost' rastitelnogo pokrova. — Akademie Nauk ESSR, Inst. fyziky i astronomii, Tartu, s. 75—110.
- RYKIEL J. E., KUENZEL N. T. (1971): Analog computer models of „the wolves of Isle Royale“. — In: PATTEN B. C. (ed.): Systems Analysis and Simulation in Ecology, Vol. I. — Academic Press, New York — San Francisco — London, s. 513—541.
- STRAŠKRABA M. (1976): Development of an analytical phytoplankton model with parameters empirically related to dominant controlling variables. — In: GLASER R., UNGER K., KOCH H. (eds): Umweltbiophysik. — Akademie Verlag, Berlin, s. 33—65.
- SWARTZMAN G. L., BENTLEY R. (1979): A review and comparison of plankton simulation models. — The ISEm Journ. 1: 30—81.
- DI TORO D. M., O'CONNOR D. J., THOMANN R. V., MANCINI J. L. (1975): Phytoplankton-zooplankton-nutrient interaction model for western lake Erie. — In: PATTEN B. C. (ed.): Systems Analysis and Simulation in Ecology, Vol. 3. — Academic Press, New York — San Francisco — London, s. 423—474.
- WARREN WILSON J. (1967): Stand structure and light penetration. III. Sunlit foliage area. — J. appl. Ecol. 4: 159—165.
- WILLIAMS R. B. (1971): Computer simulation of energy flow in Cedar bog lake, Minnesota, based on the classical studies of Lindeman. — In: PATTEN B. C. (ed.): Systems Analysis and Simulation in Ecology, Vol. 1. — Academic Press, New York — San Francisco — London, s. 543—582.
- DE WIT C. D. (1965): Photosynthesis of Leaf Canopies. — Agricult. Res. Rep. 663. PUDOC, Wageningen.

## Literatura:

- BELLMAN R. (1957): Dynamic Programming. — Princeton Univ. Press, Princeton. (Ruský překl.: Dinamičeskoje programmirovaniye. — Nauka, Moskva, 1960).
- BELLMAN R., DREYFUS S. F. (1962): Applied Dynamic Programming. — Princeton Univ. Press. (Ruský překl.: Prikladnyje zadači dinamičeskogo programmirovaniya, — Nauka, Moskva, 1966).
- BOLTJAŃSKI V. G. (1969): Matematičeskiye metody optimalnogo upravlenija. — Nauka, Moskva.
- BOTH G. M. (1977): Using model ecosystems to predict the environmental behaviour of pesticides. — Amer. Biol. Teach. 39: 275–278.
- CLARK C. W. (1976): Mathematical Bioeconomics: The optimal management of renewable resources. — John Wiley and Sons, New York, London, Sydney, Toronto.
- CONRAD M. (1976): Patterns of biological control in ecosystems. In: PATTEN B. C. (ed.): System Analysis and Simulation in Ecology, Vol. IV, s. 431–456. — Academic Press, New York, San Francisco, London.
- DANTZIG G. B. (1972): Lineárne programovanie a jeho rozvoj. — Alfa, Bratislava.
- DYNE G. M., TRAYER W. E., BLEADSOE L. J. (1970): Some optimization techniques and problems in the natural resource sciences. — Studies in Optimization 1: 95–124.

- GAŠS S. I. (1972): Lineárne programovanie. Metódy a aplikácie. — Alfa, Bratislava.
- GUMOWSKI I., MIRA O. (1968): Optimization in Control Theory and Practice. — Univ. Press, Cambridge.
- HABR J. (1972): Jednoduché optimalizační metody. — SNTL, Praha.
- HADLEY G. (1961): Linear Programming. Reading, Mass. — Addison-Wesley.
- HAVRDA J. (1972): Matematické programování. — SNTL, Praha.
- HOWELL F. G., GENTRY J. P., SMITH M. H. (eds) (1973): Mineral Cycling in Southeastern Ecosystems. — Tech. Inform. Center, Energy Res. and Develop. Administration, Virginia.
- CHASTON I. (1971): Mathematics for Ecologists. — Butterworks, London.
- JØRGENSEN S. E. (1976): An ecological model for heavy metal contamination of crops and ground water. — Ecol. Modelling 2: 59–67.
- KLOPATEK J. M. (1975): The role of emergent macrophytes in mineral cycling in a freshwater marsh. — In: HOWELL F. G., GENTRY J. P., SMITH M. H. (eds): Mineral Cycling in Southeastern Ecosystems. — Tech. Inform. Center, Energy Res. and Develop. Administration, Virginia, s. 367–393.
- LEITMANN G. (1965): An Introduction to Optimal Control. — McGraw-Hill, New York, Toronto, London.
- MULHOLLAND R. J., CRAIG S. S. (1976): Control theory and the regulation of ecosystems. — In: PATTEN B. C. (ed.): System Analysis and Simulation in Ecology. Vol. IV. — Academic Press, New York, San Francisco, London, s. 373–389.
- ODUM E. P. (1977): Základy ekologie. — Academia, Praha.
- O'NEILL R. V. (1971): A simple systems model for DDT and DDE movement in the human food chain. — Ecol. Sci. Div. Publ. No 415, ORNL-IBL-71-9, Intern. Biol. Progr. UC-48-Biol. and Med., s. 1–18.
- O'NEILL R. V., HARRIS W. F., AUSMUS B. S., REICHLE D. E. (1975): A theoretical basis for ecosystem analysis with particular reference to element cycling. — In: HOWELL F. G., GENTRY J. P., SMITH M. H. (eds): Mineral Cycling in Southeastern Ecosystems. — Tech. Inform. Center, Energy Res. and Develop. Administration, Virginia, s. 28–40.
- PONTRJAGIN L. S., BOLTJANSKIJ V. G., GAMKRELITZE R. V., MIŠČENKO E. E. (1969): Matematická teorie optimálních procesů. — SNTL, Praha.
- RAC P. S. L. (1982): Development and verification of simulation models for describing pesticide dynamics in soils. — Ecol. Modelling, 16: 67.
- RODIN L. E., BAZILEWICH M. I. (1968): Production and Mineral Cycling in Terrestrial Vegetation. — Oliver and Boyd, London.
- WEBSTER J. R., WAIDE J. B., PATTEN B. C. (1975): Nutrient recycling and stability of ecosystems. In: HOWELL F. G., GENTRY J. P., SMITH M. H. (eds): Mineral cycling in Southeastern Ecosystems. — Tech. Inform. Center, Energy Res. and Develop. Administration, Virginia, s. 1–27.
- WHEELER G. L., ROLFE G. L., REINOLD K. A. (1978): A simulation model for lead movement in a watershed. — Ecol. Modelling 5: 67–76.