

Literatura

Obecná část

Axel L. Cerebral blood flow determination by rapid-sequence computed tomography: theoretical analysis. *Radiology* 1980; 137: 679–686.

Dankbaar JW, Hom J, Schneider T, et al. Dynamic perfusion CT assessment of the blood-brain barrier permeability: first pass versus delayed acquisition. *Am J Neuroradiol* 2008; 29: 1671–1676.

Dugdale PE, Miles KA. Hepatic metastases: the value of quantitative assessment of contrast enhancement on computed tomography. *Eur J Radiol* 1999; 30(3): 206–213.

Ferda J, Mírka H, Duras P, Kreuzberg B. Diagnostické zobrazení mikrosvěta a makrosvěta nádorů. *Ces Radiol* 2010; 64(Suppl 1): 7–23.

Goh V, Dattani M, Farwell J, et al. Radiation dose from volumetric helical perfusion CT of the thorax, abdomen or pelvis. *Eur Radiol* 2011; 21(5): 974–981.

Helck A, Schönermark A, Habicht A, et al. Determination of split renal function using dynamic CT-angiography: preliminary results. *PLOS ONE* 2014; 9(3): e91774 (on-line publikace www.plosone.org).

Christner JA, Kofler JM, McCollough CH. Estimating effective dose for CT using dose-length product compared with using organ doses: consequences of adopting International Commission on Radiological Protection publication 103 or dual-energy scanning. *Am J Roentgenol* 2010; 194(4): 881–889.

Konstas AA, Goldmakher GV, Lee TY, Lev MH. Theoretic basis and technical implementations of CT perfusion in acute ischemic stroke, Part 1: Theoretic basis. *Am J Neuroradiol* 2009; 30: 662–668.

Konstas AA, Goldmakher GV, Lee TY, Lev MH. Theoretic basis and technical implementations of CT perfusion in acute ischemic stroke. Part 2: Technical implementations. *Am J Neuroradiol* 2009; 30: 885–892.

Leiva-Salinas C, Provenzale JM, Wintermark M. Responses to the 10 most frequently asked questions about perfusion CT. *Am J Roentgenol* 2011; 196: 53–60.

Miles KA, Hayball M, Dixon AK. Colour perfusion imaging: a new application of computed tomography. *Lancet* 1991; 337: 643–645.

Miles KA. Tumour angiogenesis and its relation to contrast enhancement on computed tomography: a review. *Eur J Radiol* 1999; 30: 198–205.

Miles KA, Griffiths MR. Perfusion CT: a worthwhile enhancement? *Br J Radiol* 2003; 76: 220–231.

Pandharipande PV, Krinsky GA, Rusinek H, Lee VS. Perfusion imaging of the liver: current challenges and future goals. *Radiology* 2005; 234: 661–673.

Padhani AR, Miles KA. Multiparametric imaging of tumor response to therapy. *Radiology* 2010; 256(2): 348–364.

Provenzale JM, Wintermark M. Optimization of perfusion imaging for acute cerebral ischemia: review of recent clinical trials and recommendations for future studies. *Am J Roentgenol* 2008; 191: 1263–1270.

Sabir ASchor-Bardach R, Wilcox CJ, Rahmanuddin S, et al. Perfusion MDCT enables early detection of therapeutic response to antiangiogenic therapy. *Am J Roentgenol* 2008; 191: 133–139.

Sahani DV, Holalkere NS, Mueller PR, Zhu AX. Advanced hepatocellular carcinoma: CT perfusion of liver and tumor tissue – initial experience. *Radiology* 2007; 243(3): 736–743.

Tushima Y, Funabasama S, Aoki J, et al. Quantitative perfusion map of malignant liver tumors, created from dynamic computed tomography data. *Acad Radiol* 2004; 11(2): 215–223.

Valentin J, et al. The 2007 recommendations of the International Commission on Radiological Protection. *Ann ICRP* 2007; 103: 1–34.

Zhou J, Schmid T, Schnitzer S, Brüne B. Tumor hypoxia and cancer progression. *Cancer Letters* 2006; 237(1): 10–21.

Speciální část

Anjali DA, Vibhav S, Kim V. Angiogenesis in liver cirrhosis and hepatocellular carcinoma. *Indian J Pathol Microbiol* 2008; 51(3): 323–328.

Cuenod C, Leconte I, Siauve N, et al. Early changes in liver perfusion caused by occult metastases in rats: detection with quantitative CT. *Radiology* 2001; 218: 556–561.

Delrue L, Blanckaert P, Mertens D, et al. Tissue perfusion in pathologies of the pancreas: assessment using 128-slice computed tomography. *Abdom Imaging* 2012; 37(4): 595–601.

Di Nallo AM, Vidiri A, Marzi S, et al. Quantitative analysis of CT-perfusion parameters in the evaluation of brain gliomas and metastases. *J Exp Clin Canc Res* 2009; 28: 38 (on-line publikace <http://www.jeccr.com/content/28/1/38>).

- Dugdale PE, Miles KA, Bunce I, et al. CT Measurement of perfusion and permeability within lymphoma masses and its ability to assess grade, activity, and chemotherapeutic response. *J Comput Assist Tomo* 1999; 23(4): 540–547.
- Frölich AMJ, Wolff SL, Psychogios MN, et al. Time-resolved assessment of collateral flow using 4D CT angiography in large-vessel occlusion stroke. *Eur Radiol* 2014; 24: 390–396.
- Hashimoto K, Murakami T, Dono K, et al. Assessment of the severity of liver disease and fibrotic change: the usefulness of hepatic CT perfusion imaging. *Oncol Rep* 2006; 16: 677–683.
- Hoeffner EG, Case I, Jain R, et al. Cerebral perfusion CT: technique and clinical applications. *Radiology* 2004; 231: 632–644.
- Chen G, Ma DQ, He W, et al. Computed tomography perfusion in evaluating the therapeutic effect of transarterial chemoembolization for hepatocellular carcinoma. *World J Gastroenterol* 2008; 14(37): 5738–5743.
- Ippolito D, Sironi S, Pozzi M, et al. Hepatocellular carcinoma in cirrhotic liver disease: functional computed tomography with perfusion imaging in the assessment of tumor vascularization. *Acad Radiol* 2008; 15(7): 919–927.
- Ippolito D, Bonaffini PA, Capraro C, et al. Viable residual tumor tissue after radiofrequency ablation treatment in hepatocellular carcinoma: evaluation with CT perfusion. *Abdom Imaging* 2013; 38: 502–510.
- Jain R. Perfusion CT imaging of brain tumors: an overview. *Am J Neuroradiol* 2011; 32: 1570–1577.
- Kan Z, Kobayashi S, Phongkitkarun S, Charnsangavej C. Functional CT quantification of tumor perfusion after transhepatic arterial embolization in a rat model. *Radiology* 2005; 237: 144–150.
- Leggett DA, Kelley BB, Bunce IH, Miles KA. Colorectal cancer: diagnostic potential of CT measurements of hepatic perfusion and implications for contrast enhancement protocols. *Radiology* 1997; 205: 716–720.
- Liška V, Třeška V, Mírka H, et al. Embolizace portální žíly – zvýšení resekability jater pro maligní onemocnění. *Rozhl Chir* 2007; 86(2): 97–101.
- Liu Y, Bellomi M, Gatti G, Ping X. Accuracy of computed tomography perfusion in assessing metastatic involvement of enlarged axillary lymph nodes in patients with breast cancer. *Breast Cancer Res* 2007; 9: R40 (on-line publikace <http://breast-cancer-research.com/content/9/4/R40>).
- Long X, Cao J, Shi L, et al. MSCT perfusion imaging and its correlation with perfusion parameters, survivin expression, MVD, and pathologic grade in hepatocellular carcinomas. *Zhong Nan Da Xue Xue Bao Yi Xue Ban* 2009; 34(11): 1096–1102.
- Lui YW, Tang ER, Allmendinger AM, Spektor V. Evaluation of CT perfusion in the setting of cerebral ischemia: patterns and pitfalls. *Am J Neuroradiol* 2010; 31: 1552–1563.
- Meijerink MR, van Cruijsen H, Hoekman K, et al. The use of perfusion CT for the evaluation of therapy combining AZD2171 with gefitinib in cancer patients. *Eur Radiol* 2007; 17(7): 1700–1713.
- Meijerink MR, van Waesberghe JH, van der Weide L, et al. Early detection of local RFA site recurrence using total liver volume perfusion CT initial experience. *Acad Radiol* 2009; 16(10): 1215–1222.
- Miles KA, Cuenod CA. Multidetector computed tomography in oncology: CT perfusion imaging. London: Informa 2007.
- Miles KA, Eastwood JD, König M. Multidetector computed tomography in cerebrovascular disease CT perfusion imaging. London: Informa 2007.
- Mírka H, Ferda J, Baxa J, et al. Perfuzní CT jater. *Ces Radiol* 2010; 64 (4): 281–289.
- Murakami T, Kim T, Tomoda K, et al. Combined hepatocellular and cholangiocellular carcinoma. *Radiat Med* 1997; 15(4): 243–246.
- Myoteri D, Dellaportas D, Arkoumani E, et al. Primary hepatic lymphoma: a challenging diagnosis. Case reports in oncological medicine 2014, Article ID 212598 (on-line publikace <http://dx.doi.org/10.1155/2014/212598>).
- Pauls S, Gabelmann A, Heinz W, et al. Liver perfusion with dynamic multidetector-row computed tomography as an objective method to evaluate the efficacy of chemotherapy in patients with colorectal cancer. *Clin Imag* 2009; 33: 289–294.
- Perkins AC, Whalley DR, Ballantyne KC, Hardcastle JD. Reliability of the hepatic perfusion index for the detection of liver metastases. *Nucl Med Commun* 1987; 8: 982–989.
- Sainani NI, Catalano OA, Holalkere NS, et al. Cholangiocarcinoma: Current and Novel Imaging Techniques. *RadioGraphics* 2008; 28: 1263–1287.
- Tsushima Y, Unno Y, Koizumi J, Kusano S. Hepatic perfusion changes after transcatheter arterial embolization (TAE) of hepatocellular carcinoma: measurement by dynamic computed tomography (CT). *Dig Dis Sci* 1998; 43: 317–322.

- Tsushima Y, Blomley JK, Kusano S, Endo K. The portal component of hepatic perfusion measured by dynamic CT: an indicator of hepatic parenchymal damage. *Dig Dis Sci* 1999; 44(8): 1632-1638.
- Van Beers BE, Leconte I, Materne R, et al. Hepatic perfusion parameters in chronic liver disease: dynamic CT measurements correlated with disease severity. *Am J Roentgenol* 2001; 176: 667-673.
- Vignot S, Spano J, Bloch J, et al. CT perfusion as index of activity of antiangiogenic treatment of metastatic carcinoma. *J Clin Oncol* 2008; 26(Suppl): 3548.
- Watanabe T, Sakata J, Ishikawa T, et al. Synchronous development of HCC and CCC in the same subsegment of the liver in a patient with type C liver cirrhosis. *World J Hepatol* 2009; 31; 1(1): 103-109.
- Wakabayashi H, Nakano S, Ishimura K, et al. Changes in arterial and portal perfusion in embolized and nonembolized hepatic lobes after portal vein embolization evaluated by helical computed tomography. *Surg Today* 2001; 31(11): 991-995.
- Willems PWA, Taeshineetanakul P, Schenk B, et al. The use of 4D-CTA in the diagnostic work-up of brain arteriovenous malformations. *Neuroradiology* 2012; 54: 123-131.
- Wu GY, Ghimire P. Perfusion computed tomography in colorectal cancer: protocols, clinical applications and emerging trends. *World J Gastroenterol* 2009; 15(26): 3228-3231.
- Yang HF, Du Y, Ni JX, et al. Perfusion computed tomography evaluation of angiogenesis in liver cancer. *Eur Radiol* 2010; 20(6): 1424-1430.
- Zhong L, Wang WJ, Xu JR. Clinical application of hepatic CT perfusion. *World J Gastroenterol* 2009; 15(8): 907-911.