

## 17. Použitá literatura

- [1] KUHN, H. D. MEDLIN, ed. *ASM Handbook: Volume 08 – Mechanical Testing and Evaluation*. 10. ASM International, 2000. ISBN 978-0-87170-389-7.
- [2] JOHNSON, Gordon a William COOK. A constitutive model and data for metals subjected to large strains, high strain rates and high temperatures. *Proceedings 7th International Symposium on Ballistics* [online]. The Hague, 1983, s. 541-547 [cit. 2020-08-18].
- [3] ZERILLI, Frank a Ronald ARMSTRONG. Dislocation-mechanics-based constitutive relations for material dynamics calculations. *Journal of Applied Physics* [online]. 1987, **61**(5), 1816-1825 [cit. 2020-08-18]. DOI: 10.1063/1.338024. ISSN 0021-8979.
- [4] ZERILLI, F. a R. ARMSTRONG. A constitutive equation for the dynamic deformation behavior of polymers. *Journal of Materials Science* [online]. 2007, **42**(12), 4562-4574 [cit. 2020-08-18]. DOI: 10.1007/s10853-006-0550-5. ISSN 0022-2461.
- [5] STEINBERG, D. a C. LUND. A constitutive model for strain rates from  $10^{-4}$  to  $10^6$  s<sup>-1</sup>. *Journal of Applied Physics*. American Institute of Physics, 1989, **65**(4), 1528-1533. DOI: 10.1063/1.342968. ISSN 0021-8979.
- [6] HOPKINSON, Bertram. A method of measuring the pressure produced in the detonation of high explosives or by the impact of bullets. *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character* [online]. 1997, **89**(612), 411-413 [cit. 2020-08-18]. DOI: 10.1098/rspa.1914.0008. ISSN 0950-1207.
- [7] DAVIES, R. M. A critical study of the Hopkinson pressure bar. *Philosophical Transactions of the Royal Society of London. Series A, Mathematical and Physical Sciences* [online]. 1997, **240**(821), 375-457 [cit. 2020-08-18]. DOI: 10.1098/rsta.1948.0001. ISSN 0080-4614.
- [8] *GM/RT 2100: Rail Vehicle Structures and Passive Safety*. 5. London: RSSB, 2012. Dostupné z: <https://catalogues.rssb.co.uk/rgs/standards/GMRT2100%20Iss%205.pdf>
- [9] *SAE AS8049B: Performance Standard for Seats in Civil Rotorcraft, Transport Aircraft, and General Aviation Aircraft*. B. SAE International Group, 2005.
- [10] DUNN, B.W. A photographic impact testing machine for measuring the varying intensity of an impulsive force. *Journal of the Franklin Institute*.

- 1898, **145**(1), 36-47. DOI: [https://doi.org/10.1016/S0016-0032\(98\)90255-1](https://doi.org/10.1016/S0016-0032(98)90255-1). ISSN 0016-0032.
- [11] FRANTZ, C., P. FOLLANSBEE a W. WRIGHT. New experimental techniques with the split Hopkinson pressure bar. In: *Presented at the 8th Intern. Conf. on High Energy Rate Fabrication*. AA(Los Alamos Scientific Lab., NM.), AB(Los Alamos Scientific Lab., NM.), AC(Los Alamos Scientific Lab., NM.), 1984, s. 17-21.
- [12] BANCROFT, Dennison. The Velocity of Longitudinal Waves in Cylindrical Bars. *Physical Review* [online]. 1941, **59**(7), 588-593 [cit. 2020-08-18]. DOI: 10.1103/PhysRev.59.588. ISSN 0031-899X.
- [13] GONG, J., L. MALVERN a D. JENKINS. Dispersion Investigation in the Split Hopkinson Pressure Bar. *Journal of Engineering Materials and Technology* [online]. 1990, **112**(3), 309-314 [cit. 2020-08-18]. DOI: 10.1115/1.2903329. ISSN 0094-4289.
- [14] FOLLANSBEE, P. a C. FRANTZ. Wave Propagation in the Split Hopkinson Pressure Bar. *Journal of Engineering Materials and Technology* [online]. 1983, **105**(1), 61-66 [cit. 2020-08-18]. DOI: 10.1115/1.3225620. ISSN 0094-4289.
- [15] DHARAN, C. a F. HAUSER. Determination of stress-strain characteristics at very high strain rates. *Experimental Mechanics* [online]. 1970, **10**(9), 370-376 [cit. 2020-08-18]. DOI: 10.1007/BF02320419. ISSN 0014-4851.
- [16] FORNI, Daniele, Bernardino CHIAIA a Ezio CADONI. High strain rate response of S355 at high temperatures. *Materials & Design* [online]. 2016, **94**, 467-478 [cit. 2020-08-18]. DOI: 10.1016/j.matdes.2015.12.160. ISSN 02641275.
- [17] KOTKUNDE, Nitin, Aditya DEOLE, Amit GUPTA a Swadesh SINGH. Comparative study of constitutive modeling for Ti-6Al-4V alloy at low strain rates and elevated temperatures. *Materials & Design* [online]. 2014, **55**, 999-1005 [cit. 2020-08-18]. DOI: 10.1016/j.matdes.2013.10.089. ISSN 02613069.
- [18] SEIDT, J.D. a A. GILAT. Plastic deformation of 2024-T351 aluminum plate over a wide range of loading conditions. *International Journal of Solids and Structures* [online]. 2013, **50**(10), 1781-1790 [cit. 2020-08-18]. DOI: 10.1016/j.ijsolstr.2013.02.006. ISSN 00207683.
- [19] FÍLA, A. *Split Hopkinson pressure bar: design parameters and prediction of the experiment output* [online]. In: . s. 213-216 [cit. 2020-08-18]. DOI: 10.21495/91-8-213.



- [20] ADORNA, Marcel, Jan FALTA, Tomáš FÍLA a Petr ZLÁMAL. PREPROCESSING OF HOPKINSON BAR EXPERIMENT DATA: FILTER ANALYSIS. *Acta Polytechnica CTU Proceedings* [online]. 2018, 18, 77-81 [cit. 2020-08-18]. DOI: 10.14311/APP.2018.18.0077. ISSN 2336-5382.
- [21] FUSEK, M., Z. PORUBA, R. HALAMA, R. BĚLÍK, O. FRANTIŠEK, M. SCHNEIDER, V. BIAGINI a M. SADÍLEK. Influence of loading speed on yield strength value of S235 and C45 steels. In: *Experimental Stress Analysis - 57th International Scientific Conference, EAN 2019 - Conference Proceedings*. Praha: Czech Society for Mechanics, 2019, s. 102-105. ISBN 978-80-214-5766-9.
- [22] MAŠÁLEK, P. *Modelování a identifikace materiálových a stavových parametrů rychlých rázových dějů*. Ostrava, 2018.. Disertační práce. Vysoká škola báňská - Technická univerzita Ostrava. Vedoucí práce Petr Horyl.
- [23] DAEHN, G.S. Sustainable design and manufacture of lightweight vehicle structures. *Alternative Fuels and Advanced Vehicle Technologies for Improved Environmental Performance* [online]. Elsevier, 2014, s. 433-461 [cit. 2020-08-18]. DOI: 10.1533/9780857097422.2.433. ISBN 9780857095220.
- [24] BOGDEVIČIUS, Marijonas a Rolandas VITKŪNAS. Energy Absorbing Hydro Pneumo Mechanical Mechanism to Enhance Passive Safety in Motor Vehicles. *Procedia Engineering* [online]. 2016, 134, 330-335 [cit. 2020-08-18]. DOI: 10.1016/j.proeng.2016.01.015. ISSN 18777058.
- [25] W. Meyer., *A Modified Zerilli-Armstrong Constitutive Model Describing the Strength and Localizing Behavior of Ti-6Al-4V*. 2006., 29.
- [26] BREPTA, Rudolf a Miroslav PROKOPEC. *Šíření napětových vln a rázy v tělesech*. Vyd. I. Praha: Academia, 1972.
- [27] JONES, Norman. *Structural impact*. New York: Cambridge University Press, 1997. ISBN 0-521-62890-3.
- [28] COWPER, G. a P. SYMONDS. *Cowper, G. Rr, and Paul Southworth Symonds. Strain-hardening and strain-rate effects in the impact loading of cantilever beams*. Brown University: Providence, R.I, 1957.
- [29] BANERJEE, Biswajit. The Mechanical Threshold Stress model for various tempers of AISI 4340 steel. *International Journal of Solids and Structures* [online]. 2007, 44(3-4), 834-859 [cit. 2020-08-18]. DOI: 10.1016/j.ijsolstr.2006.05.022. ISSN 00207683.

- [30] PRESTON, Dean, Davis TONKS a Duane WALLACE. Model of plastic deformation for extreme loading conditions. *Journal of Applied Physics*. American Institute of Physics, 2002, **93**(1), 211-220. DOI: 10.1063/1.1524706. ISSN 0021-8979.
- [31] ROYLANCE, David. *Engineering Viscoelasticity*. 2001, **2139**.
- [32] *Solenoidní ventily na všeobecné použití: Technická specifikace TORK T-GP105 DN25*. Istanbul. Dostupné z: [https://www.bola.cz/admin/files/e\\_product\\_files/3/2721/src\\_gp.pdf](https://www.bola.cz/admin/files/e_product_files/3/2721/src_gp.pdf)
- [33] FÜRBAACHER, Ivan, Josef STEIDL a Karel MACEK. *Lexikon technických materiálů se zahraničními ekvivalenty* [online]. Praha: Verlag Dashöfer, 1998-2006 [cit. 2020-08-18]. ISBN isbn80-86229-02-5.
- [34] *Certifikat tavby Tavby T15154*. Matova, Itálie, 2017.
- [35] MACURA, Pavel. *Experimentální metody v pružnosti a plasticitě*. 1. vyd. Ostrava: VŠB - Technická univerzita Ostrava, 2001. ISBN 80-7078-934-4.
- [36] SCHAFER, Ronald. What Is a Savitzky-Golay Filter? [Lecture Notes]. *IEEE Signal Processing Magazine* [online]. 2011, **28**(4), 111-117 [cit. 2020-08-26]. DOI: 10.1109/MSP.2011.941097. ISSN 1053-5888.
- [37] *SS 316L-0407 powder for additive manufacturing*. 2. Staffordshire: Renishaw, 2017.
- [38] JIANG, T.Z., P. XUE a H.S.U. BUTT. Pulse shaper design for dynamic testing of viscoelastic materials using polymeric SHPB. *International Journal of Impact Engineering* [online]. 2015, **79**, 45-52 [cit. 2020-08-26]. DOI: 10.1016/j.ijimpeng.2014.08.016. ISSN 0734743X.
- [39] Clariant White Acrylonitrile Butadiene Styrene 3D Printer Filament. *MatWeb: Your Source for Materials Information* [online]. [cit. 2020-08-18].
- [40] *Altair: HyperWorks Help 2019*. 2019.
- [41] CLAUSET, Aaron, Cosma SHALIZI a M. NEWMAN. Power-Law Distributions in Empirical Data. *SIAM Review* [online]. 2009, **51**(4), 661-703 [cit. 2020-08-26]. DOI: 10.1137/070710111. ISSN 0036-1445.
- [42] BURLEY, M, JE CAMPBELL, J DEAN a TW CLYNE. Johnson-Cook parameter evaluation from ballistic impact data via iterative FEM modelling. *International Journal of Impact Engineering* [online]. 2018, **112**, 180-192 [cit. 2020-08-27]. DOI: 10.1016/j.ijimpeng.2017.10.012. ISSN 0734743X.
- [43] *Humanetics: Hybrid III 50th Male Dummy*. 2015.
- [44] *Humanetics: FAA Hybrid III 50th Male Dummy*. 2015.
- [45] *Humanetics: Hybrid III 95th Male Dummy*. 2015.