

# References

- Adolphs R. The neurobiology of social cognition. *Curr Opin Neurobiol* 2001; **11**: 231–9.
- Alexander CE, DeLong MR, Strick PL. Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annu Rev Neurosci* 1986; **9**: 357–81.
- Allison T, Puce A, McCarthy G. Social perception from visual cues: role of the STS region. *Trends Cognitive Sci* 2000; **4**: 267–77.
- Amies PL, Gelder MG, Shaw PM. Social phobia: a comparative clinical study. *Br J Psychiatry* 1983; **142**: 174–9.
- Austin M-P, Mitchell P, Goodwin GM. Cognitive deficits in depression: possible implications for functional neuropathology. *Br J Psychiatry* 2001; **178**: 200–6.
- Ballenger JC, Davidson JA, Lecrubier Y et al. Consensus statement on social anxiety disorder from the International Consensus Group on Depression and Anxiety. *J Clin Psychiatry* 1998; **59**: 54–60.
- Ballenger JC, Davidson JR, Lecrubier Y et al. Consensus statement on generalized anxiety disorder from the International Consensus Group on Depression and Anxiety. *J Clin Psychiatry* 2001; **62S**: 53–8.
- Baxter LR, Schwartz JM, Bergman KS et al. Caudate glucose metabolic rate changes with both drug and behavior therapy for OCD. *Arch Gen Psychiatry* 1992; **49**: 681–9.



Bechara A, Tranel D, Damasio H et al. Double dissociation of conditioning and declarative knowledge relative to the amygdala and hippocampus in humans. *Science* 1995; **269**: 1115–8.

Beck AT. *Depression: Clinical, Experimental, and Theoretical Aspects*. New York: Harper & Row, 1967.

Becker G, Berg D, Lesch KP et al. Basal limbic system alteration in major depression: a hypothesis supported by transcranial sonography and MRI findings. *Int J Neuropsychopharmacol* 2001; **4**: 21–31.

Bellugi U, Adolphs R, Cassady C et al. Towards the neural basis for hypersociability in a genetic syndrome. *Neuroreport* 1999; **10**: 1653–7.

Bench CJ, Friston KJ, Brown RG et al. Regional cerebral blood flow in depression measured by positron emission tomography: the relationship with clinical dimensions. *Psychol Med* 1993; **23**: 579–90.

Birbaumer N, Grodd W, Diedrich O et al. fMRI reveals amygdala activation to human faces in social phobics. *Neuroreport* 1998; **9**: 1223–6.

Blumberg HP, Stern E, Martinez D et al. Increased anterior cingulate and caudate activity in bipolar mania. *Biol Psychiatry* 2000; **48**: 1045–52.

Bonne O, Brandes D, Gilboa A et al. Longitudinal MRI study of hippocampal volume in trauma survivors with PTSD. *Am J Psychiatry* 2001; **158**: 1248–51.

Bowlby J. *Attachment and Loss*, Vol 3. New York: Basic Books, 1980.

Boyer W. Serotonin uptake inhibitors are superior to imipramine and alprazolam in alleviating panic attacks: a meta-analysis. *Int Clin Psychopharmacol* 1995; **10**: 45–9.

Bremner JD, Innis RB, Salomon RM et al. Positron emission tomography measurement of cerebral metabolic correlates of tryptophan depletion-induced depressive relapse. *Arch Gen Psychiatry* 1997; **54**: 364–74.



- Bremner JD, Innis RB, Southwick SM et al. Decreased benzodiazepine receptor binding in prefrontal cortex in combat-related posttraumatic stress disorder. *Am J Psychiatry* 2000; **157**: 1120–6.
- Brewin CR. A cognitive neuroscience account of posttraumatic stress disorder and its treatment. *Behav Res Ther* 2001; **39**: 373–93.
- Brody AL, Saxena S, Stoessel P et al. Regional brain metabolic changes in patients with major depression treated with either paroxetine or interpersonal therapy. *Arch Gen Psychiatry* 2001; **58**: 631–40.
- Buchsbaum MS, Hazlett E, Sicotte N et al. Topographic EEG changes with benzodiazepine administration in generalized anxiety disorder. *Biol Psychiatry* 1985; **20**: 832–42.
- Burgess N, Jeffrey KJ, O'Keefe J. *The Hippocampal and Parietal Foundations of Spatial Cognition*. New York: Oxford University Press, 1999.
- Byrum CE, Ahearn EP, Krishnan KR. A neuroanatomic model for depression. *Prog Neuropsychopharmacol Biol Psychiatry* 1999; **23**: 175–93.
- Cendes FAFGP, Gambardella A, Lopes-Cendes I et al. Relationship between atrophy of the amygdala and ictal fear in temporal lobe epilepsy. *Brain* 1994; **117**: 739–46.
- Charney DS. Monoamine dysfunction and the pathophysiology and treatment of depression. *J Clin Psychiatry* 1998; **59S**: 11–4.
- Cheyette SR, Cummings JL. Encephalitis lethargica: lessons for contemporary neuropsychiatry. *J Neuropsychiatry Clin Neurosci* 1995; **7**: 125–35.
- Connor KM, Davidson JRT. The role of serotonin in posttraumatic stress disorder: neurobiology and pharmacotherapy. *CNS Spectrums* 1998; **3**: 43–51.
- Coplan JD, Gorman JM, Klein DF. Serotonin related functions in panic-anxiety: a critical overview. *Neuropsychopharmacology* 1992; **6**: 189–200.



- Coplan JD, Lydiard RB. Brain circuits in panic disorder. *Biol Psychiatry* 1998; **44**: 1264–76.
- Damasio AR. The somatic marker hypothesis and the possible functions of the prefrontal cortex. *Philos Trans R Soc* 1996; **351**: 1413–20.
- Darwin C. *The Expression of Emotion in Man and Animals*. Chicago, IL: Chicago University Press, 1965.
- Davidson JRT, Boyko O, Charles HC et al. Magnetic resonance spectroscopy in social phobia. *J Clin Psychiatry* 1993a; **54S**: 19–25.
- Davidson JRT, Hughes DL, George LK et al. The epidemiology of social phobia: findings from the Duke Epidemiologic Catchment Area study. *Psychol Med* 1993b; **23**: 709–18.
- Davidson RJ. Asymmetric brain function, affective style and psychopathology: the role of early experience and plasticity. *Dev Psychopathol* 1994; **6**: 741–58.
- Davidson RJ, Putnam KM, Larson CL. Dysfunction in the neural circuitry of emotion regulation – a possible prelude to violence. *Science* 2001; **289**: 591–4.
- Davis M, Whalen PJ. The amygdala: vigilance and emotion. *Mol Psychiatry* 2001; **6**: 13–34.
- De Bellis M, Keshavan MS, Spencer S et al. N-acetylaspartate concentration in the anterior cingulate of maltreated children and adolescents with PTSD. *Am J Psychiatry* 2000a; **157**: 1175–7.
- De Bellis MD, Casey BJ, Dahl RE et al. A pilot study of amygdala volumes in pediatric generalized anxiety disorder. *Biol Psychiatry* 2000b; **48**: 51–7.
- De Waal F. *Peacemaking among Primates*. Cambridge, MA: Harvard University Press, 1989.
- Delgado PL, Moreno FA. Hallucinogens, serotonin and obsessive-compulsive disorder. *J Psychoactive Drugs* 1998; **30**: 359–66.



- Dolan RJ, Lane R, Chua P et al. Dissociable temporal lobe activations during emotional episodic memory retrieval. *Neuroimage* 2000; **11**: 203–9.
- Duchaine B, Cosmides L, Tooby J. Evolutionary psychology and the brain. *Curr Opin Neurobiol* 2001; **11**: 225–30.
- Duman RS, Malberg J, Nakagawa S et al. Neuronal plasticity and survival in mood disorders. *Biol Psychiatry* 2000; **48**: 732–9.
- El Mansari M, Bouchard C, Blier P. Alteration of serotonin release in the guinea pig orbito-frontal cortex by selective serotonin reuptake inhibitors. *Neuropsychopharmacology* 1995; **13**: 117–27.
- Flint J. Freeze! *Nat Genet* 1997; **17**: 250–1.
- Furmark T, Tillfors M, Marteinsdottir I et al. Common changes in cerebral blood flow in patients with social phobia treated with citalopram or cognitive-behavioral therapy. *Arch Gen Psychiatry* 2002; **59**: 425–33.
- Germine M, Goddard AW, Woods SW et al. Anger and anxiety responses to m-chlorophenylpiperazine in generalized anxiety disorder. *Biol Psychiatry* 1992; **32**: 457–67.
- Gorman JM, Kent JM, Sullivan GM et al. Neuroanatomical hypothesis of panic disorder, revised. *Am J Psychiatry* 2000; **157**: 493–505.
- Gray JA, McNaughton N. The neuropsychology of anxiety. In Hope, DA, ed. *Perspectives on Anxiety, Panic, and Fear*, Vol. 43, Nebraska Symposium on Motivation. Omaha: University of Nebraska Press, 1996: 61–134.
- Halligan PW, Bass C, Wade DT. New approaches to conversion hysteria. *BMJ* 2000; **320**: 1488–9.
- Hamner MB, Lorberbaum JP, George MS. Potential role of the anterior cingulate cortex in PTSD: review and hypothesis. *J Neuropsychiatry Clin Neurosci* 1999; **9**: 1–14.
- Handley SL. 5-Hydroxytryptamine pathways in anxiety and its treatment. *Pharmacol ther* 1995; **66**: 103–48.



Heim C, Nemeroff CB. The role of childhood trauma in the neurobiology of mood and anxiety disorders: preclinical and clinical studies. *Biol Psychiatry* 2001; **49**: 1023–9.

Higley JD, Mehlman PT, Taub DM et al. Excessive mortality in young free-ranging male non-human primates with low cerebrospinal fluid 5-hydroxyindolacetic acid concentrations. *Arch Gen Psychiatry* 1996; **55**: 537–43.

Hollander E, Stein DJ, Broatch J et al. A pharmacoeconomic and quality of life study of obsessive-compulsive disorder. *CNS Spectrums* 1997; **2**: 16–25.

Hugdahl K. Cortical control of human classical conditioning: autonomic and PET data. *Psychophysiology* 1998; **35**: 170–8.

Iny LJ, Pecknold J, Suranyi-Cadotte BE et al. Studies of a neurochemical link between depression, anxiety, and stress from [3H] imipramine and [3H] paroxetine binding on human platelets. *Biol Psychiatry* 1994; **36**: 281–91.

Jacobs BJ, Fornal CA. Serotonin and behavior: a general hypothesis. In: Bloom FE, Kupfer DJ, eds. *Psychopharmacology: Fourth Generation of Progress*. New York: Raven Press, 1995.

Johnson DL, Wiebe JS, Gold SM et al. Cerebral blood flow and personality: a positron emission tomography study. *Am J Psychiatry* 1999; **156**: 252–7.

Kagan J, Reznick JS, Gibbons J. Biological basis of childhood shyness. *Science* 1988; **240**: 167–71.

Kandel ER. From metapsychology to molecular biology: explorations into the nature of anxiety. *Am J Psychiatry* 1983; **140**: 1277–93.

Kendler KS, Neale MC, Kessler RC et al. Major depression and generalized anxiety disorder: same genes, (partly) different environments? *Arch Gen Psychiatry* 1992; **49**: 716–22.

Kendler KS, Thornton LM, Gardner CO. Stressful life events and previous episodes in the etiology of major depression in women: an evaluation of the 'kindling' hypothesis. *Am J Psychiatry* 2000; **157**: 1243–51.



Kennedy SH, Evans KR, Krüger S et al. Changes in regional brain glucose metabolism measured with positron emission tomography after paroxetine treatment of major depression. *Am J Psychiatry* 2001; **158**: 899–905.

Kessler RC. The epidemiology of pure and comorbid generalized anxiety disorder. A review and evaluation of recent research. *Acta Psychiatr Scand* 2001; **102**: 7–13.

Kessler RC, McGonagle KC, Zhao S et al. Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States: results from the National Comorbidity Survey. *Arch Gen Psychiatry* 1994; **51**: 8–19.

Kessler RC, Stang P, Wittchen H-U et al. Lifetime co-morbidities between social phobia and mood disorders in the US National Comorbidity Survey. *Psychol Med* 1999; **29**: 555–67.

Kessler RC, Stein MB, Berglund P. Social phobia subtypes in the National Comorbidity Study. *Am J Psychiatry* 1998; **155**: 613–9.

Kimbrell TA, George MS, Parekh PI et al. Regional brain activity during transient self-induced anxiety and anger in healthy adults. *Biol Psychiatry* 1999; **46**: 454–65.

Klein DF. Delineation of two drug-responsive anxiety syndromes. *Psychopharmacologia* 1964; **5**: 397–408.

Klein DF. Anxiety reconceptualized. In: Klein DF, Rabkin J, eds. *Anxiety: New Research and Changing Concepts*. New York: Raven Press, 1981.

Klein DF. False suffocation alarms, spontaneous panics, and related conditions: an integrative hypothesis. *Arch Gen Psychiatry* 1993; **50**: 306–17.

Klüver H, Bucy PC. Preliminary analysis of functions of the temporal lobes in monkeys. *Arch Neurol Psychiatry* 1939; **42**: 979–1000.

Lane RD, Reiman EM, Ahern GL et al. Neuroanatomical correlates of happiness, sadness, and disgust. *Am J Psychiatry* 1997; **154**: 926–33.



- Le Doux J. Fear and the brain: where have we been, and where are we going? *Biol Psychiatry* 1998; **44**: 1229–38.
- Leary MR, Cutlip WDI, Brit TW et al. Social blushing. *Psychological Bull* 1992; **3**: 446–60.
- Leckman JF, Grice DE, Boardman J et al. Symptoms of obsessive-compulsive disorder. *Am J Psychiatry* 1997; **154**: 911–7.
- Lesch KP. Serotonergic gene expression and depression: implications for developing novel antidepressants. *J Affect Disord* 2001; **62**: 57–76.
- Lightowler S, Kennet GA, Williamson IJ et al. Anxiolytic-like effect of paroxetine in a rat social interaction test. *Pharmacol Biochem Behav* 1994; **49**: 281–5.
- Lucey JV, Costa DC, Adshead G et al. Brain blood flow in anxiety disorders. OCD, panic disorder with agoraphobia, and posttraumatic stress disorder on 99mTcHMPAO single photon emission tomography (SPET). *Br J Psychiatry* 1997; **171**: 346–50.
- MacFall JR, Payne ME, Provenzale JE et al. Medial orbital frontal lesions in late-onset depression. *Biol Psychiatry* 2001; **49**: 803–6.
- MacLean PD. Psychosomatic disease and the visceral brain: recent developments bearing on the Papez theory of emotion. *Psychosom Med* 1949; **11**: 338–53.
- MacLeod AK, Byrne A. Anxiety, depression, and the anticipation of future positive and negative experience. *J Abnorm Psychol* 1993; **102**: 238–47.
- Macmillian TM. Posttraumatic stress disorder and severe head injury. *Br J Psychiatry* 1991; **159**: 431–3.
- Maier SF. Exposure to the stressor environment prevents the temporal dissipation of behavioral depression/learned helplessness. *Biol Psychiatry* 2001; **49**: 763–73.
- Maier W, Gansicke A, Freyberger HJ et al. Generalized anxiety disorder (ICD-10) in primary care from a cross-cultural perspective: a valid diagnostic entity? *Acta Psychiatr Scand* 2000; **101**: 29–36.



- Malhi GS, Bartlett JR. Depression: a role for neurosurgery? *Br J Neurosurg* 2000; **14**: 415–22.
- Malison RT, Price LH, Berman R et al. Reduced brain serotonin transporter availability in major depression as measured by [<sup>123</sup>I]-2β-carbomethoxy-3β-(4-iodophenyl)tropine and single photon emission computed tomography. *Biol Psychiatry* 1998; **44**: 1090–8.
- Mann JJ, Huang YY, Underwood MD et al. A serotonin transporter gene promoter polymorphism (5-HTTLPR) and prefrontal cortical binding in major depression and suicide. *Arch Gen Psychiatry* 2000; **57**: 729–38.
- Marks IM, Nesse RM. Fears and fitness: an evolutionary analysis of anxiety disorders. *Ethology and Sociobiology* 1994; **15**: 247–61.
- Martin SD, Martin E, Rai SS et al. Brain blood flow changes in depressed patients treated with interpersonal psychotherapy of venlafaxine hydrochloride. *Arch Gen Psychiatry* 2001; **58**: 641–8.
- Mayberg HS. Frontal lobe dysfunction in secondary depression. *J Neuropsychiatry Clin Neurosci* 1994; **6**: 428–42.
- Mayberg HS, Brannan SK, Mahurin RK et al. Cingulate function in depression: a potential predictor of treatment response. *Neuroreport* 1997; **8**: 1057–61.
- Mayberg HS, Liotti M, Branna SK et al. Reciprocal limbic-cortical function and negative mood: converging PET findings in depression and normal sadness. *Am J Psychiatry* 1999; **156**: 675–82.
- McDonald AW, III, Cohen JD, Stenger VA et al. Dissociating the role of the dorsolateral prefrontal and anterior cingulate cortex in cognitive control. *Science* 2000; **288**: 1835–8.
- McGuire M, Troisi A. *Darwinian Psychiatry*. New York: Oxford University Press, 1998.
- Mehlman PT, Higley JD, Faucher I et al. Correlation of CSF 5-HIAA concentration with sociality and the timing of emigration in free-ranging primates. *Am J Psychiatry* 1995; **152**: 907–13.
- Melfsen S, Osterlow J, Florin I. Deliberate emotional expressions of socially anxious children and their mothers. *J Anx Disord* 2000; **14**: 249–61.



Meyer JH, Swinson R, Kennedy SH et al. Increased left posterior parietal-temporal cortex activation after D-fenfluramine in women with panic disorder. *Psychiatry Res* 2000; **98**: 133–43.

Mineka S, Watson D, Clark LA. Comorbidity of anxiety and unipolar mood disorders. *Annu Rev Psychol* 1998; **49**: 377–412.

Mishkin M, Petri H. Memories and habits: some implications for the analysis of learning and retention. In: Squire LR, Butters N. *Neuropsychology of Memory*. New York: Guilford Press, 1984.

Montgomery SA. Obsessive compulsive disorder is not an anxiety disorder. *Int Clin Psychopharmacol* 1993; **S8**: 57–62.

Mundo E, Richter MA, Sam F et al. Is the 5-HT(1Dbeta) receptor gene implicated in the pathogenesis of obsessive-compulsive disorder? *Am J Psychiatry* 2000; **157**: 1160–1.

Murray CJL, Lopez AD. *Global Burden of Disease: A Comprehensive Assessment of Mortality and Morbidity from Diseases, Injuries and Risk Factors in 1990 and Projected to 2020*, Vol. I. Harvard: World Health Organization, 1996.

Nesse RM. Is depression an adaptation? *Arch Gen Psychiatry* 2000; **57**: 14–20.

Nesse RM, Williams GC. *Why We Get Sick: the New Science of Darwinian Medicine*. New York: Vintage Books, 1994.

Nutt DJ, Bell CJ, Malizia AL. Brain mechanisms of social anxiety disorder. *J Clin Psychiatry* 1998; **59**: 4–11.

Owens MJ, Nemeroff CB. Role of serotonin in the pathophysiology of depression: focus on the serotonin transporter. *Clin Chem* 1994; **40**: 288–95.

Panskepp J. *Affective Neuroscience: the Foundations of Human and Animal Emotions*. New York: Oxford University Press, 1998.

Parks CL, Robinson PS, Sibille E et al. Increased anxiety of mice lacking the serotonin 1A receptor. *Proc Natl Acad Sci USA* 1998; **95**: 10734–9.



- Penava SJ, Otto MW, Pollack MH et al. Current status of pharmacotherapy for PTSD: an effect size analysis of controlled studies. *Depress Anx* 1996; **4**: 240–2.
- Pine DS, Weese-Mayer DE, Silvestri JM et al. Anxiety and congenital hypoventilation syndrome. *Am J Psychiatry* 1994; **151**: 864–70.
- Post RM. Transduction of psychosocial stress into the neurobiology of recurrent affective disorder. *Am J Psychiatry* 1992; **149**: 999–1010
- Potts NL, Davidson JR, Krishnan KR et al. Magnetic resonance imaging in social phobia. *Psychiatry Res* 1994; **52**: 35–42.
- Raleigh MJ, Brammer GL, McGuire MT. Male dominance, serotonergic systems, and the behavioral and physiological effects of drugs in vervet monkeys (*Cercopithecus aethiops sabaeus*). In: Miczek KA, ed. *Ethopharmacology: Primate Models of Neuropsychiatric Disorders*. New York: Alan R Liss, 1983.
- Raleigh MJ, Brammer GL, McGuire MT et al. Dominant social status facilitates the behavioral effects of serotonergic agonist. *Brain Res* 1985; **348**: 274–82.
- Raleigh MJ, McGuire MT, Brammer GL et al. Social and environmental influences on blood serotonin concentrations in monkeys. *Arch Gen Psychiatry* 1984; **41**: 405–10.
- Ramboz S, Oosting R, Amara DA et al. Serotonin receptor 1A knockout: an animal model of anxiety-related disorder. *Proc Natl Acad Sci USA* 1998; **95**: 14476–81.
- Rapoport JL, Ryland DH, Kriete M. Drug treatment of canine acral lick. *Arch Gen Psychiatry* 1992; **48**: 517–21.
- Rauch SL, Baxter LRJ. Neuroimaging in obsessive-compulsive disorder and related disorders. In: Jenicke MA, Baer L, Minichiello WE eds. *Obsessive-Compulsive Disorders: Practical Management*, 3rd edn. St Louis, MI: Mosby, 1998.



Rauch SL, Savage CR, Alpert NM et al. Probing striatal function in obsessive compulsive disorder: a PET study of implicit sequence learning. *J Neurosci* 1997a; **9**: 568–73.

Rauch SL, Savage CR, Alpert NM et al. The functional neuroanatomy of anxiety: a study of three disorders using positron emission tomography and symptom provocation. *Biol Psychiatry* 1997b; **42**: 446–52.

Rauch SL, Shin LM, Whalen PJ et al. Neuroimaging and the neuroanatomy of posttraumatic stress disorder. *CNS Spectrums* 1998; **3**: 31–41.

Rauch SL, van der Kolk BA, Fisler RE et al. A symptom provocation study of posttraumatic stress disorder using positron emission tomography and script-driven imagery. *Arch Gen Psychiatry* 1996; **53**: 380–7.

Reber AS. *Implicit Learning and Tacit Knowledge: an Essay on the Cognitive Unconscious*. New York: Oxford University Press, 1993.

Reiman EM, Fusselman MJ, Fox PT et al. Neuroanatomical correlates of anticipatory anxiety. *Science* 1989a; **243**: 1071–4.

Reiman EM, Raichle ME, Robins E et al. The application of positron emission tomography to the study of panic disorder. *Am J Psychiatry* 1986; **143**: 469–77.

Reiman EM, Raichle ME, Robins E et al. Neuroanatomical correlates of a lactate-induced anxiety attack. *Arch Gen Psychiatry* 1989b; **46**: 493–500.

Rickels K, Rynn MA. What is generalized anxiety disorder? *J Clin Psychiatry* 2001; **62S11**: 4–12.

Robins LN, Helzer JE, Weissman MM et al. Lifetime prevalence of specific psychiatric disorders in three sites. *Arch Gen Psychiatry* 1984; **41**: 949–58.

Robins TW, Brown VJ. The role of the striatum in the mental chronometry of action: a theoretical review. *Rev Neurosci* 1990; **2**: 181–213.



- Robinson RG, Kubos KL, Starr LB et al. Mood disorders in stroke patients: importance of location of lesion. *Brain* 1984; **107**: 81–93.
- Rolls ET. A theory of emotion, and its application to understanding the neural basis of emotion. *Cognition Emotion* 1990; **4**: 161–90.
- Rob-Bryne PP, Katon W. Generalized anxiety disorder in primary care. The precursor/modifier pathway to increased health care utilization. *J Clin Psychiatry* 1997; **58**(Suppl.3): 34–8.
- Roy-Byrne PP, Stang P, Wittchen H-U et al. Lifetime panic-depression comorbidity in the National Comorbidity Survey. *Br J Psychiatry* 2000; **176**: 229–35.
- Saint-Cyr JA, Taylor AE, Nicholson K. Behavior and the basal ganglia. In: Weiner WJ, Lang AE, eds. *Behavioral Neurology of Movement Disorders*. New York: Raven Press, 1995.
- Salloway S, Malloy P, Cummings JL. *The Neuropsychiatry of Limbic and Subcortical Disorders*. Washington, DC: American Psychiatric Press, 1997.
- Sanchez MM, Ladd CO, Plotsky PM. Early adverse experience as a developmental risk factor for later psychopathology: evidence from rodent and primate models. *Dev Psychopathology* 2001; **13**: 419–49.
- Sapolsky RM. Glucocorticoids and hippocampal atrophy in neuropsychiatric disorders. *Arch Gen Psychiatry* 2000; **57**: 925–35.
- Sargent PA, Kjaer KH, Bench CJ et al. Brain serotonin  $1A$  receptor binding measured by positron emission tomography with [ $^{11}C$ ]WAY-100635: effects of depression and antidepressant treatment. *Arch Gen Psychiatry* 2000; **57**: 174–180.
- Schneider F, Weiss U, Kessler C et al. Subcortical correlates of differential classical conditioning of aversive emotional reactions in social phobia. *Biol Psychiatry* 1999; **45**: 863–71.
- Schneier FR, Johnson J, Hornig CD et al. Social phobia: comorbidity and morbidity in an epidemiological sample. *Arch Gen Psychiatry* 1992; **49**: 282–8.



Seedat S, Stein DJ, Warwick J et al. Single photon emission computed tomography before and after treatment with the selective serotonin reuptake inhibitor citalopram. *Int J Neuropsychopharmacol* 2000; **2S**: 378.

Segal ZV, Williams JM, Teasdale JD, Gemar M. A cognitive science perspective on kindling and episode sensitization in recurrent affective disorder. *Psychol Med* 1996; **26**: 371–80.

Shear MK. Factors in the etiology and pathogenesis of panic disorder: revisiting the attachment separation paradigm. *Am J Psychiatry* 1996; **153**: 125–35.

Sobin C, Sackheim HA. Psychomotor symptoms of depression. *Am J Psychiatry* 1997; **154**: 4–17.

Soubrie P. Reconciling the role of central serotonin neurones in human and animal behavior. *Behav Brain Sci* 1986; **9**: 319–64.

Stahl SM. Mechanism of action of serotonin selective reuptake inhibitors: serotonin receptors and pathways mediate therapeutic effects and side effects. *J Affective Disord* 1998; **51**: 215–35.

Staley JK, Malison RT, Innis RB. Imaging of the serotonergic system: interactions of neuroanatomical and functional abnormalities of depression. *Biol Psychiatry* 1998; **44**: 534–49.

Stein DJ. Single photon emission computed tomography of the brain with tc-99m HMPAO during sumatriptan challenge in obsessive-compulsive disorder: investigating the functional role of the serotonin auto-receptor. *Prog Neuropsychopharmacol Biol Psychiatry* 1999; **23**: 1079–99.

Stein DJ. The neurobiology of evil: psychiatric perspectives on perpetrators. *Eth Health* 2000; **5**: 305–15.

Stein DJ. Comorbidity in generalized anxiety disorder: impact and implications. *J Clin Psychiatry* 2001a; **62S**: 29–36.

Stein DJ. Neurobiology of the obsessive-compulsive spectrum of disorders. *Biol Psychiatry* 2001b; **47**: 296–304.

Stein DJ, Bouwer C. A neuro-evolutionary approach to the anxiety disorders. *J Anx Disord* 1997a; **11**: 409–29.



- Stein DJ, Bouwer C. Blushing and social phobia: a neuroethological speculation. *Med Hypotheses* 1997b; **49**: 101–8.
- Stein DJ, Hollander E. Impulsive aggression and obsessive-compulsive disorder. *Psych Annals* 1993; **23**: 389–95.
- Stein DJ, Hollander E, Cohen L. Neuropsychiatry of obsessive-compulsive disorder. In: Hollander E, Zohar J, Marazziti D, Olivier B, eds. *Current Insights in Obsessive-Compulsive Disorder*. Chichester: Wiley, 1994.
- Stein DJ, Hollander E, Liebowitz MR. Neurobiology of impulsivity and impulse control disorders. *J Neuropsychiatry Clin Neurosci* 1993; **5**: 9–17.
- Stein DJ, Liu Y, Shapira NA et al. The psychobiology of obsessive-compulsive disorder: how important is the role of disgust? *Curr Psychiatry Reports* 2001; **3**: 281–7.
- Stein DJ, O'Sullivan R, Hollander E. Neurobiology of trichotillomania. In: Stein DJ, Christenson GA, Hollander E, eds. *Trichotillomania*. Washington, DC: American Psychiatric Press, 1999a.
- Stein DJ, Rapoport JL. Cross-cultural studies and obsessive-compulsive disorder. *CNS Spectrums* 1996; **1**: 42–6.
- Stein DJ, Seedat S, Potocnik F. Hoarding: a review. *Israel J Psychiatry* 1999b; **36**: 35–46.
- Stein DJ, Shoulberg N, Helton K et al. The neuroethological model of obsessive-compulsive disorder. *Compr Psychiatry* 1992; **33**: 274–81.
- Stein DJ, Stone MH. *Essential Papers on Obsessive-Compulsive Disorders*. New York: New York University Press, 1997.
- Stein DJ, Westenberg H, Liebowitz MR. Social anxiety disorder and generalized anxiety disorder: serotonergic and dopaminergic neurocircuitry. *J Clin Psychiatry* 2002; **63**(Suppl.) 12–9.
- Stein DJ, Zungu-Dirwayi N, van der Linden GJ et al. Pharmacotherapy for posttraumatic stress disorder. *Cochrane Database of Systematic Reviews* 2000; **4**: CD002795:



Stein MB, Chartier MJ, Kozak. Genetic linkage to the serotonin transporter protein and 5HT2A receptor genes excluded in generalized social phobia. *Psychiatry Res* 1998; **81**: 283–91.

Stein MB, Delaney SM, Chartier MJ. Platelet [3H]-paroxetine binding in social phobia: comparison to patients with panic disorder and healthy volunteers. *Biol Psychiatry* 1995; **37**: 224–8.

Stern E, Silbersweig DA, Chee K-Y et al. A functional neuroanatomy of tics in Tourette's syndrome. *Arch Gen Psychiatry* 2000; **57**: 741–8.

Stevens A, Price J. *Evolutionary Psychiatry: a New Beginning*. London: Routledge, 1996.

Swedo SE, Leonard HL, Garvey M et al. Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections: clinical description of the first 50 cases. *Am J Psychiatry* 1998; **155**: 264–71.

Tancer ME, Mailman RB, Stein MB et al. Neuroendocrine sensitivity to monoaminergic system probes in generalized social phobia. *Anxiety* 1994; **1**: 216–23.

Tauscher J, Bagby RM, Javanmard M et al. Inverse relationship between serotonin 5-HT1A receptor binding and anxiety: a [<sup>11</sup>C]WAY-100653 PET investigation in healthy volunteers. *Am J Psychiatry* 2001; **158**: 1326–8.

Thoren P, Asberg M, Bertilsson L. Clomipramine treatment of obsessive-compulsive disorder. II. Biochemical aspects. *Arch Gen Psychiatry* 1980; **37**: 1289–94.

Tiihonen JF, Kuikka J, Rasanen P et al. Cerebral benzodiazepine receptor binding and distribution in generalized anxiety disorder: a fractal analysis. *Mol Psychiatry* 1997; **2**: 463–71.

Tillfors M, Furmack T, Marteinsdottir I et al. Cerebral blood flow in subjects with social phobia during stressful speaking tasks: a PET study. *Am J Psychiatry* 2001; **158**: 1220–6.

Torgersen S. Comorbidity of major depression and anxiety disorders in twin pairs. *Am J Psychiatry* 1990; **147**: 1199–202.



Tupler LA, Davidson JRT, Smith RD et al. A repeat proton magnetic resonance spectroscopy study in social phobia. *Biol Psychiatry* 1997; **42**: 419–24.

Twain M. *Following the Equator*, Vol. I. New York: Harper and Brothers, 1897.

van der Linden G, van Heerden B, Warwick J et al. Functional brain imaging and pharmacotherapy in social phobia: single photon emission tomography before and after treatment with the selective serotonin reuptake inhibitor citalopram. *Prog Neuropsychopharmacol Biol Psychiatry* 1999; **24**: 419–38.

van der Linden GJH, Stein DJ, van Balkom AJLM. The efficacy of the selective serotonin reuptake inhibitors for social anxiety disorder (social phobia): a meta-analysis of randomized controlled trials. *Int Clin Psychopharmacol* 2000; **15S2**: 15–24.

van Praag HM. Inflationary tendencies in judging the yield of depression research. *Neuropsychobiol* 1998; **37**: 130–41.

Videbach P. PET measurements of brain glucose metabolism and blood flow in major depressive disorder: a critical review. *Acta Psychiatr Scand* 2000; **101**: 11–20.

Vythilingam M, Anderson ER, Goddard A et al. Temporal lobe volume in panic disorder - a quantitative magnetic resonance imaging study. *Psychiatry Res* 2000; **99**: 75–82.

Wang PW, Ketter TA. Biology and recent brain imaging studies in affective psychoses. *Curr Psychiatry Reports* 2000; **2**: 298–304.

Weissman MM, Bland RC, Canino GJ et al. The cross national epidemiology of obsessive compulsive disorder. *J Clin Psychiatry* 1994; **55S**: 5–10.

Weissman MM, Bland RC, Canino GJ et al. The cross-national epidemiology of social phobia: a preliminary report. *Int Clin Psychopharmacol* 1996; **11S**: 9–14.

Wu JC, Buchsbaum MS, Hershey TG et al. PET in generalized anxiety disorder. *Biol Psychiatry* 1991; **29**: 1181–99.



Yehuda R. *Risk Factors for Posttraumatic Stress Disorder*. Washington, DC: American Psychiatric Press, 1999.

Yehuda R, McFarlane AC. Conflict between current knowledge about posttraumatic stress disorder and its original conceptual basis. *Am J Psychiatry* 1995; **152**: 1705–13.

Young GB, Chandarana PC, Blume WT et al. Mesial temporal lobe seizures presenting as anxiety disorders. *J Neuropsychiatry Clin Neurosci* 1995; **7**: 352–7.

Zald DH, Kim SW. Anatomy and function of the orbital frontal cortex, I: anatomy, neurocircuitry, and obsessive-compulsive disorder. *J Neuropsychiatry Clin Neurosci* 1996; **8**: 125–38.

Zohar J, Insel TR, Zohar-Kadouch RC. Serotonergic responsivity in obsessive-compulsive disorder: effects of chronic clomipramine treatment. *Arch Gen Psychiatry* 1988; **45**: 167–72.