

LITERATURA

A review of developmental defects of enamel index (DDE index). Commission on Oral Health, Research & Epidemiology. Report FDI Working Group. *Int Dent J* 1992; 42: 411–426.

Adewumi AO, Horton C, Guelma M, et al. Parental perception vs. professional assessment of speech changes following premature loss of maxillary primary incisors. *Pediatr Dent* 2012; 34: 295–299.

American Academy of Pediatric Dentistry. Definition of early childhood caries (ECC). *Pediatr Dent* 2008; 30: 13.

Andreasen JO, Andreasen FM, Andersson L. Textbook and color atlas of traumatic injuries to the teeth. 5th ed. New York: John Wiley 2018.

Andrik P. Čelustná ortopédia. Učebnica pre lekárske fakulty. Martin: Osveta 1970.

Bauer WH. Effect of periapical processes of deciduous teeth on the buds of permanent teeth. *Am J Orthod Oral Surg* 1946; 32: 232–241.

Becker A. Orthodontic treatment of impacted teeth. 3rd ed. New York: Wiley-Blackwell 2012.

Bhujel N, Duggal MS, Saini P, Day PF. The effect of premature extraction of primary teeth on the subsequent need for orthodontic treatment. *Eur Arch Paediatr Dent* 2016; 17: 423–434.

Bhushan BA, Garg S, Sharma D, Jain M. Esthetic and endosurgical management of Turner's hypoplasia, a sequelae of trauma to developing tooth germ. *J Ind Soc Ped Prev Dent* 2008; 26: 121–124.

Bjerklin K, Kurol J, Paulin G. Ectopic eruption of maxillary first permanent molars in children with cleft lip and/or palate. *Eur J Orthod* 1993; 15: 535–540.

Bjerklin K, Kurol J. Ectopic eruption of the maxillary first permanent molars. Etiologic factors. *Am J Orthod* 1983; 84: 147–155.

Borum MK, Andreasen JO. Sequelae of trauma to primary maxillary incisors I. Complications in the primary dentition. *Endod Dent Traumatol* 1998; 14: 31–44.

Breakspear EK. Further observations on early loss of deciduous molars. *Dent Pract Bristol* 1961; 11: 233–252.

Brookshear JG. Informatika. Brno: Computer Press 2013.

- Broukal Z, Ivančaková R, Lenčová E. Přírůstek kazu v dočasném chrupu a některé korelace v longitudinální studii. *Čes Stomat* 2009; 109: 25–29.
- Broukal Z. Prenatální a perinatální mikrobiální profylaxe zubního kazu. *Lék Listy (Příl Zdrav novin)* 2006; 14: 7–9.
- Cameron AC, Widmer RP. *Handbook of pediatric dentistry*. 3rd ed. New York: Elsevier-Mosby 2009: 347–350.
- Clarkson J, O'Mullane D. A modified DDE index for use in epidemiological studies of enamel defects. *J Dent Res* 1989; 68: 445–450.
- Clinch LM. A longitudinal study of the results of premature loss of deciduous teeth between 3–4 and 13–14 years of age. *Dent Pract Dent Rec* 1959; 9: 109–128.
- Corrêa-Faria P, Paixão-Gonçalves S, Paiva SM, et al. Association between developmental defects of enamel and early childhood caries: a cross-sectional study. *Int J Paediatr Dent* 2015; 25: 103–109.
- Cui L, Li X, Tian Y, Bao J, et al. Breastfeeding and early childhood caries: a meta-analysis of observational studies. *Asia Pac J Clin Nutr* 2017; 26: 867–880.
- Davey KW. Effect of premature loss of deciduous molar on anterioposterior position of maxillary first permanent molars and other maxillary teeth. *J Can Dent Assoc* 1966; 32: 406–416.
- De Grauwe A, Aps JKM, Martens LC. Early childhood caries (ECC). What is in a name? *Eur J Paediatr Dent* 2004; 5: 63–70.
- Demirjian A, Goldstein H, Tanner JM. A new system of dental age assessment. *Hum Biol* 1973; 45: 211–227.
- Dietrich G, Sperling S, Hetzer G. Molar incisor hypomineralisation in a group of children and adolescents living in Dresden (Germany). *Eur J Paediatr Dent* 2003; 4: 133–137.
- Duncan HF, Bjorndal L, van der Sluis L, et al. Third European Society of Endodontology (ESE) research meeting: ACTA, Amsterdam, The Netherlands, 26th October 2018. Deep caries and the exposed pulp: current and emerging therapeutic perspectives. *Int Endod J* 2019; 52: 135–138.
- Ericson S, Kurol J. Early treatment of palatally erupting maxillary canines by extraction of the primary canines. *Eur J Orthodont* 1988; 10: 283–295.
- Fanning EA. Effect of extraction of deciduous molars on the formation and eruption of their successors. *Angle Orthod* 1962; 32: 44–53.
- Fédération Dentaire Internationale (FDI). An epidemiological index of developmental defects of dental enamel (DDE index). Commission on Oral Health, Research and Epidemiology. *Int Dent J* 1982; 32: 159–167.
- Feitosa S, Coalres V, Pinkham J. The psychosocial effects of severe caries in 4-year-old children in Recife, Pernambuco, Brazil. *Cad saude Publica* 2005; 21: 1550–1556.
- Fialová S, Nováková K. *Vybrané kapitoly z pedostomatologie*. Olomouc: Univerzita Palackého 2000.
- Fleischmannová J, Krejčí P, Matalová E, Míšek I. Molekulární podstata vývoje zubních zárodků. *Ortodoncie* 2007; 16: 39–46.
- Gussy MG, Walters EG, Walsh O, Kilpatric NM. Early childhood caries: current evidence for etiology and prevention. *J Pediatr Child Health* 2006; 42: 37–42.

- Helm S, Siersback-Nielsen S. Crowding in the permanent dentition after early loss of deciduous molars or canines. *Europ Orthod Soc Trans* 1973; 137–149.
- Hess L. Sedace dospělých a dětí ve stomatologii. Praha: BrainTeam 2020.
- Hitchin AD. The impacted maxillary canine. *Brit Dent J* 1956; 100: 1–4.
- Hoffding J, Kisling E. Premature loss of primary teeth I. Its overall effect on occlusion and space in the permanent dentition. *ASDC J Dent Child* 1978; 45: 279–283.
- Holan G, Needleman HL. Premature loss of primary anterior teeth due to trauma – potential short- and long-term sequelae. *Dent Traumatol* 2014; 30: 100–106.
- Horowitz AM. Response to Weinstein. Public health issues in early childhood caries. *Community Dent Oral Epidemiol* 1998; 26(Suppl 1): 91–95.
- Innes NP, Frencken JE, Bjorndal L, et al. Managing carious lesions: consensus recommendations on terminology. *Adv Dent Res* 2016; 28: 49–57.
- Ismail AL, Sohn W. A systemic review of clinical diagnostic criteria of early childhood caries. *J Public Health Dent* 1999; 59: 171–191.
- Ivančáková R, Broukal Z, Lenčová E, Mrklas L. Longitudinální studie orálního zdraví předškolních dětí – výsledky vstupního klinického vyšetření. *Čes Stomat* 2007; 107: 113–116.
- Jälevik B. Prevalence and diagnosis of molar-incisor-hypomineralisation (MIH). A systematic review. *Eur Arch Paediatr Dent* 2010; 11: 59–64.
- Kaklamanos EG, Lazaridou D, Tsiantou D, et al. Dental arch spatial changes after premature loss of first primary molars: a systematic review of controlled studies. *Odontology* 2017; 105: 364–374.
- Kamínek M, Nováková K. Indikace mezerníků po ztrátách dočasných a stálých zubů. *Prakt Zub Lék* 1991; 40: 150–154.
- Kamínek M. *Ortodoncie*. 2. vyd. Praha: Galén 2021.
- Kessler HE. The relationship of dentistry to speech. *J Amer Dent Assoc* 1954; 48: 44–49.
- Killian J. *Základy preventivní stomatologie*. Praha: Galén-Karolinum 1996.
- Koberová Ivančáková R, Merglová V. *Dětské zubní lékařství*. Praha: Advertis Group 2014.
- Kohn SI. Space maintenance. *Dent Clin North Am* 1961; 21: 703–771.
- Komínek J, Rozkocová E. Metoda určování zubního věku a její význam pro praxi. In: *Pokroky ve stomatologii 2*. Praha: Avicenum 1984: 175–208.
- Korf SR. The eruption of permanent central incisors following premature loss of their antecedens. *ASDC J Dent Child* 1965; 32: 39–44.
- Koťová M. *Ortodontický průvodce praktického zubního lékaře*. Praha: Grada Publishing 2006.
- Laing E, Ashley P, Naini FB, Gill DS. Space maintenance. *Int J Pediatr Dent* 2009; 19: 155–162.
- Lamberghini FL, Kaste LM, Fadavi S, et al. An association of premature loss of primary maxillary incisors with speech production of bilingual children. *Pediatr Dent* 2012; 34: 307–311.
- Lin YT, Chang LC. Space changes after premature loss of the mandibular primary first molar: a longitudinal study. *J Clin Pediatr Dent* 1998; 22: 311–316.

- Lin YT, Lin WH, Lin YT. Twelve-month space changes after premature loss of a primary maxillary first molar. *Int J Paediatr Dent* 2011; 21: 161–166.
- Lo ECM, Zheng CG, King NM. Relationship between the presence of demarcated opacities and hypoplasia in permanent teeth and caries in their primary predecessors. *Caries Res* 2003; 37: 456–461.
- Ludwig KH, Fontana M, Vinson LA, et al. The success of stainless steel crowns placed with the Hall technique: a retrospective study. *J Am Dent Assoc* 2014; 145: 1248–1253.
- Magnússon TE. The effect of premature loss of deciduous teeth on the spacing of the permanent dentition. *Eur J Orthod* 1979; 1: 243–249.
- Maltz M, Garcia R, Jardim JJ, et al. Randomized trial of partial vs. stepwise caries removal: 3-year follow-up. *J Dent Res* 2012; 91: 1026–1031.
- Marks jr SC, Schroeder HE. Tooth eruption: theories and facts. *Anat Rec* 1996; 245: 374–393.
- Masumo R, Barsden A, Nordrehaug Astrom A. Developmental defects of enamel in primary teeth and association with early life course events: a study of 6–36 month old children in Manyara, Tanzania. *BMC Oral Health* 2013; 13: 21.
- Mathu-Muju K, Wright JT. Diagnosis and treatment of molar incisor hypomineralisation. *Compend Contin Educ Dent* 2006; 27: 604–610.
- McDonald RE, Avery DR, Dean JA. Managing the developing occlusion. In: McDonald RE, Avery DR, Dean JA, eds. *McDonald and Avery's dentistry for the child and adolescent*. 9th ed. Maryland Heights, Mo: Mosby-Elsevier 2011.
- Merglová V, Ivančaková R. Vývojové a získané poruchy zubů a tvrdých zubních tkání. Praha: Havlíček Brain Team 2011.
- Merglová V, Ivančaková R. Zubní kaz a jeho prevence v časném dětském věku. Praha: Havlíček Brain Team 2009.
- Milnes AR. Description and epidemiology of nursing caries. *J Public Health Dent* 1996; 56: 38–50.
- Míšová E. Kaz raného dětství a jeho následky na stálém chrupu. (Disertační práce) Olomouc: Univerzita Palackého 2015.
- Monse B, Heinrich-Weltzien R, Benzian H, et al. PUFA – an index of clinical consequences of untreated dental caries. *Community Dent Oral Epidemiol* 2010; 38: 77–82.
- Morningstar CH. Effect of infection of the deciduous molar on the permanent tooth germ. *J Am Dent Assoc* 1937; 24: 786–791.
- Newcomb MR. Recognition and interception of aberrant canine eruption. *Angle Orthodont* 1959; 29: 161–168.
- Nolla C. The development of the permanent teeth. *J Dent Child* 1960; 27: 254–266.
- Oliveira AF, Chaves AM, Rosenblatt A. The influence of enamel defects on the development of early childhood caries in population with low socioeconomic status: a longitudinal study. *Caries Res* 2006; 40: 296–302.
- Owen D. The incidence and nature of space closure following the premature extraction of deciduous teeth. A literature survey. *Am J Orthod* 1971; 59: 37–49.
- Pelouch R. Profylaxe infekční endokarditidy. *Interv Akut Kardiolog* 2011; 10: 170–174.

- Příbyl M, Žižka R, Mounajjed R. Jak úspěšně napravit neúspěch. *Test* 29. LKS 2020; 30: 66–71.
- Reisine ST, Poster W. Socioeconomic status and selected behavioral determinants as risk factors for dental caries. *J Dent Educ* 2001; 65: 1009–1016.
- Ricketts D, Lamont T, Innes NP, et al. Operative caries management in adults and children. *Cochrane Database Syst Rev* 2013;3: CD003808.
- Richardson ME. The relationship between the relative amount of space present in the deciduous dental arch and the rate and degree of space closure subsequent to extraction of a deciduous molar. *Dent Pract Dent Rec* 1965; 16: 111–118.
- Robles MJ, Ruiz M, Bravo-Perez M, et al. Prevalence of enamel defects in primary and permanent teeth in a group of schoolchildren from Granada (Spain). *Med Oral Patol Oral Cir Bucal* 2013; 18: e187–e193.
- Rönnerman A. Early extraction of deciduous molars and canines. *Trans Eur Orthod Soc* 1965; 153–168.
- Rozkovcová E, Marková M, Mrklas L. Nové přístupy k problematice třetího moláru. *Čes Stomat* 2005; 105: 119–128.
- Schiere FR, Frankl SN. The effect of deciduous tooth infection on permanent teeth. *Dent Prog (Chicago)* 1961; 2: 59–64.
- Schroth RJ, Dahl PR, Haque M, Kliwer E. Early childhood caries among Hutterite preschool children in Manitoba, Canada. *Rural Remote Health* 2010; 10: 1535.
- Schwendicke F, Frencken JE, Bjorndal L, et al. Managing carious lesions: consensus recommendations on carious tissue removal. *Adv Dent Res* 2016; 28: 58–67.
- Schwendicke F, Meyer-Lueckel H, Dorfer C, Paris S. Failure of incompletely excavated teeth – a systematic review. *J Dent* 2013; 41: 569–580.
- Soviero V, Haubek D, Trindade C, et al. Prevalence and distribution of demarcated opacities and their sequelae in permanent 1st molars and incisors in 7 to 13-year-old Brazilian children. *Acta Odontol Scand* 2009; 67: 170–175.
- Středa L, Beer J. *Telemedicína a koronavirus*. Praha: AFP Global 2020.
- Středa L, Hána K. *eHealth a telemedicína*. Praha: Grada Publishing 2016.
- Subtelny JD, Mestre JC, Subtelny JD. Comparative study of normal and defective articulation of /s/ as related to malocclusion and deglutition. *J Speech Hear Disord* 1964; 29: 269–285.
- Šedý J. *Kompendium stomatologie II*. Praha: Triton 2017.
- Thilander B, Jakobsson SO. Local factors in impaction of maxillary canines. *Acta Odontol Scand* 1968; 26: 145–168.
- Tinanoff N, Reisine S. Update on early childhood caries since the Surgeon General's Report. *Acad Pediatr* 2009; 9: 396–403.
- Toumba KJ. Guidelines on the use of fluoride for caries prevention in children: an updated EAPD policy document. *Eur Arch Paediatr Dent* 2019; 20(6): 507–516.
- Tunison W, Flores-Mir C, Elbadrawy H, et al. Dental arch space changes following loss of primary first molars. A systematic review. *Pediatr Dent* 2008; 30: 297–302.
- Turner JG. Effects of abscess arising from temporary teeth. *Br J Dent Sci* 1906; 49: 562–564.

Ungar AL. Incidence and effects of premature loss of deciduous teeth. *Int J Orthod* 1938; 24: 613–621.

Vadiakas G. Case definition, aetiology and risk assessment of early childhood caries. A revisited review. *Eur Arch Pediatr Dent* 2008; 9: 114–125.

Van der Linden FPGM. Development of the human dentition. Hanover Park, IL: Quintessence 2013.

Vello MA, Martinez-Costa C, Catala M, et al. Prenatal and neonatal risk factors for the development of enamel defects in low birth weight children. *Oral Dis* 2010; 16: 257–262.

Wan AK, Seow WK, Purdie DM, et al. A longitudinal study of *Streptococcus mutans* colonisation in infants after tooth eruption. *J Dent* 2005; 82: 504–508.

Zhou Y, Yang JL, Lo EC, Lin HC. The contribution of life course determinants to early childhood caries: a 2-year cohort study. *Caries Res* 2012; 46: 87–94.