

Seznam literatury

1. Abdallah, M., Wehbe, M. R., Elias, E., Kutoubi, M. A., Sfeir, R. (2016). Pectoralis Minor Syndrome: Case Presentation and Review of the Literature. *Case Reports in Surgery*, 2016, 1–3.
2. Adamec, O. (2005). Plochá noha v dětském věku – diagnostika a terapie. *Pediatrie pro praxi*, 4, 194–196.
3. Ajimsha, M. S., Al-Mudahka, N. R., Al-Madzhar, J. A. (2013). Effectiveness of myofascial release: Systematic review of randomized controlled trials. *Journal of Bodywork & Movement Therapies*, 19, 102–112.
4. Armijo-Olivo, S. (2017). A new paradigm shift in musculoskeletal rehabilitation: why we should exercise the brain? *Brazilian Journal of Physical Therapy*, 90, 1–2.
5. Asavasopon, S. (2017). Chronification of low back pain: getting to the spine of the problem. *Brazilian Journal of Physical Therapy*, 88, 1–6. DOI.org/10.1016/j.bjpt.2017.11.001.
6. Balkó, I., Kabešová, H., Balkó, Š., Kohlíková, E. (2014). Příčiny kloubové hypermobility a její vztah ke sportovní činnosti. *Česká Kinantropologie*, 18, 26–35.
7. Blyth, F. M., Noguchi, N. (2017). Chronic musculoskeletal pain and its impact on older people. *Best Practice & Research Clinical Rheumatology*, 31, 160–168.
8. Calta, J. (2014). Anamnéza u postižení hybného systému se zvláštním zaměřením na myoskeletální, zejména vertebrogenní problematiku. *Rehabil. fyz. Lék.*, 21(3), 124–129.
9. Carayannopoulos, N. L., Olson, S., Patel, M. (2017). The Proximal Origin of the Gluteus Maximus: A Cadaveric Study. *Journal of Clinical & Experimental Orthopaedics*, 3(1), 1–5.
10. Chaouachi, A., Padulo, J., Kasmi, S., Othmen, A. B., Chatra, M., Behm, D. G. (2017). Unilateral static and dynamic hamstrings stretching increases contralateral hip flexion range of motion. *Clin Physiol Funct Imaging*, 37, 23–29.
11. Dommerholt, J., Bron, C., Franssen, J. (2006). Myofascial Trigger Points: An Evidence-Informed Review. *The Journal of Manual & Manipulative Therapy*, 14(4), 73–92.
12. Duffield, S. J., Ellis, B. M., Goodson, N., Walker-Bone, K., Conaghan, P. G., Margham, T., Loftis, T. (2017). The contribution of musculoskeletal disorders in multimorbidity: Implications for practice and policy. *Best Practice & Research Clinical Rheumatology*, 31, 129–144.
13. Fuller, R. B., Applewhite, E. J. (1975). *Synergetics: explorations in the geometry of thinking*. New York: Macmillan.
14. Gerwin, R. D., Dommerholt, J., Shah, J. P. (2004). An expansion of Simons' integrated hypothesis of trigger point formation. *Current Pain and Headache Reports*, 8, 468–475.
15. Harris-Hayes, M., Van Dillen, L. R. (2009). The Inter-Tester Reliability of Physical Therapists Classifying Low Back Pain Problems Based on the Movement System Impairment Classification System. *American Academy of Physical Medicine and Rehabilitation*, 1(2), 117–126.
16. Hermachová, H. (1998). Jaké boty? *Rehabil. fyz. Lék.*, 5(1), 29–31.

17. Hermachová, H. (2001). O kožním vnímání, jeho změnách a ovlivnění. *Rehabil. fyz. Lék.*, 8(4), 182–184.
18. Hnizdil, J. et al. (1996). *Léčebné rehabilitační postupy Ludmily Mojžíšové*. Praha: Grada Publishing.
19. Hoepke, H. (1957). *Das Muskelspiel des Menschen*. 4th Ed. Jena: Gustav Fischer Verlag.
20. Hotta, G. H., Santos, A. L., McQuade, K. J., Oliveira, A. S. (2018). Scapular-focused exercise treatment protocol for shoulder impingement symptoms: Three-dimensional scapular kinematic analysis. *Clinical Biomechanics*, 51, 76–81.
21. Jacobs, J. V., Lomond, K. V., Hitt, J. R., DeSarno, M. J., Bunn, J. Y., Henry, S. M. (2016). Effects of low back pain and of stabilization or movement-system-impairment treatments on induced postural responses: A planned secondary analysis of a randomised controlled trial. *Manual Therapy*, 21, 210–219.
22. Janda, V. (1982). *Základy kliniky funkčních (neparetických) hybných poruch: určeno pro rehabilitační pracovníky*. Brno: Ústav pro dalsí vzdělávání středních zdravotnických pracovníků.
23. Janda, V. (1983). On the Concept of Postural Muscles and Posture in Man. *The Australian Journal of Physiotherapy*, 29(3), 83–84.
24. Janda, V. (1986). Some aspects of extracranial causes of facial pain. *J Prosthet Dent.*, 56, 484–487.
25. Janda, V., Vávrová, M. (1992). Senzomotorická stimulace. Základy metodiky proprioceptivního cvičení. *Reabilitácia*, 25(3), 14–34.
26. Janda, V. (1994). Dokumentace analýzy stoje. *Rehabil. fyz. Lék.*, 1, 4–5.
27. Janura, M., Míková, M., Krobot, A., Janurová, E. (2004). Ramenní pletenec z pohledu klasické biomechaniky. *Rehabil. fyz. Lék.*, 1, 33–39.
28. Kapandji, I. A. (1982). *The Physiology of the Joints*. Edinburgh: Churchill Livingstone.
29. Kennedy, E., Albert, M., Nicholson, H. (2017). The fascicular anatomy and peak force capabilities of the sternocleidomastoid muscle. *Surg Radiol Anat*, 39, 629–645.
30. Kim, Y., Yang, H.-R., Lee, J. W., Yoon, L. B. (2014). Effects of the high-power pain threshold ultrasound technique in the elderly with latent myofascial trigger points: A double-blind randomized study. *Journal of Back and Musculoskeletal Rehabilitation*, 27, 17–23.
31. Klímová, J., Fialová, M. (2015). *Proč (a jak) psychosomatika funguje?* Praha: Progressive consulting, v.o.s.
32. Kolář, P. (2001). Systematizace svalových dysbalancí z pohledu vývojové kineziologie. *Rehabilitace a fyzikální lékařství*, 4, 15–164.
33. Kolář, P. et al. (2009). *Rehabilitace v klinické praxi*. Praha: Galén.
34. Králíček, P. (2004). *Úvod do speciální neurofyziologie*. Praha: Univerzita Karlova v Praze – Nakladatelství Karolinum.
35. Kucharczuk-Kopycinska, M., Krajewski, S., Krajewska, M. (2016). Assessment and affects hamstrings contracture on the formation of posture defects in children of preschool age. *Health and Sport*, 6(13), 135–146.
36. Krobot, A. (2004). Variabilita tvaru lopatky a predikce pohybových poruch ramene. *Rehabil. fyz. Lék.*, 2, 67–81.
37. Lautenbacher, S., Peters, J. H., Heesen, M., Scheel, J., Kunz, M. (2017). Age changes in pain perception: A systematic-review and meta-analysis of age effects

- on pain and tolerance thresholds. *Neuroscience and Biobehavioral Reviews*, 75, 104–113.
38. Levin, S. M. (1982). Continuous tension, discontinuous compression: a model for biomechanical support of the body. *The Bulletin of Structural Integration*, 8(1). [online]. [cit. 2017-12-27] Dostupné na: <http://www.biotensegrity.com/resources/1980-address.pdf>.
 39. Levin, S. M. (2005). The Scapula is a Sesamoid Bone. *Journal of Biomechanics*, 38(8), 1733–1734. [online]. [cit. 2017-12-27] Dostupné na: <http://www.biotensegrity.com/resources/scapula-sesamoid-bone.pdf>.
 40. Levin, S. M. (2007). Hang In There!: The Statics and Dynamics of Pelvic Mechanics. [online]. [cit. 2017-12-27] Dostupné na: <http://www.biotensegrity.com/resources/hang-in-there-pelvic-mechanics.pdf>.
 41. Lewit, K. (2003). *Manipulační léčba v myoskeletální medicíně*. 5., přeprac. vyd. Praha: Sdělovací technika ve spolupráci s Českou lékařskou společností J. E. Purkyně.
 42. Lewit, K., Olšanská, Š. (2003). Klinický význam aktivních jizev. *Rehabil. fyz. Lék.*, 4, 129–132.
 43. Lewitová, C.-M. H. (2016). O dospělých nohách. *Umění Fyzioterapie*, 1(2), 5–8.
 44. Liebenson, C. (1996). *Rehabilitation of the Spine. A practitioner's Manual*. 1nd Ed. Philadelphia: Lippincott Williams & Wilkins.
 45. Liebenson, C. (2007). *Rehabilitation of the Spine. A practitioner's Manual*. 2nd Ed. Philadelphia: Lippincott Williams & Wilkins.
 46. Lomond, K. V., Jacobs, J. V., Hitt, J. R., DeSarno, M. J., Bunn, J. Y., Henry, S. M. (2015). Effects of low back pain stabilization or movement system impairment treatments on voluntary postural adjustments: a randomized controlled trial. *The Spine Journal*, 15, 596–606.
 47. Magnusson, S. P., Simonsen, E. B., Aagaard, P., Boesen, J., Johannsen, F., Kjaer, M. (1997). Determinants of musculoskeletal flexibility: viscoelastic properties, cross-sectional area, EMG and stretch tolerance. *Scand J Med Sci Sports*, 7, 195–202.
 48. McKenzie, R., May, S. (2003). *The Lumbar Spine Mechanical Diagnosis & Therapy*. Volume one and volume two. Waikanae, New Zealand: Spinal Publications.
 49. Míková, M., Krobot, A., Janura, M., Janurová, E. (2008). Viskoelasticita pojivové tkáně a manuální terapie. *Reabilitace a fyzičká lékařství*, 15(1), 3–10.
 50. Moral, O. M., LaComba, M. T., Russell, I. J., Mendez, O. S., Sanchez, B. S. (2017). Validity and Reliability of Clinical Examination in the Diagnosis of Myofascial Pain Syndrome and Myofascial Trigger Points in Upper Quarter Muscles. *Pain Medicine*, pnx315. DOI.org/10.1093/pm/pnx315.
 51. Morise, S., Muraki, T., Ishikawa, H., Izumi, S.-I. (2017). Age-Related Changes in Morphology and Function of Scapular Muscles in Asymptomatic People. *PMR*, 9, 892–900.
 52. Netter, F. H. (1996). *Anatomy, Physiology, and Metabolic Disorders*. Volume 8. Musculoskeletal system. Part I. New Jersey: Ciba-Geigy Corporation: Section, Plate.
 53. Netter, F. H. (2005). *Anatomický atlas člověka*. Překlad 3. vydání. Praha: Grada Publishing.
 54. Opavský, J. (2003). *Neurologické vyšetření v rehabilitaci pro fyzioterapeuty*. Olomouc: Univerzita Palackého v Olomouci.

55. Page, P., Frank, C. (2017). The Janda Approach to Chronic Musculoskeletal Pain. [online]. [cit. 2017-12-27]. Dostupné na: http://www.thera-bandacademy.com/elements/Clients/docs/The-Janda-Approach-Musculoskeletal-Pain_011606_151616.pdf.
56. Palastanga, N., Field, D., Soames, R. (1998). Anatomy and human movement, structure and function. 3th Ed. Boston: Butterworth Heinemann.
57. Pavlů, D., Novosadová, K. (2001). Příspěvek k objektivizaci účinku „Metodiky senzomotorické stimulace dle Jandy a Vávrové“ se zřetelem k tzv. evidence-based practice. *Rehabil. fyz. Lék.*, 8(4), 178–181.
58. Pelletier, R., Higgins, J., Bourbonnais, D. (2015). Is neuroplasticity in the central nervous system the missing link to our understanding of chronic musculoskeletal disorders? *BMC Musculoskeletal Disorders*, 16, 25.
59. Pfeiffer, J. (2007). *Neurologie v rehabilitaci – pro studium a praxi*. Praha: Grada Publishing.
60. Poděbradská, R., Poděbradský, J., Urban, J. (2017). Benefity a úskalí kombinované terapie. *Rehabil. fyz. Lék.*, 24(4), 214–217.
61. Poděbradská, R., Šarmírová, M. (2017). Funkční poruchy pohybového systému. *Praktický lékař*, 97(5), 198–201.
62. Poděbradský, J., Poděbradská, R. (2009). *Fyzikální terapie – manuál a algoritmy*. Praha: Grada Publishing, s. 184.
63. Rickards, L. D. (2006). The effectiveness of non-invasive treatments for active myofascial trigger point pain: A systematic review of the literature. *International Journal of Osteopathic Medicine*, 9(4), 120–136.
64. Sahrmann, S., Azevedo, D. C., Van Dillen, L. (2017). Diagnosis and treatment of movement system impairment syndromes. *Brazilian Journal of Physical Therapy*, 21(6), 391–399.
65. Shah, J. P., Danoff, J. V., Desai, M. J., Parikh, S., Nakamura, L. Y., Phillips, T. M., Gerber, L. H. (2008). Biochemicals Associated With Pain and Inflammation are Elevated in Sites Near to and Remote From Active Myofascial Trigger Points. *Arch Phys Med Rehabil*, 89, 16–23.
66. Shahvarpour, A., Henry, S. M., Preuss, R., Mecheri, H., Lariviere, C. (2017). The effect of an 8-week stabilization exercise program on the lumbopelvic rhythm and flexion-relaxation phenomenon. *Clinical Biomechanics*, 48, 1–8.
67. Simons, D. G. (2004). Review of enigmatic MTrPs as a common cause of enigmatic musculoskeletal pain and dysfunction. *J Electromyogr Kinesiol*, 14(1), 95–107.
68. Smith, T. O., Jerman, E., Easton, V., Bacon, H., Armon, K., Poland, F., Macgregor, A. J. (2013) Do people with benign joint hypermobility syndrome (BJHS) have reduced joint proprioception? A systematic review and meta-analysis. *Rheumatol Int*, 33, 2709–2716.
69. Sorensen, C. J., Norton, B. J., Callaghan, J. P., Hwang, C.-T., Van Dillen L. R. (2015). Is lumbar lordosis related to low back pain development during prolonged standing? *Manual Therapy*, 20, 553–557.
70. Stubbs, B., Koyanagi, A., Thompson, T., Veronese, N., Carvalho, A. F., Solomi, M., Mugisha, J., Schofield, P., Cosco, T., Wilson, N., Vancampfort, D. (2016). The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43 low- and middle-income countries. *General Hospital Psychiatry*, 43, 63–70.

71. Sung, W. S., Abraham, M., Plastaras, C., Silfies, S. P. (2015). Trunk motor control deficits in acute and subacute low back pain are not associated with pain or fear of movement. *The Spine Journal*, 15, 1772–1782.
72. Svensson, R. B., Heinemeier, K. M., Couppe, C., Kjaer, M., Magnusson, S. P. (2016). Effect of aging and exercise on the tendon. *J Appl Physiol*, 121(6), 1237–1246.
73. Šidáková, S. (2009). Rehabilitační techniky nejčastěji používané v terapii funkčních poruch pohybového aparátu. *Medicina pro praxi*, 6(6), 331–336.
74. Teraguchi, M., Yoshimura, N., Hashizume, H., Yamada, H., Oka, H., Minamide, A., Nagata, K., Ishimoto, Y., Kagotani, R., Kawaguchi, H., Tanaka, S., Akune, T., Nakamura, K., Muraki, S., Yoshida, M. (2017). Progression, incidence, and risk factors for intervertebral disc degeneration in a longitudinal population-based cohort: the Wakayama Spine Study. *Osteoarthritis and Cartilage*, 25, 1122–1131.
75. Travell, J. G., Simons, D. G. (1983). *Myofascial Pain and Dysfunction*. Volume 1. The Trigger Point Manual. The Upper Extremities. Baltimore: Williams & Wilkins.
76. Travell, J. G., Simons, D. G. (1992). *Myofascial Pain and Dysfunction*. Volume 2. The Trigger Point Manual. The Lower Extremities. Baltimore: Williams & Wilkins.
77. Trojan, S. et al. (1996). *Lékařská fyziologie*. 2. vyd. Praha: Grada Publishing.
78. Vařeka, I., Dvořák, R. (2001). Posturální model řetězení poruch funkce pohybového systému. *Rehab. fyz. Lék.*, 8(1), 33–37.
79. Vařeka, I., Vařeková, R. (2005). Patokineziologie nohy a funkční ortézování. *Rehab. fyz. Lék*, 12(4), 156–166.
80. Vojta, V. (1993). *Mozkové hybné poruchy v kojeneckém věku*. Praha: Grada Publishing.
81. Vojta, V., Peters, A. (2010). *Vojtův princip*. Praha: Grada Publishing.
82. Walco, G. A., Krane, E. J., Schmader, K. E., Weiner, D. K. (2016). Applying a Lifespan Developmental Perspective to Chronic Pain: Pediatrics to Geriatrics. *The Journal of Pain*, 17(9), T108–T117.
83. Webb, T. R., Rajendran, D. (2015). Myofascial techniques: What are their effects on joint range of motion and pain? – A systematic review and meta-analysis of randomised controlled trials.