
16. Seznam literatury

1. Anderson, M., Jordan, J., Morse, A. et al.: *A text and atlas of integrated colposcopy*. London, Chapman and Hall Medical, 1992, s. 235
2. Bauer, J. a kol.: *Obecná a speciální onkologie*. Praha, Anomal, 1993, 1. vydání, s. 204
3. Bethesda System. *The 1988 Bethesda system for reporting cervical/vaginal cytological diagnoses*. *J. Am. Med. Ass.*, 262, 1989, s. 931–934
4. Bonte, J., Vanderstappen, D.: *Hormone replacement therapy and carcinoma of the uterine cervix, vagina and vulva CME* *J. Gynecol. Oncol.*, 1, 1996, 1, s. 32–35
5. Bouda, J.: *Rakovina děložního hrdla v České republice v letech 1977–1988*. *Čs. Gynek.*, 1992, 9 – 10, s. 518–5226
6. Cason, J.: *Review: Perinatal acquisition of cervical cancer-associated papillomaviruses*. *Br. J. Obstet. Gynaecol.*, 103, 1996, s. 853–858
7. Cox, J. T., Schiffman, M. H., Winzelberg, A. J. et al.: *An evaluation of human papillomavirus testing as part of referral to colposcopy clinics*. *Obstet. Gynaecol.*, 80, 1992, s. 389–394
8. Cox, J. T., Lorincz, A. T., Schiffman, M. H. et al.: *Human papillomavirus testing by hybrid capture is useful in triaging women with a cytologic diagnosis of ASCUS*. *Amer. J. Obstet. Gynecol.*, 172, 1995, s. 946–954
9. Cuzick, J., Szarewski, A., Terry, G. et al.: *Human papillomavirus testing in primary cervical screening*. *Lancet*, 345, 1995, s. 1533–1536
10. Cuzick, J., Terry, G., Ho, L. et al.: *Type-specific human papillomavirus DNA in abnormal smears as a predictor of high-grade cervical intraepithelial neoplasia*. *Br. J. Cancer*, 69, 1994, s. 167–171
11. Dey, M. P., Woodman, C. B. J.: *Epidemiology and pathogenesis of cervical cancer*. In: Shingleton, H. M., Fowler Jr., W. C., Jordan, J. A. et al.: *Gynecologic Oncology. Current diagnosis and treatment*. London, Saunders, 1996, s. 1–8

12. Elfgren, K., Bistoletti, P., Dillner, L. et al.: Conization for cervical intraepithelial neoplasia is followed by disappearance of human papillomavirus deoxyribonucleic acid and a decline in serum and cervical mucus antibodies against human papillomavirus antigens. Am. J. Obstet. Gynecol., 174, 1996, s. 937–942
13. Ferenczy, A.: Viral testing for genital human papillomavirus infections: recent progress and clinical potentials. Int. J. Gynecol. Cancer, 5, 1995, s. 321–328
14. Fife, K. H., Rogers, R. E., Zwickl, B. W.: Symptomatic and asymptomatic cervical infections with human papillomavirus during pregnancy. J. Inf. Dis., 156, 1987, 6, s. 904–911
15. Freitag, P., Motlík, K., Tříška, J.: Výskyt papillomavirových lezí hrdla děložního v klinickém materiálu. Čs. Gynek., 54, 1989, 7, s. 552–553
16. Freitag, P., Dražďáková, M., Seidlová, D.: Diagnostika lidských papillomavirů v dolním genitálním traktu detekčním setem ViraPap/ViraType. Čes. Gynek., 60, 1995, 2, s. 87–89
17. Freitag, P.: Infekce HPV v gynekologii. Sborník přednášek ke kursu Venereologie a její perspektiva, Praha, 30. 5.1995
18. Freitag, P., Dražďáková, M., Živný, J.: Prevalence HPV infekce a její histologické korelace. Čes. Gynek., 61, 1996, 3, s. 150–153
19. Freitag, P., Dražďáková, M., Živný, J. : Prevalence of HPV infection and its histological correlations. Abstract book, 9th World congress Cervical pathology and colposcopy, Sydney, Australia, 1996, s. 77
20. Gaarenstroom, K. N., Melkert, P., Walboomers, J. M. M. et al.: Human papillomavirus DNA and genotypes: prognostic factors for progression of cervical intraepithelial neoplasia. Int. J. Gynaecol. Cancer, 4, 1994, s. 73–78
21. Geryk, E., Kolcová, V., Maršík, V. et al.: Vybrané epidemiologické charakteristiky nejčastějších nádorových onemocnění v populaci ČR. Odělení epidemiologie nádorů MOÚ Brno, Brno, červen 1994, s. 194
22. Guidelines for the treatment of venereal diseases and sexually transmitted diseases, as in fall 1992, updated spring 1995. Compiled by the STD study group of the Austrian society of dermatology, s. 24
23. Hagmar, B., Christensen, J. J. P., Johansson, B. et al.: Implications of human papillomavirus type for survival in cervical squamous cell carcinoma. Int. J. Gynecol. Cancer., 5, 1995, s. 341–345
24. Hippeläinen, M. I., Yliskoski, M., Syrjänen, S. et al.: Low concordance of genital human papillomavirus (HPV) lesions and viral types in

- HPV-infected women and their male sexual partners. *Sex. Transm. Dis.*, 21, 1994, 2, s. 76–82
25. Holub, Z., Voráček, J.: K problematice kolposkopické diagnostiky HPV infekce. *Čs. Gynek.*, 55, 1990, 3, s. 200–203
26. Hording, U., Junge, J., Daugaard, S. et al.: Vulvar squamous cell carcinoma and papillomaviruses: indications for two different etiologies. *Gynecol. Oncol.*, 52, 1994, s. 241–246
27. Hording, U.: Human papillomavirus in epithelial neoplasia of the vulva and the uterine cervix. On the prevalence and possible significance of some genital HPV infections. *Acta Obstet. Gynecol. Scand.*, 74, 1995, s. 489–491
28. Howley, P. M.: Role of the human papillomaviruses in human cancer. *Cancer Res. (suppl.)*, 51, 1991, s. 5019–5022
29. Jirásek, J. E.: Histogeneze cervikálních lézí. *Čs. Gynek.*, 55, 1990, 1, s. 41–44
30. Kaňka, J. a spol.: Komplexní ochrana před rakovinou děložního hrdla. 2. vydání, Praha, Avicenum, 1978, s. 256
31. Kaňka, J.: Kolposkopická klasifikace – otázka stále diskutovaná – a kolposkopické nálezy při SPI. *Čs. Gynek.*, 52, 1987, 8, s. 615–618
32. Kaňka, J., Beková, A., Břicháček, B. et al.: Kolposkopická a cytologická diagnostika SPI v konfrontaci s biopsií a hybridizačními testy. *Čs. Gynek.*, 55, 1990, 2, s. 109–113
33. Kaňka, J.: VII. světový kongres O cervikální patologii a kolposkopii, Řím, 13. – 17. května 1990. *Čs. Gynek.*, 56, 1991, 5–6, s. 374–376
34. Kaňka, J., Krčmář, M., Havránková, A. et al.: Korelace klinické a virologické diagnostiky infekce cervixu lidskými papillomaviry. *Čes. Gynek.*, 59, 1994, 2, s. 70–75
35. Kataja, V., Syrjänen, S., Yliskoski, M. et al.: Risk factors associated with cervical human papillomavirus infections: a case control study. *Amer. J. Epidemiol.*, 138, 1993, s. 735–745
36. Kiviat, N.: Natural history of cervical neoplasia: Overview and update. *Am. J. Obstet. Gynecol.*, 175, 1996, 4/2, s. 1099–1104
37. Kobilková, J., Motlík, K.: Doporučený systém pro formulaci cervikovaginálních cytologických diagnóz. *Čs. Gynek.*, 55, 1990, 2, s. 152–156
38. Koss, L. G., Durfee, G. R.: Unusual patterns of squamous epithelium of the uterine cervix: cytologic and pathologic study of koilocytotic atypia. *Ann. NY. Acad. Sci.*, 63, 1956, s. 1245–1261
39. Koss, L. G.: The New Bethesda System for reporting results of smears of the uterine cervix. *J. Natl. Cancer Inst.*, 82, 1990, s. 988–991

40. Koss, L. G.: Management of patients with CIN. Compendium on Diagnostic Cytology, 1992
41. Kotršová, L., Kolář, Z., Tichý, M. et al.: Průkaz a typizace HPV DNA in situ – příspěvek ke zlepšení diagnostiky lézí děložního čípku. Čes. Gynek., 60, 1995, 5, s. 231–234
42. Koutsky, L. A., Galloway, D. A., Holmes, K. K.: Epidemiology of genital human papillomavirus infection. Epid. Rev., 10, 1988, s. 122–163
43. Koutsky, L. A., Holmes, K. K., Critschlow, C. W. et al.: A cohort study of the risk of cervical epithelial neoplasia grade 2 or 3 in relation to papillomavirus infection. New Engl. J. Med., 327, 1992, 18, s. 1272–1278
44. Krčmář, M., Hirsch, I., Kaňka, J. et al.: Přítomnost lidských papillomavirů v nádorech ženského genitálu. Čas. Lék. Čes., 127, 1988, s. 689–693
45. Kudrman, J.: Morfologie předrakovinných stavů cervixu se zřetelem na virové infekce. Čs. Gynek., 54, 1989, 3, s. 230–231
46. Kulhánková, J., Rob, L., Beranová, V. et al.: Skvamózní intraepitelová léze u mladých žen, studujících vysokých škol. Čes. Gynek., 62, 1997, 3, s. 138–142
47. Kurman, R. J. et al.: From Papanicolaou to Bethesda: The rationale for a new cervical cytologic classification. Obstet. Gynecol., 77, 1991, 5, s. 779–782
48. Kurman, R. J., Henson, D. E., Herbst, A. L. et al.: Interim guidelines for management of abnormal cervical cytology. J. Amer. Med. Ass., 271, 1994, s. 1866–1869
49. Letter to the Editors: The Bethesda system for reporting cervical/vaginal diagnoses. Acta Cytol., 34, 1990, s. 902
50. Levine, A. J., Harper, J., Hilborne, L. et al.: HPV DNA and the risk of squamous intraepithelial lesions of the uterine cervix in young women. Amer. J. Clin. Pathol., 100, 1993, s. 6–11
51. Lorincz, A. T., Reed, R.: Association of human papilloma virus with gynecologic cancer. Curr. Opinion Oncol., 1, 1989, s. 123–132
52. Lorincz, A. T., Reid, R., Jenson, A. B. et al.: Human papillomavirus infection of the cervix: relative risk associations of 15 common anogenital types. Obstet. Gynecol., 79, 1992, s. 328–337
53. Meanwell, C. A.: The epidemiology and etiology of cervical cancer. In: Blackledge, G. R. P., Jordan, J. A., Shingleton, H. M.: Textbook of Gynecologic Oncology. London, Saunders, 1991, s. 250–264
54. Meisels, A., Fortin, R.: Condylomatous laesions of the cervix and vagina. I. Cytologic pattern. Acta Cytol., 20, 1976, s. 505

55. Meisels, A.: Human papillomavirus-related changes on the uterine cervix. *Compendium on Diagnostic Cytology*, 1992, s. 70–74
56. Meyer, M. P., Carbonell, R. I., Mausner, N. A. et al.: Detection of human papillomavirus in cervical swab samples by ViraPap and in cervical biopsy specimens by in situ hybridization. *Amer. J. Clin. Pathol.*, 100, 1993, s. 12–17
57. Mittal, R., Tsutsumi, K., Pater, A. et al.: Human papillomavirus type 16 expression in cervical keratinocytes: role of progesterone and glucocorticoid hormones. *Obstet. Gynaecol.*, 81, 1993, 1, s. 5–12
58. Mohamed, E., Piamsomboon, S., Kudelka, A. P. et al.: Novel treatments of cervical cancer. *Intj. Gynecol. Cancer*, 6, 1996, supplement 1, s. 18–27
59. Monsonego, J., Franco, E.: Cervical cancer control. General statements and guidelines. *Eurogin – WHO International Joint Meeting*. WHO Geneva, Switzerland, June 17–19, 1996, Unesco Paris, France, March 24–27, 1997, s. 34
60. Morrison, E. A. B., Ho, G. Y. F., Vermund, S. H. et al.: Human papillomavirus infection and other risk factors for cervical neoplasia: a case-control study. *Int. J. Cancer*, 49, 1991, s. 6 – 13
61. Moscicki, A. B., Palefsky, J., Smith, G. et al.: Variability of human papillomavirus DNA testing in a longitudinal cohort study of young women. *Obstet. Gynaecol.*, 82, 1993, 4/1, s. 578–585
62. Münchner Nomenklatur II für die gynäkologische Zytodiagnostik. *Acta Cytol.*, 34, 1990, 6, s. 900–901
63. National Institute of Health: Consensus development conference statement. Cervical cancer. April 1–3, 1996. Report of the panel. Draft 4. 4.1996
64. Nyklíček, O., Koukal, M., Trebichavský, I.: Postižení děložního čípku lidským papillomavirem. *Čs. Gynek.*, 50, 1985, 2, s. 103–108
65. Nyklíček, O., Koukal, M., Trebichavský, I.: Současný stav poznatků při postižení děložních čípků lidským papillomavirem. *Čs. Gynek.*, 51, 1986, 7, s. 556–561
66. Nyklíček, O.: K systémům pro hodnocení cervikovaginálních cytologických diagnóz. *Čs. Gynek.*, 56, 1991, 9–10, s. 525–527
67. Pakarian, F., Kaye, J., Cason, J. et al.: Cancer associated human papillomaviruses: perinatal transmission and persistance. *Brit. J. Obstet. Gynaecol.*, 101, 1994, s. 514–517
68. Puranen, M., Yliskoski, M., Saarikoski, S. et al.: Vertical transmission of

- human papillomavirus from infected mothers to their newborn babies and persistance of the virus in the childhood. Am. J. Obstet. Gynecol., 174, 1996, s. 694–69
69. Reid, R., Scalzi, P.: Genital warts and cervical cancer. IV. A colposcopic index for differentiating SPI from CIN. Amer. J. Obstet. Gynecol., 149, 1984, s. 815
70. Reid, R., Scalzi, P.: Genital warts and cancer. VII. An improved colposcopic index for differentiating benign papillomaviral infections from high-grade cervical intraepithelial neoplasia. Amer. J. Obstet. Gynecol., 153, 1985, s. 611–618
71. Reid, R., Campion, M. J.: HPV-associated laesions of the cervix: biology and colposcopic features. Clin. Obstet. Gynec., 32, 1989, s. 157–179
72. Reid, R.: Human papillomavirus-associated diseases of the lower genital tract: implications for the laser surgeon. In: Keye, W. R. jr.: Laser surgery in gynecology and obstetrics. 2. vydání, Chicago, Mosby –Year Book, Inc., 1990, s. 46–99
73. Reid, R., Greenberg, M. D., Lorincz, A. et al.: Should cervical cytologic testing be augmented by cervicography or human papillomavirus deoxyribonucleic acid detection? Amer. J. Obstet. Gynecol., 164, 1991, s. 1461
74. Richart, R. M. : Natural history of cervical intraepithelial neoplasia. Clin. Obstet. Gynecol., 10, 1967, s. 748–784
75. Richart, R. M. : A modified terminology for cervical intraepithelial neoplasia. Obstet. Gynecol., 75, 1990, 1, s. 131–133
76. Richart, R. M., Wright, T. C. jr.: Controversies in the management of low-grade cervical intraepithelial neoplasia. Cancer Supplement 71, 1993, s. 1413–1421
77. Rylander, E., Ruusuvaara, L., Almströmer, M. W. et al.: The absence of vaginal human papillomavirus 16 DNA in women who have not experienced sexual intercourse. Obstet. Gynaecol., 83, 1994, 5/1, s. 735–737
78. Saito, K., Saito, A., Fu, Y. S. et al.: Topographic study of cervical condyloma and intraepithelial neoplasia. Cancer, 59, 1987, s. 2064–2070
79. Schiffman, M. H.: Latest HPV findings: Some clinical implications. Contemporary OB/GYN, 38, 1993, s. 27–40
80. Schneider, A., Hotz, M., Gissmann, L.: Increased prevalence of human papillomaviruses in the lower genital tract of pregnant women. Int. J. Cancer, 40, 1987, s. 198–201
81. Sedlacek, T. V., Lindheim, S., Eder, C. et al.: Mechanism for human papillomavirus transmission at birth. Am. J. Obstet. Gynecol., 161, 1989, s. 55–59

82. Sherman, M. E., Schiffman, M. H., Lorincz, A. T. et al.: Toward objective quality assurance in cervical cytopathology: correlation of cytopathologic diagnoses with detection of high-risk human papillomavirus types. *Am. J. Clin. Pathol.*, 102, 1994, s. 182–187
83. Singer, A., Jenkins, D.: Viruses and cervical cancer: Genital virus infections warrant surveillance rather than radical treatment. *Br. Med. J.*, 302, 1991, s. 251–252
84. Smith, E. M., Johnson, S. R., Cripe, T. P. et al.: Perinatal vertical transmission of human papillomavirus and subsequent development of respiratory tract papillomatosis. *Ann. Otol. Rhinol. Laryngol.*, 100, 1991, s. 479–483
85. Stafl, A.: Cervicography: a new method for cervical cancer detection. *Am. J. Obstet. Gynecol.*, 139, 1981, s. 815–825
86. Stafl, A., Wilbanks, G. D.: An international terminology of colposcopy: Report of the nomenclature committee of the international federation of cervical pathology and colposcopy. *Obstet. Gynecol.*, 77, 1991, 2, s. 313–314
87. Stoler, M. H.: A brief synopsis of the role of human papillomaviruses in cervical carcinogenesis. *Am. J. Obstet. Gynecol.*, 175, 1996, 4/2, s. 1091–1098
88. Suchánková, A., Ritterová, L., Krčmář, M. et al.: Comparison of ELISA and Western blotting for human papillomavirus type 16 E7 antibody determination. *J. Gener. Virol.*, 72, 1991, s. 2577–2581
89. Syrjänen, K. J. et al.: Factors associated with progression of cervical human papillomavirus /HPV/ infections into carcinoma in situ during a long term prospective follow-up. *Brit. J. Obstet. Gynecol.*, 95, 1988, s. 1096–110
90. Syrjänen, K. J.: Epidemiology of human papillomavirus /HPV/ infections and their associations with genital squamous cell cancer. *Acta Pathol. Microbiol. Scand.*, 97, 1989, s. 957–970
91. Syrjänen, K. J., Hakama, M., Saarikoski, S. et al.: Prevalence, incidence, and estimated life-time risk of cervical human papillomavirus infections in a nonselected Finnish female population. *Sex. Transm. Dis.*, 17, 1990, s. 15–19
92. The 1988 Bethesda system for reporting cervical/vaginal cytologic diagnoses. *Acta Cytol.*, 33, 1989, 5, s. 567
93. Tweddel, G., Heller, P., Cunnane, M. et al.: The correlation between HIV seropositivity, cervical dysplasia and HPV subtypes 6/11, 16/18, 31/33/35. *Gynecol. Oncol.*, 52, 1994, s. 161–164

94. Viscidi, R. P., Sun, Y., Tsuzaki, B. et al.: Serologic response in human papillomavirus-associated invasive cervical cancer. *Int. J. Cancer*, 55, 1993, s. 780–784
95. Vonka, V., Kaňka, J., Hirsch, I. et al.: Prospective study on the relationship between cervical neoplasia and herpes simplex type-2 virus. II. Herpes simplex type II antibody presence in sera taken at enrollment. *Int. J. Cancer*, 33, 1984, s. 61–66
96. Vonka, V.: Papillomaviry. *Čs. Gynek.*, 54, 1989, 3, s. 226–229
97. Vonka, V., Kaňka, J.: Vulvovaginitidy způsobené papillomaviry. *Moder-
ní gynekologie a porodnictví*, 6, 1996, 2, s. 189–196
98. Vonka, V.: Lidské papillomaviry: jejich role při vzniku lidských nádorů a možnosti vývoje očkovacích látek. *Remedia Klin. Mikrobiol.*, 1997, 1 /7/, s. 206–212
99. von-Knebl-Doeberitz, M.: Papillomaviruses in human disease: Part II. Molecular biology and immunology of papillomavirus infections and carcinogenesis. *Eur. J. Med.*, 1(8), 1992, s. 485–491
100. Wright, T. C., Wei Sun, X., Koulos, J.: Comparison of management algorithms for the evaluation of women with low-grade cytologic abnormalities. *Obstet. Gynecol.*, 85, 1995, s. 202–210
101. Young, L. B., Bevan, I. S., Johnson, M. A. et al.: The polymerase chain reaction: a new epidemiological tool for investigating cervical human papillomavirus infection. *Brit. Med. J.*, 298, 1989, s. 14–18
102. zur Hausen, H.: Condylomata accuminata and human genital cancer. *Cancer Res.*, 36, 1976, s. 794
103. zur Hausen, H.: Papillomaviruses in anogenital cancer as a model to understand the role of viruses in human cancer. *Cancer Res.*, 49, 1989, s. 4677–4681
104. zur Hausen, H.: Human papillomaviruses in the pathogenesis of ano-
genital cancer. *Virology*, 184, 1991, s. 9–13
105. zur Hausen, H.: Viruses in human cancers. *Science*, 254, 1991, s. 1167–
1173
106. zur Hausen, H.: Disrupted dichotomous intracellular control of hu-
man papillomavirus infection of the cervix. *Lancet*, 343, 1994, s. 955–
957