

LITERATURA

1. Ahuja AT, Ying M, Ho SY, et al. Ultrasound of malignant cervical lymph nodes. *Cancer Imaging*. 2008; 8:48–56.
2. Akbaba G, Berker D, Isik S, et al. A comparative study of pre-operative imaging methods in patients with primary hyperparathyroidism: ultrasonography, ^{99m}Tc sestamibi, single photon emission computed tomography, and magnetic resonance imaging. *J Endocrinol Invest*. 2012;35:359–64.
3. Aldinger KA, Samaan NA, Ibanez M, et al. Anaplastic carcinoma of the thyroid: a review of 84 cases of spindle and giant cell carcinoma of the thyroid. *Cancer*. 1978;41:2267–75.
4. Alexander EK, Heering JP, Benson CB, et al. Assessment of nondiagnostic ultrasound-guided fine needle aspirations of thyroid nodules. *J Clin Endocrinol Metab*. 2002;87:4924–7.
5. Alzahrani AS, Ceresini G, Aldasouqi SA. Role of ultrasonography in the differential diagnosis of thyrotoxicosis: a noninvasive, cost-effective, and widely available but underutilized diagnostic tool. *Endocr Pract*. 2012;18:567–78.
6. American Thyroid Association (ATA) Guidelines Taskforce on Thyroid Nodules and Differentiated Thyroid Cancer, Cooper DS, Doherty GM, Haugen BR, et al. Revised American Thyroid Association management guidelines for patients with thyroid nodules and differentiated thyroid cancer. *Thyroid*. 2009;19:1167–214.
7. Anderson L, Middleton WD, Teefey SA, et al. Hashimoto thyroiditis: Part 1, sonographic analysis of the nodular form of Hashimoto thyroiditis. *AJR Am J Roentgenol*. 2010;195:208–15.
8. Anderson L, Middleton WD, Teefey SA, et al. Hashimoto thyroiditis: Part 2, sonographic analysis of benign and malignant nodules in patients with diffuse Hashimoto thyroiditis. *AJR Am J Roentgenol*. 2010;195:216–22.
9. Andrioli M, Carzaniga C, Persani L. Standardized Ultrasound Report for Thyroid Nodules: The Endocrinologist's Viewpoint. *Eur Thyroid J*. 2013; 2:37–48.
10. Bachar G, Goldstein D, Brown D, et al. Solitary extramedullary plasmacytoma of the head and neck—long-term outcome analysis of 68 cases. *Head Neck*. 2008;30:1012–9.
11. Bäckdahl M, Wallin G, Löwhagen T, Auer G, Granberg PO. Fine-needle biopsy cytology and DNA analysis. Their place in the evaluation and treatment of patients with thyroid neoplasms. *Surg Clin North Am*. 1987;67:197–211.
12. Bargren A, Meyer-Rochow G, Sywak M, et al. Diagnostic utility of fine-needle aspiration cytology in pediatric differentiated thyroid cancer. *World J Surg*. 2010;34:1254–60.
13. Bennedbaek FN, Hegedüs L. Treatment of recurrent thyroid cysts with ethanol: a randomized double-blind controlled trial. *J Clin Endocrinol Metab* 2003; 88: 5773–7.
14. Bhat V, Shariff S, Reddy RA. Extramedullary plasmacytoma of thyroid—a mimicker of medullary carcinoma at fine needle aspiration cytology: a case report. *J Cytol*. 2014;31:53–6.
15. Bilezikian JP, Khan AA, Potts JT Jr; Third International Workshop on the Management of Asymptomatic Primary Hyperthyroidism. Guidelines for the management of asymptomatic primary hyperparathyroidism: summary statement from the third international workshop. *J Clin Endocrinol Metab*. 2009;94:335–9.
16. Bilezikian JP, Brandi ML, Eastell R, et al. Guidelines for the management of asymptomatic primary hyperparathyroidism: summary statement from the Fourth International Workshop. *J Clin Endocrinol Metab* 2014; 99: 3561–9.
17. Bennedbaek FN, Hegedüs L. Treatment of recurrent thyroid cysts with ethanol: a randomized double-blind controlled trial. *J Clin Endocrinol Metab*. 2003;88:5773–7.
18. Bonnema SJ, Andersen PB, Knudsen DU, et al. MR imaging of large multinodular goiters: observer agreement on volume versus observer disagreement on dimensions of the involved trachea. *AJR Am J Roentgenol*. 2002;179:259–66.
19. Bogazzi F, Bartalena L, Dell'Unto E, et al. Proportion of type 1 and type 2 amiodarone-induced thyrotoxicosis has changed over a 27-year period in Italy. *Clin Endocrinol (Oxf)*. 2007;67:533–7.
20. Bogner U, Hegedüs L, Hansen JM, Finke R, Schleusener H. Thyroid cytotoxic antibodies in atrophic and goitrous autoimmune thyroiditis. *Eur J Endocrinol*. 1995;132:69–74.
21. Bron LP, O'Brien CJ. Total thyroidectomy for clinically benign disease of the thyroid gland. *Br J Surg*. 2004;91:569–74.
22. Brunn J, Block U, Ruf G, et al. [Volumetric analysis of thyroid lobes by real-time ultrasound (author's transl)]. *Dtsch Med Wochenschr*. 1981;106:1338–40.
23. Cibas ES, Ali SZ; NCI Thyroid FNA State of the Science Conference. The Bethesda System For Reporting Thyroid Cytopathology. *Am J Clin Pathol*. 2009;132:658–65.
24. Cardoso Ade A, Pianovski MA, França SN, et al. Thyroid cancer in childhood and adolescence—report of 15 cases. *Arq Bras Endocrinol Metabol*. 2004;48:835–41.
25. Carlé A, Pedersen IB, Knudsen N, et al. Thyroid volume in hypothyroidism due to autoimmune disease follows a unimodal distribution: evidence against primary thyroid atrophy and autoimmune thyroiditis being distinct diseases. *J Clin Endocrinol Metab*. 2009;94:833–9.
26. Caruso G, Attard M, Caronia A, et al. Color Doppler measurement of blood flow in the inferior thyroid artery in patients with autoimmune thyroid diseases. *Eur J Radiol*. 2000;36:5–10.
27. Cerci C, Cerci SS, Eroglu E, et al. Thyroid cancer in toxic and non-toxic multinodular goiter. *J Postgrad Med*. 2007;53:157–60.
28. Cordeiro AC, Montenegro FL, Kulcsar MA, et al. Parathyroid carcinoma. *Am J Surg*. 1998;175:52–5.
29. Czarniecka A, Jarzab M, Krajewska J, et al. Prognostic value of lymph node metastases of differentiated thyroid cancer (DTC) according to the local advancement and range of surgical excision. *Thyroid Res*. 2010;3:8.
30. Dailey ME, Lindsay S, Skahen R. Relation of thyroid neoplasms to Hashimoto disease of the thyroid gland. *AMA Arch Surg*. 1955;70:291–7.
31. D'Andrea V, Cantisani V, Catania A, et al. Thyroid tissue remnants after “total thyroidectomy.” *G Chir*. 2009;30:339–44.
32. Davies L, Welch HG. Increasing incidence of thyroid cancer in the United States, 1973–2002. *JAMA*. 2006;295:2164–7.

33. Davies L, Welch HG. Thyroid cancer survival in the United States: observational data from 1973 to 2005. *Arch Otolaryngol Head Neck Surg.* 2010;136:440–4.
34. De Crea C, Raffaelli M, Sessa L, et al. Actual incidence and clinical behaviour of follicular thyroid carcinoma: an institutional experience. *Scientific World Journal.* 2014;2014:ID952095.
35. Dikici AS, Yıldırım O, Er ME, et al. A Rare Complication of the Thyroid Malignancies: Jugular Vein Invasion. *Pol J Radiol.* 2015;80:360–3.
36. Donatini G, Masoni T, Ricci V, et al. Acute respiratory distress following fine needle aspiration of thyroid nodule: case report and review of the literature. *G Chir.* 2010;31:387–9.
37. Donkol RH, Nada AM, Boughattas S. Role of color Doppler in differentiation of Graves' disease and thyroiditis in thyrotoxicosis. *World J Radiol.* 2013;5:178–83.
38. Dvořáková M, Bilek R, Cerovská J, et al. The volumes of the thyroid gland in adults aged 18–65 years in the Czech Republic--determination of the norms. *Vnitr Lek.* 2006;52:57–63.
39. Durante C, Montesano T, Torlontano M, et al.; PTC Study Group. Papillary thyroid cancer: time course of recurrences during postsurgery surveillance. *J Clin Endocrinol Metab.* 2013;98:636–42.
40. Edmonds CJ, Tellez M. Treatment of thyroid cysts by aspiration and injection of sclerosant. *Br Med J (Clin Res Ed).* 1987;295(6597):529.
41. Enewold L, Zhu K, Ron E, et al. Rising thyroid cancer incidence in the United States by demographic and tumor characteristics, 1980–2005. *Cancer Epidemiol Biomarkers Prev.* 2009;18:784–91.
42. English C, Casey R, Bell M, et al. The Sonographic Features of the Thyroid Gland After Treatment with Radioiodine Therapy in Patients with Graves' Disease. *Ultrasound Med Biol.* 2016;42:60–7.
43. Ertorer ME, Tutuncu NB, Ozyilkan O. Incidental papillary microcarcinoma of the thyroid. *Asian Pac J Cancer Prev.* 2007;8:631–4.
44. Ferlay J, Soerjomataram I, Ervik M, et al. Globocan 2012: Estimated Cancer Incidence, Mortality and Prevalence Worldwide in 2012. GLOBOCAN 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC CancerBase No. 11 [Internet].
45. Fink H, Hintze G. Autoimmune thyroiditis (Hashimoto's thyroiditis): current diagnostics and therapy. *Med Klin (Munich).* 2010;105:485–93.
46. Foroulis CN, Rammos KS, Sileli MN, et al. Primary intrathoracic goiter: a rare and potentially serious entity. *Thyroid.* 2009;19:213–8.
47. Fraser WD. Hyperparathyroidism. *Lancet.* 2009;374:145–58.
48. Frates MC, Benson CB, Charboneau JW, et al; Society of Radiologists in Ultrasound. Management of thyroid nodules detected at US: Society of Radiologists in Ultrasound consensus conference statement. *Radiology.* 2005;237:794–800.
49. Fukagawa M, Kazama JJ, Shigematsu T. Management of patients with advanced secondary hyperparathyroidism: the Japanese approach. *Nephrol Dial Transplant.* 2002;17:1553–7.
50. Fukagawa M, Kitaoka M, Tominaga Y, et al. Japanese Society for Parathyroid Intervention. Guidelines for percutaneous ethanol injection therapy of the parathyroid glands in chronic dialysis patients. *Nephrol Dial Transplant.* 2003;18 Suppl 3:31–3.
51. Gao B, Jiang Y, Zhang X, et al. Surgical treatment of large substernal thyroid goiter: analysis of 12 patients. *Int J Clin Exp Med.* 2013;6:488–96.
52. Gharib H, Goellner JR. Fine-needle aspiration biopsy of the thyroid: an appraisal. *Ann Intern Med.* 1993;118:282–9.
53. Gharib H, Papini E, Paschke R, et al; AACE/AME/ETA Task Force on Thyroid Nodules. American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association medical guidelines for clinical practice for the diagnosis and management of thyroid nodules. *J Endocrinol Invest.* 2010;33 Suppl 5:1–50.
54. Gharib H, Hegedüs L, Pacella CM, et al. Clinical review: Nonsurgical, image-guided, minimally invasive therapy for thyroid nodules. *J Clin Endocrinol Metab.* 2013;98:3949–57.
55. Ghervan C. Thyroid and parathyroid ultrasound. *Med Ultrason.* 2011;13:80–4.
56. Golden SH, Robinson KA, Saldanha I, et al. Clinical review: Prevalence and incidence of endocrine and metabolic disorders in the United States: a comprehensive review. *J Clin Endocrinol Metab.* 2009;94:1853–78.
57. Grecchi F, Zollino I, Candotto V, et al. A case of lipoma of lateral anterior neck treated with surgical enucleation. *Dent Res J (Isfahan).* 2012;9(Suppl 2):S225–8.
58. Greenlee RT, Hill-Harmon MB, Murray T, et al. Cancer statistics, 2001. *CA Cancer J Clin.* 2001;51:15–36.
59. Guo K, Wang Z. Risk factors influencing the recurrence of papillary thyroid carcinoma: a systematic review and meta-analysis. *Int J Clin Exp Pathol.* 2014;7:5393–403.
60. Gutekunst R, Becker W, Hehrmann R, et al. Ultrasonic diagnosis of the thyroid gland. *Dtsch Med Wochenschr.* 1988;113:1109–12.
61. Halenka M, Skodova I, Horak D, et al. Thyroid Abscess as a Complication of Fine-Needle Aspiration Biopsy. *The Endocrinologist.* 2008;18:263–265.
62. Halenka M, Karasek D, Frysak Z. Ultrasound-guided percutaneous ethanol injection of small and medium-sized thyroid cysts with relatively small amounts of ethanol. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub.* 2015;159:417–21.
63. Hara H, Igarashi A, Yano Y, et al. Ultrasonographic features of parathyroid carcinoma. *Endocr J.* 2001;48:213–7.
64. Harman CR, Grant CS, Hay ID, et al. Indications, technique, and efficacy of alcohol injection of enlarged parathyroid glands in patients with primary hyperparathyroidism. *Surgery.* 1998;124:1011–9.
65. Haugen BR, Alexander EK, Bible KC, Doherty GM, Mandel SJ, Nikiforov YE, et al. 2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: The American Thyroid Association Guidelines Task Force on Thyroid Nodules and Differentiated Thyroid Cancer. *Thyroid.* 2016;26:1–133.
66. Hay ID, Hutchinson ME, Gonzalez-Losada T, et al. Papillary thyroid microcarcinoma: a study of 900 cases observed in a 60-year period. *Surgery.* 2008;144:980–7.
67. Hegedüs L. Thyroid size determined by ultrasound. Influence of physiological factors and non-thyroidal disease. *Dan Med Bull.* 1990;37:249–63.
68. Heizmann O, Viehl CT, Schmid R, et al. Impact of concomitant thyroid pathology on preoperative workup for primary hyperparathyroidism. *Eur J Med Res.* 2009;14:37–41.
69. Hiromatsu Y, Satoh H, Amino N. Hashimoto's thyroiditis: history and future outlook. *Hormones (Athens).* 2013;12:12–8.
70. Hoang JK, Lee WK, Lee M, et al. US Features of thyroid malignancy: pearls and pitfalls. *Radiographics.* 2007;27:847–60.
71. Hong HS, Lee EH, Jeong SH, et al. Ultrasonography of various thyroid diseases in children and adolescents: a pictorial essay. *Korean J Radiol.* 2015;16:419–29.
72. Hor T, Lahiri SW. Bilateral thyroid hematomas after fine-needle aspiration causing acute airway obstruction. *Thyroid.* 2008;18:567–9.

73. Hughes DT, Haymart MR, Miller BS, et al. The most commonly occurring papillary thyroid cancer in the United States is now a microcarcinoma in a patient older than 45 years. *Thyroid*. 2011;21:231–6.
74. Chaudhary V, Bano S. Thyroid ultrasound. *Indian J Endocrinol Metab*. 2013;17:219–227.
75. Cheng V, Brainard J, Nasr C. Co-occurrence of papillary thyroid carcinoma and primary lymphoma of the thyroid in a patient with long-standing Hashimoto's thyroiditis. *Thyroid*. 2012;22:647–50.
76. Cho YS, Lee HK, Ahn IM, et al. Sonographically guided ethanol sclerotherapy for benign thyroid cysts: results in 22 patients. *AJR Am J Roentgenol* 2000;174:213–6.
77. Choi SH, Kim EK, et al. Thyroid ultrasonography: pitfalls and techniques. *Korean J Radiol*. 2014;15:267–76.
78. Choo MJ, Kim YJ, Jin HR. A case of second branchial cleft cyst with oropharyngeal presentation. *J Korean Med Sci*. 2002;17:564–5.
79. Chong V. Cervical lymphadenopathy: what radiologists need to know. *Cancer Imaging*. 2004;4:116–20.
80. Chow SM, Law SC, Mendenhall WM, et al. Follicular thyroid carcinoma: prognostic factors and the role of radioiodine. *Cancer*. 2002;95:488–98.
81. Chow SM, Law SC, Au SK, et al. Differentiated thyroid carcinoma: comparison between papillary and follicular carcinoma in a single institute. *Head Neck*. 2002;24:670–7.
82. Ignjatović M, Stanić V, Cuk V, et al. Intrathoracic goiter: analysis of 21 cases. *Acta Chir Iugosl*. 2002;49:15–25.
83. Iqbal C, Wahoff D. Diagnosis and management of pediatric endocrine neoplasms. *Curr Opin Pediatr*. 2009;21:379–85.
84. Ito Y, Miyauchi A, Kihara M, et al. Patient age is significantly related to the progression of papillary microcarcinoma of the thyroid under observation. *Thyroid*. 2014;24:27–34.
85. Jeong HS, Baek CH, Son YI, et al. Integrated 18F-FDG PET/CT for the initial evaluation of cervical node level of patients with papillary thyroid carcinoma: comparison with ultrasound and contrast-enhanced CT. *Clin Endocrinol (Oxf)*. 2006;65:402–7.
86. Jeong JS, Kim HK, Lee CR, et al. Coexistence of chronic lymphocytic thyroiditis with papillary thyroid carcinoma: clinical manifestation and prognostic outcome. *J Korean Med Sci*. 2012;27:883–9.
87. Johnson NA, Tublin ME, Ogilvie JB. Parathyroid imaging: technique and role in the preoperative evaluation of primary hyperparathyroidism. *AJR Am J Roentgenol*. 2007;188:1706–15.
88. Kamran SC, Marqusee E, Kim MI, et al. Thyroid nodule size and prediction of cancer. *J Clin Endocrinol Metab*. 2013;98:564–70.
89. Karstrup S, Hegedüs L, Holm HH. Ultrasonically guided chemical parathyroidectomy in patients with primary hyperparathyroidism: a follow-up study. *Clin Endocrinol (Oxf)*. 1993; 38:523–530.
90. Katlic MR, Wang CA, Grillo HC. Substernal goiter. *Ann Thorac Surg*. 1985;39:391–9.
91. Katlic MR, Grillo HC, Wang CA. Substernal goiter. Analysis of 80 patients from Massachusetts General Hospital. *Am J Surg*. 1985;149:283–7.
92. Kamaya A, Tahvildari AM, Patel BN, et al. Sonographic Detection of Extracapsular Extension in Papillary Thyroid Cancer. *J Ultrasound Med*. 2015;34:2225–30.
93. Kebebew E, Ituarte PH, Siperstein AE, et al. Medullary thyroid carcinoma: clinical characteristics, treatment, prognostic factors, and a comparison of staging systems. *Cancer*. 2000;88:1139–48.
94. Kebebew E, Greenspan FS, Clark OH, et al. Anaplastic thyroid carcinoma. Treatment outcome and prognostic factors. *Cancer*. 2005;103:1330–5.
95. Kim DW, Rho MH, Kim HJ, et al. Percutaneous ethanol injection for benign cystic thyroid nodules: is aspiration of ethanol-mixed fluid advantageous? *Am J Neuroradiol*. 2005;26:2122–7.
96. Kim EK, Park CS, Chung WY, et al. New sonographic criteria for recommending fine-needle aspiration biopsy of nonpalpable solid nodules of the thyroid. *AJR Am J Roentgenol*. 2002;178:687–91.
97. Kim JH, Lee HK, Lee JH, et al. Efficacy of sonographically guided percutaneous ethanol injection for treatment of thyroid cysts versus solid thyroid nodules. *AJR Am J Roentgenol*. 2003;180:1723–6.
98. Kim SH, Kim BS, Jung SL, et al. Ultrasonographic findings of medullary thyroid carcinoma: a comparison with papillary thyroid carcinoma. *Korean J Radiol*. 2009;10:101–5.
99. Kim YJ, Baek JH, Ha EJ, et al. Cystic versus predominantly cystic thyroid nodules: efficacy of ethanol ablation and analysis of related factors. *Eur Radiol*. 2012;22:1573–8.
100. Koibuchi H, Omoto K, Fukushima N, et al. Coexistence of papillary thyroid cancer and Hashimoto thyroiditis in children: report of 3 cases. *J Ultrasound Med*. 2014;33:1299–303.
101. Kremkau FW, Taylor KJ. Artifacts in ultrasound imaging. *J Ultrasound Med*. 1986;5:227–37.
102. Krishnappa P, Ramakrishnappa S, Kulkarni MH. Comparison of free hand versus ultrasound-guided fine needle aspiration of thyroid with histopathological correlation. *J Environ Pathol Toxicol Oncol*. 2013;32:149–55.
103. Kwak JY, Kim EK, Ko KH, et al. Primary thyroid lymphoma: role of ultrasound-guided needle biopsy. *J Ultrasound Med*. 2007;26:1761–5.
104. Law TT, Lang BH. Incidental thyroid carcinoma by FDG-PET/CT: a study of clinicopathological characteristics. *Ann Surg Oncol*. 2011;18:472–8.
105. Leboulleux S, Girard E, Rose M, et al. Ultrasound criteria of malignancy for cervical lymph nodes in patients followed up for differentiated thyroid cancer. *J Clin Endocrinol Metab*. 2007;92:3590–4.
106. Lee ES, Kim JH, Na DG, et al. Hyperfunction thyroid nodules: their risk for becoming or being associated with thyroid cancers. *Korean J Radiol*. 2013;14:643–52.
107. Lee HS, Lee BJ, Kim SW, et al. Patterns of Post-thyroidectomy Hemorrhage. *Clin Exp Otorhinolaryngol*. 2009;2:72–7.
108. Lee J, Song Y, Soh EY. Central lymph node metastasis is an important prognostic factor in patients with papillary thyroid microcarcinoma. *J Korean Med Sci*. 2014;29:48–52.
109. Lee J, Nam KH, Chung WY, et al. Clinicopathologic features and treatment outcomes in differentiated thyroid carcinoma patients with concurrent Graves' disease. *J Korean Med Sci*. 2008;23:796–801.
110. Lee SJ, Ahn IM. Effectiveness of percutaneous ethanol injection therapy in benign nodular and cystic thyroid diseases: long-term follow-up experience. *Endocr J*. 2005;52:455–62.
111. Linos DA, van Heerden JA, Edis AJ. Primary hyperparathyroidism and nonmedullary thyroid cancer. *Am J Surg*. 1982;143:301–3.
112. Loy M, Perra E, Melis A, et al. Color-flow Doppler sonography in the differential diagnosis and management of amiodarone-induced thyrotoxicosis. *Acta Radiol*. 2007;48:628–34.

113. Lukas J, Drabek J, Lukas D, et al. The epidemiology of thyroid cancer in the Czech Republic in comparison with other countries. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub.* 2013;157:266–75.
114. Maia FF, Zantut-Wittmann DE. Thyroid nodule management: clinical, ultrasound and cytopathological parameters for predicting malignancy. *Clinics (Sao Paulo).* 2012;67:945–54.
115. Martin HE, Ellis EB. Biopsy by needle puncture and aspiration. *Ann Surg.* 1930;92:169–81.
116. Mazzaferri EL, Kloos RT. Clinical review 128: Current approaches to primary therapy for papillary and follicular thyroid cancer. *J Clin Endocrinol Metab.* 2001;86:1447–63.
117. Maxon HR. Quantitative radioiodine therapy in the treatment of differentiated thyroid cancer. *Q J Nucl Med.* 1999;43:313–23.
118. Meijer JA, le Cessie S, van den Hout WB, et al. Calcitonin and carcinoembryonic antigen doubling times as prognostic factors in medullary thyroid carcinoma: a structured meta-analysis. *Clin Endocrinol (Oxf).* 2010;72:534–42.
119. Milas M, Mensah A, Alghoul M, et al. The impact of office neck ultrasonography on reducing unnecessary thyroid surgery in patients undergoing parathyroidectomy. *Thyroid.* 2005;15:1055–9.
120. Milas Z, Shin J, Milas M. New guidelines for the management of thyroid nodules and differentiated thyroid cancer. *Minerva Endocrinol.* 2011;36:53–70.
121. McCaffrey TV, Bergstralh EJ, Hay ID, et al. Locally invasive papillary thyroid carcinoma: 1940–1990. *Head Neck.* 1994;16:165–72.
122. Mc Henry CR, Slusarczyk SJ, Khiyami A. Recommendations for management of cystic thyroid disease. *Surgery.* 1999;126:1167–1171.
123. Moon WJ, Baek JH, Jung SL, et al; Korean Society of Thyroid Radiology (KSThR); Korean Society of Radiology. Ultrasonography and the ultrasound-based management of thyroid nodules: consensus statement and recommendations. *Korean J Radiol.* 2011;12:1–14.
124. Morita SY, Somervell H, Umbricht CB, et al. Evaluation for concomitant thyroid nodules and primary hyperparathyroidism in patients undergoing parathyroidectomy or thyroidectomy. *Surgery* 2008;144:862–6.
125. Mulla MG, Knoefel WT, Gilbert J, et al. Lateral cervical lymph node metastases in papillary thyroid cancer: a systematic review of imaging-guided and prophylactic removal of the lateral compartment. *Clin Endocrinol (Oxf).* 2012;77:126–31.
126. Nagataki S, Nyström E. Epidemiology and primary prevention of thyroid cancer. *Thyroid.* 2002;12:889–96.
127. Nam M, Shin JH, Han BK, et al. Thyroid lymphoma: correlation of radiologic and pathologic features. *J Ultrasound Med.* 2012;31:589–94.
128. Napolitano G, Romeo A, Vallone G, et al. How the preoperative ultrasound examination and BFI of the cervical lymph nodes modify the therapeutic treatment in patients with papillary thyroid cancer. *BMC Surg.* 2013;13 Suppl 2:S52.
129. Noda S, Onoda N, Kashiwagi S, et al. Strategy of operative treatment of hyperparathyroidism using US scan and (99m)Tc-MIBI SPECT/CT. *Endocr J.* 2014;61:225–30.
130. Noguti J, De Moura CF, De Jesus GP et al. Metastasis from oral cancer: an overview. *Cancer Genomics Proteomics.* 2012; 9:329–35.
131. Noussios G, Anagnostis P, Natsis K. Ectopic parathyroid glands and their anatomical, clinical and surgical implications. *Exp Clin Endocrinol Diabetes.* 2012;120:604–10.
132. Nozeran S, Duquenne M, Guyetant S, et al. Diagnosis of parathyroid cysts: value of parathyroid hormone level in puncture fluid. *Presse Med* 2000;29:939–941.
133. Obara T, Fujimoto Y. Diagnosis and treatment of patients with parathyroid carcinoma: an update and review. *World J Surg.* 1991;15:738–44.
134. O’Gorman C, Hamilton J, Rachmiel R, et al. Thyroid cancer in childhood: a retrospective review of childhood course. *Thyroid.* 2010;20:375–80.
135. Oh EM, Chung YS, Lee YD. Clinical significance of Delphian lymph node metastasis in papillary thyroid carcinoma. *World J Surg.* 2013;37:2594–9.
136. Ota H, Ito Y, Matsuzuka F, Kuma S, al. Usefulness of ultrasonography for diagnosis of malignant lymphoma of the thyroid. *Thyroid.* 2006;16:983–7.
137. Pazaitou-Panayiotou K, Kaprara A, Boudina M, et al. Thyroid carcinoma in children and adolescents, Presentation, clinical course, and outcome of therapy in 23 children and adolescents in Northern Greece. *Hormones.* 2005;4:213–20.
138. Paschke R, Hegedüs L, Alexander E, et al. Thyroid nodule guidelines: agreement, disagreement and need for future research. *Nat Rev Endocrinol.* 2011;7:354–61.
139. Patel SB, Shah SR, Goswami KG, et al. Pictorial essays: Ultrasound features of thyroid and parathyroid lesions. *IJRI.* 2005;15:211–6.
140. Pavlović D, Brzac HT. Prevention and treatment of secondary hyperparathyroidism: still a challenge for the nephrologist? *Nephrol Dial Transplant.* 2003;18 Suppl 5:v45–6.
141. Perri F, Lorenzo GD, Scarpati GD, et al. Anaplastic thyroid carcinoma: A comprehensive review of current and future therapeutic options. *World J Clin Oncol.* 2011;2:150–7.
142. Phitayakorn R, McHenry CR. Incidence and location of ectopic abnormal parathyroid glands. *Am J Surg.* 2006;191:418–23.
143. Piga M, Serra A, Boi F, et al. Amiodarone-induced thyrotoxicosis. A review. *Minerva Endocrinol.* 2008;33:213–28.
144. Price DL, Wong RJ, Randolph GW. Invasive thyroid cancer: management of the trachea and esophagus. *Otolaryngol Clin North Am.* 2008;41:1155–68.
145. Raggiunti B, Fiore G, Mongia A, et al. A 7-year follow-up of patients with thyroid cysts and pseudocysts treated with percutaneous ethanol injection: volume change and cost analysis. *J Ultrasound.* 2009;12: 107–111.
146. Ralls PW, Mayekawa DS, Lee KP, et al. Color-flow Doppler sonography in Graves disease: “thyroid inferno.” *AJR Am J Roentgenol.* 1988;150:781–4.
147. Randolph GW, Duh QY, Heller KS, et al. American Thyroid Association Surgical Affairs Committee’s Taskforce on Thyroid Cancer Nodal Surgery. The prognostic significance of nodal metastases from papillary thyroid carcinoma can be stratified based on the size and number of metastatic lymph nodes, as well as the presence of extranodal extension. *Thyroid.* 2012;22:1144–52.
148. Replinger D, Bargren A, Zhang YW, et al. Is Hashimoto’s thyroiditis a risk factor for papillary thyroid cancer? *J Surg Res.* 2008;150:49–52.
149. Ridal M, Ouattassi N, Harmouch T, et al. Solitary extramedullary plasmacytoma of the thyroid gland. *Case Rep Otolaryngol.* 2012;2012:282784.
150. Rosario PW, Tavares WC, Borges MA, et al. Ultrasonographic Differentiation of Cervical Lymph Nodes in Patients with Papillary Thyroid Carcinoma After Thyroidectomy and Radioiodine Ablation: A Prospective Study. *Endocr Pract.* 2013;18:1–21.
151. Roy M, Chen H, Sippel RS. Current understanding and management of medullary thyroid cancer. *Oncologist.* 2013;18:1093–100.
152. Rozman B, Bence-Zigman Z, Tomic-Brzac H, et al. Sclerosation of thyroid cysts by ethanol. *Periodicum Biologorum.* 1989;91:1116–18.
153. Saad A, Falciglia M, Steward DL, et al. Amiodarone-induced thyrotoxicosis and thyroid cancer: clinical, immunohistochemical, and molecular genetic studies of a case and review of the literature. *Arch Pathol Lab Med.* 2004;128:807–10.
154. Sajid-Crockett S, Hershman J. Thyroid Nodules and Cancer in the Elderly. In: De Groot LJ, Beck-Peccoz P, Chrousos G, Dungan K, Grossman A, Hershman JM, Koch C, et al., editors. *Endotext* [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2015 May 19.

155. Shabana W, Delange F, Freson M, et al. Prevalence of thyroid hemiagenesis: ultrasound screening in normal children. *Eur J Pediatr*. 2000;159:456–8.
156. Sharma M, Aronow WS, Patel L, Gandhi K, Desai H. Hyperthyroidism. *Med Sci Monit*. 2011;17:RA85–91.
157. Shih JY, Lee LN, Wu HD, et al. Sonographic imaging of the trachea. *J Ultrasound Med*. 1997;16:783–90.
158. Schönberger J, Marienhagen J, Agha A, et al. Papillary microcarcinoma and papillary cancer of the thyroid ≤ 1 cm: modified definition of the WHO and the therapeutic dilemma. *Nuklearmedizin*. 2007;46:115–20.
159. Schneider DF, Chen H, Sippel RS. Impact of lymph node ratio on survival in papillary thyroid cancer. *Ann Surg Oncol*. 2013;20:1906–11.
160. Siegel R, Naishadham D, Jemal A. Cancer statistics, 2013. *CA Cancer J Clin*. 2013;63:11–30.
161. Silverberg SJ, Walker MD, Bilezikian JP. Asymptomatic Primary Hyperparathyroidism. *J Clin Densitom*. 2013;16:14–21.
162. Solbiati L, Rizzatto G, Bellotti E, et al. High-resolution sonography of cervical lymph nodes in head and neck cancer: criteria for differentiation of reactive versus malignant nodes. *Radiology*. 1988;169(P):113–6.
163. Squire BT, Fox JC, Anderson C. ABSCESS: applied bedside sonography for convenient evaluation of superficial soft tissue infections. *Acad Emerg Med*. 2005;12:601–6.
164. Stein SA, Wartofsky L. Primary thyroid lymphoma: a clinical review. *J Clin Endocrinol Metab*. 2013;98:3131–8.
165. Steinkamp HJ, Cornehl M, Hosten N, et al. Cervical lymphadenopathy: ratio of long- to short-axis diameter as a predictor of malignancy. *Br J Radiol*. 1995;68:266–70.
166. Stratigis S, Stylianou K, Mamalaki E, et al. Percutaneous ethanol injection therapy: a surgery- sparing treatment for primary hyperparathyroidism. *Clin Endocrinol (Oxf)*. 2008;69: 542–48.
167. Suh HJ, Moon HJ, Kwak JY, et al. Anaplastic thyroid cancer: ultrasonographic findings and the role of ultrasonography-guided fine needle aspiration biopsy. *Yonsei Med J*. 2013;54:1400–6.
168. Sung JY, Baek JH, Kim YS, et al. One-step ethanol ablation of viscous cystic thyroid nodules. *Am J Roentgenol*. 2008;191:1730–3.
169. Tai JD, Yang JL, Wu SC, et al. Risk factors for malignancy in patients with solitary thyroid nodules and their impact on the management. *J Cancer Res Ther*. 2012;8:379–83.
170. Tam AA, Özdemir D, Çuhacı N, et al. Association of multifocality, tumor number, and total tumor diameter with clinicopathological features in papillary thyroid cancer. *Endocrine*. 2016;53:774–83.
171. Tan GH, Gharib H, Reading CC. Solitary thyroid nodule. Comparison between palpation and ultrasonography. *Arch Intern Med*. 1995;155:2418–23.
172. Tan GH, Gharib H. Thyroid incidentalomas: management approaches to nonpalpable nodules discovered incidentally on thyroid imaging. *Ann Intern Med*. 1997;126:226–31.
173. Taneri F, Kurukahvecioglu O, Ege B, et al. Clinical presentation and treatment of hyperthyroidism associated with thyroid cancer. *Endocr Regul*. 2005;39:91–6.
174. Torlontano M, Attard M, Crocetti U, et al. Follow-up of low risk patients with papillary thyroid cancer: role of neck ultrasonography in detecting lymph node metastases. *J Clin Endocrinol Metab*. 2004;89:3402–7.
175. Treece GL, Georgitis WJ, Hofeldt FD. Resolution of recurrent thyroid cysts with tetracycline instillation. *Arch Intern Med*. 1983;143:2285–7.
176. Tsang W, Houlden RL. Amiodarone-induced thyrotoxicosis: a review. *Can J Cardiol*. 2009;25:421–4.
177. Ulanovski D, Feinmesser R, Cohen M, et al. Preoperative evaluation of patients with parathyroid adenoma: role of high-resolution ultrasonography. *Head Neck*. 2002;24:1–5.
178. Uludag M, Isgor A, Yetkin G, et al. Supernumerary ectopic parathyroid glands. Persistent hyperparathyroidism due to mediastinal parathyroid adenoma localized by preoperative single photon emission computed tomography and intraoperative gamma probe application. *Hormones (Athens)*. 2009;8:144–9.
179. Unnikrishnan A G. Hashitoxicosis: A clinical perspective. *Thyroid Res Pract*. 2013;10:5–6.
180. Vander JB, Gaston EA, Dawber TR. The significance of nontoxic thyroid nodules. Final report of a 15-year study of the incidence of thyroid malignancy. *Ann Intern Med*. 1968;69:537–40.
181. Vanderpump MP. The epidemiology of thyroid disease. *Br Med Bull*. 2011;99:39–51.
182. Wagner B, Begic-Karup S, Raber W, et al. Prevalence of primary hyperparathyroidism in 13387 patients with thyroid diseases, newly diagnosed by screening of serum calcium. *Exp Clin Endocrinol Diabetes*. 1999;107:457–61.
183. Wani S, Hao Z. Atypical cystic adenoma of the parathyroid gland: case report and review of literature. *Endocr Pract*. 2005;11:389–93.
184. Wartofsky L. The thyroid nodule. In: Wartofsky L, editor. *Thyroid cancer: a comprehensive guide to clinical management*. Totowa, NJ: Humana Press; 2000. p. 3–7.
185. Webový portál: GLOBOCAN, IARC. www.globocan.iarc.fr
186. Webový portál: Epidemiologie zhoubných nádorů v ČR. www.svod.cz
187. Welker MJ, Orlov D. Thyroid nodules. *Am Fam Physician*. 2003;67:559–66.
188. Wynne AG, van Heerden J, Carney JA, et al. Parathyroid carcinoma: clinical and pathologic features in 43 patients. *Medicine (Baltimore)*. 1992;71:197–205.
189. Yasuda K, Ozaki O, Sugino K, et al. Treatment of cystic lesions of the thyroid by ethanol instillation. *World J Surg*. 1992;16:958–61.
190. Yigit N, Karslioglu Y, Yildizoglu U, et al. Dermoid cyst of the parotid gland: report of a rare entity with literature review. *Head Neck Pathol*. 2015;9:286–92.
191. Yun M, Noh TW, Cho A, et al. Visually discernible [18F]fluorodeoxyglucose uptake in papillary thyroid microcarcinoma: a potential new risk factor. *J Clin Endocrinol Metab*. 2010;95:3182–8.
192. Zambudio AR, Rodríguez J, Riquelme J, et al. Prospective study of postoperative complications after total thyroidectomy for multinodular goiters by surgeons with experience in endocrine surgery. *Ann Surg*. 2004;240:18–25.
193. Zaydfudim V, Feurer ID, Griffin MR, et al. The impact of lymph node involvement on survival in patients with papillary and follicular thyroid carcinoma. *Surgery*. 2008;144:1070–7.
194. Zhao Q, Ming J, Liu C, et al. Multifocality and total tumor diameter predict central neck lymph node metastases in papillary thyroid microcarcinoma. *Ann Surg Oncol*. 2013;20:746–52.