

- Allen, L. W. (1999). United States' Nationwide Differential Positioning System. *GPS Solutions*, **2**(4):1–6.
- Argus, D. F., and R. G. Gordon. (1991). No-net-rotation Model of Current Plate Velocities Incorporating Plate Rotation Model NUVEL-1. *Geophysical Research Letter*, **18**(11):2039–2042.
- Ashby, N. (1993). Relativity and GPS. *GPS World*, **4**(11):42–47.
- Ashkenazi, V., C. J. Hill, and J. Nagel. (1992). Wide Area Differential GPS: A Performance Study. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-92*, 589–598.
- Askne, J., and H. Nordius. (1987). Estimation of Tropospheric Delay for Microwaves from Surface Weather Data. *Radio Science*, **22**(3):379–386.
- Awange, J., and E. Grafarend. (2002a). Algebraic Solutions of GPS Pseudo-ranging Equations. *GPS Solutions*, **5**(4):20–32.
- Awange, J., and E. Grafarend. (2002b). Nonlinear Adjustment of GPS Observations of Type Pseudorange. *GPS Solutions*, **5**(4):80–96.
- Baarda, W. (1967). *Statistical Concepts in Geodesy*. Publication on Geodesy, New Series, **2**(4), Netherlands Geodetic Commission.
- Baarda, W. (1968). *A Testing Procedure for Use in Geodetic Networks*. Publication on Geodesy, New Series, **2**(5), Netherlands Geodetic Commission.
- Badekas, J. (1969). *Investigations Related to the Establishment of a World Geodetic System*. Department of Geodetic Science, Ohio State University, OSUR 124.
- Bancroft, S. (1985). An Algebraic Solution of the GPS Equations. *IEEE Transactions on Aerospace and Electronic Systems*, **21**(7):56–59.
- Bar-Sever, Y. (1996). A New Model for GPS Yaw Attitude. *Journal of Geodesy*, **70**(11):714–723.

## REFERENCES

- Allen, L. W. (1999). United States' Nationwide Differential Positioning System. *GPS Solutions*, **2**(4):1–6.
- Argus, D. F., and R. G. Gordon. (1991). No-net-rotation Model of Current Plate Velocities Incorporating Plate Rotation Model NUVEL-1. *Geophysical Research Letter*, **18**(11):2039–2042.
- Ashby, N. (1993). Relativity and GPS. *GPS World*, **4**(11):42–47.
- Ashkenazi, V., C. J. Hill, and J. Nagel. (1992). Wide Area Differential GPS: A Performance Study. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-92*, 589–598.
- Askne, J., and H. Nordius. (1987). Estimation of Tropospheric Delay for Microwaves from Surface Weather Data. *Radio Science*, **22**(3):379–386.
- Awange, J., and E. Grafarend. (2002a). Algebraic Solutions of GPS Pseudo-ranging Equations. *GPS Solutions*, **5**(4):20–32.
- Awange, J., and E. Grafarend. (2002b). Nonlinear Adjustment of GPS Observations of Type Pseudorange. *GPS Solutions*, **5**(4):80–96.
- Baarda, W. (1967). *Statistical Concepts in Geodesy*. Publication on Geodesy, New Series, **2**(4), Netherlands Geodetic Commission.
- Baarda, W. (1968). *A Testing Procedure for Use in Geodetic Networks*. Publication on Geodesy, New Series, **2**(5), Netherlands Geodetic Commission.
- Badekas, J. (1969). *Investigations Related to the Establishment of a World Geodetic System*. Department of Geodetic Science, Ohio State University, OSUR 124.
- Bancroft, S. (1985). An Algebraic Solution of the GPS Equations. *IEEE Transactions on Aerospace and Electronic Systems*, **21**(7):56–59.
- Bar-Sever, Y. (1996). A New Model for GPS Yaw Attitude. *Journal of Geodesy*, **70**(11):714–723.

- Bar-Sever, Y., P. M. Kroger, and J. A. Borjesson. (1998). Estimating Horizontal Gradients of Tropospheric Delay with a Single GPS Receiver. *Journal of Geophysical Research*, **103**(B3):5019–5035.
- Bazlov, Y. A., V. F. Galazin, B. L. Kaplan, V. G. Maksimov, and V. P. Rogozin. (1999a). GLONASS to GPS—A New Coordinate Transformation. *GPS World*, **10**(1):54–58.
- Bazlov, Y. A., V. F. Galazin, B. L. Kaplan, V. G. Maksimov, and V. P. Rogozin. (1999b). Propagating PZ90 and WGS84 Transformation Parameters. *GPS Solutions*, **3**(1):13–16.
- Bevis, M., S. Businger, T. A. Herring, C. Rocken, R. A. Anthes, and R. H. Ware. (1992). GPS Meteorology: Remote Sensing of Water Vapor Using the Global Positioning System. *Journal of Geophysical Research*, **97**(D14):15,787–15,801.
- Bevis, M., S. Businger, S. Chriswell, T. Herring, R. Anthes, C. Rocken, and R. Ware. (1994). GPS Meteorology: Mapping Zenith Wet Delay onto Perceivable Water. *Journal of Applied Meteorology*, **33**(3):379–386.
- Bergquist, J. C., S. R. Jefferts, and D. J. Wineland. (2001, March). Time Measurement at the Millennium. *Physics Today*, 37–42.
- Betz, J. W. (2002). Binary Offset Carrier Modulations for Radionavigation. *Navigation*, **48**(4): 227–246.
- Bishop, G. L., J. A. Klobuchar, and P. H. Doherty. (1985). Multipath Effects on the Determination of Absolute Ionospheric Time Delay from GPS Signals. *Radio Science*, **20**(3):388–396.
- Blewitt, G. (1990). An Automatic Editing Algorithm for GPS Data. *Geophysical Research Letters*, **17**(3):199–202.
- Blomenhofer, H., G. Hein, and D. Walsh. (1993). On-the-fly Phase Ambiguity Resolution for Precise Aircraft Landing. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-93*, 2:821–830.
- Bock, Y., R. I. Abbot, C. C. Counselman, S. A. Gourevitch, and R. W. King. (1985). Establishment of Three-dimensional Geodetic Control by Interferometry with the Global Positioning System. *Journal of Geophysical Research*, **90**(B9):7689–7703.
- Brown, A. (1989). Extended Differential GPS. *Navigation*, **36**(3):265–285.
- Byun, S., G. A. Hajj, and L. E. Young. (2002). Development and Application of GPS Signal Multipath Simulator. *Radio Science*, **37**(6):1–23.
- Chaffee, J., and J. Abel. (1994). On the Exact Solutions of Pseudorange Equations. *IEEE Transactions on Aerospace and Electronic Systems*, **30**(4):1021–1030.
- Chen, D., and G. Lachapelle. (1995). A Comparison of the FASF and Least Squares Search Algorithms for Ambiguity Resolution On The Fly. *Navigation*, **42**(2):371–390.
- Collins, J., and A. Leick. (1985). Analysis of Macrometer Networks with Emphasis on the Montgomery (PA) County Survey. *Proc. Positioning with GPS-1985*, 667–693. NGS.
- Cook, B. (2000). The United States Nationwide Differential Global Positioning System. *Proceedings of the National Technical Meeting of the Satellite Division of the Institute of Navigation, ION-NTM-2000*, 297–305.
- Coster, A. J., E. M. Gaposchkin, and L. E. Thornton. (1992). Real-time Ionospheric Monitoring System Using the GPS. *Navigation*, **39**(2):191–204.
- Counselman, C. C. (1999). Multipath-rejection GPS Antenna. *Proceedings of the IEEE*, **87**(1): 86–91.
- Counselman, C. C., and S. A. Gourevitch. (1981). Miniature Interferometer Terminals for Earth

- Surveying: Ambiguity and Multipath with Global Positioning System. *IEEE Transactions on Geoscience and Remote Sensing*, **GE-19**(4):244–252.
- Coyne, G. V., M. A. Hoskin, and O. Pedersen (eds.). (1983). Gregorian Reform of the Calendar. *Proceedings of the Vatican Conference to Commemorate Its 400th Anniversary 1582–1982*. Vatican City: Pontifica Academia Scientiarum.
- Craymer, M. R., and N. Beck. (1992). Session versus Single-baseline GPS Processing. *Proceedings of the 6th International Geodetic Symposium on Satellite Positioning*, 995–1004, DMA.
- Davies, K. (1990). *Ionospheric Radio*. IEE Electromagnetic Waves Series 31. Published by Peter Peregrinus Ltd, London, UK.
- Davis, J. L., T. A. Herring, I. I. Shapiro, A. E. E. Roger, and G. Elgered. (1985). Geodesy by Radio Interferometry: Effects of Atmospheric Modeling Errors on Estimates of Baseline Length. *Radio Science*, **20**(6):1593–1607.
- DeMets, C., R. G. Gordon, D.F. Argus, and S. Stein. (1994). Effect of Recent Revisions to the Geomagnetic Reversal Time Scale on Estimates of Current Plate Motions. *Geophysical Research Letter*, **21**(20):2191–2194.
- van Dierendonck, A. J., P. C. Fenton, and T. J. Ford. (1992). Theory and Performance of Narrow Correlator Spacing in a GPS Receiver. *Navigation*, **39**(3):265–283.
- Doherty, P. H., J. A. Klobuchar, and J. M. Kunches. (2000). The Correlation between Solar 10.7 cm Radio Flux and Ionospheric Range Delay. *GPS Solutions*, **3**(4):75–79.
- Dozier, J. (1980). Improved Algorithm for Calculation of UTM and Geodetic Coordinates. NOAA TR NESSS 81, NGS.
- Engelis, T., R. Rapp, and Y. Bock. (1985). Measuring Orthometric Height Differences with GPS and Gravity Data. *Manuscripta Geodaetica*, **10**(3):187–194.
- Eren, K. (1987). *Geodetic Network Adjustment Using GPS Triple Difference Observations and a priori Stochastic Information*. TR 1, Institute of Geodesy, University of Stuttgart.
- Escobal, P. R. (1965). *Methods of Orbit Determination*. Wiley, New York.
- Euler, H. J., and C. C. Goad. (1991). On Optimal Filtering of GPS Dual-frequency Observations without Orbit Information. *Bulletin Géodésique*, **65**(2):130–143.
- Euler, H. J., and H. Landau. (1992). Fast Ambiguity Resolution On-the-fly for Real-time Applications. *Proceedings of the 6th International Geodetic Symposium on Satellite Positioning*, 650–658, DMA.
- Euler, H. J., and B. Schaffrin. (1990). On a Measure for the Discernibility between Different Ambiguity Solutions in the Static-kinematic GPS Mode. *Proceedings of the Kinematic Systems in Geodesy, Surveying, and Remote Sensing*, 285–295. Springer Verlag. Alberta, Canada.
- Fenton, P. C., W. H. Falkenberg, T. J. Ford, K. K. Ng, and A. J. van Dierendonck. (1991). NovAtel's GPS Receiver: The High Performance OEM Sensor of the Future. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-91*, 49–58.
- Ferland, R. (2002). IGS Reference Frame Coordination and Working Group Activities. 2001 IGS Annual Report, JPL, Pasadena, 24–27.
- van Flandern, T. C., and K. F. Pulkkinen. (1979). Low Precision Formulae for Planetary Positions. *The Astronomical Journal Supplement Series*, **41**:391–411.

- Fliegel, H. F., and T. E. Gallini. (1989). Radiation Pressure Models for Block II GPS Satellites. *Proceedings of the 5th International Geodetic Symposium on Satellite Positioning*, 789–798, DMA.
- Fliegel, H. F., W. A. Fees, W. C. Layton, and N. W. Rhodus. (1985). The GPS Radiation Force Model. *Proc. Positioning with GPS-1985*, 113–119, NGS.
- Fliegel, H. F., T. E. Gallini, and E. R. Swift. (1992). Global Positioning System Radiation Force Model for Geodetic Applications. *Journal of Geophysical Research*, **97**(B1):559–568.
- Fontana, R. D., W. Cheung, P. M. Novak, and T. A. Stansell. (2001a). The New L2 Civil Signal. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-01*, 617–631.
- Fontana, R. D., W. Cheung, and T. A. Stansell. (2001b). The Modernized L2 Civil Signal. *GPS World*, **12**(9):28–34.
- Fortes, L.P.S. (2002). Optimizing the Use of GPS Multi-reference Stations for Kinematic Positioning. Doctoral dissertation, Department of Geomatics Engineering, University of Calgary, Canada.
- Frei, E., and G. Beutler. (1990). Rapid Static Positioning Based on the Fast Ambiguity Resolution Approach “FARA.” Theory and First Results, *Manuscripta Geodaetica*, **15**(6):325–356.
- Fu, Z., A. Hornbostel, J. Hammesfahr, and A. Konovaltsev. (2003). Suppression of Multipath and Jamming Signals by Digital Beamforming for GNSS/Galileo Applications. *GPS Solutions* **6**(4):257–264.
- Galileo. (2002). Galileo Home Page at [www.galileo-pgm.org](http://www.galileo-pgm.org).
- Gelb, A. (1974). *Applied Optimal Estimation*, Cambridge, MA: The MIT Press.
- George, A., and J.W-H. Liu. (1981). *Computer Solutions for Large Sparse Positive Definite Matrices*. Englewood Cliffs, NJ: Prentice-Hall.
- Georgiadou, Y., and A. Kleusberg. (1988). On Carrier Signal Multipath Effects in Relative GPS Positioning. *Manuscripta Geodaetica*, **13**(3):172–179.
- GLONASS. (2002). GLONASS Home Page at the Ministry of Defense of the Russian Federation Coordination Scientific Information Center, [www.rssi.ru/SFCSIC/SFCSIC\\_main.html](http://www.rssi.ru/SFCSIC/SFCSIC_main.html).
- GLONASS. (1998). GLONASS Interface Control Document, fourth revision. Coordination Scientific Information Center, Russia 117279, Moscow, P.O. Box 14. Web address: [www.rssi.ru/SFCSIC/SFCSIC\\_main.html](http://www.rssi.ru/SFCSIC/SFCSIC_main.html).
- Goad, C. C. (1990). Optimal Filtering of Pseudoranges and Phases from Single-frequency GPS Receivers. *Navigation*, **37**(3):191–204.
- Goad, C. C. (Ed.). (1985). *Proc. Positioning with GPS-1985*, NGS.
- Goad, C. C. (1998). Single-Site GPS Models. In *GPS for Geodesy* (P. J. G. Teunissen and A. Kleusberg, Eds.), Chapter 10, 446–449, Springer Verlag, Wien.
- Goad, C. C., and A. Mueller. (1988). An Automated Procedure for Generating an Optimum Set of Independent Double Difference Observables Using Global Positioning System Carrier Phase Measurements, *Manuscripta Geodaetica*, **13**(6):365–369.
- Gourevitch, S. A., S. Sila-Novitsky, and F. van Diggelen. (1996). The GG24 Combined GPS+GLONASS Receiver. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-96*, 141–145.
- GPS. (2002). GPS Home Page at U.S. Coast Guard. [www.navcen.uscg.gov/default.htm](http://www.navcen.uscg.gov/default.htm).
- Grafarend, E. (1992). The Modeling of Free Satellite Networks in Spacetime. *Proc. Global*

- Positioning System in Geosciences*, 1–20, Department of Mineral Resources, Technical University of Crete, Greece.
- Graffarend, E., and J. Shan. (2002). GPS Solutions: Closed Forms, Critical and Special Configurations of P4P. *GPS Solutions*, 5(3):29–41.
- Greenwalt, C. R., and M. E. Shultz. (1962). *Principles of Error Theory and Cartographic Applications*, ACIC Technical Report No. 96, Aeronautical Chart and Information Center, St. Louis, Missouri.
- Grossman, W. (1976). *Geodätische Rechnungen und Abbildungen in der Landesvermessung*. Witter Verlag, Stuttgart, Germany.
- GSFC. (2002). EGM96 Website at Goddard Space Flight Center cddis.gsfc.nasa.gov/926/egm96/egm96.html.
- Hajj, G. A., and L. J. Romans. (1998). Ionospheric Electron Density Profiles Obtained with the Global Positioning System: Results from the GPS/MET Experiment. *Radio Science*, 33(1):175–190.
- Hargreaves, J. K. (1992). *The Solar-terrestrial Environment*. Cambridge University Press, Cambridge, UK.
- Hatch, R. R. (1990). Instantaneous Ambiguity Resolution. *Proc. Kinematic Systems in Geodesy, Surveying and Remote Sensing*, 299–308, IAG symposium 107, Springer Verlag.
- Hatch, R. R. (1992). *Escape from Einstein*. Kneat Kompany, Wilmington, CA.
- Hatch, R. R., R. Keegan, and T. A. Stansell. (1992). Kinematic Receiver Technology from Magnavox. *Proceedings of the 6th International Geodetic Symposium on Satellite Positioning*, 174–181, DMA.
- Hatch, R. R., J. Jung, P. Enge, and B. Pervan. (2000). Civilian GPS: The Benefits of Three Frequencies. *GPS Solutions*, 3(4):1–9.
- Hatch, R. R., T. Sharpe, and P. Galyean. (2002). StarFire: A Global High Accuracy Differential System. *Proc. GPS Symposium 2002*, Japan Institute of Navigation, Tokyo University of Mercantile Marine, November, 57–68.
- Heck, B. (1987). *Rechenverfahren und Auswertemodelle der Landesvermessung*. Herbert Wichmann Verlag, Karlsruhe.
- Heflin, M., D. Argus, D. Jefferson, D. Webb, and J. Zumberge. (2002). Comparison of a GPS Defined Global Reference Frame with ITRF2000. *GPS Solutions*, 6(2):72–75.
- Hein, G. W., J. Godet, J. L. Issler, J. C. Martin, P. Erhard, R. Lucas-Rodriguez, and T. Pratt. (2002). Status of Galileo Frequency and Signal Design. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-2002*, 266–277.
- Heiskanen, W. A., and H. Moritz. (1967). *Physical Geodesy*. San Francisco: Freeman.
- Hilla, S., and M. Jackson. (2000). GPS Toolbox: Spanning Trees. *GPS Solutions*, 3(3):65–68.
- Hofmann-Wellenhof, B., H. Lichtenegger, and J. Collins (2001). *Global Positioning System, Theory and Practice*. Springer Verlag, Wien.
- Hopfield, H. S. (1969). Two-quartic Tropospheric Refractivity Profile for Correcting Satellite Data. *Journal of Geophysical Research*, 74(18):4487–4499.
- Hristow, W. K. (1955). *Die Gausschen und Geographischen Koordinaten auf dem Ellipsoid von Krassowsky*. VEB Verlag Technik Berlin.
- ICD-GPS-200C. (2000). Interface Control Document ICD-GPS-200, Revision C, IRN-200C-004, April 12. ARINC, Incorporated, El Segundo, CA. Available at GPS (2002) for downloading.

- ICD-GPS-705. (2002). Interface Control Document ICD-GPS-705 (Initial Release, March 29). ARINC, Incorporated, El Segundo, CA. Available at GPS (2002) for downloading.
- IERS. (2002). International Earth Rotation Service website [www.iers.org](http://www.iers.org).
- IGDG. (2002). Internet based Global Differential GPS. Website [gipsy.jpl.nasa.gov/igdg](http://gipsy.jpl.nasa.gov/igdg).
- IGS. (2002). International GPS Service website [igscb.jpl.nasa.gov](http://igscb.jpl.nasa.gov).
- Janssen, M. A. (Ed.). (1993). *Atmospheric Remote Sensing by Microwave Radiometry*. Wiley, New York.
- de Jonge, P. J., and C.C.J.M. Tiberius. (1996). The LAMBDA Method for Integer Ambiguity Estimation: Implementation Aspects. Delft Geodetic Computing Center LGR series, No. 12; available at [www.geo.tudelft.nl/mgp](http://www.geo.tudelft.nl/mgp).
- Jorgensen, P. S. (1986). Relativity Correction in GPS User Equipment. *Proceedings of the Position Location and Navigation System 1986 (PLANS)*, 177–183, IEEE.
- Kaplan E. D. (Ed.). (1996). *Understanding GPS Principles and Applications*. Artech House, Norwood, MA.
- Kaula, W. K. (1962). Development of the Lunar and Solar Disturbing Functions for a Close Satellite. *The Astronomical Journal*, **67**(5):300–303.
- Kaula, W. M. (1966). *Theory of Satellite Geodesy*. Blaisdell Publishing Company. Waltham, MA.
- Kee, C., B. W. Parkinson, and P. Axelrad. (1991). Wide Area Differential GPS. *Navigation*, **38**(2):123–143.
- Klobuchar, J. A. (1987). Ionospheric Time-Delay Algorithm for Single-frequency GPS Users. *IEEE Transactions on Aerospace and Electronic Systems*, AES-**23**(3):325–331.
- Kneissl, M. (1959). *Mathematische Geodäsie. Handbuch der Vermessungskunde (Jordan—Eggert—Kneissl)*. Metzler, Stuttgart, Germany.
- Koch, K. R. (1988). *Parameter Estimation and Hypothesis Testing in Linear Models*. Springer Verlag, New York.
- Kok, J. (1984). *On Data Snooping and Multiple Outlier Testing*. NOAA Technical Report NOS NGS 30, National Geodetic Information Center, NOAA.
- Kouba, J. (2001). ITRF Transformations. *GPS Solutions*, **5**(3):88–90.
- Kozlov, D., and M. Tkachenko. (1998). Instant RTK cm with Low Cost GPS and GLONASS C/A Receivers. *Navigation*, **45**(2):137–147.
- Krabill, W. B., and C. F. Martin. (1987). Aircraft Positioning Using Global Positioning System Carrier Phase Data. *Navigation*, **34**(1):1–21.
- Kunches J. M., and J. A. Klobuchar. (2000). Some Aspects of the Variability of Geomagnetic Storms. *GPS Solutions*, **4**(1):77–78.
- Kursinski, E. R. (1994). Monitoring the Earth's Atmosphere with GPS. *GPS World* **5**(3):50–54.
- Kursinski, E. R., G. A. Hajj, W. I. Bertiger, S. S. Leroy, T. K. Meehan, L. J. Romans, J. T. Schofield, D. J. McCleese, W. G. Melbourne, C. L. Thornton, T. P. Yunck, J. R. Eyre, and R. N. Nagatani. (1996). Initial Results of Radio Occultation Observations of Earth's Atmosphere Using the Global Positioning System. *Science*, **271**:1107–1110.
- Kursinski, E. R., G.A. Hajj, J. T. Schofield, R. P. Linfield, and K. R. Hardy. (1997). Observing the Earth's Atmosphere with Radio Occultation Measurements Using the Global Positioning System. *Journal of Geophysical Research*, **102**(D19):23429–23465.
- Grafarend, E. (1992). The Modelling of Free Satellite Networks in Spacetime. *Navigation*, **39**(4):353–362.

- Lachapelle, G., M. E. Cannon, and C. Erickson. (1992). High Precision C/A-code Technology for Rapid Static DGPS Surveys. *Proceedings of the 6th International Geodetic Symposium on Satellite Positioning*, 165–173, DMA.
- Lachapelle, G., H. Sun, M. E. Cannon, and G. Lu. (1994). Precise Aircraft-to-aircraft Positioning Using a Multiple Receiver Configuration. *Proceedings of the ION Technical Meeting*, 793–799.
- Lachapelle, G., M. E. Cannon, W. Qui, and C. Varner. (1996). Precise Aircraft Single-point Positioning Using GPS Post-mission Orbits and Satellite Clock Corrections. *Journal of Geodesy*, **70**(6):562–571.
- Lachapelle, G., P. Alves, L. P. S. Fortes, M. E. Cannon, and B. Townsend. (2000). DGPS RTK Positioning using a Reference Network. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation*, 1165–1171.
- Ladd, L. W., C. C. Counselman, and S. A. Gourevitch. (1985). The Macrometer II Dual-band Interferometric Surveyor. *Proc. Positioning with GPS-1985*, 175–180, NGS.
- Lambert, J. H. (1772). *Notes and Comments on the Composition of Terrestrial and Celestial Maps*. Michigan Geographical Publication No. 8. Translated by Waldo R. Tobler, 1972, University of Michigan, Ann Arbor.
- Lee, L. P. (1976). *Conformal Projections Based on Elliptic Function*. Monograph No. 16, supplement No. 1 to Canadian Cartographer, Vol. 13. Department of Geography, York University, Toronto, Canada. University of Toronto Press.
- Leick, A. (2002). Lectures in GPS, Geodesy, and Adjustments—A Supplement. Unpublished notes, Department of Spatial Information Science and Engineering, University of Maine.
- Leick, A., and M. Emmons. (1994). Quality Control with Reliability for Large GPS Networks. *Surveying Engineering*, **120**(1):26–41.
- Leick, A. and B. H. W. van Gelder (1975). On Similarity Transformations and Geodetic Network Distortions Based on Doppler Satellite Observations. Dept. of Geodetic Science, Ohio State University, OSUR 235.
- Leick, A., J. Li, J. Beser, and G. Mader. (1995). Processing GLONASS Carrier Phase Observations—Theory and First Experience. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-95*, 1041–1047.
- Leick, A., J. Beser, P. Rosenboom, and B. Wiley. (1998). Assessing GLONASS Observation. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-98*, 1605–1612.
- Lemoine, F. G., S. C. Kenyon, J. K. Factor, R. G. Trimmer, N. K. Pavlis, D. S. Chinn, C. M. Cox, S. M. Klosko, S. B. Lutcke, M. H. Torrence, Y. M. Wang, R. G. Williamson, E. C. Pavlis, R. H. Rapp, and T. R. Olson. (1998). *The Development of the Joint NASA GSFC and the National Imagery and Mapping Agency (NIMA) Geopotential Model EGM96*. NASA/TP-1998-206861. NASA Goddard Space Flight Center, Greenbelt, Maryland.
- Lichten, S. M., and J. S. Border. (1987). Strategies for High Precision GPS Orbit Determination. *Journal of Geophysical Research*, **92**(B12):12751–12762.
- Liu, Y. (1999). Remote Sensing of the Atmospheric Water Vapor Using GPS Data in the Hong Kong Region. Ph.D. thesis, Department of Land Surveying and Geo-Informatics. The Hong Kong Polytechnic University.
- Loh R., V. Wullschleger, B. Elrod, M. Lage, and F. Haas. (1995). The U.S. Wide-Area Augmentation System (WAAS). *Navigation*, **42**(3):435–465.

- Mader, G. L. (1986). Dynamic Positioning Using GPS Carrier Phase Measurements. *Manuscripta Geodaetica*, **11**(4):272–277.
- Mader, G. L. (1999). GPS Antenna Calibration at the National Geodetic Survey. *GPS Solutions*, **3**(1):50–58.
- Mader, G. L., and F. Czopek. (2001). Calibrating the L1 and L2 Phase Centers of a Block IIA Antenna. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-2001*, 1979–1984.
- Mannucci, A. J., B. D. Wilson, D. N. Yuan, C. H. Ho, U. J. Lindqwister, and T. F. Runge. (1998). A Global Mapping Technique for GPS-derived Ionospheric Total Electron Content Measurements. *Radio Science*, **33**(3):565–582.
- McCarthy, D. D. (Ed.). (1996). IERS Conventions 1996. IERS Technical Note 21, Paris Observatory.
- McCarthy, D. D., and W. J. Klepczynski. (1999). GPS and Leap Seconds. *GPS World*, **10**(11): 50–57.
- McKinnon, J. A. (1987). *Sunspot Numbers: 1610–1985 Based on the Sunspot Activity in the Years 1620–1960*, National Academy of Sciences, Report UAG-95.
- Meehan, T. K., and L. E. Young. (1992). On-receiver Signal Processing for GPS Multipath Reduction. *Proceedings of the 6th International Geodetic Symposium on Satellite Positioning*, 200–208, DMA.
- Melbourne, W. G. (1985). The Case for Ranging in GPS-based Geodetic Systems. *Proc. Positioning with GPS-1985*, 373–386, NGS.
- Mendes, V. B. (1999). Modeling the Neutral-atmosphere Propagation Delay in Radiometric Space Techniques. Ph.D. dissertation, Department of Geodesy and Geomatics Engineering Technical Report No. 199, University of New Brunswick, Fredericton, NB, Canada.
- Mendes, V. B., and R. B. Langley. (1999). Tropospheric Zenith Delay Prediction Accuracy for High-precision GPS Positioning and Navigation. *Navigation*, **46**(1):25–34.
- Milbert, D. G. (1984). Heard of Gold: Computer Routines for Large Space, Least Squares Computations. NOAA TM NOS NGS-39.
- Misra, P., and P. Enge. (2001). *Global Positioning System Signals, Measurements, and Performance*. Ganga-Jamuna Press, Lincoln, MA.
- Mohr, P. J., and B. N. Taylor. (2001, March). Adjusting the Value of the Fundamental Constants. *Physics Today*, 29–34.
- Molodenskii, M. S., V. F. Eremeev, and M. I. Yurkina. (1962). *Methods for Study of the External Gravitational Field and Figure of the Earth*. Translation from Russian. National Technical Information Services, Springfield, VA.
- Moritz, H. (1984). Geodetic Reference System 1980. *Bulletin Géodésique*, **58**(3):388–398.
- Mueller, I. I. (1964). *Introduction to Satellite Geodesy*. F. Ungar, New York.
- Mueller, I. I. (1969). *Spherical and Practical Astronomy as Applied to Geodesy*. F. Ungar, New York.
- Muellerschoen, R. J., W. I. Bertiger, M. F. Lough, D. Stowers, and D. Dong. (2000). An Internet-based Global Differential GPS System, Initial Results. *Proceedings of the ION Technical Meeting*, 220–225.
- Muellerschoen, R. J., A. Reichert, D. Kuang, M. B. Heflin, W. I. Bertiger, and Y. E. Bar-Sever. (2001). Orbit Determination with NASA's High Accuracy Real-time Global Differential GPS System. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-2001*, 2294–2303.

- Niell, A. E. (1996). Global Mapping Functions for the Atmospheric Delay at Radio Wavelengths. *Journal of Geophysical Research*, **101**(B2):3227–3246.
- Niell, A. E. (2000). Improved Atmospheric Mapping Functions for VLBI and GPS. *Earth Planets Space*, **52**(10):699–702.
- NGS. (2002). National Geodetic Survey website [www.ngs.noaa.gov](http://www.ngs.noaa.gov).
- NIMA. (2002). National Imagery and Mapping Agency website [www.nima.mil](http://www.nima.mil).
- Odijk, D. (2002). Fast Precise GPS Positioning in the Presence of Ionospheric Delays. Doctoral dissertation, Department of Mathematical Geodesy and Positioning, Delft University of Technology, The Netherlands.
- Øvstvedal, O. (2002). Absolute Positioning with Single-frequency GPS Receivers. *GPS Solutions*, **5**(4):33–44.
- Parkinson, B. W., and J. J. Spilker (Eds.), P. Axelrad and P. Enge (Assoc. Eds.). (1996). Global Positioning System: Theory and Applications. *Progress in Aeronautics and Astronautics*, Vols. 163 and 164.
- Pope, A. J. (1971). Transformation of Covariance Matrices Due to Changes in Minimal Control. Paper presented at the American Geophysical Union Fall Meeting, San Francisco.
- Pope, A. J. (1976). *The Statistics of Residuals and the Detection of Outliers*. NOAA TR NOS 65 NGS 1, NOAA, Silver Spring, MD.
- Povalyaev, A. (1997). Using Single Differences for Relative Positioning in GLONASS. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-97*, 929–934.
- PPIRN-200C-007. (2001). Pre-Proposed Interface Revision Notice (PPIRN) to ICD-GPS-200C for L2 Civil (L2C) Signal, May 31, labeled Draft. ARINC, Incorporated, El Segundo, CA. Available at GPS (2002) for downloading.
- Pratt, M., B. Burke, and P. Misra. (1997). Single Epoch Integer Ambiguity Resolution with GPS-GLONASS L1 Data. *Proceedings of 53rd Annual Meeting of the ION*, Albuquerque, NM, 691–699.
- Qin, X., S. Gourevitch, and M. Kuhl. (1992). Very Precise GPS—Development Status and Results. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-92*, 615–624.
- Raby, P., and P. Daly. (1993). Using the GLONASS System for Geodetic Surveys. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-93*, 1129–1138.
- Raquet, J. F. (1998). Development of a Method for Kinematic GPS Carrier Phase Ambiguity Resolution. Ph.D. thesis. Department of Geomatics Engineering, The University of Calgary.
- Rapoport, L. (1997). General-purpose Kinematic/static GPS/GLONASS Post-processing Engine. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-97*, 1757–1772.
- Remondi, B. W. (1984). Using the Global Positioning System (GPS) Phase Observable for Relative Geodesy: Modeling, Processing, and Results. NOAA, reprint of doctoral dissertation. Center for Space Research, University of Texas at Austin.
- Remondi, B. W. (1985). Performing Centimeter-level Surveys in Seconds with GPS Carrier Phase: Initial Results. *Navigation*, **32**(4):386–400.
- Rocken, C., S. Sokolovsky, J. Johnson, and D. Hunt. (2001). Improved Mapping of Tropospheric Delays. *Atmospheric and Oceanic Technology*, **18**(7):1205–1213.

- Rosenkranz, P. W. (1998). Water Vapor Microwave Continuum Absorption: A Comparison of Measurement and Models. *Radio Science*, **33**(4):919–928.
- Roßbach, U. (2001). *Positioning and Navigation Using the Russian Satellite System GLONASS*. University FAF Munich, Section Geodesy and Geo Information, Publication 70.
- RTCM. (2002). Website of the Radio Technical Commission for Maritime Services [www.rtcm.org/index2.html](http://www.rtcm.org/index2.html).
- Ruland, R., and A. Leick. (1985). Application of GPS to a High Precision Engineering Survey Network. *Proceedings of Positioning with GPS-1985*, 483–493, NGS.
- Saastamoinen, J. (1972). *Atmospheric Correction for the Troposphere and Stratosphere in Radio Ranging of Satellites*. Geophysical Monograph 15, Use of Artificial Satellites for Geodesy, 247–251. American Geophysical Union.
- Sardón, E., and N. Zarraoa. (1997). Estimation of Total Electron Content Using GPS Data: How Stable are the Differential Satellite and Receiver Instrumental Biases? *Radio Science*, **32**(5):1899–1910.
- Sardón, E., A. Rius, and N. Zarraoa. (1994). Estimation of the Transmitter and Receiver Differential Biases and the Ionospheric Total Electron Content from Global Positioning System Observations. *Radio Science*, **29**(3):577–586.
- Schmitz M., G. Wübbena, and G. Boettcher. (2002). Test of Phase Center Variations of Various GPS Antennas and Some Results. *GPS Solutions*, **6**(1,2):18–27.
- Schomaker, M. C., and R. M. Berry. (1981). *Geodetic Leveling*. NOAA Manual 3, NGS.
- Schupler, B. R., and T. A. Clark. (2001). Characterizing the Behavior of Geodetic GPS Antennas. *GPS World*, **12**(2): 48–52.
- Schüler, T. (2001). *On Ground-based GPS Tropospheric Delay Estimation*. Schriftenreihe, Vol. 73, Studiengang Geodäsie und Geoinformation, Universität der Bundeswehr München.
- Schwarze, V. S., T. Hartmann, M. Leins, and M. H. Soffel. (1993). Relativistic Effects in Satellite Positioning. *Manuscripta Geodaetica*, **18**(5):306–316.
- Seeber, G. (2003). *Satellite Geodesy*. De Gruyter, New York.
- Seeber, G., and G. Wübbena. (1989). Kinematic Positioning with Carrier Phases and “On-the-way” Ambiguity Resolution. *Proceedings of the 5th International Geodetic Symposium on Satellite Positioning*, 600–609, DMA.
- Sigl, R. (1977). *Ebene und Sphärische Trigonometrie mit Anwendungen auf Kartographie, Geodäsie und Astronomie*. Herbert Wichmann Verlag, Karlsruhe, Germany.
- Snyder, J. P. (1979). Calculating Map Projections for the Ellipsoid. *The American Cartographer*, **6**(1):67–76.
- Snyder, J. P. (1982). *Map Projections Used by the U.S. Geological Survey*. Geological Survey Bulletin 1532. United States Printing Office, Washington.
- Soler, T., and B.H.W. van Gelder. (1987). On Differential Scale Changes and the Satellite Doppler System Z-Shift. *Geophys. J. R. Astr. Soc.*, **91**(3):639–656.
- Soler, T., and J. Marshall. (2002). Rigorous Transformation of Variance-Covariance Matrices of GPS Derived Coordinates and Velocities. *GPS Solutions*, **6**(2):76–90.
- Solheim, F. S. (1993). Use of Pointed Water Vapor Radiometer Observations to Improve Vertical GPS Surveying Accuracy. Doctoral thesis, University of Colorado.
- Spilker, J. J. (1996). Tropospheric Effects on GPS. *GPS Theory and Applications* **1**, 517–546, Spilker and Parkinson, eds. *Progress in Astronautics and Aeronautics*, Vol. 163.

- Springer, T. A., G. Beutler, and M. Rothacher. (1999). A New Solar Radiation Pressure Model for GPS Satellites. *GPS Solutions*, **2**(3):50–62.
- SPS. (2001). Global Positioning System Standard Positioning Service Performance Standard. OASD/C3I)/ODASD(C3ISR&S)/Space Systems. Attn: Assistant for GPS, Positioning and Navigation, Pentagon. Available at GPS (2002) for downloading.
- Stem, J. E. (1989). *State Plane Coordinate Systems of 1983*. NOAA Manual NOS NGS 5.
- Strang, G., and K. Borre. (1997). *Linear Algebra, Geodesy, and GPS*. Wellesley–Cambridge Press, Wellesley, MA.
- Talbot, N. C. (1993). Centimeters in the Field: A User's Perspective of Real-time Kinematic Positioning in a Production Environment. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-93*, 589–598.
- Tetewsky, A. K., and F. E. Mullen. (1997). Carrier Phase Wrap-up Induced by Rotating GPS Antennas. *GPS World*, **8**(2):51–57.
- Teunissen, P.J.G. (1993). Least Squares Estimation of Integer GPS Ambiguities. Invited Lecture, Section IV Theory and Methodology. IAG General Meeting, Beijing, China, August 1993.
- Teunissen, P.J.G. (1994). A New Method for Fast Carrier Phase Ambiguity Resolution. *Proc. IEEE Position, Location and Navigation Symposium PLANS'94*, 662–673.
- Teunissen, P.J.G. (1997). On the Widelane and Its Decorrelating Property. *Journal of Geodesy*, **71**(9):577–587.
- Teunissen P.J.G. (1998). Success Probability of Integer GPS Ambiguity Rounding and Bootstrapping. *Journal of Geodesy*, **72**(10):606–612.
- Teunissen, P.J.G. (1999). An Optimality Property of the Integer Least-squares Estimator. *Journal of Geodesy*, **73**(5):587–593.
- Thayer, G. D. (1974). An Improved Equation for Radio Refractive Index of Air. *Radio Science*, **9**(10):803–807.
- Thomas, P. D. (1952). *Conformal Projections in Geodesy and Cartography*. Special Publication No. 251, U.S. Department of Commerce.
- USNO. (2002). U.S. Naval Observatory website maia.usno.navy.mil.
- Vaniček, P., and D. E. Wells. (1974). Positioning of Horizontal Geodetic Datums. *The Canadian Surveyor*, **28**(5):531–538.
- Veis, G. (1960). Geodetic Use of Artificial Satellites. *Smithsonian Contributions to Astrophysics*, **3**(9):95–161.
- Veitsel V. A., A. V. Zhdanov, and M. I. Zhodzishsky. (1998). The Mitigation of Multipath Errors by Strobe Correlators in GPS/GLONASS Receivers. *GPS Solutions*, **2**(2):38–45.
- Vincenty, T. (1979). The HAVAGO Three-dimensional Adjustment Program. NOAA TM NOS NGS 17.
- Vollath U., A. Buecherl, H. Landau, C. Pagels, and B. Wagner. (2000). Multi-base RTK Positioning Using Virtual Reference Stations. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-2000*, 123–131.
- Wang, J., M. P. Stewart, and M. Tsakiri. (1998). A Discrimination Test Procedure for Ambiguity Resolution On-the-fly. *Journal of Geodesy*, **72**(11):644–653.
- Wang, J., C. Rizos, M. P. Stewart, and A. Leick. (2001). GPS and GLONASS Integration: Modeling and Ambiguity Resolution Issues. *GPS Solutions*, **5**(1):55–64.

- Webb, D. F., and R. A. Howard. (1994). The Solar Cycle Variation of Coronal Mass Ejections and the Solar Wind Mass Flux. *Journal of Geophysical Research*, **99**(A4):4201–4220.
- Westwater, E. R. (1978). The Accuracy of Water Vapor and Cloud Liquid Determination by Dual-frequency Ground-based Microwave Radiometry. *Radio Science*, **13**(4):677–685.
- Whitehead, M. L., G. Penno, W. J. Feller, I. C. Messinger, W. L. Bertiger, R. J. Muellerschoen, B. A. Iijima, and G. Piesinger. (1998). A Close Look at Satloc's Real-time WADGPS System. *GPS Solutions*, **2**(2):45–63.
- Wilson, B. D., C. H. Yinger, W. A. Feess, and C. Shank. (1999). New and Improved: The Broadcast Interfrequency Biases. *GPS World*, **10**(9):56–66.
- Witchayangkoon, B. (2000). Elements of GPS Precise Point Positioning. Dissertation, Department of Spatial Information Science and Engineering, University of Maine.
- Witchayangkoon, B., and P.C.L. Segantine. (1999). Testing JPL's PPP Service. *GPS Solutions*, **3**(1):73–76.
- WMO. (1961). *Guide to Meteorological Instrument and Observing Practices*. Second Edition, World Meteorological Organization, No. 8.
- Wolf, H. (1963). Die Grundgleichungen der dreidimensionalen Geodäsie in elementarer Darstellung. *Zeitschrift für Vermessungswesen*, **88**(6):225–233.
- Wu, J. T., S. C. Wu, G. A. Hajj, W. I. Bertiger, and S. M. Lichen. (1993). Effects of Antenna Orientation on GPS Carrier Phase. *Manuscripta Geodaetica*, **18**(2):91–98.
- Wübbena, G. (1990) Zur Modellierung von GPS-Beobachtungen für die hochgenaue Positionsbestimmung. Dissertation, Universität Hannover.
- Wübbena, G., A. Bagge, G. Seeber, V. Böder, and P. Hankemeier. (1996). Reducing Distance Dependent Errors in Real-time Precise DGPS Applications by Establishing Reference Station Networks. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-96*, 1845–1852.
- Wübbena, G., M. Schmitz, F. Menge, V. Böder, and G. Seeber. (2000). Automated Absolute Field Calibration of GPS Antennas in Real Time. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-2000*, 2512–2522.
- Zehnhauser, B. E., H. J. Euler, and C. R. Keenan. (2002). A Novel Approach for the Use of Information from Reference Station Networks Conforming to RTCM V2.3 and Future V3.0. *Proceedings of the International Technical Meeting of the Satellite Division of the Institute of Navigation, ION-GPS-2002*, 863–876.
- Zhdanov, A. V., M. I. Zhodzhishsky, V. A. Veitsel, and J. Ashjaee. (2001). Evolution of Multipath Error Reduction with GPS Signal Processing. *GPS Solutions*, **5**(1):19–28.
- Ziebart, M., P. Cross, and S. Adhya. (2002). Modeling Photon Pressure: The Key to High-precision GPS Satellite Orbits. *GPS World*, **13**(1):43–50.
- Zumberge, J. F. (1998). Automated GPS Data Analysis Service. *GPS Solutions*, **2**(3):76–78.
- Zumberge, J. F., M. B. Heflin, D. C. Jefferson, M. M. Watkins, and F. H. Webb (1998a). Precise Point Processing for the Efficient and Robust Analysis of GPS Data from Large Networks. *Journal of Geophysical Research*, **102**(B3):5005–5017.
- Zumberge, J. F., M. M. Watkins, and F. H. Webb. (1998b). Characteristics and Application of Precise GPS Clock Solutions Every 30 Seconds. *Navigation*, **44**(4):449–456.