

## References

- Abbott M. B. and Refsgaard J.-C. (1996) *Distributed Hydrological Modelling*. Kluwer Academic, Dordrecht.
- Abbot M. B., Bathurst J. C., Cunge J. A., O'Connell P. E. and Rasmussen J. (1986a) An introduction to the European Hydrological System – Système Hydrologique Européen, SHE. 1. History and philosophy of a physically-based, distributed modelling system. *Journal of Hydrology* **87**: 45–59.
- Abbot M. B., Bathurst J. C., Cunge J. A., O'Connell P. E. and Rasmussen J. (1986b) An introduction to the European Hydrological System—Système Hydrologique Européen, SHE. 2. Structure of a physically-based, distributed modelling system. *Journal of Hydrology* **87**: 61–77.
- Abdullah F. A. and Lettenmaier D. P. (1997) Application of regional parameter estimation schemes to simulate the water balance of a large continental river. *Journal of Hydrology* **197**: 258–285.
- Abdullah F. A., Lettenmaier D. P., Wood E. F. and Smith J. (1996) Application of a macroscale hydrologic model to the water balance of the Arkansas–Red River basin. *Journal of Geophysical Research* **101**: 7449–7460.
- Abeliuk R. and Wheater H. S. (1990) Parameter identification of solute transport models for unsaturated soils. *Journal of Hydrology* **117**: 199–224.
- Ahsan M. and O'Connor K. M. (1994) A simple non-linear rainfall–runoff model with a variable gain factor. *Journal of Hydrology* **155**: 151–183.
- Al-Khudhairy D. H. A., Thompson J. R., Gavin H. and Hamm N. A. S. (1999) Hydrological modelling of a drained grazing marsh under agricultural land use and the simulation of restoration management scenarios. *Hydrological Science Journal* **44**: 943–971.
- Al-Wagdany A. S. and Rao A. R. (1998) Correlation of the velocity parameter of three geomorphological instantaneous unit hydrograph models. *Hydrological Processes* **12**: 651–659.
- Ambroise B., Perrin J. L. and Reutenauer D. (1995) Multicriterion validation of a semidistributed conceptual model of the water cycle in the Fecht catchment (Vosges Massif, France). *Water Resources Research* **31**: 1467–1481.
- Ambroise B., Freer J. and Beven K. J. (1996a) Application of a generalised TOPMODEL to the small Ringelbach catchment, Vosges, France. *Water Resources Research* **32**: 2147–2159.
- Amerman C. R. (1965) The use of unit-source watershed data for runoff prediction. *Water Resources Research* **1**: 499–507.
- Amoroch J. and Brandstetter A. (1971) Determination of nonlinear functional response functions in rainfall–runoff processes. *Water Resources Research* **7**: 1087–1101.
- Anderson E. A. (1968) Development and testing of snowpack energy balance equations. *Water Resources Research* **3**: 19–38.
- Anderson M. G. and Burt T. P. (eds) (1990) *Process Studies in Hillslope Hydrology*. John Wiley, Chichester.
- Andrieu H., French M. N., Thauvin V. and Krajewski W. F. (1996) Adaptation and application of a quantitative forecasting model in a mountainous region. *Journal of Hydrology* **184**: 234–259.

- Arnaud-Fassetta G., Ballais J.-L., Beghin E., Jorda M., Meffre J.-C., Provensal M., Roditis J.-C. and Suanez S. (1993) La crue de l'Ouvèze à Vaison-la-romaine (22 septembre 1992). Ses effets morphodynamiques, sa place dans la fonctionnement d'un géosystème anthropisé. *Revue de Géomorphologie Dynamique* **42**: 34–48.
- Arnell N. W. (1989) Changing frequency of extreme hydrological events in northern and western europe. In Roald L. N. K. and Hassel K. A. (eds) *FRIENDS in Hydrology*. IAHS Publication No. 187, Wallingford, pp. 237–249.
- Arnell N. W. (1996) *Global Warming, River Flows and Water Resources*. John Wiley, Chichester.
- Arnell N. W. (1999) A simple water balance model for the simulation of streamflow over a large geographic domain. *Journal of Hydrology* **217**: 314–335.
- Arnell N. W. and Reynard N. S. (1996) The effects of climate change due to global warming on river flows in Great Britain. *Journal of Hydrology* **183**: 397–424.
- Arnold J. G. and Williams J. R. (1995) *SWRRB – A Watershed Scale Model for Soil and Water Resources Management*. Water Resource Publications, Highlands Ranch, CO, pp. 847–908.
- Arnold J. G., Srinivasan R., Muttiah R. S. and Williams J. R. (1998) Large area hydrologic modeling and assessment. Part 1. Model development. *Journal of the American Water Resources Association* **34**: 73–89.
- Aronica G., Hankin B. G. and Beven K. J. (1998) Uncertainty and equifinality in calibrating distributed roughness coefficients in a flood propagation model with limited data. *Advances in Water Resources* **22**: 349–365.
- Avissar R. (1998) Which type of soil–vegetation–atmosphere transfer scheme is needed for general circulation models: a proposal for a higher-order scheme. *Journal of Hydrology* **212/213**: 136–154.
- Avissar R. and Pielke R. (1989) A parameterization of heterogeneous land surfaces for atmospheric numeric models and its impact on regional meteorology. *Monthly Weather Review* **117**: 2113–2136.
- Bales J. and Betson R. (1982) The curve number as a hydrologic index. In Singh V. P. (ed.) *Rainfall–Runoff Relationship*. Water Resource Publications, Highlands Ranch, CO, pp. 371–386.
- Band L. E., Peterson D. L., Running S. W., Coughlan J. C., Lammers R., Dungan J. and Nemani R. (1991) Forest ecosystem processes at the watershed scale: basis for distributed simulation. *Ecological Modelling* **56**: 171–196.
- Band L. E., Patterson P., Nemani R. and Running S. W. (1993) Forest ecosystem processes at the watershed scale: incorporating hillslope hydrology. *Agric. Forest Meteorology* **63**: 93–126.
- Bárdossy A., Bronstert A. and Merz B. (1995) 1-dimensional, 2-dimensional and 3-dimensional modelling of water-movement in the unsaturated soil matrix using a fuzzy approach. *Advances in Water Resources* **18**(4): 237–251.
- Barling R. D., Moore I. D. and Grayson R. B. (1994) A quasi-dynamic wetness index for characterizing the spatial distribution of zones of surface saturation and soil water content. *Water Resources Research* **30**(4): 1029–1044.
- Bastiaanssen W. G. M., Hoekman D. H. and Roebeling D. (1994) *A Methodology for the Assessment of Surface Resistance and Soil Water Storage Variability at Mesoscale Based on Remote Sensing Measurements*. IAHS Publication No. 2, Wallingford, UK.
- Bastiaanssen W. G. M., Menenti M., Feddes R. A. and Holtslag A. A. M. (1998) A remote sensing surface energy balance algorithm for land (SEBAL). 1. Formulation. *Journal of Hydrology* **212/213**: 198–212.
- Bates P. D., Anderson M. G., Baird L., Walling D. E. and Simm D. (1992) Modelling flood plain flows using a two-dimensional finite element model. *Earth Surface Processes and Landforms* **17**: 575–588.
- Bates P. D., Anderson M. G. and Hervouet J.-M. (1995) An initial comparison of 2-dimensional finite element codes for river flood simulation. *Proceedings of the Institution of Civil Engineers, Water, Maritime, Energy* **112**: 238–248.

- Bates P. D., Horritt M., Smith C. and Mason D. (1997) Integrating remote sensing observations of flood hydrology and hydraulic modelling. *Hydrological Processes* **11**: 1777–1795.
- Bathurst J. C. (1986a) Physically-based distributed modelling of an upland catchment using the Systeme Hydrologique Europeen. *Journal of Hydrology* **87**: 79–102.
- Bathurst J. C. (1986b) Sensitivity analysis of the Systeme Hydrologique Europeen for an upland catchment. *Journal of Hydrology* **87**: 103–123.
- Bathurst J. C. and Cooley K. R. (1996) Use of the SHE hydrological modelling system to investigate basin response to snowmelt at Reynolds Creek, Idaho. *Journal of Hydrology* **175**: 181–211.
- Bathurst J. C., Wicks J. M. and O'Connell P. E. (1995) The SHE/SHESED basin scale water flow and sediment transport modelling system. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 563–594.
- Bazemore D. E., Eshleman K. N. and Hollenbeck K. (1994) The role of soil water in stormflow generation in a forested headwater catchment: synthesis of natural tracer and hydrometric evidence. *Journal of Hydrology* **162**: 47–75.
- Beasley D. B., Huggins L. F. and Monke E. J. (1980) Answers: a model for watershed planning. *Transactions of the American Society of Agricultural Engineers* **23**: 938–944.
- Beck M. B. (1987) Water quality modeling: a review of the analysis of uncertainty. *Water Resources Research* **23**: 1393–1442.
- Beck M. B. and Halfon E. (1991) Uncertainty, identifiability and the propagation of prediction errors: a case study of Lake Ontario. *Journal of Forecasting* **10**: 135–161.
- Becker A. and Braun P. (1999) Disaggregation, aggregation and spatial scaling in hydrological modelling. *Journal of Hydrology* **217**: 239–252.
- Bell V. A. and Moore R. J. (1998) A grid-based distributed flood forecasting model for use with weather radar data. 1. Formulation. 2. Case studies. *Hydrology and Earth System Science* **2**: 265–298.
- Bergkamp G. (1998) A hierarchical view of the interactions of runoff and infiltration with vegetation and microtopography in semiarid shrublands. *Catena* **33**: 201–220.
- Bergstrom S. (1975) The development of a snow routine for the HBV-2 model. *Nordic Hydrology* **6**: 73–92.
- Bernier P. (1985) Variable source areas and stormflow generation: an update of the concept and simulation effort. *Journal of Hydrology* **79**: 195–213.
- Berod D. D., Singh V. P. and Musy A. (1999) A geomorphologic kinematic-wave (GKW) model for estimation of floods from small alpine watersheds. *Hydrological Processes* **13**: 1391–1416.
- Betson R. P. (1964) What is watershed runoff? *Journal of Geophysical Research* **69**: 1541–1551.
- Beven K. J. (1977) Hillslope hydrographs by the finite element method. *Earth Surface Processes* **2**: 13–28.
- Beven K. J. (1978) The hydrological response of headwater and slideslopes areas. *Hydrological Sciences Bulletin* **23**: 419–437.
- Beven K. J. (1979a) A sensitivity analysis of the Penman–Monteith actual evapotranspiration estimates. *Journal of Hydrology* **44**: 169–190.
- Beven K. J. (1979b) On the generalised kinematic routing method. *Water Resources Research* **15**: 1238–1242.
- Beven K. (1981) Kinematic subsurface stormflow. *Water Resources Research* **17**(5): 1419–1424.
- Beven K. J. (1982) On subsurface stormflow: an analysis of response times. *Hydrological Sciences Journal* **27**(4): 505–521.
- Beven K. J. (1984) Infiltration into a class of vertically non-uniform soils. *Hydrological Sciences Journal* **29**: 425–434.
- Beven K. J. (1986a) Runoff production and flood frequency in catchments of order  $n$ : an alternative approach. In Gupta V. K., Rodriguez-Iturbe I. and Wood E. F. (eds) *Scale Problems in Hydrology*, Reidel, Dordrecht, pp. 107–131.

- Beven K. J., Lamb R., Quinn P., Romanowicz R. and Freer J. (1995) Topmodel. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 627–668.
- Binley A. M. and Beven K. J. (1992) Three dimensional modelling of hillslope hydrology. *Hydrological Processes* **6**: 347–359.
- Binley A. M., Beven K. J. and Elgy J. (1989) A physically-based model of heterogeneous hillslopes. II. Effective hydraulic conductivities. *Water Resources Research* **25**(6): 1227–1233.
- Binley A. M., Beven K. J., Calver A. and Watts L. G. (1991) Changing responses in hydrology: assessing the uncertainty in physically based model predictions. *Water Resources Research* **27**(6): 1253–1261.
- Blackie J. R. and Eeles C. W. O. (1985) Lumped catchment models. In Anderson M. G. and Burt T. P. (eds) *Hydrological Forecasting*. John Wiley, Chichester, pp. 311–346.
- Blazkova S. and Beven K. (1997) Flood frequency prediction for data limited catchments in the Czech Republic using a stochastic rainfall model and topmodel. *Journal of Hydrology* **195**: 256–278.
- Blöschl G., Kirnbauer R. and Gutnecht D. (1991) Distributed snowmelt simulations in an alpine catchment 1. Model evaluation on the basis of snow cover patterns. *Water Resources Research* **27**: 3171–3179.
- Boorman D. B., Hollis J. M. and Lilly A. (1995) Hydrology of soil types: a hydrologically-based classification of the soils of the United Kingdom. Technical Report 126, Institute of Hydrology, Wallingford, UK.
- Borah D. K., Prasad S. N. and Alonso C. V. (1980) Kinematic wave routing incorporating shock fitting. *Water Resources Research* **16**: 529–541.
- Bouchet R. J. (1963) Evapotranspiration Réelle et Potentielle, Signification Climatique. IAHS Publication No. 62, Wallingford, UK, pp. 134–142.
- Box G. E. P. and Cox D. R. (1964) An analysis of transformations. *Journal of the Royal Statistical Society B* **26**: 211–243; Discussion 244–252.
- Box G. E. P. and Jenkins G. M. (1970) *Time Series Analysis, Forecasting and Control*. Holden-Day, San Francisco.
- Box G. E. P. and Tiao G. C. (1992) *Bayesian Inference in Statistical Analysis*. Wiley-Interscience, New York.
- Bradley A. A., Cooper P. J., Potter K. W. and Price T. (1995) Floodplain mapping using continuous hydrologic and hydraulic simulation models. *Journal of Hydrological Engineering ASCE* **1**: 63–68.
- Brakensiek D. L. and Rawls W. J. (1994) Soil containing rock fragments: effects on infiltration. *Catena* **23**: 99–110.
- Bras R. E. (1990) *Hydrology*. Addison-Wesley, Reading, MA.
- Braun L. N. and Lang H. (1986) Simulations of snowmelt runoff in lowland and lower alpine regions of Switzerland. In *Modelling Snowmelt-Induced Processes*. IAHS Publication No. 155, Wallingford, UK, pp. 125–140.
- Bronstert A. (1999) Capabilities and limitations of distributed hillslope hydrological modelling. *Hydrological Processes* **13**: 21–48.
- Bronstert A. and Plate E. (1997) Modelling of runoff generation and soil moisture dynamics for hillslopes and microcatchments. *Journal of Hydrology* **198**: 177–195.
- Brooks R. H. and Corey A. T. (1964) Hydraulic properties of porous media. Technical Report Hydrology Paper No. 3, Colorado State University, Fort Collins, CO.
- Bruneau P., Gascuel-Odoux C., Robin P., Merot Ph. and Beven K. J. (1995) The sensitivity to space and time resolution of a hydrological model using digital elevation data. *Hydrological Processes* **9**: 69–81.
- Brutsaert W. and Sugito M. (1992) Application of self-preservation in the diurnal evolution of the surface energy budget to determine daily evaporation. *Journal of Geophysical Research* **97**(D17): 18 377–18 382.

- Bultot F., Coppens A., Dupries G. L., Gellens D. and Meulenberghs F. (1988) Repercussions of a CO<sub>2</sub> doubling on the water cycle and on the water balance – a case study for Belgium. *Journal of Hydrology* **99**: 319–347.
- Bultot F., Gellens D., Spreafico M. and Schadler B. (1992) Repercussions of a CO<sub>2</sub>-doubling on the water balance – a case study in Switzerland. *Journal of Hydrology* **137**: 199–208.
- Burges S. J., Wigmosta M. S. and Meena J. M. (1998) Hydrological effects of land-use change in a zero-order catchment. *Journal of Hydrological Engineering ASCE* **3**: 86–97.
- Burnash R. (1995) The NWS river forecast system – catchment modeling. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 311–366.
- Calder I. R. (1977) A model of transpiration and interception loss from a spruce forest in Plynlimon, Central Wales. *Journal of Hydrology* **33**: 247–265.
- Calder I. (1986) A stochastic model of rainfall interception. *Journal of Hydrology* **89**: 65–71.
- Calder I. R. (1990) *Evaporation in the Uplands*. John Wiley, Chichester.
- Calder I. R. (1996) Dependence of rainfall interception on drop size: 1. Development of the two-layer stochastic model. *Journal of Hydrology* **185**: 363–378.
- Calder I. R., Harding R. J. and Rosier P. T. W. (1983) An objective assessment of soil moisture deficit models. *Journal of Hydrology* **60**: 329–355.
- Calder I. R., Hall R. L., Rosier P. T. W., Bastable H. G. and Prasanna K. T. (1996) Dependence of rainfall interception of drop size: 2. Experimental determination of the wetting functions and two-layer stochastic model parameters for five tropical tree species. *Journal of Hydrology* **185**: 379–388.
- Calver A. (1988) Calibration, sensitivity and validation of a physically-based rainfall-runoff model. *Journal of Hydrology* **103**: 103–115.
- Calver A. (1993) Flood generation modelling. *Institution of Wat. Environ. Management J.* **7**: 614–620.
- Calver A. and Cammeraat L. H. (1993) Testing a physically-based runoff model against field observations on a Luxembourg hillslope. *Catena* **20**: 273–288.
- Calver A. and Lamb R. (1996) Flood frequency estimation using continuous rainfall-runoff modelling. *Phys. Chem. Earth* **20**: 479–483.
- Calver A. and Wood W. L. (1995) The Institute of Hydrology distributed model. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 595–626.
- Cameron D. (2000) Estimating flood frequency by continuous simulation. PhD thesis, Lancaster University, Lancaster.
- Cameron D. S., Beven K. J., Tawn J., Blazkova S. and Naden P. (1999) Flood frequency estimation by continuous simulation for a gauged upland catchment (with uncertainty). *Journal of Hydrology* **219**: 169–187.
- Campolo M., Andreussi P. and Soldati A. (1999) River flood forecasting with a neural network model. *Water Resources Research* **35**: 1191–1197.
- Cappus P. (1960) Bassin versant expérimental d'Alrance: études des lois de l'écoulement. Application au calcul et à la prévision des débits. *La Houille Blanche A*: 493–520.
- Carsel R. F., Mulkey L. A., Lorber M. N. and Bakin L. B. (1985) The pesticide root zone model (PRZM): a procedure for evaluating pesticide leaching threats to groundwater. *Ecological Modeling* **30**: 49–69.
- Cerda A. (1998) Changes in overland flow and infiltration after a rangeland fire in a Mediterranean scrubland. *Hydrological Processes* **12**: 1031–1042.
- Chagnon S. A. E. (1996) *The Great Flood of 1993*. Westview Press, Boulder, CO.
- Chapman T. G. (1996b) Common unitgraphs for sets of runoff events. Part 2. Comparisons and inferences for rainfall loss models. *Hydrological Processes* **10**: 783–792.
- Charbeneau R. J. (1984) Kinematic models for soil moisture and solute transport. *Water Resources Research* **20**: 699–706.

- Chaubey I., Haan C. T., Grunwald S. and Salisbury J. M. (1999) Uncertainty in the model parameters due to spatial variability of rainfall. *Journal of Hydrology* **220**: 48–61.
- Chehbouni A., Kerr Y. H., Watts C., Hartogenisis O., Goodrich D. et al. (1999) Estimation of area-average sensible heat flux using a large-aperture scintillometer during the semi-arid land-surface-atmosphere (SALSA) experiment. *Water Resources Research* **35**: 2505–2511.
- Chiew F. H. S., Stewardson M. J. and McMahon T. A. (1993) Comparison of six rainfall-runoff modelling approaches. *Journal of Hydrology* **147**: 1–36.
- Chow V. T. (1964) *Handbook of Applied Hydrology*. McGraw-Hill, New York.
- Chow V. T. and Kulandaiswamy V. C. (1971) General hydrologic systems model. *Journal of the Hydraulics Division, ASCE* **97(HY6)**: 791–804.
- Chutha P. and Dooge J. C. I. (1990) The shape parameters of the geomorphologic unit hydrograph. *Journal of Hydrology* **117**: 81–97.
- Ciarapica L. (1998) TOPKAPI – un Modello Afflussi–Deflussi Distribuito Applicabile Dalla Scala Di Versante Alla Scala Di Bacino. PhD thesis, Università di Bologna, Italy.
- Clapp R. B. and Hornberger G. M. (1978) Empirical equations for some hydraulic properties. *Water Resources Research* **14**: 601–604.
- Clapp R. B., Hornberger G. M. and Cosby B. J. (1983) Estimating spatial variation in soil moisture with a simple dynamic model. *Water Resources Research* **19**: 739–745.
- Clapp R. B., Timmins S. P. and Huston M. A. (1992) Visualising the surface hydrodynamics of a forested watershed. In Russell T. F. et al. (ed.) *Proceedings of the IX International Conference on Computational Methods in Water Resources, V.2 Mathematical Models of Water Resources*. Elsevier, New York, pp. 765–772.
- Clark C. O. (1945) Storage and unit hydrograph. *Transactions of the American Society of Civil Engineers* **110**: 1416–1446.
- Clarke R. T. (1973) A review of some mathematical models used in hydrology, with observations on their calibration and use. *Journal of Hydrology* **19**: 1–20.
- Clarke R. T. (1998) *Stochastic Processes for Water Scientists: Developments and Applications*. John Wiley, Chichester.
- Clausnitzer V., Hopmans J. H. and Nielsen D. R. (1992) Simultaneous scaling of soil water retention and hydraulic conductivity curves. *Water Resources Research* **28**: 19–31.
- Cluckie I. D. (1993) Hydrological Forecasting: Real Time. In Young P.C. (ed.) *Encyclopaedia of Environmental Systems*, Pergamon Press, Oxford, pp. 291–298.
- Colbeck S. C. (1974) Water flow through snow overlying an impermeable boundary. *Water Resources Research* **10(1)**: 119–123.
- Connolly R. D., Silburn D. M. and Ciesiolka C. A. A. (1997) Distributed parameter hydrology model (Answers) applied to a range of catchment scales using rainfall simulator data. III. Application to a spatially complex catchment. *Journal of Hydrology* **193**: 183–203.
- Conway D. and Jones P. D. (1998) The use of weather types and air flow indices for GCM downscaling. *Journal of Hydrology* **212/213**: 348–361.
- Cooley K. R. (1990) Effects of CO<sub>2</sub>-induced climatic changes on snowpack and streamflow. *Hydrological Science Journal* **35**: 511–522.
- Cooper D. M. and Wood E. F. (1982) Parameter estimation of multiple input-output time series models: application to rainfall-runoff processes. *Water Resources Research* **18**: 1352–1364.
- Cordova J. R. and Rodriguez-Iturbe I. (1983) Geomorphoclimatic estimation of extreme flood probabilities. *Journal of Hydrology* **65**: 159–173.
- Corradini C., Melone F. and Smith R. E. (1997) A unified model for infiltration and redistribution during complex rainfall patterns. *Journal of Hydrology* **192**: 104–124.
- Corradini C., Morbidelli R. and Melone F. (1998) On the interaction between infiltration and Hortonian runoff. *Journal of Hydrology* **204**: 52–67.

- Cosby B. J., Hornberger G. M., Clapp R. B. and Ginn T. R. (1984) A statistical exploration of the relationship of soil moisture characteristics to the physical properties of soils. *Water Resources Research* **20**: 682–690.
- Cowpertwait P. S. P., O'Connell P. E., Metcalf A. V. and Mawdsley J. (1996) Stochastic point process modelling of rainfall. I. Single-site fitting and validation. II. Regionalisation and disaggregation. *Journal of Hydrology* **171**: 17–65.
- Cox D. R. and Hinkley D. V. (1974) *Theoretical Statistics*. Chapman and Hall, London.
- Cox P. M., Huntingford C. and Harding R. J. (1998) A canopy conductance and photosynthesis model for Se in a GCM land surface scheme. *Journal of Hydrology* **212/213**: 79–94.
- Crago R. D. and Brutsaert W. (1996) Daytime evaporation and the self-preservation of the evaporation fraction and the Bowen ratio. *Journal of Hydrology* **178**: 241–255.
- Crawford N. H. and Linsley R. K. (1966) Digital simulation in hydrology: Stanford Watershed Model IV. Technical Report 39, Department of Civil Engineering, Stanford University, CA.
- Cunge J. (1969) On the subject of a flood routing method (Muskingum method). *Journal of Hydraulics Research* **7**: 205–230.
- Daluz Vieira J. (1983) Conditions governing the use of approximations for the St. Venant equations for shallow surface water flow. *Journal of Hydrology* **60**: 43–58.
- Darcy H. (1856) *Les Fontaines de la Ville de Dijon*. Dalmont, Paris.
- Datin R. (1998) Outils Opérationnels pour la prévision des crues rapides: traitements des incertitudes et intégration des prévisions météorologique. Développements de TOPMODEL pour le prise en compte de la variabilité spatiale de la pluie. PhD thesis, INP Grenoble.
- Davie T. (1996) Modelling the influence of afforestation on hillslope storm runoff. In Anderson M. and Brooks S. M. (eds) *Advances in Hillslope Processes*, V. John Wiley, Chichester, pp. 149–184.
- Davis L. (1991) *Handbook of Genetic Algorithms*. Van Nostrand Reinhold, New York.
- Dawdy D. R. and O'Donnell T. (1965) Mathematical models of catchment behaviour. *Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers* **91(HY4)**: 123–127.
- Dawes W. R., Zhang L., Hatton T. J., Reece P. H., Beale G. T. H. and Packer I. (1997) Evaluation of a distributed parameter ecohydrological model (TOPOG-IRM) on a small cropping rotation catchment. *Journal of Hydrology* **191**: 64–86.
- Dawson C. and Wilby R. (1998) An artificial neural network approach to rainfall-runoff modelling. *Hydrological Science Journal* **43**: 47–66.
- De Bruin H. A. R., Van den Hurk B. J. J. M. and Kohsieck W. (1995) The scintillation method tested over a dry vineyard area. *Boundary Layer Meteorology* **76**: 25–40.
- De Troch F. P., Troch P. A., Su Z. and Lin D. (1996) Application of remote sensing for hydrological modelling. In Abbott M. and Refsgaard J.-C. (eds) *Distribute Hydrological Modelling*. Kluwer, Dordrecht, pp. 165–191.
- Diaz-Granados M. A., Valdes J. B. and Bras R. L. (1984) A physically-based flood frequency distribution. *Water Resources Research* **20**: 995–1002.
- Dickinson R. E. and Henderson-Sellers A. (1988) Modelling tropical deforestation: a study of GCM land-surface parameterizations. *Quarterly Journal of the Royal Meteorological Society* **114**: 439–462.
- Dietterick B. C., Lynch J. A. and Corbett E. S. (1999) A calibration procedure using TOPMODEL to determine suitability for evaluating potential climate change effects on water yield. *Journal of the American Water Resources Association* **35**: 457–468.
- Diskin M. and Boneh A. (1973) Determination of optimal kernels for second-order stationary surface runoff systems. *Water Resources Research* **9**: 311–325.
- Dixon R. M. and Linden D. R. (1972) Soil air pressure and water infiltration under border irrigation. *Soil Science Society of America Proceedings* **36**: 948–953.
- Doe W. W., Saghafian B. and Julien P. Y. (1996) Land-use impact on watershed response: the integration of two-dimensional hydrological modelling and geographical information systems. *Hydrological Processes* **10**: 1503–1511.

- Dolciné L. A. H. and French M. N. (1998) Evaluation of a conceptual rainfall forecasting model from observed and simulated rainfall events. *Hydrology and Earth System Science* **2**: 173–182.
- Dolman A. J. (1987) Summer and winter rainfall interception in an oak forest. Predictions with an analytical and a numerical simulation model. *Journal of Hydrology* **90**: 1–9.
- Donigian A. S. D., Bicknell B. R. and Imhoff J. C. (1995) Hydrological simulation program – Fortran. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 395–442.
- Donnelly-Makovecki L. M. and Moore R. D. (1999) Hierarchical testing of three rainfall-runoff models in small forested catchments. *Journal of Hydrology* **219**: 136–152.
- Dooge J. C. I. (1957) The rational method for estimating flood peaks. *Engineering* **184**: 311–313; 374–377.
- Dooge J. C. I. (1959) A general theory of the unit hydrograph. *Journal of Geophysical Research* **64**: 241–256.
- Dooge J. C. I. (1986) Looking for hydrologic laws. *Water Resources Research* **22**(9): 465–585.
- Duan J. and Miller N. L. (1997) A generalized power function for the subsurface transmissivity profile in TOPMODEL. *Water Resources Research* **33**: 2559–2562.
- Duan Q. S., Sorooshian S. and Gupta V. (1992) Effective and efficient global optimisation for conceptual rainfall-runoff models. *Water Resources Research* **28**: 1015–1031.
- Duband D., Obled C. and Rodriguez J.-Y. (1993) Unit hydrograph revisited: an alternative approach to UH and effective precipitation identification. *Journal of Hydrology* **150**: 115–149.
- Dubayah R. O., Wood E. F., Engman E. T., Czajkowski K. P., Zion M. and Rhoads J. (1999) Remote sensing in hydrologic modeling. In Schultz G. A. and Engman E. T. (eds) *Remote Sensing in Hydrology and Water Management*. Springer-Verlag, Berlin.
- Ducoudre N. I., Laval K. and Perrier A. (1993) SECHIBA: a new set of parameterizations of the hydrological exchanges at the land/atmosphere interface within the LMD atmospheric general circulation model. *Journal of Climate* **6**: 248–273.
- Duffy C. (1996) A two-state integral-balance model for soil moisture and groundwater dynamics in complex terrain. *Water Resources Research* **32**: 2421–2434.
- Dumenil L. and Todini E. (1992) A rainfall-runoff scheme for use in the Hamburg climate model. In O’Kane J. P. (ed.) *Advances in Theoretical Hydrology, A Tribute to James Dooge*. Elsevier, Amsterdam, pp. 129–157.
- Dunn S. M. (1999) Imposing constraints on parameter values of a conceptual hydrological model using baseflow response. *Hydrology and Earth System Science* **3**: 271–284.
- Dunn S. M. and Ferrier R. C. (1999) Natural flow in managed catchments: a case study of a modelling approach. *Water Research* **33**: 621–630.
- Dunn S. M. and Mackay R. (1996) Modelling the hydrological impacts of open ditch drainage. *Journal of Hydrology* **179**: 37–66.
- Dunn S. M., Mackay R., Adams R. and Oglethorpe D. R. (1996) The hydrological component of the NELUP decision-support system: an appraisal. *Journal of Hydrology* **177**: 213–235.
- Dunne T. (1978) Field studies of hillslope flow processes. In Kirkby M. J. (ed.) *Hillslope Hydrology*. John Wiley, Chichester, pp. 227–293.
- Dunne T. and Black R. D. (1970) An experimental investigation of runoff production in permeable soils. *Water Resources Research* **6**: 478–490.
- Dunne T., Price J. G. and Colbeck S. C. (1976) The generation of runoff from subarctic snowpacks. *Water Resources Research* **12**(4): 677–685.
- Dunne T., Zhang W. and Aubrey B. F. (1991) Effects of rainfall, vegetation and microtopography on infiltration and runoff. *Water Resources Research* **27**: 2271–2286.
- Durand P., Robson A. and Neal C. (1992) Modelling the hydrology of submediterranean montane catchments (Mont Lozère, France), using TOPMODEL: initial results. *Journal of Hydrology* **139**: 1–14.
- Durand Y., Brun E., Merindol L., Guymarb'h G., Lesassre B. and Martin E. (1993) A meteorological estimation of relevant parameters for snow models. *Annals of Glaciology* **18**: 65–71.

- Duru J. O. and Hjelmfelt, A. T. (1994) Investigating Prediction Capability of HEC-1 and KINEROS Kinematic Wave Runoff Models. *J. Hydrology*, **157**: 87–103, 1994.
- Eagleson P. S. (1970) *Dynamic Hydrology*. McGraw-Hill, New York.
- Eagleson P. S. (1972) Dynamics of flood frequency. *Water Resources Research* **8**: 878–898.
- Editjatno Nascimento N. De O., Yang X., Makhlof Z. and Michel C. (1999) GR3J: a daily watershed model with three free parameters. *Hydrological Science Journal* **44**: 263–277.
- Ehlers W. (1975) Observations on earthworm channels and infiltration on tilled and untilled loess soil. *Soil Science* **119**: 242–249.
- Engman E. and Gurney R. (1991) *Remote Sensing in Hydrology*. Chapman and Hall, London.
- Engman E. T. and Rogowski A. S. (1974) A partial area model for storm flow synthesis. *Water Resources Research* **10**: 464–472.
- Entekhabi D. and Eagleson P. S. (1991) Climate and the Equilibrium State of Land Surface Hydrology Parameterizations. *Surveys in Geophysics*, **12**: 205–220.
- Erichsen B. and Myrabø S. (1990) Studies of the relationship between soil moisture and topography in a small catchment. In Gambolati G. (ed.) *Proceedings of the 8th International Conference on Computational Methods in Water Resources*, Venice.
- Espino A., Mallants D., Vanclooster M. and Feyen J. (1995) Cautionary notes on the use of pedotransfer functions for estimating soil hydraulic properties. *Agricultural Water Management* **29**: 235–253.
- Ewen J. (1997) 'Blueprint' for the UP modelling system for large-scale hydrology. *Hydrology and Earth System Science* **1**: 55–69.
- Ewen J. and Parkin G. (1996) Validation of catchment models for predicting land-use and climate change impacts. 1. Method. *Journal of Hydrology* **175**: 583–594.
- Ewen J., Sloan W. T., Kilsby C. G. and O'Connell P. E. (1999) UP modelling system for large scale hydrology: deriving large-scale physically-based parameters for the Arkansas–Red River Basin. *Hydrology and Earth System Science*, **3**: 125–136.
- Faeh A. O., Scherrer S. and Naef F. (1997) A combined field and numerical approach to investigate flow processes in natural macroporous soils under extreme precipitation. *Hydrology and Earth System Sciences* **1**(4): 787–800.
- Fagre D. B., Comanor P. L., White J. D., Hauer F. R. and Running S. W. (1997) Watershed Responses to climate change at Glacier National Park. *Journal of the American Water Resources Association* **33**: 755–765.
- Fairfield J. and Leymaire P. (1991) Drainage networks from grid digital elevation models. *Water Resources Research*, **27**: 709–717.
- Famiglietti J. S. and Wood E. F. (1991) Evapotranspiration and runoff from large land areas: land surface hydrology for atmospheric general circulation models. *Surveys in Geophysics* **12**: 179–204.
- Famiglietti J. S., Wood E. F., Sivapalan M. and Thongs D. J. (1992) A catchment scale water balance model for FIFE. *Journal of Geophysical Research* **97**(D17): 18 997–19 007.
- Faurès J.-M., Goodrich D. C., Woolhiser D. A. and Sorooshian S. (1995) Impact of small-scale rainfall variability on runoff modelling. *Journal of Hydrology* **173**: 309–326.
- Federer C. A., Vörösmarty C. and Fekete B. (1996) Intercomparison of methods for calculating potential: evaporation in regional and global water balance models. *Water Resources Research* **32**: 2315–2321.
- Feldman A. D. (1995) HEC-1 flood hydrograph package. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highland Ranch, CO, pp. 119–150.
- Fernando D. A. K. and Jayawardena A. W. (1998) Runoff forecasting using RBF networks with OLS algorithm. *Journal of Hydrological Engineering ASCE* **3**: 203–209.
- Fisher J. and Beven K. J. (1995) Modelling of streamflow at Slapton Wood using TOPMODEL within an uncertainty estimation framework. *Field Studies* **8**: 577–584.
- Fleming G. (1975) *Computer Simulation Techniques in Hydrology*. Environmental Science Series, Elsevier.
- Fleming G. and Franz D. D. (1971) Flood frequency estimating techniques. *Journal of the Hydraulics Division, ASCE*, **97** (HY9): 1441–1460.

- Flügel W.-A. (1995) Delineating hydrological response units by geographical information system analyses for regional hydrological modelling using PRMS/MMS in the drainage basin of the River Bröl, Germany. *Hydrological Processes* **9**: 423–436.
- Flury M., Fluhler H., Jury W. A. and Leuenberger J. (1994) Susceptibility of soils to preferential flow of water: a field study. *Water Resources Research* **30**(7): 1945–1954.
- Fontaine T. A. (1995) Rainfall-runoff model accuracy for an extreme flood. *Journal of Hydraulic Engineering, ASCE* **121**(4): 365–374.
- Forrest S. (1993) Genetic algorithms: principles of natural selection applied to computation. *Science* **261**: 872–878.
- Fox D. M., Le Bissonnais Y. and Bruand A. (1998) The effect of ponding depth on infiltration in a crusted surface depression. *Catena* **32**: 87–100.
- Franchini M. and Galeati G. (1997) Comparing several genetic algorithm schemes for the calibration of conceptual rainfall-runoff models. *Hydrological Science Journal* **42**: 357–380.
- Franchini M. and Pacciani M. (1991) Comparative analysis of several conceptual rainfall-runoff models. *Journal of Hydrology* **122**: 161–219.
- Franchini M., Helmlinger K. R., Foufoula-Georgiou E. and Todini E. (1996) Stochastic storm transposition coupled with rainfall-runoff modelling for estimation of exceedence probability of design floods. *Journal of Hydrology* **175**: 511–532.
- Franks S. W. and Beven K. J. (1997) Estimation of evapotranspiration at the landscape scale: a fuzzy disaggregation approach. *Water Resources Research* **33**: 2929–2938.
- Franks S. W., Beven K. J., Quinn P. F. and Wright I. (1997) On the sensitivity of soil–vegetation–atmosphere transfer (SVAT) schemes: equifinality and the problem of robust calibration. *Agric. Forest Meteorology* **86**: 63–75.
- Franks S. W., Gineste Ph., Beven K. J. and Merot P. (1998) On constraining the predictions of a distributed model: the incorporation of fuzzy estimates of saturated areas into the calibration process. *Water Resources Research* **34**: 787–797.
- Fread D. L. (1973) Technique for implicit flood routing in rivers with tributaries. *Water Resources Research* **9**: 918–926.
- Fread D. (1985) Channel routing. In Anderson M. and Burt T. (eds) *Hydrological Forecasting*. John Wiley, Chichester, pp. 437–503.
- Freer J., Beven K. J. and Ambroise B. (1996) Bayesian estimation of uncertainty in runoff prediction and the value of data: an application of the GLUE approach. *Water Resources Research* **32**: 2161–2173.
- Freer J., Mc Donnell J., Beven K. J., Brammer D., Burns D., Hooper R. P. and Kendal C. (1997) Topographic controls on subsurface stormflow at the hillslope scale for two hydrologically distinct small catchments. *Hydrological Processes* **11**: 1347–1352.
- Freeze R. A. (1972) Role of subsurface flow in generating surface runoff. 2. Upstream source areas. *Water Resources Research* **8**(5): 1272–1283.
- Freeze R. A. and Harlan R. L. (1969) Blueprint for a physically-based digitally simulated hydrologic response model. *Journal of Hydrology* **9**: 237–258.
- French M. N. and Krajewski W. F. (1994) A model for real-time quantitative rainfall forecasting using remote sensing. 1. Formulation. *Water Resources Research* **30**: 1075–1083.
- Gandolfi C., Bishetti G. B. and Whelan M. J. (1999) A simple triangular approximation of the area function for the calculation of network hydrological response. *Hydrological Processes* **13**: 2639–2654.
- Gao X., Sorooshian S. and Gupta H. V. (1996) Sensitivity analysis of the biosphere–atmosphere transfer scheme. *Journal of Geophysical Research* **101**(D3): 7279–7289.
- Gash J. H. C. (1979) An analytical model of rainfall interception by forests. *Quarterly Journal of the Royal Meteorological Society* **105**: 43–55.
- Gash J. H. C. and Morton A. J. (1978) An application of the Rutter model to the estimation of the interception loss from Thetford Forest. *Journal of Hydrology* **38**: 49–58.
- Gash J. H. C., Wright I. R. and Lloyd C. R. (1980) Comparative estimates of interception loss from three coniferous forests in Great Britain. *Journal of Hydrology* **48**: 89–105.

- Gellens D. (1991) Impact of a CO<sub>2</sub>-induced climate change on river flow variability in three rivers in Belgium. *Earth Surface Processes and Landforms* **16**: 619–625.
- Genereux D. P., Hemond H. F. and Mulholland P. J. (1993) Spatial and temporal variability in streamflow generation on the west fork of Walker Branch watershed. *Journal of Hydrology* **142**: 137–166.
- Germann P. F. (1990) Macropores and hydrologic hillslope processes. In Anderson M. G. and Burt T. P. (eds) *Process Studies in Hillslope Hydrology*. John Wiley, Chichester, pp. 327–364.
- Girard G., Ledoux E. and Villeneuve J. P. (1981) Le Modèle Couplé – simulation conjointe des écoulements de surface et des écoulements souterrains sur un système hydrologique. *Cahiers ORSTOM, Sér. Hydrol.* **18**.
- Goodrich D. C., Woolhiser D. A. and Keefer T. O. (1991) Kinematic routing using finite elements on a triangular irregular network. *Water Resources Research* **27**: 995–1003.
- Goodrich D. C., Schmugge T. J., Jackson T. J., Unkrich C. L., Keefer T. O., Parry R., Bach L. B. and Amer S. A. (1994) Runoff simulation sensitivity to remotely sensed initial soil moisture content. *Water Resources Research* **30**: 1393–1405.
- Goodrich D. C., Lane L. J., Shillito R. M., Miller S. N., Syed K. H. and Woolhiser D. A. (1997) Linearity of basin response as a function of scale in a semiarid watershed. *Water Resources Research* **33**: 2951–2965.
- Grayson R. B., Moore I. D. and McMahon T. A. (1992a) Physically-based hydrologic modelling. 1. A terrain-based model for investigative purposes. *Water Resources Research* **28**: 2639–2658.
- Grayson R. B., Moore I. D. and McMahon T. A. (1992b) Physically-based hydrologic modelling. 2. Is the concept realistic. *Water Resources Research* **28**: 2659.
- Grayson R. B., Blöschl G. and Moore I. D. (1995) Distributed parameter hydrologic modelling using vector elevation data: THALES and TAPES-c. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 669–696.
- Green W. H. and Ampt G. (1911) Studies of soil physics. Part 1. The flow of air and water through soils. *Journal of the Agricultural Society* **4**: 1–24.
- Grove M., Harbor J. and Engel B. (1998) Composite vs. distributed curve numbers: effects on estimates of storm runoff depths. *Journal of the American Water Resources Association* **34**: 1015–1023.
- Güntner A., Uhlenbrook S., Seibert J. and Leibundgut C. (1999) Multi-criterial validation of TOPMODEL in a mountainous catchment. *Hydrological Processes* **13**: 1603–1620.
- Gupta H. V., Sorooshian S. and Yapo P. O. (1998) Toward improved calibration of hydrologic models: multiple and noncommensurable measures of information. *Water Resources Research* **34**: 751–763.
- Gupta H. V., Sorooshian S. and Yapo P. O. (1999) Status of automatic calibration for hydrologic models: comparison with multilevel expert calibration. *Journal of Hydrological Engineering ASCE* **4**: 135–143.
- Gupta S. C. and Larson W. E. (1979) Estimating soil water retention characteristics from particle size distribution, organic matter percent and bulk density. *Water Resources Research* **15**: 1633–1635.
- Gupta V. K. and Sorooshian S. (1985) The relationship between data and the precision of parameter estimates of hydrologic models. *Journal of Hydrology* **81**: 57–77.
- Gurtz J., Baltensweiler A. and Lang H. (1999) Spatially distributed hydrotope-based modelling of evapotranspiration and runoff in mountainous basins. *Hydrological Processes* **13**: 2751–2768.
- Hahn G. J. and Meeker W. Q. (1991) *Statistical intervals: a guide for practitioners*. John Wiley, New York.
- Hall R. L., Calder I. R., Gunawardena E. R. N. and Rosier P. T. W. (1996) Dependence of rainfall interception on drop size: 3. Implementation and comparative performance of the stochastic model using data from a tropical site in Sri Lanka. *Journal of Hydrology* **185**: 389–407.

- Hamon W. R. (1961) Estimating potential evapo-transpiration. *Journal of the Hydraulics Division, ASCE* **87**: 107–120.
- Harlin J. and Kung C.-S. (1992) Parameter uncertainty and simulation of design floods in Sweden. *Journal of Hydrology* **137**: 209–230.
- Hartman M. D., Baron J. S., Lammers R. B., Cline D. W., Band L. E., Liston G. E. and Tague C. (1999) Simulations of snow distribution and hydrology in a mountain basin. *Water Resources Research* **35**: 1587–1603.
- Hashemi A. M., O'Connell P. E., Franchini M. and Cowpertwait P. S. P. (1998) A simulation analysis of the factors controlling the shapes of flood frequency curves. In Wheater H. and Kirby C. (eds) *Hydrology in a Changing Environment*, Volume 1. John Wiley, Chichester, pp. 39–49.
- Hassanizadeh S. M. (1986) Derivation of basic equations of mass transport in porous media. Part 2. Generalized Darcy's law and Fick's law. *Advances in Water Resources* **9**: 2–7–222.
- Hebson C. and Wood E. F. (1982) A derived flood frequency distribution using Horton order ratios. *Water Resources Research* **18**: 1509–1518.
- Henderson D. E., Reeves A. D. and Beven K. (1996) Flow separation in undisturbed soil using multiple anionic tracers (2) steady state core scale rainfall and return flows. *Hydrological Processes* **10**: 1451–1466.
- Henderson F. and Wooding R. (1964) Overland flow and groundwater flow from a steady rainfall of finite duration. *Journal of Geophysical Research* **69**: 1531–1540.
- Herschy R. W. (1995) *Streamflow Measurement*. Chapman and Hall, London.
- Hewlett J. (1974) Comments on letters relating to 'Role of subsurface flow in generating surface runoff. 2. Upstream source areas' by R. Allen Freeze. *Water Resources Research* **10**: 605–607.
- Hewlett J. D. (1961) Soil moisture as a source of base flow from steep mountain watersheds. US Department of Agriculture and Forestry Services, Southeastern Forest Experiment Station, Ashville, NC, Station Paper 132.
- Hewlett J. D. and Hibbert A. R. (1967) Factors affecting the response of small watersheds to precipitation in humid areas. In Sopper W. E. and Lull H. W. (eds) *Forest Hydrology*. Pergamon Press, Oxford, pp. 275–290.
- Hjelmfelt A. T. and Amerman C. R. (1980) The mathematical basin model of Merrill Bernard. IAHS Publication No. 130, Wallingford, UK, pp. 343–349.
- Hjelmfelt A. T., Kramer L. A. and Burwell R. (1982) Curve numbers as random variables. In Singh V. (ed.) *Rainfall–Runoff Relationships*. Water Resource Publications, Highlands Ranch, CO, pp. 365–370.
- Hollenbeck K. J. and Jensen K. H. (1998) Experimental evidence of randomness and nonuniqueness in unsaturated outflow experiments designed for hydraulic parameter estimation. *Water Resources Research* **34**: 595–602.
- Holtan H. N., England C. B., Lawless G. P. and Schumaker G. A. (1968) Moisture-tension data for selected soils on experimental watersheds. Technical Report ARS 41–144, USDA ARS, Agricultural Research Service, Beltsville, MD.
- Holwill C. J. and Stewart J. B. (1992) Spatial variability of evapotranspiration derived from aircraft and ground based data. *Journal of Geophysical Research* **97(D17)**: 18 673–18 680.
- Hooper R. P., Stone A., Christoffersen N., de Grosbois E. and Seip H. M. (1986) Assessing the Birkenes model of stream acidification using a multi-signal calibration methodology. *Water Resources Research* **22**: 1444–1454.
- Hornberger G. M. and Spear R. C. (1981) An approach to the preliminary analysis of environmental systems. *Journal of Environmental Management* **12**: 7–18.
- Hornberger G. M., Beven K. J., Cosby B. J. and Sappington D. E. (1985) Shenandoah watershed study: calibration of a topography-based, variable contributing area hydrological model to a small forested catchment. *Water Resources Research* **21**: 1841–1850.
- Horton R. E. (1933) The role of infiltration in the hydrologic cycle. *Transactions of the American Geophysical Union* **14**: 446–460.

- Horton R. E. (1936) Maximum ground-water levels. *Transactions of the American Geophysical Union* **17**: 344–357.
- Horton R. E. (1940) An approach to the physical interpretation of infiltration capacity. *Soil Science Society of America Proceedings* **5**: 399–417.
- Horton R. E. (1942) Remarks on hydrologic terminology. *Transactions of the American Geophysical Union* **23**: 479–482.
- Hosking J. R. M. and Clarke R. T. (1990) Rainfall–runoff relations derived from the probability theory of storage. *Water Resources Research* **26**: 1455–1463.
- Hottelet C., Braun L., Leibundgut C. and Rieg A. (1993) Simulation of snowpack and discharge in an Alpine karst basin. IAHS Publication No. 218, Wallingford, UK, pp. 249–260.
- Houghton-Carr H. A. (1999) Assessment criteria for simple conceptual daily rainfall–runoff models. *Hydrological Science Journal* **44**: 237–263.
- Houser P. R., Shuttleworth W. J., Famiglietti J. S., Gupta H. V., Syed K. H. and Goodrich D. C. (1998) Integration of soil moisture remote sensing and hydrologic modelling using data assimilation. *Water Resources Research* **34**: 3405–3420.
- Hromadka T. V. II and Whitley R. J. (1994) The rational method for peak flow rate estimation. *Water Resources Bulletin* **30**: 1001.
- Huber W. C. (1995) EPA storm water management model – SWMM. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 783–808.
- Huff D. D., O'Neill R. V., Emmanuel W. R., Elwood J. W. and Newbold J. D. (1982) Flow variability and hillslope hydrology. *Earth Surface Processes and Landforms* **7**: 91–94.
- Huggins L. F. and Monke E. J. (1968) A mathematical model for simulating the hydrologic response of a watershed. *Water Resources Research* **4**: 529–539.
- Hulme M. and Jenkins J. (1998) Climate change scenarios for the United Kingdom: scientific report. Technical report, Climatic Research Unit, Norwich, UK.
- Hursh C. R. (1936) Storm water and adsorption. *Transactions of the American Geophysical Union* **17**: 301–302.
- Hursh C. R. and Brater E. F. (1941) Separating storm-hydrographs from small drainage-areas into surface- and subsurface-flow. *Transactions, American Geophysical Union* **22**: 863–870.
- Ibbitt R. P. and O'Donnell T. (1971) Fitting methods for conceptual catchment models. *Journal of Hydraulics Division, ASCE* **97**: 1331–1342.
- Ibbitt R. P. and O'Donnell T. (1974) Designing conceptual catchment models for automatic fitting methods. In *Mathematical Models in Hydrology*. IAHS Publication No. 101, Wallingford, UK, pp. 461–475.
- IH (1999) *Flood Estimation Handbook* (5 volumes). Centre for Ecology and Hydrology, Wallingford, UK.
- Ingber L. (1993) Simulated annealing: practice versus theory. *Statistics and Computing* **11**: 29–57.
- Institution of Engineers, Australia (1977) *Australian Rainfall and Runoff*. Institution of Engineers, Sydney, Australia.
- Iorgulescu I. and Musy A. (1997) Generalisation of TOPMODEL for a power law transmissivity profile. *Hydrological Processes* **11**: 1353–1355.
- Jain S. K., Storm B., Bathurst J. C., Refsgaard J.-C. and Singh R. D. (1992) Application of the SHE to catchments in India: Part 2. Field experiments and simulation studies with the SHE on the Kolar subcatchment of the Narmada River. *Journal of Hydrology* **140**: 25–47.
- Jakeman A. and Hornberger G. (1993) How much complexity is warranted in a rainfall–runoff model? *Water Resources Research* **29**(8): 2637–2649.
- Jakeman A. J. and Hornberger G. M. (1994) How much complexity is warranted in a rainfall–runoff model? – Reply. *Water Resources Research* **30**(12): 3567.
- Jakeman A. J., Littlewood I. G. and Whitehead P. G. (1990) Computation of the instantaneous unit hydrograph and identifiable component flows with application to two small upland catchments. *Journal of Hydrology* **117**: 275–300.

- Jakeman A. J., Littlewood I. G. and Whitehead P. G. (1993a) An assessment of the dynamic response characteristics of streamflow in the Balquhidder catchments. *Journal of Hydrology* **145**: 337–355.
- Jakeman A. J., Chen T. H., Post D. A., Hornberger G. M., Littlewood I. G. (1993b) Assessing uncertainties in hydrological response to climate at large scale. In Wilkinson W. B. (ed.) *Macroscale Modelling of the Hydrosphere*. IAHS Publication No. 214, Wallingford, UK, pp. 37–47.
- Jakeman A. J., Green T. R., Beavis S. G., Zhang L., Dietrich C. R. and Crapper P. F. (1999) Modelling upland and instream erosion, sediment and phosphorus transport in a large catchment. *Hydrological Processes* **13**: 745–752.
- Jarvis N. J., Jansson P. E. and Dik P. E. (1991) Modelling water and solute transport in macroporous soil. 1. Model description and sensitivity analysis. *Journal of Soil Science* **42**: 59–70.
- Jarvis P. J. (1976) The interpretation of the variation in leaf water potential and stomatal conductance found in canopies in the field. *Philosophical Transactions of the Royal Society, London, Series B* **273**: 593–610.
- Jaynes D. B. (1990) *Soil Water Hysteresis: Models and Implications*. John Wiley, Chichester, pp. 93–126.
- Jolley T. and Wheater H. (1997) An investigation into the effect of spatial scale on the performance of a one-dimensional water balance model. *Hydrological Processes* **11**: 1927–1944.
- Jones N. L., Wright S. G. and Maidment D. R. (1990) Watershed delineation with triangle-based terrain models. *Journal of the Hydraulics Division, ASCE* **110**: 1232–1251.
- Jordan J.-P. (1994) Spatial and temporal variability of stormflow generation processes on a Swiss catchment. *Journal of Hydrology* **153**: 357–382.
- Karvonen T., Koivusalo H., Jauhainen M., Palko J. and Weppling K. (1999) A hydrological model for predicting runoff from different land use areas. *Journal of Hydrology* **217**: 253–265.
- Keulegan G. (1945) Spatially varied discharge over a sloping plane. *Transactions of the American Geophysical Union* **26**: 821–824.
- Kilsby C. G., Fallows C. S. and O'Connell P. E. (1998) Generating rainfall scenarios for hydrological impact modelling. In Wheater H. and Kirby C. (eds) *Hydrology in a Changing Environment*. John Wiley, Chichester, pp. 33–42.
- Kilsby C. G., Ewen J., Sloan W. T., Burton A., Fallows C. S. and O'Connell P. E. (1999) The UP modelling system for large scale hydrology: simulation of the Arkansas-Red River basin. *Hydrology and Earth System Science* **3**: 137–149.
- Kim S. and Delleur J. W. (1997) Sensitivity analysis of extended TOPMODEL for agricultural watersheds equipped with tile drains. *Hydrological Processes* **11**: 1243–1262.
- Kirkby M. (1975) Hydrograph modelling strategies. In Peel R., Chisholm M. and Haggett P. (eds) *Processes in Physical and Human Geography*. Heinemann, London, pp. 69–90.
- Kirkby M. (1976) Tests of the random network model and its application to basin hydrology. *Earth Surfaces and Processes* **1**: 197–212.
- Kirkby M. J. (1978) Implications for sediment transport. In Kirkby M. J. (ed.) *Hillslope Hydrology*. John Wiley, Chichester.
- Kirkby M. J. (1988) Hillslope runoff processes and models. *Journal of Hydrology* **100**: 315–340.
- Kirkby M. J. (1997) TOPMODEL: a personal view. *Hydrological Processes* **11**: 1087–1098.
- Kite G. W. (1995a) Scaling of input data for hydrologic modelling. *Water Resources Research* **31**: 2769–2781.
- Kite G. W. (1995b) The SLURP model. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 521–561.
- Kite G. W. and Haberlandt U. (1999) Atmospheric model data for macroscale hydrology. *Journal of Hydrology* **217**: 303–313.

- Kite G. and Kouwen N. (1992) Watershed modeling using land classification. *Water Resources Research* **28**: 3193–3200.
- Kleissen F. M., Beck M. B. and Wheater H. S. (1990) The identifiability of conceptual hydrochemical models. *Water Resources Research* **26**: 2979–2992.
- Klemeš V. (1986) Operational testing of hydrologic simulation models. *Hydrological Science Journal* **31**: 13–24.
- Klepper O., Scholten H. and Van de Kamer J. P. G. (1991) Prediction uncertainty in an ecological model of the Oosterschelde estuary. *Journal of Forecasting* **10**: 191–209.
- Knight D. W., Yuen K. W. H. and Al-Hamid A. A. I. (1994) Boundary shear stress distributions in open channel flow. In Beven K. J., Chatwin P. C. and Millbank J. (eds) *Mixing and Transport in the Environment*. John Wiley, Chichester, pp. 51–88.
- Knisel W. G. and Williams J. R. (1995) Hydrology components of CREAMS and GLEAMS. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 1069–1114.
- Konikow L. F. and Bredehoeft J. D. (1992) Groundwater models cannot be validated. *Advances in Water Resources* **15**: 75–83.
- Kool J. B., Parker J. C. and Van Genuchten M. Th. (1987) Parameter estimation for unsaturated flow and transport models – a review. *Journal of Hydrology* **91**: 255–293.
- Koopmans B. N., Pohl C. and Wang Y. (1995) The 1995 flooding of the Rhine, Wall and Mass rivers in the Netherlands. *Earth Observation Quarterly* **47**: 11–12.
- Koster R. D. and Suarez M. J. (1992) A comparative study of two land surface heterogeneity representations. *Journal of Climate* **5**: 1379–1390.
- Kothyari U. C. and Singh V. P. (1999) A multiple-input single-output model for flow forecasting. *Journal of Hydrology* **220**: 12–26.
- Kuczera G. A. (1987) Prediction of water yield reductions following a bushfire in ash-mixed species eucalypt forest. *Journal of Hydrology* **94**: 215–236.
- Kuczera G. (1997) Efficient subspace probabilistic parameter optimisation for catchment models. *Water Resources Research* **33**(1): 177–185.
- Kuczera G. and Parent E. (1998) Monte Carlo assessment of parameter uncertainty in conceptual catchment models: the Metropolis algorithm. *Journal of Hydrology* **211**: 69–85.
- Kull D. W. and Feldman A. D. (1998) Evolution of Clark's unit graph method to spatially distributed runoff. *Journal of Hydrological Engineering, ASCE* **3**: 9–19.
- Kundzewicz Z. W., Szamalek K. and Kawalczak P. (1999) The great flood of 1997 in Poland. *Hydrological Science Journal* **44**: 855–870.
- Kuo W.-L., Steenhuis T. S., McCulloch C. E., Mohler C. L., Weinstein D. A., DeGloria S. D. and Swaney D. P. (1999) Effect of grid size on runoff and soil moisture for a variable-source-area hydrology model. *Water Resources Research* **35**: 3419–3428.
- Krothe R. S., Goel N. K. and Mathur B. S. (1997) Derived flood frequency distribution for negatively correlated rainfall intensity and duration. *Water Resources Research* **33**: 2103–2107.
- Kustas W. P. and Goodrich D. C. (1994) Preface to the Monsoon'90 issue. *Water Resources Research* **30**: 1211–1225.
- Kustas W. P., Rango A. and Uijlenhoet R. (1994) A simple energy budget algorithm for the snowmelt runoff model. *Water Resources Research* **30**: 1515–1527.
- Laflen J. M., Lane L. J., and Foster G. R. (1991) WEPP – a new generation of erosion prediction technology. *Journal of Soil Water Conservation*, **46**, 34–38.
- Lamb R. (1999) Calibration of a conceptual rainfall–runoff model for flood frequency estimation by continuous simulation. *Water Resources Research* **35**, 3103–3114.
- Lamb R., Beven K. J. and Myrabo S. (1997) Discharge and water table predictions using a generalised TOPMODEL formulation. *Hydrological Processes* **11**: 1145–1168.
- Lamb R., Beven K. and Myrabo S. (1998a) A generalised topographic-soils hydrological index. In Lane S. N., Richards K. S. and Chandler J. H. (eds) *Landform Monitoring, Modelling and Analysis*. John Wiley, Chichester, pp. 263–278.

- Lamb R., Beven K. J. and Myrabø S. (1998b) Use of spatially distributed water table observations to constrain uncertainty in a rainfall-runoff model. *Advances in Water Resources* **22**: 305–317.
- Lambert A. O. (1969) A comprehensive rainfall/runoff model for an upland catchment area. *Journal of the Institute of Water Engineering* **23**: 231–238.
- Lambert A. O. (1972) Catchment models based on ISO functions. *Journal of the Institute of Water Engineers* **26**: 413–422.
- Lane S. N. (1998) Hydraulic modelling in hydrology and geomorphology: a review of high resolution approaches. *Hydrological Processes* **12**: 1131–1150.
- Lange J., Leibundgut C., Greenbaum N. and Schick A. P. (1999) A noncalibrated rainfall-runoff model for large, arid catchments. *Water Resources Research* **35**: 2161–2172.
- Lavabre J., Sempere-Torres D. and Cernesson F. (1993) Changes in the hydrological response of a small Mediterranean basin a year after a wildfire. *Journal of Hydrology* **142**: 273–299.
- Leavesley G. H. and Stannard L. G. (1995) The precipitation-runoff modelling system – PRMS. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 281–310.
- LeDrew E. (1979) A diagnostic examination of a complementary relationship between actual and potential evapotranspiration. *Journal of Applied Meteorology* **18**: 495–501.
- Lee P. M. (1989) *Bayesian Statistics: An Introduction*. Edward Arnold, London.
- Lees M., Young P. C., Ferguson S., Beven K. J. and Burns J. (1994) An adaptive flood warning scheme for the River Nith at Dumfries. In White W. R. and Watts J. (eds) *River Flood Hydraulics*. John Wiley, Chichester, pp. 65–75.
- Lek S., Dimopoulos-Derraz M. and El Ghachoul Y. (1996) Modélisation de la relation pluie-débit à l'aide des réseaux de neurones artificiels. *Revue des Sciences de l'Eau* **3**: 319–331.
- Lettenmaier D. P. and Gan T. Y. (1990) Hydrologic sensitivities of the Sacramento-San Joaquin River basin, California, to global warming. *Water Resources Research* **26**: 69–86.
- Li R. M., Simons D. B. and Stevens M. A. (1975) Nonlinear kinematic wave approximation for water routing. *Water Resources Research* **11**: 245–252.
- Liang G. C., O'Connor K. M. and Kachroo R. K. (1994) A multiple-input, single-output, variable gain-factor model. *Journal of Hydrology* **155**: 185–198.
- Liang X., Lettenmaier D. P., Wood E. F. and Burges S. J. (1994) A simple hydrologically-based model of land surface water and energy fluxes for general circulation models. *Journal of Geophysical Research* **99**: 14 415–14 428.
- Liang X., Wood E. F. and Lettenmaier D. P. (1996) Surface soil moisture parameterisation of the VIC-2L model: evaluation and modifications. *Global Planetary Change* **13**: 195–206.
- Lighthill M. H. and Whitham G. B. (1955) On kinematic waves. 1. Flood movement in long rivers. *Proceedings of the Royal Society London Series A* **229**: 281–316.
- Likens G. E., Bormann F. H., Pierce R. S., Eaton J. S. and Johnson N. M. (1977) *Biogeochemistry of a Forested Ecosystem*. Springer-Verlag, New York.
- Lin D. S., Wood E. F., Beven K. J. and Saatchi S. (1994) Soil moisture estimation over grass-covered areas using AIRSAR. *International Journal of Remote Sensing* **15**(11): 2323–2343.
- Linden D. R. and Dixon R. M. (1973) Infiltration and water table effects of soil air pressure under border irrigation. *Soil Science Society of America Proceedings* **37**: 95–98.
- Lindström G., Johansson B., Persson M., Gardelin M. and Bergström S. (1997) Development and test of the distributed HBV-96 hydrological model. *Journal of Hydrology* **201**: 272–288.
- Linsley R. K., Kohler M. A. and Paulhus J. L. H. (1949) *Applied Hydrology*. McGraw-Hill, New York.
- Liston G. E., Sud Y. C. and Wood E. F. (1994) Evaluating GCM land surface hydrology parameterisations by computing discharges using a runoff routing model: application to the Mississippi Basin. *Journal of Applied Meteorology* **33**: 394–405.
- Llorens P., Poch R., Latron J. and Gallart F. (1997) Rainfall interception by a *Pinus sylvestris* forest patch overgrown in a Mediterranean mountainous abandoned area. 1. Monitoring design and results down to the event scale. *Journal of Hydrology* **199**: 331–345.

- Lloyd C. R., Gash J. H. C., Shuttleworth W. J. and Marques F., A. de O. (1988) The measurement and modelling of rainfall interception by Amazonian rain forest. *Agric. Forest Meteorology* **43**: 277–294.
- Loague K. (1990) R-5 revisited. 2. Reevaluation of a quasi-physically based rainfall–runoff model with supplemental information. *Water Resources Research* **26**: 973–987.
- Loague K. (1992a) Soil water content at R-5. Part 1. Spatial and temporal variability. *Journal of Hydrology* **139**: 233–252.
- Loague K. (1992b) Soil water content at R-5. Part 2. Impact of antecedent conditions on rainfall–runoff simulations. *Journal of Hydrology* **139**: 253–262.
- Loague K. M. and Freeze R. A. (1985) A comparison of rainfall–runoff modelling techniques on small upland catchments. *Water Resources Research* **21**: 229–248.
- Loague K. M. and Gander G. A. (1990) R-5 revisited: spatial variability of infiltration on a small rangeland watershed. *Water Resources Research* **26**: 957–971.
- Loague K. M. and Kyriakidis P. C. (1997) Spatial and temporal variability in the R-5 infiltration data set: déjà vu and rainfall–runoff simulations. *Water Resources Research* **33**: 2883–2896.
- Lohmann D., Raschke E., Nijssen B. and Lettenmaier D. P. (1998a) Regional scale hydrology: I. Formulation of the VIC-2L model coupled to a routing model. *Hydrological Science Journal* **43**: 131–141.
- Lohmann D., Raschke E., Nijssen B. and Lettenmaier D. P. (1998b) Regional scale hydrology: II. Application of the VIC-2L model to the Weser River, Germany. *Hydrological Science Journal* **43**: 143–158.
- Lohmann D. and 28 others (1998c) The Project for Intercomparison of Land-surface Parameterisation Schemes (PILPS) Phase 2c: Arkansas Red-River basin experiment: 3. Spatial and temporal analysis of water fluxes. *Global Planetary Change* **19**: 161–198.
- Luxmoore R. J. and Sharma M. L. (1980) Runoff responses to soil heterogeneity: experimental and simulation comparisons for two contrasting watersheds. *Water Resources Research* **16**: 675–684.
- Manguerra H. B. and Engel B. A. (1998) Hydrologic parameterisation of watersheds for runoff prediction using SWAT. *Journal of American Water Resources Association* **34**: 1149–1162.
- Manzi A. O. and Planton S. (1994) Implementation of the ISBA parametrization scheme for land surface processes in a GCM – an annual cycle experiment. *Journal of Hydrology* **155**: 353–387.
- Marks D. and Dozier J. (1992) Climate and energy exchange at the snow surface in the alpine region of the Sierra Nevada. 2. Snow cover energy balance. *Water Resources Research* **28**: 3043–3054.
- Martinec J. and Rango A. (1981) Areal distribution of snow water equivalent evaluated by snow cover monitoring. *Water Resources Research* **17**: 1480–1488.
- McAneny K. J., Green A. E. and Astill M. S. (1995) Large aperture scintillometry: the homogeneous case. *Agric. Forest Meteorology* **76**: 149–162.
- McCuen R. H. (1973) The role of sensitivity analysis in hydrologic modelling. *Journal of Hydrology* **18**: 37–53.
- McCuen R. H. (1982) *A Guide to Hydrologic Analysis Using SCS Methods*. Prentice-Hall, Englewood Cliffs, NJ.
- McCulloch J. S. G. and Robinson M. (1993) History of forest hydrology. *Journal of Hydrology* **150**: 189–216.
- McDonnell J. J., Freer J., Hooper R., Kendall C., Burns D., Beven K. and Peters J. (1996) New method developed for studying flow on hillslopes. *EOS, Transactions of the AGU* **77**(47): 465–472.
- McLaughlin D. and Townley R. L. (1996) A reassessment of groundwater inverse problems. *Water Resources Research* **32**: 1131–1161.
- Melching C. S. (1995) Reliability estimation. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, Chapter 3.
- Mesa O. J. and Mifflin E. R. (1986) On the relative role of hillslope and network geometry in hydrologic response. In Gupta V. K., Rodriguez-Iturbe I. and Wood E. F. (eds) *Scale Problems in Hydrology*. 1–17.

- Michaud J. and Sorooshian S. (1994) Comparison of simple versus complex distributed runoff models on a midsized semiarid watershed. *Water Resources Research* **30**: 593–606.
- Miller E. E. and Miller R. D. (1956) Physical theory for capillary flow phenomena. *Journal of Applied Physics* **27**: 324–332.
- Milly P. C. D. (1991) A refinement of the combination equations for evaporation. *Surveys in Geophysics* **12**: 145–154.
- Minns A. W. and Hall M. J. (1996) Artificial neural networks as rainfall–runoff models. *Hydrological Science Journal* **41**: 399–417.
- Minshall N. E. (1960) Predicting storm runoff on small experimental watersheds. *Journal of the Hydraulics Division, ASCE* **86**(HY8): 17–38.
- Mishra S. and Parker J. C. (1989) Parameter estimation for coupled unsaturated flow and transport. *Water Resources Research* **25**: 385–396.
- Mishra S. K. and Singh V. P. (1999) Another look at SCS-CN method. *Journal of Hydrological Engineering, ASCE* **4**: 257–264.
- Mitchell K. M. and DeWalle D. R. (1998) Application of the snowmelt runoff model using multiple-parameter landscape zones on the Towanda Creek Basin, Pennsylvania. *Journal of American Water Resources Association* **34**: 335–346.
- Mockus V. (1949) *Estimation of Total (and Peak Rates of) Surface Runoff for Individual Storms. Exhibit A, Appendix B, Interim Survey Report, Grand (Neosho) River Watershed*. US Department of Agriculture, Washington, DC.
- Mohanty B. P. (1999) Scaling hydraulic properties of a macroporous soil. *Water Resources Research* **35**: 1927–1931.
- Mohanty B. P., Bowman R. S., Hendrickx J. M. H. and Van Genuchten M. T. (1997) New piecewise – continuous hydraulic functions for modelling preferential flow in an intermittent-flood-irrigated field. *Water Resources Research* **33**: 2049–2064.
- Mohanty B. P., Bowman R. S., Hendrickx J. M. H., Simunek J. and Van Genuchten M. T. (1998) Preferential transport of nitrate to a tile drain in an intermittent-flood-irrigated field: model development and experimental evaluation. *Water Resources Research* **34**: 1061–1076.
- Monteith J. L. (1965) Evaporation and environment. In *The State and Movement of Water in Living Organisms*. Proceedings of the 19th Symposium, Society of Experimental Biology, Cambridge University Press, London.
- Monteith J. (1995a) Accommodation between transpiring vegetation and the convective boundary layer. *Journal of Hydrology* **166**: 251–263.
- Monteith J. (1995b) A reinterpretation of stomatal responses to humidity. *Plant, Cell and Environment* **18**: 357–364.
- Moore I. D., Mackay S. M., Wallbrink P. J., Burch G. J. and O'Loughlin E. M. (1986) Hydrologic characteristics and modelling of a small forested catchment in southeastern New South Wales. *Journal of Hydrology* **83**: 307–335.
- Moore R. J. (1985) The probability-distributed principle and runoff production at point and basin scales. *Hydrological Sciences Journal* **30**: 273–297.
- Moore R. J. (1999) Real-time flood forecasting systems: perspectives and prospects. In Casali R. and Margottini C. (eds) *Floods and Landslides: Integral Risk Assessment*. Springer-Verlag, Berlin, pp. 147–189.
- Moore R. J. and Clarke R. T. (1981) A distribution function approach to rainfall–runoff modelling. *Water Resources Research* **17**: 1367–1382.
- Moore R. J. and Clarke R. T. (1983) A distribution function approach to modelling basin sediment yield. *Journal of Hydrology* **65**: 239–257.
- Moore R. J., Jones D. A., Bird P. B. and Cottingham M. C. (1990) A basin-wide flow forecasting system for real-time flood warning, river control and water management. In White W. R. (ed.) *International Conference on River Flood Hydraulics*. John Wiley, Chichester, pp. 21–30.
- Moore R. J., Jones D. A., Black K. B., Austin R. M., Carrington D. S., Tinnion M. and Akhondi A. (1994) Rffs and hyrad: Integrated systems for rainfall and river flow forecasting in real-time and their application in Yorkshire. In *Proceedings of the BHS National Meeting on*

- Analytical Techniques for the Development and Operations Planning of Water Resource and Supply Systems*, BHS Occasional Paper No. 4.
- Moore R. J., Bell V. A., Austin R. M. and Harding R. J. (1999) Methods for snowmelt forecasting in upland Britain. *Hydrology and Earth Systems Science* **3**: 233–246.
- Morel-Seytoux H. J. and Khanji J. (1974) Derivation of an equation of infiltration. *Water Resources Research* **10**: 795–800.
- Morris E. M. (1991) Physics-based models of snow. In Bowles D. S. and O'Connell P. E. (eds) *Recent Advances in the Modelling of Hydrological Systems*. Kluwer Academic, Dordrecht, pp. 85–112.
- Morton F. I. (1978) Estimating evapotranspiration from potential evaporation: practicality of an iconoclastic approach. *Journal of Hydrology* **38**: 1–32.
- Morton F. I. (1983a) Operational estimates of areal evapotranspiration and their significance to the science and practice of hydrology. *Journal of Hydrology* **66**: 1–76.
- Morton F. I. (1983b) Operational estimates of lake evaporation. *Journal of Hydrology* **66**: 77–100.
- Mroczkowski M., Raper G. P. and Kuczera G. (1997) The quest for more powerful validation of conceptual catchment models. *Water Resources Research* **33**: 2325–2335.
- Mulvaney T. J. (1851) On the use of self-registering rain and flood gauges in making observations of the relations of rainfall and flood discharges in a given catchment. *Proceedings of the Institution of Civil Engineers of Ireland* **4**: 19–31.
- Muttiah R. S., Srinivasan R. and Allen P. M. (1997) Prediction of two-year peak stream discharges using neural networks. *Journal of American Water Resources Association* **33**: 625–630.
- Myrabø S. (1997) Temporal and spatial scale of response area and groundwater variation in till. *Hydrological Processes* **11**: 1861–1880.
- Naden P. S. (1992) Spatial variability in flood estimation for large catchments: the exploitation of channel network structure. *Hydrological Sciences Journal* **37**: 53–71.
- Naden P. (1993) A routing model for continental scale hydrology. In Wilkinson W. B. (ed.) *Macroscale Modelling of the Hydrosphere*. IASH Publication No. 214, Wallingford, UK, pp. 67–79.
- Naden P. S., Broadhurst P., Tauveron N. and Walker A. (1999) River routing at the continental scale: use of globally-available data and an a priori method of parameter estimation. *Hydrology and Earth System Science* **3**: 109–124.
- Naef F. (1981) Can we model the rainfall–runoff process today? *Hydrological Science Bulletin* **26**: 281–289.
- Nash J. E. (1959) Systematic determination of unit hydrograph parameters. *Journal of Geophysical Research* **64**: 111–115.
- Nash J. E. and Shamseldin A. Y. (1998) The geomorphological unit hydrograph – a critique. *Hydrology and Earth System Science* **2**: 1–8.
- Nash J. E. and Sutcliffe J. V. (1970) River flow forecasting through conceptual models 1. A discussion of principles. *Journal of Hydrology* **10**: 282–290.
- Natale L. and Todini E. (1977) A constrained parameter estimation technique for linear models in hydrology. In Ciriani T. A. M. U. and Wallis J. R. (eds) *Mathematical Models for Surface Water Hydrology*. John Wiley, Chichester, pp. 109–147.
- Nathan R. J., McMahon T. A. and Finlayson B. L. (1988) The impact of the greenhouse effect on catchment hydrology and storage-yield relationships in both winter and summer rainfall zones. In Pearman G. I. (ed.) *Greenhouse, Planning for Climate Change*. East Melbourne, Australia.
- Navar J. and Bryan R. B. (1994) Fitting the analytical model of rainfall interception of gash to individual shrubs of semi-arid vegetation in northeastern Mexico. *Agric. Forest. Meteorology* **68**: 133–143.
- Neal C., Robson A. J., Shand P., Edmunds W. M., Dixon A. J., Buckley D. K., Hill S., Harrow M., Neal M., Wilkinson, J. and Reynolds B. (1997) The occurrence of groundwater

- in the Lower Palaeozoic rocks of upland Central Wales. *Hydrology and Earth System Science* **1**: 3–18.
- Nelder J. A. and Mead R. (1965) A simplex method for function minimization. *Computer Journal* **7**: 308–313.
- Nelson E. J., Jones N. L. and Berrett R. J. (1999) Adaptive tessellation method for creating TINs from GIS data. *Journal of Hydrological Engineering, ASCE* **4**: 2–9.
- NERC (1975) *The Flood Studies Report* (5 volumes). Natural Environment Research Council, Wallingford, UK.
- Newson M. D. (1980) The geomorphological effectiveness of floods – a contribution stimulated by two recent events in mid-Wales. *Earth Surface Processes* **5**: 1–16.
- Ng H. Y. F. and Marsalek J. (1992) Sensitivity of streamflow simulation to changes in climatic inputs. *Nordic Hydrology* **23**: 257–272.
- Nichols W. E. and Cuenca R. H. (1993) Evaluation of the evaporative fraction for parameterization of the surface energy balance. *Water Resources Research* **29**: 3681–3690.
- O'Connell P. E. (1991) A historical perspective. In Bowles D. S. and O'Connell P. E. (eds) *Recent Advances in the Modeling of Hydrologic Systems*. Kluwer, Dordrecht, pp. 3–30.
- O'Donnell T. (1966) Methods of computation in hydrograph analysis and synthesis. In *Recent Trends in Hydrograph Synthesis*. Committee for Hydrological Research, Central Organisation for Applied Research in the Netherlands, The Hague.
- Olivera F. and Maidment D. (1999) Geographical information systems (GIS)-based spatially distributed model for runoff routing. *Water Resources Research* **35**: 1155–1164.
- O'Loughlin E. M. (1981) Saturation regions in catchments and their relation to soil and topographic properties. *Journal of Hydrology* **53**: 229–246.
- O'Loughlin E. (1986) Prediction of surface saturation zones in natural catchments by topographic analysis. *Water Resources Research* **22**: 794–804.
- Onof C., Faulkner D. and Wheater H. S. (1996) Design rainfall modelling in the Thames catchment. *Hydrological Science Journal* **41**: 715–733.
- Oreskes N., Schrader-Frechette K. and Belitz K. (1994) Verification, validation and confirmation of numerical models in the earth sciences. *Science* **263**: 641–646.
- Overney O. (1998) *Prédiction Des Crues Par Modélisation Couplé Stochastique et Déterministique: Méthode et Analyse Des Incertitudes*. PhD thesis, Ecole Polutechnique Fédérale de Lausanne, Switzerland.
- Pachepsky Y. and Timlin D. (1998) Water transport in soils as in fractal media. *Journal of Hydrology* **204**: 98–107.
- Palacios-Velez O. L. and Cuevas-Renaud B. (1986) Automated river course, ridge and basin delineation from digital elevation data. *Journal of Hydrology* **86**: 299–314.
- Palacios-Velez O. L., Gandoy-Bernasconi W. and Cuevas-Renaud B. (1998) Geometric analysis of surface runoff and the computation order of unit elements in distributed hydrological models. *Journal of Hydrology* **211**: 266–274.
- Panagoulia D. (1992) Modelled climatic changes on catchment hydrology. *Hydrological Science Journal* **37**: 141–163.
- Paniconi C. and Wood E. F. (1993) A detailed model for simulation of catchment scale subsurface hydrologic processes. *Water Resources Research* **29**: 1601–1620.
- Paniconi C., Aldama A. A. and Wood E. F. (1991) Numerical evaluation of iterative and noniterative methods for the solution of the nonlinear Richards equation. *Water Resources Research* **27**: 1147–1163.
- Parkin G., O'Donnell G., Ewen J., Bathurst J. C., O'Connell P. E. and Lavabre J. (1996) Validation of catchment models for predicting land-use and climate change impacts. 1. Case study for a Mediterranean catchment. *Journal of Hydrology* **175**: 595–613.
- Parlange J.-Y. and Haverkamp R. (1989) Infiltration and ponding time. In Morel-Seytoux H. J. (ed.) *Unsaturated Flow in Hydrologic Modeling*. Kluwer Academic, Dordrecht, pp. 105–126.
- Parsons A. J., Wainwright J., Abrahams A. D. and Simanton J. R. (1997) Distributed dynamic modelling of interrill overland flow. *Hydrological Processes* **11**: 1833–1859.

- Pereira L. S., Perrier A., Allen R. G. and Alves I. (1999) Evapotranspiration: concepts and future trends. *Journal of Irrigation and Drainage Engineering ASCE* **4**: 45–51.
- Peterson J. R. and Hamlett J. M. (1998) Hydrologic calibration of the SWAT model in a watershed containing fragipan soils. *Journal of American Water Resources Association* **34**: 531–544.
- Philip J. R. (1957) The theory of infiltration. 1. The infiltration equation and its solution. *Soil Science* **83**: 345–357.
- Philip J. R. (1991) Hillslope infiltration: divergent and convergent slopes. *Water Resources Research* **27**: 1035–1040.
- Pinder G. F. and Gray W. G. (1977) *Finite Element Simulation in Surface and Subsurface Hydrology*. Academic Press, New York.
- Piñol J., Beven K. J. and Freer J. (1997) Modelling the hydrological response of Mediterranean catchments, Prades, Catalonia: the use of distributed models as aids to hypothesis formulation. *Hydrological Processes* **11**: 229–248.
- Plate E. J., Ihrringer J. and Lutz W. (1988) Operational models for flood calculations. *Journal of Hydrology* **100**: 489–506.
- Poeter E. P. and Hill M. C. (1997) Inverse methods: a necessary next step in ground-water flow modeling. *Ground Water* **35**: 250–260.
- Ponce V. M. (1989) *Engineering Hydrology: Principles and Practices*. Prentice-Hall, Englewood Cliffs, NJ.
- Ponce V. (1991) The kinematic wave controversy. *Journal of the Hydraulics Division, ASCE* **117**: 511–525.
- Post D. and Jakeman A. (1996) Relationships between physical attributes and hydrologic response characteristics in small Australian mountain ash catchments. *Hydrological Processes* **10**: 877–892.
- Press W. H., Flannery B. P., Teukolsky S. A. and Vetterling W. T. (1992) *Numerical Recipes: The Art of Scientific Computing*, 2nd edition. Cambridge University Press, Cambridge.
- Prevost M., Barry R., Stein J. J. and Plamondon A. (1990) Snowmelt runoff modelling in a balsam fir forest with a variable source area simulator. *Water Resources Research* **26**: 1067–1077.
- Puente C. E. (1997) A new approach to hydrologic modeling: derived distributions revisited. *Journal of Hydrology* **187**: 65–80.
- Quinn P. F., Beven K. J., Chevallier P. and Planchon O. (1991) The prediction of hillslope flow paths for distributed hydrological modelling using digital terrain models. *Hydrological Processes* **5**: 59–79.
- Quinn P. F., Beven K. J. and Culf A. (1995a) The introduction of macroscale hydrological complexity into land surface–atmosphere transfer function models and the effect on planetary boundary layer development. *Journal of Hydrology* **166**: 421–444.
- Quinn P. F., Beven K. J. and Lamb R. (1995b) The  $\ln(a/\tan \beta)$  index: how to calculate it and how to use it in the TOPMODEL framework. *Hydrological Processes* **9**: 161–182.
- Quinn P. F., Ostendorf B., Beven K. J. and Tenhunen J. (1998) Spatial and temporal predictions of soil moisture patterns and evaporative losses using TOPMODEL and the GAS-flux model for an Alaskan catchment. *Hydrology and Earth System Sciences* **2**: 41–54.
- Rango A. (1995) The snowmelt runoff model (SRM). In Singh V. P. (ed.) *Catchment Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 477–520.
- Rango A. and Martinec J. (1995) Revisiting the degree-day method for snowmelt computations. *Water Resources Bulletin* **31**: 657–669.
- Rawls W. and Brakensiek D. (1982) Estimating soil water retention from soil properties. *Journal of Irrigation and Drainage ASCE* **108**: 166–171.
- Rawls W. J. and Brakensiek D. L. (1989) Estimation of soil water retention and hydraulic properties. In Morel-Seytoux H. J. (ed.) *Unsaturated Flow in Hydrologic Modeling: Theory and Practice*. Kluwer Academic, Dordrecht, pp. 275–300.
- Rawls W. J., Brakensiek D. L. and Miller N. (1983) Green–Ampt infiltration parameters from soil data. *Journal of Hydraulics Division, ASCE* **109**: 62–70.

- Reed D. W., Johnson P. and Firth J. M. (1975) A non-linear rainfall-runoff model, providing for variable lag time. *Journal of Hydrology* **25**: 295–305.
- Refsgaard J.-C. (1997) Parameterisation, calibration and validation of distributed hydrological models. *Journal of Hydrology* **198**: 69–97.
- Refsgaard J.-C. and Knudsen J. (1996) Operational validation and intercomparison of different types of hydrological models. *Water Resources Research* **32**: 2189–2202.
- Refsgaard J.-C. and Storm B. (1995) MIKE SHE. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Park, CO, pp. 809–846.
- Refsgaard J.-C., Seth S. M., Bathurst J. C., Erlich M., Storm B., Jogenson G. H. and Chandra S. (1992) Application of the SHE to catchments in India. Part 1. General results. *Journal of Hydrology* **140**: 1–23.
- Refsgaard J.-C., Storm B. and Abbott M. B. (1996) Comment on 'A discussion of distributed hydrological modelling' by K. Beven. In Abbott M. B. and Refsgaard J.-C. (eds) *Distributed Hydrological Modelling*. Kluwer Academic, Dordrecht, pp. 279–287.
- Reggiani P., Hassanizadeh S. M., Sivapalan M. and Gray W. G. (1999) A unifying framework for watershed thermodynamics: constitutive relationships. *Advances in Water Resources* **23**: 15–39.
- Richards L. A. (1931) Capillary conduction of liquids through porous mediums. *Physics* **1**: 318–333.
- Richards B. D. (1944) *Flood Estimation and Control*. Chapman and Hall, London.
- Robinson J. S. and Sivapalan M. (1995) Catchment-scale runoff generation model by aggregation and similarity analyses. *Hydrological Processes* **9**: 555–574.
- Robinson J. S. and Sivapalan M. (1997) Temporal scales and hydrological regimes: implications for flood frequency scaling. *Water Resources Research* **33**: 2981–2999.
- Robinson J. S., Sivapalan M. and Snell J. D. (1995) On the relative roles of hillslope processes, channel routing, and network geomorphology in the hydrologic response of natural catchments. *Water Resources Research* **31**: 3089–3101.
- Robinson M. (1986) Changes in catchment runoff following drainage and afforestation. *Journal of Hydrology* **86**: 71–84.
- Robson A. J., Beven K. J. and Neal C. (1992) Towards identifying sources of subsurface flow: a comparison of components identified by a physically based runoff model and those determined by chemical mixing techniques. *Hydrological Processes* **6**: 199–214.
- Rodda J. C. and Smith S. W. (1986) The significance of the systematic error in rainfall measurement for assessing wet deposition. *Atmos. Environment* **20**: 1059–1064.
- Rodriguez-Iturbe I. (1993) The geomorphological unit hydrograph. In Beven K. J. and Kirkby M. J. (eds) *Channel Network Hydrology*. John Wiley, Chichester, pp. 43–68.
- Rodriguez-Iturbe I. and Rinaldo A. (1997) *Fractal River Basins: Chance and Self-organisation*. Cambridge University Press, New York.
- Rodriguez-Iturbe I. and Valdes J. (1979) The geomorphic structure of hydrologic response. *Water Resources Research* **15**: 1409–1420.
- Romano N. and Santini A. (1997) Effectiveness of using pedo-transfer functions to quantify the spatial variability of soil water retention characteristics. *Journal of Hydrology* **202**: 137–157.
- Romanowicz R. (1997) A MATLAB implementation of TOPMODEL. *Hydrological Processes* **11**(9): 1115–1130.
- Romanowicz R. and Beven K. J. (1998) Dynamic real-time prediction of flood inundation probabilities. *Hydrological Science Journal* **43**: 181–196.
- Romanowicz R., Beven K. J. and Moore R. V. (1993a) TOPMODEL as an application module within WIS. In Kovar K. and Nachtnebel H. P. (eds) *HydroGIS 93: Application of Geographical Information Systems in Hydrology and Water Resources*. IAHS Publication No. 211, Wallingford, UK, pp. 211–226.
- Romanowicz R., Beven K. J. and Moore R. V. (1993b) GIS and distributed hydrological modelling. In Mather P. (ed.) *Geographical Information Handling: Research and Applications*. John Wiley, Chichester, pp. 197–206.

- Romanowicz R., Beven K. J. and Tawn J. (1994) Evaluation of predictive uncertainty in nonlinear hydrological models using a Bayesian approach. In Barnett V. and Turkman K. F. (eds) *Statistics for the Environment. II. Water Related Issues*. John Wiley, Chichester, pp. 297–317.
- Römkens M. J. M., Prasad S. N. and Whisler F. D. (1990) Surface sealing and infiltration. In Anderson M. G. and Burt T. P. (eds) *Process Studies in Hillslope Hydrology*. John Wiley, Chichester, pp. 127–172.
- Rose K. A., Smith E. P., Gardner R. H., Brenkert A. L. and Bartell S. M. (1991) Parameter sensitivities, Monte Carlo filtering and model forecasting under uncertainty. *Journal of Forecasting* **10**: 117–134.
- Rosenbrock H. H. (1960) An automatic method of finding the greatest or least value of a function. *Computing Journal* **3**: 175–184.
- Ross C. N. (1921) The calculation of flood discharge by the use of time contour plan isochrones. *Transactions of the Institute of Engineers, Australia* **2**: 85–92.
- Rosso R. (1984) Nash model relation to Horton order ratios. *Water Resources Research* **20**: 914–920.
- Rutter A. J., Kershaw K. A., Robins P. C. and Morton A. J. (1971) Predictive model of rainfall interception in forests, I. Derivation of the model from observations in a plantation of Corsican pine. *Agriculture and Meteorology* **9**: 367–384.
- Rutter A. J., Morton D. J. and Robins P. C. (1975) A predictive model of rainfall interception by forests. II. Generalisations of the model and comparisons with observations in some coniferous and hardwood stands. *Journal of Applied Ecology* **12**: 367–380.
- Saulnier G.-M., Beven K. J. and Obled C. (1997a) Digital elevation analysis for distributed hydrological modelling: reducing scale dependence in effective hydraulic conductivity values. *Water Resources Research* **33**: 2097–2101.
- Saulnier G.-M., Obled Ch. and Beven K. J. (1997b) Analytical compensation between DTM grid resolution and effective values of saturated hydraulic conductivity within the TOPMODEL framework. *Hydrological Processes* **11**: 1331–1346.
- Saulnier G.-M., Beven K. J. and Obled Ch. (1998) Including spatially variable soil depths in TOPMODEL. *Journal of Hydrology* **202**: 158–172.
- Schaake J. (1990) From climate to flow. In Waggoner P. E. (ed.) *Climate Change and US Water Resources*. John Wiley, Chichester, pp. 177–206.
- Schaap M. G. and Bouting W. (1996) Modelling water retention curves of sandy soils using neural networks. *Water Resources Research* **32**: 3033–3040.
- Schaap M. G. and Leij F. J. (1998) Database related accuracy and uncertainty of pedotransfer functions. *Soil Science* **163**: 765–779.
- Schaap M. G., Leij F. J. and Van Genuchten M. T. (1998) Neural network analysis for hierarchical prediction of soil water retention and saturated hydraulic conductivity. *Soil Science Society of America Journal* **62**: 847–855.
- Schmugge T. (1998) Applications of passive microwave observations of surface soil moisture. *Journal of Hydrology* **212/213**: 188–197.
- Schmugge T., Jackson T. J., Kustas W. P., Roberts R., Parry R., Goodrich D. C., Amer S. A. and Weltz M. A. (1994) Push broom microwave radiometer observations of surface soil moisture in Monsoon '90. *Water Resources Research* **30**: 1321–1327.
- Schnur R. and Lettenmaier D. P. (1998) A case study of statistical downscaling in Australia using weather classification by recursive partitioning. *Journal of Hydrology* **212/213**: 362–379.
- Schreider S. Yu., Jakeman A. J., Pittock A. B. and Whetton P. H. (1996) Estimation of possible climate change impacts on water availability, extreme flow events and soil moisture in the Goulburn and Ovens Basins, Victoria. *Climatic Change* **34**: 513–546.
- Schreider S. Yu., Whetton P. H., Jakeman A. J. and Pittock A. B. (1997) Runoff modelling for snow-affected catchments in the Australian alpine region, eastern Victoria. *Journal of Hydrology* **200**: 1–23.

- Schultz G. A. (1996) Remote sensing applications to hydrology: runoff. *Hydrological Science Journal* **41**: 453–475.
- Schultz G. A. (1999) A call for hydrological models based on remote sensing, tracers and other modern hydrometric techniques. In *Integrated Methods in Catchment Hydrology: Tracer, Remote Sensing and New Hydrometric Techniques*. IAHS Publication No. 258, Wallingford, UK, pp. 223–230.
- Schumann A. H. and Funke R. (1996) GIS-based components for rainfall–runoff models. In *HydroGIS96: Application of Geographic Information Systems in Hydrology and Water Resources*. IAHS Publication No. 235, Wallingford, UK, pp. 477–484.
- Schumm S. A. (1956) Evolution of drainage systems and slopes at Perth Amboy, New Jersey. *Bulletin of the Geological Society of America* **67**: 597–646.
- Scoging H. M. and Thornes J. B. (1982) Infiltration Characteristics in a Semiarid Environment. IAHS Publication No. 128, Wallingford, UK, pp. 159–168.
- Sefton C. E. M. and Howarth S. M. (1998) Relationships between dynamic response characteristics and physical descriptors of catchments in England and Wales. *Journal of Hydrology* **211**: 1–16.
- Seibert J. (1997) Estimation of parameter uncertainty in the HBV model. *Nordic Hydrology* **28**(4/5): 247–262.
- Seibert J., Bishop K. H. and Nyberg L. (1997) A test of TOPMODEL's ability to predict spatially distributed groundwater levels. *Hydrological Processes* **11**: 1131–1144.
- Sellers P. J. (1985) Canopy reflectance, photosynthesis and transpiration. *International Journal of Remote Sensing* **8**: 1335–1372.
- Sellers P. J., Randall D. A., Collatz G. J., Berry J. A., Field C. B., Dzlich D. A., Zhang C., Collela G. D., Bounoua L. (1996) A revised land surface parameterisation (SiB2) for atmospheric GCMs. Part 1. Model formulation. *Journal of Climate* **9**(4): 676–705.
- Sempere Torres D., Rodriguez J.-Y. and Obled C. (1992) Using the DPFT approach to improve flash flood forecasting models. *Natural Hazards* **5**: 17–41.
- Sen M. and Stoffa P. L. (1995) *Global Optimisation Methods in Geophysical Inversion*. Elsevier, Amsterdam.
- Senbeta D. A., Shamseldin A. Y. and O'Connor K. M. (1999) Modification of the probability-distributed interacting storage capacity model. *Journal of Hydrology* **224**: 149–168.
- Sharma M. L., Gander G. A. and Hunt C. G. (1980) Spatial variability of infiltration in a watershed. *Journal of Hydrology* **45**: 101–122.
- Shaw E. M. (1994) *Hydrology in Practice*, 3rd edition. Chapman and Hall, London.
- Sherman L. K. (1932) Streamflow from rainfall by unit-graph method. *Engineering News Record* **108**: 501–505.
- Shorter J. A. and Rabitz H. A. (1997) Risk analysis by the guided Monte Carlo technique. *Journal of Statistical Computation and Simulation* **57**: 321–336.
- Shouse P. J. and Mohanty B. P. (1998) Scaling of near-saturated hydraulic conductivity measured using disc infiltrometers. *Water Resources Research* **34**: 1195–1205.
- Shuttleworth W. J., Gash J. H. C., Lloyd C. R., McNeill D. D., Moore C. J. and Wallace J. S. (1988) An integrated micrometeorological system for evaporation measurement. *Agric. Forest Meteorology* **43**: 295–317.
- Silburn D. M. and Connolly R. D. (1995) Distributed parameter hydrology model (answers) applied to a range of catchment scales using rainfall simulator data. I. Infiltration modelling and parameter measurement. *Journal of Hydrology* **172**: 87–104.
- Simmons C. S., Nielsen D. R. and Biggar J. W. (1979) Scaling field measured soil water properties (2 parts). *Hilgardia* **47**: 77–173.
- Simunek J., Sejna M. and Van Genuchten M. T. (1996) The HYDRUS-2d software package for simulating water flow and solute transport in two dimensional variably saturated media, version 1. Technical Report IGWMC-TP553, International Ground Water Modelling Center, Golden, CO.
- Simunek J., Kodesova R., Gribb M. M. and Van Genuchten M. T. (1999) Estimating hysteresis in the soil water retention function from cone permeameter experiments. *Water Resources Research* **35**: 1329–1346.

- Singh V. P. (1995) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO.
- Singh V. P. (1996) *Kinematic Wave Modelling in Water Resources*. John Wiley, Chichester.
- Singh V. P. and Yu C.-Y. (1997) Evaluation and generalisation of 13 mass-transfer equations for determining free water evaporation. *Hydrological Processes* **11**: 311–323.
- Singh V. P., Bengtsson L. and Westerstrom G. (1997) Kinematic wave modelling of saturated basal flow in a snowpack. *Hydrological Processes* **11**: 177–187.
- Sivapalan M., Wood E. F. and Beven K. J. (1990) On hydrological similarity: 3. A dimensionless flood frequency distribution. *Water Resources Research* **26**: 43–58.
- Sklash M. G. (1990) Environmental isotope studies of storm and snowmelt generation. In Anderson M. G. and Burt T. P. (eds) *Process Studies in Hillslope Hydrology*. John Wiley, Chichester, pp. 401–435.
- Sklash M. G. and Farvolden R. N. (1979) The role of groundwater in storm runoff. *Journal of Hydrology* **43**: 43–65.
- Sklash M. G., Beven K. J., Gilman K. and Darling W. (1996) Isotope studies of pipeflow at Plynlimon, Wales, UK. *Hydrological Processes* **10**: 921–944.
- Sloan P. and Moore I. D. (1984) Modelling subsurface stormflow on steeply sloping forested watersheds. *Water Resources Research* **20**(12): 1815–1822.
- Slough K. and Kite G. W. (1992) Remote sensing estimates of snow water equivalent for hydrological modelling applications. *Canadian Journal of Water Resources* **17**: 1–8.
- Smith J. A., Baeck M. L., Steiner M. and Miller A. J. (1996) Catastrophic rainfall from an upslope thunderstorm in the central Appalachians: the Rapidan storm of June 27th, 1995. *Water Resources Research* **32**(10): 3099–3113.
- Smith K. and Ward R. (1998) *Floods: Physical Processes and Human Impacts*. John Wiley, Chichester.
- Smith R. E. (1983) Approximate soil water movement by kinematic characteristics. *Soil Science Society of America Journal* **47**: 3–8.
- Smith R. E. and Parlange, J.-Y. (1978) A parameter efficient infiltration model. *Water Resources Research* **14**: 533–538.
- Smith R. E. and Woolhiser D. A. (1971) Overland flow on an infiltrating surface. *Water Resources Research* **7**(4): 899–913.
- Smith R. E., Corradini C. and Melone F. (1993) Modeling infiltration for multistorm runoff events. *Water Resources Research* **29**: 133–144.
- Smith R. E., Goodrich D. C., Woolhiser D. A. and Unkrich C. L. (1995) KINEROS – a Kinematic runoff and EROSION model. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 697–732.
- Smith R. E., Corradini C. and Melone F. (1999) A conceptual model for infiltration and redistribution in crusted soils. *Water Resources Research* **35**: 1385–1393.
- Snell J. D. and Sivapalan M. (1995) Application of the meta-channel concept: construction of the meta-channel hydraulic geometry for a natural channel. *Hydrological Processes* **9**: 485–505.
- Sorooshian S. and Gupta V. K. (1995) Model calibration. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 23–68.
- Sorooshian S., Gupta V. K. and Fulton J. L. (1983) Evaluation of maximum likelihood parameter estimation techniques for conceptual rainfall–runoff models: influence of calibration data variability and length on model credibility. *Water Resources Research* **19**: 251–259.
- Sorooshian S., Duan Q. and Gupta V. K. (1992) Calibration of the SMA-NWSRFS conceptual rainfall–runoff model using global optimisation. *Water Resources Research* **29**: 1185–1194.
- Soto B. and Diaz-Fierros F. (1998) Runoff and soil erosion from areas of burnt scrub: comparison of experimental results with those predicted by the WEPP model. *Catena* **31**: 257–270.
- Spear R. C., Grieb T. M. and Shang N. (1994) Parameter uncertainty and interaction in complex environmental models. *Water Resources Research* **30**: 3159–3170.

- Srinivasan R., Ramanarayanan T. S., Arnold J. G. and Bednarz S. T. (1998) Large area hydrologic modelling and assessment. Part 2. Model application. *Journal of American Water Resources Association* **34**: 91–101.
- Stadler D., Wunderli H., Auckenthaler A. and Flühler H. (1996) Measurement of frost-induced snowmelt runoff in a forest soil. *Hydrological Processes* **10**: 1293–1304.
- Steel M. E., Black A. R., Werrity A. and Littlewood I. G. (1999) Reassessment of flood risk for Scottish rivers using synthetic runoff data. In *Hydrological Extremes: Understanding, Predicting, Mitigating*. IAHS Publication No. 255, Wallingford, UK, pp. 209–215.
- Steenhuis T. S., Winchell M., Rossing J., Zollweg J. A. and Walter M. F. (1995) SCS runoff equation revisited for variable source runoff areas. *Journal of Irrigation and Drainage Engineering, ASCE* **121**: 234–238.
- Stephenson G. R. and Freeze R. A. (1974) Mathematical simulation of subsurface flow contributions to snowmelt runoff, Reynolds Creek, Idaho. *Water Resources Research* **10**(2): 284–298.
- Stieglitz M., Rind D., Famiglietti J. and Rosenzweig C. (1997) An efficient approach to modelling the topographic control of surface hydrology for regional and global climate modelling. *Journal of Climate* **10**: 118–137.
- Stoker J. (1957) *Water Waves*. Interscience, New York.
- Surkan A. (1969) Synthetic hydrographs: effects of network geometry. *Water Resources Research* **5**: 115–128.
- Swank W. T. and Crossley D. A. (eds) (1988) *Forest Hydrology and Ecology at Coweeta*. Ecological Studies 66, Springer-Verlag, New York.
- Tabrizi M. H. N., Said S. E., Badr A. W., Mashor Y. and Billings S. A. (1998) Nonlinear modelling and prediction of a river flow system. *Journal of the American Water Resources Association* **34**: 1333–1339.
- Taha A., Gresillon J. M. and Clothier B. E. (1997) Modelling the link between hillslope water movement and stream flow: application to a small Mediterranean forest watershed. *Journal of Hydrology* **203**: 11–20.
- Tarantola A. (1987) *Inverse Problem Theory*. Elsevier, New York.
- Tarboton D. G. (1997) A new method for the determination of flow directions and upslope areas in grid digital elevation models. *Water Resources Research* **33**: 309–319.
- Tardieu F. and Davies W. J. (1993) Integration of hydraulic and chemical signalling in the control of stomatal conductance and water status of droughted plants. *Plant, Cell and Environment* **16**: 341–349.
- Tayfur G. and Kavvas M. L. (1998) A really-averaged overland flow equations at hillslope scale. *Hydrological Science Journal* **43**: 361–378.
- Thirumalaiah K. and Deo M. C. (1998) River stage forecasting using artificial neural networks. *Journal of Hydrological Engineering, ASCE* **3**: 26–32.
- Thyer M., Kuczera G. and Bates B. C. (1999) Probabilistic optimisation for conceptual rainfall runoff models: a comparison of the shuffled complex evolution and simulated annealing algorithms. *Water Resources Research* **35**: 767–774.
- Tietje O. and Tapkenhinrichs M. (1993) Evaluation of pedo-transfer functions. *Soil Science Society of America Journal* **57**: 1088–1095.
- Tillotson P. M. and Nielsen D. R. (1984) Scale factors in soil science. *Soil Science Society of America Journal* **48**: 953–959.
- Todini E. (1995) New trends in modelling soil processes from hillslope to GCM scales. In Oliver H. R. and Oliver S. A. (eds) *The Role of Water and the Hydrological Cycle in Global Change*. NATA ASI Series, Vol. I 31, pp. 317–347.
- Todini E. (1996) The ARNO rainfall-runoff model. *Journal of Hydrology* **175**: 339–382.
- Tokar A. S. and Johnson P. A. (1999) Rainfall–runoff modeling using artificial neural networks. *Journal of Hydrological Engineering, ASCE* **4**: 232–239.
- Troch P. A., Smith J. A., Wood E. F. and de Troch F. P. (1994) Hydrologic controls of large floods in a small basin: central Appalachian case study. *Journal of Hydrology* **156**: 285–309.

- Turner H. M. and Burdoin A. S. (1941) The flood hydrograph. *Journal of the Boston Society of Civil Engineers* **28**: 232–256.
- Tyler S. W. and Wheatcraft S. W. (1992) Fractal scaling of soil particle size distributions: analysis and limitations. *Soil Science Society of America Journal* **56**: 362–369.
- Uhlenbrook S., Seibert J., Leibundgut C. and Rohde A. (1999) Prediction uncertainty of conceptual rainfall–runoff models caused by problems in identifying parameters and structure. *Hydrological Science Journal* **44**: 779–797.
- USDA SCS (1985) *National Engineering Handbook, Supplement A, Section 4*. US Department of Agriculture, Washington, DC, Chapter 10.
- USDA SCS (1986) *Urban Hydrology for Small Watersheds, Technical Release 55*. US Department of Agriculture, Washington, DC.
- USDA SCS (1992) *STATSGO – State Soils Geographic Data Base*. Soil Conservation Service, Publication No. 1492, Washington, DC.
- Van Genuchten M. Th. (1980) A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Science Society of America Journal* **44**: 892–898.
- Van Genuchten M. Th., Leij F. J., Lond L. J. (eds) (1989) *Indirect Methods for Estimating the Hydraulic Properties of Unsaturated Soils*, Riverside, CA. USDA, Salinity Lab.
- Van Genuchten M. Th., Schaap M. G., Mohanty B. P., Simunek J. and Leij F. J. (1999) Modelling flow and transport processes at the local scale. In Feyen J. and Wiyo K. (eds) *Modelling Transport Processes in Soils*. Wageningen Pers, Wageningen, The Netherlands, pp. 23–45.
- Van Straten G. and Keesman K. (1991) Uncertainty propagation and speculation in projective forecasts of environmental change: a lake eutrophication example. *Journal of Forecasting* **10**: 163–190.
- Venetis C. (1969) The IUH of the Muskingum channel reach. *Journal of Hydrology* **7**: 444–447.
- Vereecken H., Maes J., Feyen J. and Darius P. (1989) Estimating the soil moisture retention characteristics from texture, bulk density and carbon content. *Soil Science* **148**: 389–403.
- Vereecken H., Maes J. and Feyen J. (1990) Estimating unsaturated hydraulic conductivity from easily measured soil properties. *Soil Science* **149**: 1–11.
- Verhoest N. E. C., Troch P. A., Paniconi C. and de Troch F. (1998) Mapping basin scale variable source areas from multitemporal remotely sensed observations of soil moisture behaviour. *Water Resources Research* **34**: 3235–3244.
- Vertessy R. A. and Elsenbeer H. (1999) Distributed modelling of storm flow generation in an Amazonian rain forest catchment: effects of model parameterisation. *Water Resources Research* **35**: 2173–2187.
- Vertessy R. A., Hatton T. J., O'Shaughnessy P. J. and Jayasuriya M. D. A. (1993) Predicting water yield from a mountain ash forest using a terrain analysis based catchment model. *Journal of Hydrology* **150**: 665–700.
- Vogel R. M., Thomas W. O. and McMahon T. A. (1993) Flood-flow frequency model selection in southwestern United States. *Journal of Water Resources Planning and Management* **119**: 353–366.
- Wagner B., Tarnawski V., Wessolek G. and Plagge R. (1998) Suitability of models for the estimation of soil hydraulic parameters. *Geoderma* **86**: 229–239.
- Walsh R. P. D., Hudson R. N. and Howells K. A. (1982) Changes in the magnitude–frequency of flooding and heavy rainfalls in the Swansea valley since 1875. *Cambria* **9**: 36–60.
- Wallace J. S. (1995) Calculating evaporation: resistance to factors. *Agric. Forest Meteorology* **73**: 353–366.
- Wang Q. J. (1991) The genetic algorithm and its application to calibrating conceptual rainfall–runoff models. *Water Resources Research* **27**: 2467–2471.
- Wang Z., Feyen J., Van Genuchten M. Th. and Nielsen D. R. (1998) Air entrapment effects on infiltration rates and flow instability. *Water Resources Research* **34**: 213–222.
- Warrick A. W. and Hussen A. A. (1993) Scaling of Richards equation for infiltration and drainage. *Soil Science Society of America Journal* **57**: 15–18.

- Watson F. G. R., Vertessy R. A. and Grayson R. B. (1999) Large-scale modelling of forest hydrological processes and their long-term effect on water yield. *Hydrological Processes* **13**: 689–700.
- Weltz M. A., Ritchie J. C. and Fox H. D. (1994) Comparison of laser and field measurements of vegetation height and canopy cover. *Water Resources Research* **30**: 1311–1319.
- Western A. W., Grayson R. B., Blöschl G., Willgoose G. and McMahon T. A. (1999) Observed spatial organisation of soil moisture and its relation to terrain indices. *Water Resources Research* **35**: 797–810.
- Weyman D. R. (1970) Throughflow on hillslopes and its relation to the stream hydrograph. *Hydrological Science Bulletin* **15**: 25–33.
- Wheater H. S., Jakeman A. J. and Beven K. J. (1993) Progress and directions in rainfall–runoff modelling. In Jakeman A. J., Beck M. B. and McAleer M. J. (eds) *Modelling Change in Environmental Systems*. John Wiley, Chichester, pp. 101–132.
- Whitehead P. G., Young P. C. and Hornberger G. M. (1979) A systems model of streamflow and water quality in the Bedford–Ouse River. 1. Streamflow modelling. *Water Resources Research* **13**: 1155–1169.
- Wigmsta M. and Lettenmaier D. P. (1999) A comparison of simplified methods for routing topographically driven subsurface flow. *Water Resources Research* **35**: 255–264.
- Wigmsta M. S., Vail L. W. and Lettenmaier D. P. (1994) A distributed hydrology–vegetation model for complex terrain. *Water Resources Research* **30**(6): 1665–1679.
- Wilby R. L. and Wrigley T. M. L. (1997) Downscaling general circulation model output: a review of methods and limitations. *Progress in Physical Geography* **21**: 530–548.
- Wilby R. L., Hassan H. and Hanaki K. (1998) Statistical downscaling of hydrometeorological variables using general circulation model output. *Journal of Hydrology* **205**: 1–19.
- Willgoose G. and Kuczera G. (1995) Estimation of subgrid scale kinematic wave parameters for hillslopes. *Hydrological Processes* **9**: 469–482.
- Williams J. R. (1995) The EPIC model. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 909–1000.
- WMO (1964) Guide for hydrometeorological practices. Technical report, World Meteorological Organisation, Geneva, p. 24.
- WMO (1975) Intercomparison of conceptual models used in hydrological forecastings. Operational Hydrology Technical Report No 7, World Meteorological Organisation, Geneva.
- WMO (1986) Intercomparison of models of snowmelt runoff. Operational Hydrology Technical Report No. 23, World Meteorological Organisation, Geneva.
- Wolock D. M. (1993) Simulating the variable source area concept of streamflow generation with the watershed model. Water-Resources Investigations Report 93-4124. Technical report, US Geological Survey, Lawrence, Kansas.
- Wolock D. M. and Hornberger G. M. (1991) Hydrological effects of changes in levels of atmospheric carbon dioxide. *Journal of Forecasting* **10**: 105–116.
- Wong T. H. F. and Laurenson E. M. (1983) Wave speed – discharge relations in natural channels. *Water Resources Research* **19**: 701–706.
- Wood E. F., Sivapalan M. and Beven K. J. (1990) Similarity and scale in catchment storm response. *Reviews in Geophysics* **28**: 1–18.
- Wood E. F., Lettenmaier D. P. and Zatarian V. G. (1992) A land-surface hydrology parameterisation with sub-grid variability for general circulation models. *Journal of Geophysical Research* **97**(D3): 2717–2728.
- Wood E. F., Lin D.-S., Mancini M., Thongs D., Troch P. A., Jackson T.J., Famiglietti J. S. and Engman E. T. (1993) Intercomparisons between passive and active microwave remote sensing and hydrological modeling for soil moisture. *Advances in Space Research* **13**: 167–176.
- Woolhiser D. A. and Goodrich D. C. (1988) Effect of storm intensity patterns on surface runoff. *Journal of Hydrology* **102**: 335–354.
- Wösten J. H. M. (1999) The HYPRES database of hydraulic properties of European soils. In Feyen J. and Wiyo K. (eds) *Modelling Transport Processes in Soils*. Wageningen Pers, Wageningen, The Netherlands, pp. 675–681.

- Wright T. R., Gash J. H. G., Da Rocha H. R., Shuttleworth W. J., Nobre C. A., Maitelli G. T., Zamperoni C. A. G. D. and Carvalho P. R. A. (1992) Dry season micrometeorology of central Amazonian ranchland. *Quarterly Journal of the Royal Meteorology Society* **118**: 1083–1099.
- Xevi E., Christiaens K., Espino A., Sewnandan W., Mallants D., Sorensen H. and Feyen J. (1997) Calibration, validation and sensitivity analysis of the MIKE SHE model using the Neuenkirchen catchment as case study. *Water Resources Management* **11**: 219–242.
- Xinmei H., Lyons T. J., Smith R. C. G. and Hacker J. M. (1995) Estimation of land surface parameters using satellite data. *Hydrological Processes* **9**: 631–643.
- Yapo P. O., Gupta H. V. and Sorooshian S. (1996) Calibration of conceptual rainfall–runoff models: sensitivity to calibration data. *Journal of Hydrology* **181**: 23–48.
- Yapo P. O., Gupta H. and Sorooshian S. (1998) Multi-objective global optimization for hydrologic models. *Journal of Hydrology* **204**: 83–97.
- Young P. C. (1975) Recursive approaches to time series analysis. *Bulletin of the Institute of Math. Appl.* **10**: 209–224.
- Young P. C. (1983) The validity and credibility of models for badly defined systems. In Beck M. B. and Van Straten G. (eds) *Uncertainty and Forecasting of Water Quality*. Springer-Verlag, New York, pp. 69–98.
- Young P. C. (1984) *Recursive Estimation and Time Series Analysis*. Springer-Verlag, Berlin.
- Young P. C. (1992) Parallel processes in hydrology and water-quality – a unified time-series approach. *Journal of the Institution of Water and Environmental Management* **6**(5): 598–612.
- Young P. C. (1993) Time variable and state dependent parameter modelling of nonstationary and nonlinear time series. In Subba Rao T. (ed.) *Developments in Time Series*. Chapman and Hall, London, pp. 374–413.
- Young P. C. (2001) Data-base mechanistic modelling and validation of rainfall-flow processes. In Anderson M. G. and Bates P. D. (eds) *Model Validation: Perspectives in hydrological Science*. John Wiley, Chichester, (in press).
- Young P. C. and Beven K. J. (1991) Computation of the instantaneous unit-hydrograph and identifiable component flows with application to two small upland catchments – comment. *Journal of Hydrology* **129**(1–4): 389–396.
- Young P. C. and Beven K. J. (1994) Data-based mechanistic modelling and the rainfall–flow nonlinearity. *Environmetrics* **5**(3): 335–363.
- Young P. C. and Wallis S. G. (1985) Recursive estimation: a unified approach to the identification, estimation and forecasting of hydrological systems. *Applied Maths and Computation* **17**: 299–334.
- Young P. C., Jakeman A. J. and Post D. A. (1997) Recent advances in the data-based modelling and analysis of hydrological systems. *Water Science Technology* **36**: 99–116.
- Young R. A., Onstad C. A. and Bosch D. D. (1995) AGNPS: An agricultural nonpoint source model. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 1001–1020.
- Yu B. (1998) Theoretical justification of SCS method for runoff estimation. *Journal of Irrigation and Drainage Engineering, ASCE* **124**: 306–309.
- Zhang W. and Montgomery D. R. (1994) Digital elevation model grid size, landscape representation and hydrologic simulations. *Water Resources Research* **30**: 1019–1028.
- Zhang L., Dawes W. R., Hatton T. J., Reece P. H., Beale G. T. H. and Packer Z. (1999) Estimation of soil moisture and groundwater recharge using the TOPOG–IRM model. *Water Resources Research* **35**: 149–161.
- Zhao R. J. (1992) The Xinanjiang model applied in China. *Journal of Hydrology* **135**: 371–381.
- Zhao R. J. and Liu X.-R. (1995) The Xinanjiang model. In Singh V. P. (ed.) *Computer Models of Watershed Hydrology*. Water Resource Publications, Highlands Ranch, CO, pp. 215–232.
- Zhao R. J., Zhuang Y.-L., Fang L.-R., Liu X.-R. and Zhang Q.-S. (1980) The Xinanjiang model. In *Hydrological Forecasting*. IAHS Publication No. 129. Wallingford, UK, pp. 351–356.
- Zoch R. T. (1934) On the relation between rainfall and streamflow. *Monthly Weather Review* **62**(9): 315–322.

- Zoppou C. and O'Neill I. (1982) Criteria for the choice of flood routing methods in natural channels. In *Hydrology and Water Resources Symposium*. Institution of Engineers of Australia, pp. 75–81.
- Zuidema P. K. (1985) *Hydraulik der Abflussbildung Wahrend Starniederschlagen*. PhD thesis, Versuchanstalt fur Wasserbau, Hydrologie und Glaziologie, ETH, Zurich.

## Index

- Adaptive forecasting 274
- Aero-typic resistance 75
- AGNPS model 207
- Almanac 98
- ANNIE database 70
- ANSWERS model 207
- Antecedent conditions 8, 22
- ARC-VIEW 69
- Arkansas-Red River 98, 288
- Atmo model 39
- Baseflow 11, 32
- Bayes equation 253
- Blind testing
  - SHP 132
- Boundary conditions 117, 151
- Bowen ratio 74
- Box-Cox transform 250
- Brooks-Corey characteristics 166
- Calibration 5, 19, 22, 119, 150
  - soil moisture characteristics 169
- Canopy resistance 77
- Capillary drive 158
- Capillary potential 154
- Crops 14
- Chang Chiang (Yangtze) River 257
- CHAIN-2D 129
- Channel routing 122, 172
  - St Venant equations 121
  - assumptions 174
- Channel routing models
  - kinematic wave 137
  - Muskingum-Cunge 148
- Characteristic curves 143
- Chickasha, Oklahoma 148
- Climate change 291, 294
  - flood frequency 293
  - uncertainty 292
- Compressibility 155
- Conceptual model 4
  - choosing 7, 19, 297
- Confidence intervals 229
- Contributing area 189
- Crank-Nicholson scheme 164
- CREAMS model 207
- Curve number 184
- Darcy's law 14, 116, 154
- Darcy-Weybach roughness 173
- Data maximization 146, 303
- Data-based mechanistic models 92
- Decision Support Systems
  - INFLOW 79
  - WATERSHEDSS 79
- Degree-day method 80, 84
- Derived distributions 265
- Deterministic models 18
- Diffusivity 166
- Digital elevation models 65, 69
  - flow pathways 65
  - raster 65
  - stream tubes 67
  - TAPAS-C 65
  - TINs 65
  - vector 65
- Digital terrain analysis
  - topographic index 921
- Discharge data 57–8
  - quality control 58
  - slope-area method 57
  - weirs and flumes 57
- Distributed models 41, 44, 115, 153, 180
  - ANSWERS 129
  - Bernard 136, 143
  - CASCID 129
  - HEC-1 138
  - INFLOW 129
  - HDM 125
  - KINEOS 130, 138
  - MUSLESH 128