

References

- Abramowitz, M. and Stegun, I. (eds) (1964). *Handbook of mathematical functions*. National Bureau of Standards Applied Mathematical Series. US Government Printing Office, Washington, DC.
- Amos, D.E. and Slater, M.L. (1969). Polynomial and spline approximation by quadratic programming. *Communications of the ACM*, **12**, 379–381.
- Anthony, G.T. and Cox, M.G. (1987a). The fitting of extremely large data sets by bivariate splines. In *Algorithms for approximation* (ed. J.C. Mason and M.G. Cox), pp.5–20. Clarendon, Oxford.
- Anthony, G.T. and Cox, M.G. (1987b). The National Physical Laboratory's data approximation subroutine library. In *Algorithms for approximation* (ed. J.C. Mason and M.G. Cox), pp.669–687. Clarendon, Oxford.
- Arcangéli, R. (1989). Some applications of discrete D^m splines. In *Mathematical methods in computer aided geometric design* (ed. T. Lyche and L.L. Schumaker). pp.35–44. Academic Press, London.
- Balmino, G., Lambeck, K., and Kaula, W.M. (1973). A spherical harmonic analysis of the earth's topography. *Journal of Geophysical Research*, **78**, 478–481.
- Barsky, B.A. (1981). The beta-spline: a local representation based on shape parameters and fundamental geometric measures. D.Phil. thesis. University of Utah.
- Barsky, B.A. (1988). *Computer graphics and geometric modeling using beta-splines*. Springer, Berlin.
- Boehm, W. (1980). Inserting new knots into B-spline curves. *Computer Aided Design*, **12**, 199–201.
- Boehm, W., Farin, G., and Kahmann, J. (1984). A survey of curve and surface methods in CAGD. *Computer Aided Geometric Design*, **1**, 1–60.
- de Boor, C. (1972). On calculating with B-splines. *Journal of Approximation Theory*, **6**, 50–62.
- de Boor, C. (1978). *A practical guide to splines*, Applied Mathematical Sciences. Vol. **27**. Springer, New York.
- de Boor, C. (1990). SPLINE TOOLBOX for use with MATLAB. The MathWorks, Inc., South Natick.
- de Boor, C. and Höllig, K. (1982). B-splines from parallelepipeds. *Journal d'Analyse Mathématique*, **42**, 99–115.

- de Boor, C. and Rice, J.R. (1968a). Least-squares cubic spline approximation. I: fixed knots. *Report CSD TR 20*. Purdue University, Lafayette.
- de Boor, C. and Rice, J.R. (1968b). Least-squares cubic spline approximation. II: variable knots. *Report CSD TR 21*. Purdue University, Lafayette.
- Boot, J.C.G. (1964). *Quadratic programming*. Rand McNally, Chicago.
- Cabay, S. and Jackson, L.W. (1976). A polynomial extrapolation method for finding limits and antilimits of vector sequences. *SIAM Journal on Numerical Analysis*, **13**, 734–752.
- Carlson, R.E. (1987). Shape preserving interpolation. In *Algorithms for approximation* (ed. J.C. Mason and M.G. Cox), pp.97–113. Clarendon, Oxford.
- Chen, L.S., Herman, G.T., Reynolds, R.A., and Udupa, K. (1984). Surface rendering in the cuberille environment. *Report MIPG 87*. Department of Radiology, University of Pennsylvania.
- Christiansen, H.N. and Sederberg, T.W. (1978). Conversion of complex contour line definitions into polygonal element mosaics. *Computer Graphics*, **12**, 187–192.
- Chui, C.K. (1988). *Multivariate splines*, CBMS-NSF Regional conference series in applied mathematics. SIAM, Philadelphia.
- Cline, A.K. (1974). Curve fitting in one and two dimensions using splines under tension. *Communications of the ACM*, **17**, 213–218.
- Cohen, E., Lyche, T., and Riesenfeld, R. (1980). Discrete B-splines and subdivision techniques in computer-aided geometric design and computer graphics. *Computer Graphics and Image Processing*, **14**, 87–111.
- Cohen, E. and O'Dell, C.L. (1989). A data dependent parametrization for spline approximation. In *Mathematical methods in computer aided geometric design* (ed. T. Lyche and L.L. Schumaker), pp.155–166. Academic Press, London.
- Cox, M.G. (1972). The numerical evaluation of B-splines. *Journal of the Institute of Mathematics and its Applications*, **10**, 134–149.
- Cox, M.G. (1973). Cubic spline fitting with convexity and concavity constraints. *NPL Report NAC 23*. National Physical Laboratory, Teddington, Middlesex, UK.
- Cox, M.G. (1975). Numerical methods for the interpolation and approximation of data by spline functions. Unpublished D.Phil. thesis. The City University, London.
- Cox, M.G. (1981a). The least-squares solution of overdetermined linear equations having band or augmented bandstructure. *IMA Journal of Numerical Analysis*, **1**, 3–22.
- Cox, M.G. (1981b). Practical spline approximation. In *Topics in Numerical Analysis*, Lecture Notes in Mathematics **965** (ed. P.R. Turner), pp.79–112. Springer, New York.

- Cox, M.G. (1982). Direct versus iterative methods of solution for multivariate spline-fitting problems. *IMA Journal of Numerical Analysis*, **2**, 73–81.
- Cox, M.G. (1985). Topic libraries for mathematical computation. *Software – Practice and Experience*, **15**, 397–411.
- Cox, M.G. and Hayes, J.G. (1973). Curve fitting: a guide and suite of algorithms for the non-specialist user. *NPL Report NAC 26*. National Physical Laboratory, Teddington, Middlesex, UK.
- Cox, M.G. and Jones, H.M. (1987). Shape preserving spline approximation in the l_1 -norm. In *Algorithms for approximation* (ed. J.C. Mason and M.G. Cox). pp.115–129. Clarendon, Oxford.
- Craven, P. and Wahba, G. (1979). Smoothing noisy data with spline functions: estimating the correct degree of smoothing by the method of generalized cross validation. *Numerische Mathematik*, **31**, 377–403.
- Dahmen, W. (1987). Subdivision algorithms – recent results, some extensions and further developments. In *Algorithms for approximation* (ed. J.C. Mason and M.G. Cox), pp.21–49. Clarendon, Oxford.
- Dahmen, W. and Micchelli, C.A. (1982). On the linear independence of multivariate B -splines, I. Triangulations of simploids. *SIAM Journal on Numerical Analysis*, **19**, 993–1012.
- Dahmen, W. and Micchelli, C.A. (1983). Multivariate splines – a new constructive approach. In *Surfaces in CAGD* (ed. R.E. Barnhill and W. Boehm), pp.191–215. North-Holland, Amsterdam.
- De Fraine, J. (1990). Handleiding CAM/WTCM: Berekening van nokken. WTCM/CRIF Report (in Dutch). Heverlee, Belgium.
- Dierckx, P. (1975). An algorithm for smoothing, differentiation and integration of experimental data using spline functions. *Journal of Computational and Applied Mathematics*, **1**, 165–184.
- Dierckx, P. (1977). An algorithm for least-squares fitting of cubic spline surfaces to functions on a rectilinear mesh over a rectangle. *Journal of Computational and Applied Mathematics*, **3**, 113–129.
- Dierckx, P. (1979). Het aanpassen van krommen en oppervlakken aan meetpunten met behulp van spline funkties. Unpublished D.Phil. thesis (in Dutch). Katholieke Universiteit Leuven.
- Dierckx, P. (1980). An algorithm for cubic spline fitting with convexity constraints. *Computing*, **24**, 349–371.
- Dierckx, P. (1981a). An improved algorithm for curve fitting with spline functions. *TW Report 54*. Department of Computer Science, Katholieke Universiteit Leuven, Belgium.
- Dierckx, P. (1981b). An algorithm for surface fitting with spline functions. *IMA Journal of Numerical Analysis*, **1**, 267–283.
- Dierckx, P. (1982a). A fast algorithm for smoothing data on a rectangular grid while using spline functions. *SIAM Journal on Numerical Analysis*, **19**, 1286–1304.

- Dierckx, P. (1982b). Algorithms for smoothing data with periodic and parametric splines. *Computer Graphics and Image Processing*, **20**, 171–184.
- Dierckx, P. (1984a). Computation of least-squares spline approximations to data over incomplete grids. *Computers and Mathematics with Applications*, **10**, 283–289.
- Dierckx, P. (1984b). Algorithms for smoothing data on the sphere with tensor product splines. *Computing*, **32**, 319–342.
- Dierckx, P. (1986a). The spectral approximation of bicubic splines on the sphere. *SIAM Journal on Scientific and Statistical Computing*, **7**, 611–623.
- Dierckx, P. (1986b). An algorithm for fitting data over a circle using tensor product splines. *Journal of Computational and Applied Mathematics*, **15**, 161–163.
- Dierckx, P. (1987a). FITPACK user guide part 1: curve fitting routines. *TW Report 89*. Department of Computer Science, Katholieke Universiteit Leuven, Belgium.
- Dierckx, P. (1987b). Fast algorithms for smoothing data over a disc or a sphere using tensor product splines. In *Algorithms for approximation* (ed. J.C. Mason and M.G. Cox), pp.51–65. Clarendon, Oxford.
- Dierckx, P. (1989). FITPACK user guide part 2: surface fitting routines. *TW Report 122*. Department of Computer Science, Katholieke Universiteit Leuven, Belgium.
- Dierckx, P. and Piessens, R. (1977). Calculation of Fourier coefficients of discrete functions using cubic splines. *Journal of Computational and Applied Mathematics*, **3**, 207–209.
- Dierckx, P., Suetens, P., and Vandermeulen, D. (1988). An algorithm for surface reconstruction from planar contours using smoothing splines. *Journal of Computational and Applied Mathematics*, **23**, 367–388.
- Dierckx, P. and Tytgat, B. (1989a). Inserting new knots into beta-spline curves. In *Mathematical methods in computer aided geometric design* (ed. T. Lyche and L.L. Schumaker), pp.195–205. Academic Press, London.
- Dierckx, P. and Tytgat, B. (1989b). Generating the Bézier points of a β -spline curve. *Computer Aided Geometric Design*, **6**, 279–291.
- Dierckx, P., Van Leemput, S., and Vermeire, T. (1992). Algorithms for surface fitting using Powell–Sabin splines. *IMA Journal of Numerical Analysis*, **12**, 271–299.
- Dongarra, J.J. and Grosse, E. (1987). Distribution of mathematical software via electronic mail. *Communications of the ACM*, **30**, 403–407.
- Duchon, J. (1976). Interpolation des fonctions de deux variables suivant le principe de la flexion des plaques minces. *RAIRO Analyse Numérique*, **10**, 5–12.

- Dyn, N., Levin, D., and Rippa, S. (1983). Surface interpolation and smoothing by thin plate splines. In *Approximation Theory IV* (ed. C. Chui, L. Schumaker and J. Ward), pp.445-449. Academic Press, New York.
- Farin, G. (1990). *Curves and surfaces for computer aided geometric design: a practical guide*. Academic Press, Boston.
- Fletcher, R. (1971). A general quadratic programming algorithm. *Journal of the Institute of Mathematics and its Applications*, **7**, 76-91.
- Fletcher, R. (1980). *Practical methods of optimization*, Vol. 1. Wiley, Chichester.
- Fletcher, R. and Reeves, C.M. (1964). Function minimization by conjugate gradients. *The Computer Journal*, **7**, 149-154.
- Foley, T.A. and Nielson, G.M. (1989). Knot selection for parametric spline interpolation. In *Mathematical methods in computer aided geometric design* (ed. T. Lyche and L.L. Schumaker), pp.261-271. Academic Press, London.
- Fox, P.A. (1984). The PORT Mathematical Subroutine Library. AT & T Bell Laboratories.
- Franke, R. (1982). Scattered data interpolation: tests of some methods. *Mathematics of Computation*, **38**, 181-200.
- Franke, R. and Schumaker, L.L. (1987). A bibliography of multivariate approximation. In *Topics in multivariate approximation* (ed. C. Chui, L. Schumaker and F. Utreras), pp.275-335. Academic Press, Orlando.
- Freedeen, W. (1981). On spherical spline interpolation and approximation. *Mathematical Methods in the Applied Sciences*, **3**, 551-575.
- Fuchs, H., Kedem, Z.M., and Uselton, S.P. (1977). Optimal surface reconstruction from planar contours. *Communications of the ACM*, **20**, 693-702.
- Gaffney, P.W. (1976). The calculation of indefinite integrals of B-splines. *Journal of the Institute of Mathematics and its Applications*, **17**, 37-41.
- Gentleman, W.M. (1973). Least-squares computation by Givens transformations without square roots. *Journal of the Institute of Mathematics and its Applications*, **12**, 329-336.
- Gill, P.E., Murray, W., Saunders, M.A., and Wright, M.H. (1983). User's Guide for SOL/QPSOL. *Report SOL 83-7*. Department of Operations Research, Stanford University.
- Gill, P.E., Murray, W., and Wright, M.H. (1981). *Practical Optimization*. Academic Press, London.
- Gmelig Meyling, R.H.J. (1986). Polynomial spline approximation in two variables. Unpublished D.Phil. thesis. University of Amsterdam.
- Gmelig Meyling, R.H.J. (1987). An algorithm for constructing configurations of knots for bivariate B-splines. *SIAM Journal on Numerical Analysis*, **24**, 706-724.

- Goldfarb, D. and Idnani, A. (1983). A numerically stable dual method for solving strictly convex quadratic programs. *Mathematical Programming*, **27**, 1–33.
- Golub, G.H. and Pereyra, V. (1973). The differentiation of pseudo-inverses and non-linear least-squares problems whose variables separate. *SIAM Journal on Numerical Analysis*, **10**, 413–432.
- Golub, G.H. and Reinsch, C. (1970). Singular value decomposition and least-squares solutions. *Numerische Mathematik*, **14**, 403–420.
- Goodman, T.N.T. (1985). Properties of β -splines. *Journal of Approximation Theory*, **44**, 132–153.
- Goodman, T.N.T. and Unsworth, K. (1985). Generation of β -spline curves using a recurrence relation. In *Fundamental Algorithms for Computer Graphics*, NATO ASI Series, Series F, **17**, 325–353.
- Goodman, T.N.T. and Unsworth, K. (1986). Manipulating shape and producing geometric continuity in β -spline curves. *IEEE Computer Graphics and Applications*, **6**, 50–56.
- Grosse, E. (1990). A catalogue of algorithms for approximation. In *Algorithms for approximation II* (ed. J.C. Mason and M.G. Cox), pp.479–514. Chapman and Hall, London.
- Hardy, G.H., Littlewood, J.E., and Pólya, G. (1934). *Inequalities*. Cambridge University Press.
- Hartley, P.J. (1976). Tensor product approximations to data defined on rectangular meshes in n -space. *The Computer Journal*, **19**, 348–352.
- Hartley, P.J. (1980). On using curved knot lines. In *Approximation Theory III* (ed. E.W. Cheney), pp.485–490. Academic Press, New York.
- HARWELL (1987). The Harwell subroutine library. AERE-R 9185.
- Haubitz, I. (1977). Programme zum zeichnen allgemeinen Flächenstücken. *Computing*, **18**, 295–315.
- Hayes, J.G. (1970). Curve fitting by polynomials in one variable. In *Numerical approximation to functions and data* (ed. J.G.Hayes), pp.43–64. The Athlone Press, London.
- Hayes, J.G. (1974a). Algorithms for curve and surface fitting. In *Software for numerical mathematics* (ed. D.J. Evans), pp.219–233, Academic Press, London.
- Hayes, J.G. (1974b). New shapes from bicubic splines. *NPL Report NAC 58*. National Physical Laboratory, Teddington, Middlesex, UK.
- Hayes, J.G. and Halliday, J. (1974). The least-squares fitting of cubic spline surfaces to general data sets. *Journal of the Institute of Mathematics and its Applications*, **14**, 89–103.
- Heap, B. (1974). Two Fortran contouring routines. *NPL Report NAC 10*. National Physical Laboratory, Teddington, Middlesex, UK.
- Herman, G.T. and Liu, H.K. (1979). Three-dimensional display of human organs from computer tomograms. *Computer Graphics and Image Processing*, **9**, 1–21.

- Hutchinson, M. and de Hoog, F. (1985). Smoothing noisy data with spline functions. *Numerische Mathematik*, **47**, 99–106.
- Ichida, K., Yoshimoto, F., and Kiyono, T. (1977). Curve fitting by a one-pass method with a piecewise cubic polynomial. *ACM Transactions on Mathematical Software*, **3**, 164–174.
- IMSL (1987). International Mathematical and Statistical Libraries, Houston.
- Inselberg, A. (1976). Cubic splines with infinite derivatives at some knots. *IBM Journal of Research and Development*, **20**, 430–436.
- Jupp, D.L.B. (1975). The 'Lethargy' theorem – a property of approximation by γ -polynomials. *Journal of Approximation Theory*, **14**, 204–217.
- Jupp, D.L.B. (1978). Approximation to data by splines with free knots. *SIAM Journal on Numerical Analysis*, **15**, 328–343.
- Keppel, E. (1975). Approximating complex surfaces by triangulation of contour lines. *IBM Journal of Research and Development*, **19**, 2–11.
- Lafata, P. and Rosen, J.B. (1970). An interactive display for approximation by linear programming. *Communications of the ACM*, **13**, 651–659.
- Lax, M. and Agrawal, G.P. (1982). Evaluation of Fourier integrals using B -splines. *Mathematics of Computation*, **39**, 535–548.
- Lyche, T. and Schumaker, L.L. (1973). Computation of smoothing and interpolating natural splines via local bases. *SIAM Journal on Numerical Analysis*, **10**, 1027–1038.
- Lyche, T. and Schumaker, L.L. (1974). Procedures for computing smoothing and interpolating natural splines via local bases. *Communications of the ACM*, **17**, 463–467.
- Marti, J.T. (1978). An algorithm recursively computing the exact Fourier coefficients of B -splines with non-equidistant knots. *Journal of Applied Mathematics and Physics*, **29**, 301–305.
- Martin, R.S. and Wilkinson, J.H. (1965). Symmetric decomposition of positive definite bandmatrices. *Numerische Mathematik*, **7**, 355–361.
- Meinguet, J. (1979). Multivariate interpolation at arbitrary points made simple. *Journal of Applied Mathematical Physics*, **30**, 292–304.
- NAG (1988). Fortran Library – Mark 13. The Numerical Algorithms Group, Oxford.
- Neuman, E. (1981). Moments and Fourier transforms of B -splines. *Journal of Computational and Applied Mathematics*, **7**, 51–62.
- Paige, C.C. and Saunders, M.A. (1982). LSQR, An algorithm for sparse linear equations and least-squares problems. *ACM Transactions on Mathematical Software*, **8**, 43–71.
- Peters, G. and Wilkinson, J.H. (1970). The least-squares problem and pseudo-inverses. *The Computer Journal*, **13**, 309–316.
- Pezzack, J.C., Norman, R.W., and Winter, D.A. (1977). An assessment of derivative determining techniques used for motion analysis. *Journal of Biomechanics*, **10**, 377–382.

- Piessens, R., de Doncker-Kapenga, E., Uberhuber, C.W., and Kahaner, D.K. (1983). *Quadpack: A Subroutine Package for Automatic Integration*. Springer, Heidelberg.
- Potier, C. and Vercken, C. (1985). Surface smoothing with finite elements. *Journal of Computational and Applied Mathematics*, **12–13**, 505–509.
- Powell, M.J.D. (1970). Curve fitting by splines in one variable. In *Numerical approximation to functions and data* (ed. J.G. Hayes), pp.65–83. The Athlone Press, London.
- Powell, M.J.D. and Sabin, M.A. (1977). Piecewise quadratic approximation on triangles. *ACM Transactions on Mathematical Software*, **3**, 316–325.
- Preusser, A. (1989). Algorithm 671, FARB-E-2D: fill area with bicubics in rectangles – a contour plot program. *ACM Transactions on Mathematical Software*, **15**, 79–89.
- Rabinowitz, P. (1968). Applications of linear programming to numerical analysis. *SIAM Review*, **10**, 121–159.
- Reinsch, C. (1967). Smoothing by spline functions. *Numerische Mathematik*, **10**, 177–183.
- Reinsch, C. (1971). Smoothing by spline functions II. *Numerische Mathematik*, **16**, 451–454.
- Riesenfeld, R.F. (1989). Design tools for shaping spline models. In *Mathematical methods in computer aided geometric design* (ed. T. Lyche and L.L. Schumaker), pp.499–519. Academic Press, London.
- Ryder, B.G. (1974). The PFORT verifier. *Software – Practice and Experience*, **4**, 359–377.
- Sabin, M.A. (1985). Contouring – the state of the art. In *Fundamental algorithms for computer graphics*, NATO ASI Series **F17** (ed. R.A. Earnshaw), pp.411–482. Springer, New York.
- Sablonnière, P. (1987). Error bounds for Hermite interpolation by quadratic splines on a α -triangulation. *IMA Journal of Numerical Analysis*, **7**, 495–508.
- Schmidt, R.M. (1983). Fitting scattered surface data with large gaps. In *Surfaces in Computer Aided Design* (ed. R. Barnhill and W. Boehm), pp.185–189. North-Holland, Amsterdam.
- Schoenberg, I.J. (1967). On spline functions. In *Inequalities* (ed. O. Shisha), pp.255–291. Academic Press, New York.
- Schoenberg, I.J. and Whitney, A. (1953). On Polya frequency functions III. *Trans. AMS*, **74**, 246–259.
- Schultheis, H. and Schultheis, R. (1978). Algorithm 35, an algorithm for non-smoothing contour representation of two-dimensional arrays. *Computing*, **19**, 381–387.
- Schumaker, L.L. (1976). Fitting surfaces to scattered data. In *Approximation Theory II* (ed. C.K. Chui, L.L. Schumaker and G.G. Lorentz), pp.203–268. Wiley, New York.

- Schumaker, L.L. (1981). *Spline functions: basic theory*. Wiley, New York.
- Schumaker, L.L. (1984). Bounds on the dimension of spaces of multivariate piecewise polynomials. *Rocky Mountain Journal of Mathematics*, **14**, 251-264.
- Shepard, D. (1968). A two dimensional interpolation function for irregularly spaced data. In *Proceedings 23rd National Conference ACM*, pp. 517-524.
- Shi, X., Wang, S., Wang, W., and Wang, R.H. (1986). The C^1 quadratic spline space on triangulations. Report 86004. Department of Mathematics, Jilin University, Changchun, China.
- Simmonds, I. (1974). Spectral representation of horizontal wind in numerical models of the atmosphere. *Journal of Applied Meteorology*, **13**, 221-226.
- Snyder, W.V. (1978). Algorithm 531, contour plotting. *ACM Transactions on Mathematical Software*, **4**, 290-294.
- Soudan, K. and Dierckx, P. (1979). Calculation of derivatives and Fourier coefficients of human motion data, while using spline functions. *Journal of Biomechanics*, **12**, 21-26.
- Späth, H. (1973). *Spline Algorithmen zur konstruktion glatter Kurven und Flächen*. R. Oldenbourg Verlag, München.
- Suetens, P. (1983). A three-dimensional image of the cerebral blood vessels for use in stereotactic neurosurgery. D.Phil. thesis. Acco, Leuven.
- Suetens, P., Dierckx, P., Piessens, R., and Oosterlinck, A. (1981). A semi-automatic digitization method and the use of spline functions in processing line drawings. *Computer Graphics and Image Processing*, **15**, 390-400.
- Theil, H. and Van de Panne, C. (1960). Quadratic programming as an extension of conventional quadratic maximization. *Management Science*, **7**, 1-20.
- Thomson, M.L. (1974). Programs for computation of polynomial splines. *Computer Science Technical Report 21*. Bell Labs, Murray Hill, New Jersey.
- Utreras, F.I. (1979). Cross validation techniques for smoothing spline functions in one or two dimensions. In *Smoothing techniques for curve estimation*. Lecture Notes in Mathematics **757** (ed. M. Rosenblatt and T. Gasser). pp.196-232. Springer, Berlin.
- Vetter, W.J. (1973). Matrix calculus operations and Taylor expansions. *SIAM Review*, **15**, 352-369.
- Wahba, G. (1979). How to smooth curves and surfaces with splines and cross-validation. In *Proceedings 24th Conference on Design of Experiments*, pp.167-192. US Army Research Office.
- Wahba, G. (1981). Spline interpolation and smoothing on the sphere. *SIAM Journal on Scientific and Statistical Computing*, **2**, 5-16.

- Wahba, G. (1990). *Spline models for observational data*, CBMS-NSF Regional conference series in applied mathematics. SIAM, Philadelphia.
- Wambecq, A. (1977). Plotting a function of two variables. *Journal of Computational and Applied Mathematics*, **3**, 281-291.
- Whitted, T. (1980). An improved illumination model for shaded display. *Communications of the ACM*, **23**, 343-349.
- Woodford, C.H. (1970). An algorithm for data smoothing using spline functions. *BIT*, **10**, 501-510.
- Wynn, P. (1962). Acceleration techniques for iterated vector and matrix problems. *Mathematics of Computation*, **16**, 301-322.