

# REFERENCES

## Introduction

1. Åstrand, P.-O., & Rhyming, I. (1954). A nomogram for calculation of aerobic capacity (physical fitness) from pulse rate during submaximal work. *Journal of Applied Physiology*, **7**, 218-22.
2. Bainbridge, F.A. (1931). The physiology of muscular exercise (3rd ed.). London: Longmans, Green.
3. Bouchard, C. (2012). Overcoming barriers to progress in exercise genomics. *Exercise and Sports Science Reviews*, **39**, 212-217.
4. Bouchard, C. (2015). Exercise genomics—A paradigm shift is needed: A commentary. *British Journal of Sports Medicine*, **49**, 1492-1496.
5. Buford, T.W., & Pahor, M. (2012). Making preventive medicine more personalized: Implications for exercise-related research. *Preventive Medicine*, **55**, 34-36.
6. Buskirk, E.R., & Taylor, H.L. (1957). Maximal oxygen uptake and its relation to body composition, with special reference to chronic physical activity and obesity. *Journal of Applied Physiology*, **11**, 72-78.
7. Collins, F.S. (1999). The human genome project and the future of medicine. *Annals of the New York Academy of Sciences*, **882**, 42-55, discussion 56-65.
8. Collins, F.S. (2001). Contemplating the end of the beginning. *Genome Research*, **11**, 641-643.
9. Cooper, K.H. (1968). *Aerobics*. New York: Evans.
10. Dill, D.B. (1938). *Life, heat, and altitude*. Cambridge, MA: Harvard University Press.
11. Dill, D.B. (1985). *The hot life of man and beast*. Springfield, IL: Charles C Thomas.
12. Fletcher, W.M., & Hopkins, F.G. (1907). Lactic acid in amphibian muscle. *Journal of Physiology*, **35**, 247-254.
13. Flint, A., Jr. (1871). On the physiological effects of severe and protracted muscular exercise; with special reference to the influence of exercise upon the excretion of nitrogen. *New York Medical Journal*, **13**, 609-697.
14. Foster, M. (1970). Lectures on the history of physiology. New York: Dover.
15. Ginsburg, G.S., & Willard, H.F. (2009). Genomic and personalized medicine: Foundations and applications. *Translational Research*, **154**, 277-287.
16. Hamburg, M.A., & Collins, F.S. (2010). The path to personalized medicine. *New England Journal of Medicine*, **363**, 301-304.
17. Joyner, M.J., & Pedersen, B.K. (2011). Ten questions about systems biology. *Journal of Physiology*, **589**, 1017-1030.
18. Kerksick, C.M., Tsatsakis, A.M., Hayes, A.W., Kafantaris, I., & Kouretas, D. (2015). How can bioinformatics and toxicogenomics assist the next generation of research on physical exercise and athletic performance. *Journal of Strength and Conditioning Research*, **29**, 270-278.
19. LaGrange, F. (1889). *Physiology of bodily exercise*. London: Kegan Paul International.
20. Ling, C., & Ronn, T. (2014). Epigenetic adaptation to regular exercise in humans. *Drug Discovery Today*, **19**, 1015-1018.
21. Pérusse, L., Rankinen, T., Hagberg, J.M., Loos, R.J., Roth, S.M., Sarzynski, M.A., Wolfarth, B., & Bouchard, C. (2013). Advances in exercise, fitness, and performance genomics in 2012. *Medicine and Science in Sports and Exercise*, **45**, 824-831.
22. Petriz, B.A., Gomes, C.P., Rocha, L.A.O., Rezende, T.M.B., & Franco, O.L. (2012). Proteomics applied to exercise physiology: A cutting-edge technology. *Journal of Cellular Physiology*, **227**, 885-898.
23. Robinson, S. (1938). Experimental studies of physical fitness in relation to age. *Arbeitsphysiologie*, **10**, 251-327.
24. Seals, D.R. (2013). Translational physiology: From molecules to public health. *Journal of Physiology*, **591**, 3457-3469.
25. Séguin, A., & Lavoisier, A. (1793). Premier mémoire sur la respiration des animaux. *Histoire et Mémoires de l'Academie Royale des Sciences*, **92**, 566-584.
26. Talmud, P.J., Hingorani, A.D., Cooper, J.A., Marmot, M.G., Brunner, E.J., Kumari, M., Kivimaki, M., & Humphries, S.E. (2010). Utility of genetic and non-genetic risk factors in prediction of type 2 diabetes: Whitehall II prospective cohort study. *British Medical Journal*, **340**, b4838.
27. Taylor, H.L., Buskirk, E.R., & Henschel, A. (1955). Maximal oxygen intake as an objective measure of cardiorespiratory performance. *Journal of Applied Physiology*, **8**, 73-80.
28. Wang, L., McLeod, H.L., & Weinshilboum, R.M. (2011). Genomics and drug response. *New England Journal of Medicine*, **364**, 1144-1153.
29. Webborn, N., & Dijkstra, H.P. (2015). Twenty-first century genomics for sports medicine: What does it all mean? *British Journal of Sports Medicine*, **49**, 1481-1482.
30. Zuntz, N., & Schumberg, N.A.E.F. (1901). *Studien zur Physiologie des Marches* (p. 211). Berlin: A. Hirschwald.

## Chapter 1

1. Brooks, G.A., Fahey, T.D., & Baldwin, K.M. (2005). *Exercise physiology: Human bioenergetics and its applications* (4th ed.). New York: McGraw-Hill.
2. Bruusgaard, J.C., Johansen, I.B., Egner, I.M., Rana, Z.A., & Gundersen, K. (2010). Myonuclei acquired by overload exercise precede hypertrophy and are not lost on detraining. *Proceedings of the National Academy of Sciences USA*, **107**, 15111-15116.
3. Costill, D.L., Daniels, J., Evans, W., Fink, W., Krahenbuhl, G., & Saltin, B. (1976). Skeletal muscle enzymes and fiber composition in male and female track athletes. *Journal of Applied Physiology*, **40**, 149-154.
4. Costill, D.L., Fink, W.J., Flynn, M., & Kirwan, J. (1987). Muscle fiber composition and enzyme activities in elite female distance runners. *International Journal of Sports Medicine*, **8**, 103-106.

5. Costill, D.L., Fink, W.J., & Pollock, M.L. (1976). Muscle fiber composition and enzyme activities of elite distance runners. *Medicine and Science in Sports*, **8**, 96-100.
6. Herzog, W., Duvall, M., & Leonard, T.R. (2012). Molecular mechanisms of muscle force regulation: A role for titin. *Exercise and Sports Sciences Reviews*, **40**(1), 50-57.
7. Herzog, W., Schappacher, G., DuVall, M., Leonard, T.R., & Herzog, J.A. (2016). Residual force enhancement following eccentric contractions: A new mechanism involving titin. *Physiology (Bethesda)*, **31**, 300-312.
8. Lee, J.D., & Burd, N.A. (2012). No role of muscle satellite cells in hypertrophy: Further evidence of a mistaken identity? *Journal of Physiology*, **590**, 2837-2838.
9. MacIntosh, B.R., Gardiner, P.F., & McComas, A.J. (2006). *Skeletal muscle form and function* (2nd ed.). Champaign, IL: Human Kinetics.
10. Monroy, J.A., Powers, K.L., Gilmore, L.A., Uyeno, T.A., Lindstedt, S.L., & Nishikawa, K.C. (2012). What is the role of titin in active muscle? *Exercise and Sports Sciences Reviews*, **40**(2), 73-78.
11. Nishikawa, K.C., Monroy, J.A., Uyeno, T.A., Yeo, S.H., Pai, D.K., & Lindstedt, S.L. (2012). Is titin a “winding filament”? A new twist on muscle contraction. *Proceedings in Biological Sciences*, **279**(1730), 981-990.
12. Psilander, N., Eftestol, E., Cumming, K.T., et al. (2019). Effects of training, detraining, and retraining on strength, hypertrophy, and myonuclear number in human skeletal muscle. *Journal of Applied Physiology*, **126**, 1636-1645.
13. Tskhovrebova, L., & Trinick, J. (2003). Titin: Properties and family relationships. *Nature Reviews Molecular Cell Biology*, **4**, 679-689.

## Chapter 2

1. Brooks, G.A., & Mercier, J. (1994). Balance of carbohydrate and lipid utilization during exercise: The “cross-over” concept. *Journal of Applied Physiology*, **76**, 2253-2261.
2. Cypess, A.M., Lehman, S., Williams, G., Tal, I., Rodman, D., Goldfine, A.B., Kuo, F.C., Palmer, E.L., Tseng, Y.H., Doria, A., Kolodny, G.M., & Kahn, C.R. (2009). Identification and importance of brown adipose tissue in adult humans. *New England Journal of Medicine*, **360**, 1509-1517.
3. Pathi, B., Kinsey, S.T., Howdeshell, M.E., Priester, C., McNeill, R.S., & Locke, B.R. (2012). The formation and functional consequences of heterogeneous mitochondrial distributions in skeletal muscle. *Journal of Experimental Biology*, **215**, 1871-1883.
4. Pathi, B., Kinsey, S.T., & Locke, B.R. (2011). Influence of reaction and diffusion on spatial organization of mitochondria and effectiveness factors in skeletal muscle cell design. *Biotechnology and Bioengineering*, **108**, 1912-1924.
5. Pathi, B., Kinsey, S.T., & Locke, B.R. (2013). Oxygen control of intracellular distribution of mitochondria in muscle fibers. *Biotechnology and Bioengineering*, **110**, 2513-2524.
6. van der Zwaard, S., de Ruiter, C.J., Noordhof, D.A., Sterrenburg, R., Bloemers, F.W., de Koning, J.J., Jaspers, R.T., & van der Laarse, W.J. (2016). Maximal oxygen uptake is proportional to muscle fiber oxidative capacity, from

chronic heart failure patients to professional cyclists. *Journal of Applied Physiology*, **121**, 636-645.

## Chapter 3

1. Handschin, C. (2010). Regulation of skeletal muscle cell plasticity by the peroxisome proliferator-activated receptor  $\gamma$  coactivator 1alpha. *Journal of Receptor and Signal Transduction Research*, **30**, 376-384.
2. Marieb, E.N. (1995). *Human anatomy and physiology* (3rd ed.). New York: Benjamin Cummings.
3. Pette, D., & Vrbova, G. (1985). Neural control of phenotypic expression in mammalian muscle fibers. *Muscle and Nerve*, **8**, 676-689.

## Chapter 4

1. Bermon, S., & Garnier, P. (2017). Serum androgen levels and their relation to performance in track and field: Mass spectrometry results from 2127 observations in male and female elite athletes. *British Journal of Sports Medicine*, **51**, 1309-1314.
2. Broom, D.R., Stensel, D.J., Bishop, N.C., Burns, S.F., & Miyashita, M. (2007). Exercise-induced suppression of acylated ghrelin in humans. *Journal of Applied Physiology*, **102**, 2165-2171.
3. Bruning, J.C., Gautam, D., Burks, D.J., Gillette, J., Schubert, M., Orban, P.C., Klein, R., Krone, W., Muller-Wieland, D., & Kahn, C.R. (2000). Role of brain insulin receptor in control of body weight and reproduction. *Science*, **289**, 2122-2125.
4. Jurimae, J., Maestu, J., Jurimae, T., Mangus, B., & von Duvillard, S.P. (2011). Peripheral signals of energy homeostasis as possible markers of training stress in athletes: A review. *Metabolism: Clinical and Experimental*, **60**, 335-350.
5. Kjellberg, S.R., Rudhe, U., & Sjöstrand, T. (1949). Increase of the amount of hemoglobin and blood volume in connection with physical training. *Acta Physiologica Scandinavica*, **19**, 146-151.
6. Lam, C.K., Chari, M., & Lam, T.K. (2009). CNS regulation of glucose homeostasis. *Physiology*, **24**, 159-170.
7. Lam, T.K., Gutierrez-Juarez, R., Pocai, A., & Rossetti, L. (2005). Regulation of blood glucose by hypothalamic pyruvate metabolism. *Science*, **309**, 943-947.
8. Leidy, H.J., Gardner, J.K., Frye, B.R., Snook, M.L., Schuchert, M.K., Richard, E.L., & Williams, N.I. (2004). Circulating ghrelin is sensitive to changes in body weight during a diet and exercise program in normal-weight young women. *Journal of Clinical Endocrinology and Metabolism*, **89**, 2659-2664.
9. Montero, D., Breenfeldt-Andersen, A., Oberholzer, L., Haider, T., Goetze, J.P., Meinild-Lundby, A.K., & Lundby, C. (2017). Erythropoiesis with endurance training: Dynamics and mechanisms. *American Journal of Physiology: Regulatory Integrative Comparative Physiology*, **312**, R894-R902.
10. Stensel, D. (2010). Exercise, appetite and appetite-regulating hormones: Implications for food intake and weight control. *Annals of Nutrition and Metabolism*, **57**(Suppl 2), 36-42.

## Chapter 5

- American College of Sports Medicine. (2018). *Guidelines for graded exercise testing and prescription* (10th ed.). Philadelphia: Lippincott, Williams and Wilkins.
- Crouter, S.E., Clowers, K.G., & Bassett, D.R., Jr. (1985). A novel method for using accelerometer data to predict energy expenditure. *Journal of Applied Physiology*, **2006**, 1324-1331.
- Gaesser, G.A., & Poole, D.C. (1996). The slow component of oxygen uptake kinetics in humans. *Exercise and Sport Sciences Reviews*, **24**, 35-70.
- Hills, A.P., Mokhtar, N., & Byrne, N.M. (2014). Assessment of physical activity and energy expenditure: An overview of objective measures. *Frontiers in Nutrition*, **1**(5), 1-44.
- Ludlow, L.W., & Weyand, P.G. (2016). Energy expenditure during level human walking: Seeking a simple and accurate predictive solution. *Journal of Applied Physiology*, **120**, 481-494.
- Ndahimana, D., & Kim, E.-K. (2017). Measurement methods for physical activity and energy expenditure: A review. *Clinical Nutrition Research*, **6**(2), 68-80. <https://doi.org/10.7762/cnr.2017.6.2.68>
- Neilson, H.K., Robson, P.J., Friedenreich, C.M., & Csizmadi, I. (2008). Estimating activity energy expenditure: How valid are physical activity questionnaires? *American Journal of Clinical Nutrition*, **87**, 279-291.
- Pandolf, K.B., Givoni, B., & Goldman, R.F. (1977). Predicting energy expenditure with loads while standing or walking very slowly. *Journal of Applied Physiology*, **43**, 577-581.
- Zuntz, N., & Hagemann, O. (1898). Untersuchungen über den Stoffwechsel des Pferdes bei Ruhe und Arbeit. Berlin: Parey.

## Chapter 6

- Bergeron, M.F. (2008). Muscle cramps during exercise—is it fatigue or electrolyte deficit? *Current Sports Medicine Reports*, **7**, S50-S55.
- Blanchfield, A.W., Hardy, J., De Morree, H.M., Staiano, W., & Marcora, S.M. (2014). Talking yourself out of exhaustion: The effects of self-talk on endurance performance. *Medicine and Science in Sports and Exercise*, **46**, 998-1007.
- Bruckert, E., Hayem, G., Dejager, S., Yau, C., & Begaud, B. (2005). Mild to moderate muscular symptoms with high-dosage statin therapy in hyperlipidemic patients—the primo study. *Cardiovascular Drugs and Therapy*, **19**, 403-414.
- Cannon, D.T., Bimson, W.E., Hampson, S.A., Bowen, T.S., Murgatroyd, S.R., Marwood, S., Kemp, G.J., & Rossiter, H.B. (2014). Skeletal muscle ATP turnover by <sup>31</sup>P magnetic resonance spectroscopy during moderate and heavy bilateral knee extension. *Journal of Physiology*, **592**, 5287-5300.
- Costill, D.L. (1986). *Inside running: Basics of sports physiology*. Indianapolis: Benchmark Press.

- Craighead, D.H., Shank, S.W., Gottschall, J.S., Passe, D.H., Murray, B., Alexander, L.M., & Kenney, W.L. (2017). Ingestion of transient receptor potential channel agonists attenuates exercise-induced muscle cramps. *Muscle and Nerve*, **56**, 88-92.
- DeBold, E.F. (2016). Decreased myofilament calcium sensitivity plays a significant role in muscle fatigue. *Medicine and Science in Sports and Exercise*, **43**, 144-149.
- Eichner, E.R. (2007). The role of sodium in ‘heat cramping.’ *Sports Medicine*, **37**, 368-370.
- Foure, A., Wegrzyk, J., Le Fur, Y., Mattei, J.-P., Boudinet, H., Vilmen, C., Bendahan, D., & Gondin, J. (2016). Impaired mitochondrial function and reduced energy cost as a result of muscle damage. *Medicine and Science in Sports and Exercise*, **47**, 1135-1144.
- Galloway, S.D.R., & Maughan, R.J. (1997). Effects of ambient temperature on the capacity to perform prolonged cycle exercise in man. *Medicine and Science in Sports and Exercise*, **29**, 1240-1249.
- Grassi, B., Rossiter, H.B., & Zoladz, J.A. (2015). Skeletal muscle fatigue and decreased efficiency: Two sides of the same coin? *Medicine and Science in Sports and Exercise*, **43**, 75-83.
- Kent, J.A., Ortenblad, N., Hogan, M.C., Poole, D.C., & Muscj, T.I. (2016). No muscle is an island: Integrative perspectives on muscle fatigue. *Medicine and Science in Sports and Exercise*, **48**, 2281-2293.
- Maughan, R.J., Otani, H., & Watson, P. (2012). Influence of relative humidity on prolonged exercise capacity in a warm environment. *European Journal of Applied Physiology*, **112**, 2313-2321.
- Mikus, C.R., Boyle, L.J., Borengasser, S.J., Oberlin, D.J., Naples, S.P., Fletcher, J., Meers, G.M., Ruebel, M., Laughlin, M.H., Dellperger, K.C., Fadel, P.J., & Thyfault, J.P. (2013). Simvastatin impairs exercise training adaptations. *Journal of the American College of Cardiology*, **62**, 709-714.
- Minetto, M.A., Holobar, A., Botter, A., & Farina, D. (2013). Origin and development of muscle cramps. *Exercise and Sport Sciences Reviews*, **41**, 3-10.
- Neyroud, D., Maffiuletti, N.A., Kayser, B., & Place, N. (2012). Mechanisms of fatigue and task failure induced by sustained submaximal contractions. *Medicine and Science in Sports and Exercise*, **44**, 1243-1251.
- Oosthuyse, T., & Bosch, A.N. (2017). The effect of gender and menstrual phase on serum creatine kinase activity and muscle soreness following downhill running. *Antioxidants*, **23**, E16.
- Ortenblad, N., Westerblad, H., & Nielsen, J. (2013). Muscle glycogen stores and fatigue. *Journal of Physiology*, **591**, 4405-4413.
- Parker, B.A., & Thompson, P.D. (2012). Effect of statins on skeletal muscle: Exercise, myopathy, and muscle outcomes. *Exercise and Sport Sciences Reviews*, **40**, 188-194.
- Phillips, P.S., Haas, R.H., Bannykh, S., Hathaway, S., Gray, N.L., Kimura, B.J., Vladutiu, G.D., England, J.D., & Scripps Mercy Clinical Research Center. (2002).

- Statin-associated myopathy with normal creatine kinase levels. *Annals of Internal Medicine*, **137**, 581-585.
21. Reid, M.B. (2016). Reactive oxygen species as agents of fatigue. *Medicine and Science in Sports and Exercise*, **48**, 2239-2246.
  22. Schwane, J.A., Johnson, S.R., Vandenakker, C.B., & Armstrong, R.B. (1983). Delayed-onset muscular soreness and plasma CPK and LDH activities after downhill running. *Medicine and Science in Sports and Exercise*, **15**, 51-56.
  23. Schwane, J.A., Watrous, B.G., Johnson, S.R., & Armstrong, R.B. (1983). Is lactic acid related to delayed-onset muscle soreness? *Physician and Sportsmedicine*, **11**(3), 124-131.
  24. Staiano, W., Bosio, A., de Morree, H.M., Rampinini, E., & Marcor, S. (2018). The cardinal exercise stopper: Muscle fatigue, muscle pain or perception of effort? *Progress in Brain Research*, **240**, 175-200.
  25. Sundberg, C.W., Hunter, S.K., Trappe, S.W., Smith, C.S., & Fitts, R.H. (2018). Effects of elevated H<sup>+</sup> and P<sub>i</sub> on the contractile mechanics of skeletal muscle fibres from young and old men: Implications for muscle fatigue in humans. *Journal of Physiology*, **596**, 3993-4015.
  26. Vanhatalo, A., Jones, A.M., & Burnley, M. (2011). Application of critical power in sport. *International Journal of Sports Physiology and Performance*, **6**, 128-136.

## Chapter 7

1. Billman, G.E. (2017). Counterpoint: Exercise training-induced bradycardia: The case for enhanced parasympathetic regulation. *Journal of Applied Physiology*, **123**, 686-688.
2. Boyett, M.R., Wang, Y., Nakao, S., Ariyaratnam, J., Hart, G., Monfredi, O., & D'Souza, A. (2017). Point: Exercise training-induced bradycardia is caused by changes in intrinsic sinus node function. *Journal of Applied Physiology*, **123**, 684-685.
3. Casey, D.P., Curry, T.B., Wilkins, B.W., & Joyner, M.J. (2011). Nitric oxide-mediated vasodilation becomes independent of β-adrenergic receptor activation with increased intensity of hypoxic exercise. *Journal of Applied Physiology*, **110**, 687-694.
4. Casey, D.P., & Joyner, M.J. (2011). Local control of skeletal muscle blood flow during exercise: Influence of available oxygen. *Journal of Applied Physiology*, **111**, 1527-1538.
5. Casey, D.P., Mohamed, E.A., & Joyner, M.J. (2013). Role of nitric oxide and adenosine in the onset of vasodilation during dynamic forearm exercise. *European Journal of Applied Physiology*, **113**, 295-303.
6. Casey, D.P., Walker, B.G., Ranadive, S.M., Taylor, J.L., & Joyner, M.J. (2013). Contribution of nitric oxide in the contraction-induced rapid vasodilation in young and older adults. *Journal of Applied Physiology*, **115**, 446-455.
7. Dorfman, T.A., Rosen, B.D., Perhonen, M.A., Tillary, T., McColl, R., Peshock, R.M., & Levine, B.D. (2008). Diastolic suction is impaired by bed rest: MRI tagging studies of diastolic untwisting. *Journal of Applied Physiology*, **104**, 1037-1044.
8. Joyner, M.J., & Casey, D.P. (2014). Muscle blood flow, hypoxia and hypoperfusion. *Journal of Applied Physiology*, **116**(7), 852-857.

9. Notomi, Y., Martin-Miklovic, M.G., Oryszak, S.J., Shiota, T., Deserranno, D., Popovic, Z.B., Garcia, M.J., Greenberg, N.L., & Thomas, J.D. (2006). Enhanced ventricular untwisting during exercise: A mechanistic manifestation of elastic recoil described by Doppler tissue imaging. *Circulation*, **113**, 2524-2533.

10. Rowell, L.B., (1993). *Human cardiovascular control*. Oxford: Oxford University Press.

## Chapter 8

1. Casey, K., Duffin, J., Kelsey, C.J., & McAvoy, G.V. (1987). The effect of treadmill speed on ventilation at the start of exercise in man. *Journal of Physiology*, **391**, 13-24.
2. Coffman, K.E., Carlson, A.R., Miller, A.D., Johnson, B.D., & Taylor, B.J. (2017). The effect of aging and cardiorespiratory fitness on the lung diffusing capacity response to exercise in healthy humans. *Journal of Applied Physiology*, **122**, 1425-1434.
3. Duffin, J. (2014). The fast exercise drive to breathe. *Journal of Physiology*, **592**, 445-451.
4. Rossman, M.J., Nader, S., Berry, D., Orsini, F., Klansky, A., & Haverkamp, H.C. (2014). Effects of altered airway function on exercise ventilation in asthmatic adults. *Medicine and Science in Sports and Exercise*, **46**, 1104-1113.
5. Williams, P.T. (2014). Dose-response relationship between exercise and respiratory disease mortality. *Medicine and Science in Sports and Exercise*, **46**, 711-717.

## Chapter 9

1. Helenius, I., & Haahtela, T. (2000). Allergy and asthma in elite summer sport athletes. *Journal of Allergy and Clinical Immunology*, **106**, 444-452.
2. Helenius, I.J., Tikkanen, H.O., & Haahtela, T. (1998). Occurrence of exercise induced bronchospasm in elite runners: Dependence on atopy and exposure to cold air and pollen. *British Journal of Sports Medicine*, **32**, 125-129.
3. Hermansen, L. (1981). Effect of metabolic changes on force generation in skeletal muscle during maximal exercise. In R. Porter & J. Whelan (Eds.), *Human muscle fatigue: Physiological mechanisms* (pp. 75-88). London: Pitman Medical.
4. Hwangbo, G., Lee, D.H., Park, S.H., & Han, J.W. (2017). Changes in cardiopulmonary function according to posture during recovery after maximal exercise. *Journal of Physical Therapy Science*, **29**, 1163-1166.
5. Karim, N., Hasan, J.A., & Ali, S.S. (2011). Heart rate variability—A review. *Journal of Basic and Applied Sciences*, **7**, 71-77.
6. Larsson, K., Ohlsen, P., Larsson, L., Malmberg, P., Rydstrom, P.O., & Ulriksen, H. (1993). High prevalence of asthma in cross country skiers. *British Medical Journal*, **307**, 1326-1329.
7. McKirnan, M.D., Gray, C.G., & White, F.C. (1991). Effects of feeding on muscle blood flow during prolonged exercise in miniature swine. *Journal of Applied Physiology*, **70**, 1097-1104.
8. Nes, B.M., Janszky, I., Wisløff, U., Støylen, A., & Karlsen, T. (2013). Age-predicted maximal heart rate in healthy subjects: The HUNT fitness study. *Scandinavian Journal of Medicine and Science in Sports*, **23**, 697-704.

9. Poliner, L.R., Dehmer, G.J., Lewis, S.E., Parkey, R.W., Blomqvist, C.G., & Willerson, J.T. (1980). Left ventricular performance in normal subjects: A comparison of the responses to exercise in the upright and supine position. *Circulation*, **62**, 528-534.
10. Powers, S.K., Martin, D., & Dodd, S. (1993). Exercise-induced hypoxaemia in elite endurance athletes: Incidence, causes and impact on  $\dot{V}O_{2\max}$ . *Sports Medicine*, **16**, 14-22.
11. Romero, S.A., Minson, C.T., & Halliwill, J.R. (2017). The cardiovascular system after exercise. *Journal of Applied Physiology*, **122**, 925-932.
12. Routledge, F.S., Campbell, T.S., McFetridge-Durdle, J.A., & Bacon, S.L. (2010). Improvements in heart rate variability with exercise therapy. *Canadian Journal of Cardiology*, **26**, 303-312.
13. Rowell, L.B. (1993). *Human cardiovascular control*. New York: Oxford University Press.
14. Rundell, K.W. (2003). High levels of airborne ultrafine and fine particulate matter in indoor ice arenas. *Inhalation Toxicology*, **15**, 237-250.
15. Saboul, D., Pialoux, V., & Hautier, C. (2014). The breathing effect of the lf/hf ratio in the heart rate variability measurements of athletes. *European Journal of Sport Science*, **14**(Suppl 1), S282-S288.
16. Tanaka, H., Monahan, D.K., & Seals, D.R. (2001). Age-predicted maximal heart rate revisited. *Journal of the American College of Cardiology*, **37**, 153-156.
17. Turkevich, D., Micco, A., & Reeves, J.T. (1988). Noninvasive measurement of the decrease in left ventricular filling time during maximal exercise in normal subjects. *American Journal of Cardiology*, **62**, 650-652.
18. Vander, A.J., Sherman, J.H., & Luciano, D.S. *Human physiology: The mechanisms of body function* (4th ed.). New York: McGraw-Hill.
19. Wasserman, K., & McIlroy, M.B. (1964). Detecting the threshold of anaerobic metabolism in cardiac patients during exercise. *American Journal of Cardiology*, **14**, 844-852.
5. Gibala, M.J., & Jones, A.M. (2013). Physiological and performance adaptations to high-intensity interval training. *Nestlé Nutritional Institute Workshop Series*, **76**, 51-60.
6. Gibala, M.J., Little, J.P., van Essen, M., Wilkin, G.P., Burgomaster, K.A., Safdar, A., Raha, S., & Tarnopolsky, M.A. (2006). Short-term sprint interval versus traditional endurance training: Similar initial adaptations in human skeletal muscle and exercise performance. *Journal of Physiology*, **575**, 901-911.
7. Gunnarsson, T.P., & Bangsbo, J. (2012). The 10-20-30 training concept improves performance and health profile in moderately trained runners. *Journal of Applied Physiology*, **113**, 16-24.
8. Gunnarsson, T.P., Christensen, P.M., Holse, K., Christiansen, D., & Bangsbo, J. (2012). Effect of additional speed endurance training on performance and muscle adaptations. *Medicine and Science in Sports and Exercise*, **44**, 1942-1948.
9. Iaia, F.M., Thomassen, M., Kolding, H., Gunnarsson, T., Wendell, J., Rostgaard, T., Nordsborg, N., Krstrup, P., Nybo, L., Hellsten, Y., & Bangsbo, J. (2008). Reduced volume but increased training intensity elevates muscle Na<sup>+</sup>-K<sup>+</sup> pump α1-subunit and NHE1 expression as well as short-term work capacity in humans. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, **294**, R966-R974.
10. Kilpatrick, M.W., Jung, M.E., & Little, J.P. (2017). High-intensity interval training: A review of physiological and psychological responses. *ACSM's Health and Fitness Journal*, **18**, 11-16.
11. Olson, M. (2014). Tabata: It's a HIIT! *ACSM's Health and Fitness Journal*, **18**, 17-24.
12. Tabata, I., Nishimura, K., Kouzaki, M., Hirai, Y., Ogita, F., Miyachi, M., & Yamamoto, K. (1996). Effects of moderate-intensity endurance and high-intensity intermittent training on anaerobic capacity and  $\dot{V}O_{2\max}$ . *Medicine and Science in Sports and Exercise*, **28**, 1327-1330.
13. Willardson, J.M. (2007). Core stability training: Applications to sports conditioning programs. *Journal of Strength and Conditioning Research*, **21**, 979-985.

## Chapter 10

1. American College of Sports Medicine. (2009). ACSM position stand: Progression models in resistance training for healthy adults. *Medicine and Science in Sports and Exercise*, **41**, 687-708.
2. Astorino, T.A., Edmunds, R.M., Clark, A., King, L., Gallant, R.A., Namm, S., Fischer, A., & Wood, K.M. (2017). High-intensity interval training increases cardiac output and  $\dot{V}O_{2\max}$ . *Medicine and Science in Sports and Exercise*, **49**, 265-273.
3. Babraj, J.A., Vollaard, N.B., Keast, C., Guppy, F.M., Cottrell, G., & Timmons, J.A. (2009). Extremely short duration high intensity interval training substantially improves insulin action in young healthy males. *BMC Endocrine Disorders*, **9**, 3.
4. Behm, D.G., Drinkwater, E.J., Willardson, J.M., & Cowley, P.M. (2010). The use of instability to train the core musculature. *Applied Physiology, Nutrition, and Metabolism*, **35**, 91-108.

## Chapter 11

1. Aguirre, N., van Loon, L.J., & Baar, K. (2013). The role of amino acids in skeletal muscle adaptation to exercise. *Nestlé Nutritional Institute Workshop Series*, **76**, 85-102.
2. Barnes, B. (2013). Jim Bradford, Olympic weightlifter, dies at 84. *Washington Post*, October 13. Available: [www.washingtonpost.com/local/obituaries/jim-bradford-dies-at-84-olympic-weightlifter/2013/10/13/abc758ba-302d-11e3-9ccc-2252bdb14df5\\_story.html](http://www.washingtonpost.com/local/obituaries/jim-bradford-dies-at-84-olympic-weightlifter/2013/10/13/abc758ba-302d-11e3-9ccc-2252bdb14df5_story.html).
3. Burd, N.A., West, D.W., Staples, A.W., Atherton, P.J., Baker, J.M., Moore, D.R., Holwerda, A.M., Parise, G., Rennie, M.J., Baker, S.K., & Phillips, S.M. (2010). Low-load high volume resistance exercise stimulates muscle protein synthesis more than high-load low volume resistance exercise in young men. *PLOS One*, **5**, e12033.
4. Coffey, V.G., & Hawley, J.A. (2007). The molecular bases of training adaptation. *Sports Medicine*, **37**, 737-763.