
LITERATURA

1. Abs R, Feldt-Rasmussen U, editors. Growth hormone deficiency in adults. 10 years of KIMS. Oxford PharmaGenesis; 2004.
2. Agha A, Rogers B, Sherlock M, O'Kelly P, Tormey W, Phillips J, et al. Anterior pituitary dysfunction in survivors of traumatic brain injury. *J Clin Endocrinol Metab.* 2004;89(10):4929–36.
3. Agha A, Thornton E, O'Kelly P, Tormey W, Phillips J, Thompson CJ. Posterior pituitary dysfunction after traumatic brain injury. *J Clin Endocrinol Metab.* 2004;89(12):5987–92.
4. Agha A, Tomlinson JW, Clark PM, Holder G, Stewart PM. The long-term predictive accuracy of the short synacthen (corticotropin) stimulation test for assessment of the hypothalamic-pituitary-adrenal axis. *J Clin Endocrinol Metab.* 2006;91(1):43–7. Epub 2005 Oct 25.
5. Alexopoulou O, Beguin C, De Nayer P, Maiter D. Clinical and hormonal characteristics of central hypothyroidism at diagnosis and during follow-up in adult patients. *Eur J Endocrinol.* 2004;150(1):1–8.
6. Bates AS, Van't Hoff W, Jones PJ, Clayton RN. The effect of hypopituitarism on life expectancy. *J Clin Endocrinol Metab.* 1996;81(3):1169–72.
7. Bell J, Parker KL, Swinford RD, Hoffman AR, Maneatis T, Lippe B. Long-term safety of recombinant human growth hormone in children. *J Clin Endocrinol Metab.* 2010;95(1):167–77. Epub 2009 Nov 11.
8. Benvenga S, Campenní A, Ruggeri RM, Trimarchi F. Clinical review 113: Hypopituitarism secondary to head trauma. *J Clin Endocrinol Metab.* 2000;85(4):1353–61.
9. Bondanelli M, De Marinis L, Ambrosio MR, Monesi M, Valle D, Zatelli MC, et al. Occurrence of pituitary dysfunction following traumatic brain injury. *J Neurotrauma.* 2004;21(6):685–96.
10. Bülow B, Hagmar L, Mikoczy Z, Nordström CH, Erfurth EM. Increased cerebrovascular mortality in patients with hypopituitarism. *Clin Endocrinol (Oxf).* 1997;46(1):75–81.
11. Castinetti F, Reynaud R, Saveanu A, Quantien MH, Albarel F, Barlier A, et al. Clinical and genetic aspects of combined pituitary hormone deficiencies. *Ann Endocrinol (Paris).* 2008;69(1):7–17.
12. Courtney CH, McAllister AS, McCance DR, Bell PM, Hadden DR, Leslie H, et al. Comparison of one week 0900 h serum cortisol, low and standard dose synacthen tests with a 4 to 6 week insulin hypoglycaemia test after pituitary surgery in assessing HPA axis. *Clin Endocrinol (Oxf).* 2000;53(4):431–6.
13. Courtney CH, McAllister AS, McCance DR, Hadden DR, Leslie H, Sheridan B, et al. The insulin hypoglycaemia and overnight metyrapone tests in the assessment of the hypothalamic-pituitary-adrenal axis following pituitary surgery. *Clin Endocrinol (Oxf).* 2000;53(3):309–12.
14. Čáp J. Hormonální poruchy po úrazu mozku. *Vnitřní Lékařství.* 2006;52(10):941–6.
15. De Marinis L, Fusco A, Bianchi A, Aimaretti G, Ambrosio MR, Scaroni C, et al. Hypopituitarism findings in patients with primary brain tumors 1 year after neurosurgical treatment: preliminary report. *J Endocrinol Invest.* 2006;29(6):516–22.

16. DeGroot L, Jameson JL. *Endocrinology*. 5th ed. Elsevier Saunders; 2006.
17. Esteban NV, Loughlin T, Yergey AL, Zawadzki JK, Booth JD, Winterer JC, et al. Daily cortisol production rate in man determined by stable isotope dilution/mass spectrometry. *J Clin Endocrinol Metab*. 1991;72(1):39–45.
18. Fajt T, Šnajderová M et al. Estrogenní deficit. Maxdorf; 2007.
19. Fiad TM, Kirby JM, Cunningham SK, McKenna TJ. The overnight single-dose metyrapone test is a simple and reliable index of the hypothalamic-pituitary-adrenal axis. *Clin Endocrinol (Oxf)*. 1994;40(5):603–9.
20. Filipsson H, Johannsson G. GH replacement in adults: interactions with other pituitary hormone deficiencies and replacement therapies. *Eur J Endocrinol*. 2009;161 Suppl 1:S85–95. Epub 2009 Aug 14. Review.
21. Ghigo E, Aimaretti G, Corneli G. Diagnosis of adult GH deficiency. *Growth Horm IGF Res*. 2008;18(1):1–16. Epub 2007 Sep 4. Review.
22. Ghigo E, Masel B, Aimaretti G, León-Carrión J, Casanueva FF, Dominguez-Morales MR, et al. Consensus guidelines on screening for hypopituitarism following traumatic brain injury. *Brain Inj*. 2005;19(9):711–24. Review.
23. Gibney J, Wallace JD, Spinks T, Schnorr L, Ranicar A, Cuneo RC, et al. The effects of 10 years of recombinant human growth hormone (GH) in adult GH-deficient patients. *J Clin Endocrinol Metab*. 1999;84(8):2596–602.
24. Giordano R, Picu A, Bonelli L, Balbo M, Berardelli R, Marinazzo E, et al. Hypothalamus-pituitary-adrenal axis evaluation in patients with hypothalamo-pituitary disorders: comparison of different provocative tests. *Clin Endocrinol (Oxf)*. 2008;68(6):935–41. Epub 2007 Nov 19.
25. Harris PE, Bouloux PMG. *Endocrinology in clinical practice*. Martin Dunitz; 2003.
26. Ho KK; 2007 GH Deficiency Consensus Workshop Participants. Consensus guidelines for the diagnosis and treatment of adults with GH deficiency II: a statement of the GH Research Society in association with the European Society for Pediatric Endocrinology, Lawson Wilkins Society, European Society of Endocrinology, Japan Endocrine Society, and Endocrine Society of Australia. *Eur J Endocrinol*. 2007;157(6):695–700.
27. Jezková J, Marek J, Hána V, Krsek M, Weiss V, Vladyka V, et al. Gamma knife radiosurgery for acromegaly-long-term experience. *Clin Endocrinol (Oxf)*. 2006;64(5):588–95.
28. Kelly DF, Gonzalo IT, Cohan P, Berman N, Swerdloff R, Wang C. Hypopituitarism following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a preliminary report. *J Neurosurg*. 2000;93(5):743–52.
29. Kraan GP, Dullaart RP, Pratt JJ, Wolthers BG, Drayer NM, De Bruin R. The daily cortisol production reinvestigated in healthy men. The serum and urinary cortisol production rates are not significantly different. *J Clin Endocrinol Metab*. 1998;83(4):1247–52.
30. Larsen PD et al. *Williams textbook of endocrinology*. 10th ed. Saunders; 2003.
31. Lebl J, Zapletalová J, Koloušková S, et al. *Dětská endokrinologie*. Galén; 2004.
32. Leung KCh, Johannsson G, Leong GM, KKY Ho. Estrogen regulation of growth hormone action. *Endocr Rev*. 2004;25:693–721.
33. Lindholm J, Kehlet H. Re-evaluation of the clinical value of the 30 min ACTH test in assessing the hypothalamic-pituitary-adrenocortical function. *Clin Endocrinol (Oxf)*. 1987;26(1):53–9.
34. Lorenzo M, Peino R, Castro AI, Lage M, Popovic V, Dieguez C, et al. Hypopituitarism and growth hormone deficiency in adult subjects after traumatic brain injury: who and when to test. *Pituitary*. 2005;8(3–4):233–7. Review.

35. Marek J et al. *Farmakoterapie vnitřních nemocí*. 4. vydání, Praha: Grada; 2010.
36. Marzullo P, Di Somma C, Pratt KL, Khosravi J, Diamandis A, Lombardi G, et al. Usefulness of different biochemical markers of the insulin-like growth factor (IGF) family in diagnosing growth hormone excess and deficiency in adults. *J Clin Endocrinol Metab*. 2001;86(7):3001–8.
37. Paisley AN, Rowles SV, Brandon D, Trainer PJ. A subnormal peak cortisol response to stimulation testing does not predict a subnormal cortisol production rate. *J Clin Endocrinol Metab*. 2009;94(5):1757–60. Epub 2009 Feb 24.
38. Qureshi AC, Bahri A, Breen LA, Barnes SC, Powrie JK, Thomas SM, et al. The influence of the route of oestrogen administration on serum levels of cortisol-binding globulin and total cortisol. *Clin Endocrinol (Oxf)*. 2007;66(5):632–5.
39. Raivio T, Falardeau J, Dwyer A, Quinton R, Hayes FJ, Hughes VA, et al. Reversal of idiopathic hypogonadotropic hypogonadism. *New England Journal of Medicine*, 2007,357(9):863–73.
40. Regal M, Páramo C, Sierra SM, Garcia-Mayor RV. Prevalence and incidence of hypopituitarism in an adult Caucasian population in northwestern Spain. *Clin Endocrinol (Oxf)*. 2001;55(6):735–40.
41. Rosén T, Bengtsson BA. Premature mortality due to cardiovascular disease in hypopituitarism. *Lancet*. 1990;336(8710):285–8.
42. Samuels MH, Brandon DD, Isabelle LM, Cook DM, Graham KE, Purnell JQ, et al. Cortisol production rates in subjects with suspected Cushing's syndrome: assessment by stable isotope dilution methodology and comparison to other diagnostic methods. *J Clin Endocrinol Metab*. 2000;85(1):22–8.
43. Schneider HJ, Aimaretti G, Kreitschmann-Andermahr I, Stalla GK, Ghigo E. Hypopituitarism. *Lancet*. 2007;369(9571):1461–70. Review.
44. Srinivasan M, Irving BA, Frye RL, O'Brien P, Hartman SJ, McConnell JP, et al. Effects on lipoprotein particles of long-term dehydroepiandrosterone in elderly men and women and testosterone in elderly men. *J Clin Endocrinol Metab*. 2010 Apr;95(4):1617–25. Epub 2010 Feb 5.
45. Stochholm K, Gravholt CH, Laursen T, Laurberg P, Andersen M, Kristensen LØ, et al. Mortality and GH deficiency: a nationwide study. *Eur J Endocrinol*. 2007;157(1):9–18.
46. Swords FM, Carroll PV, Kisalu J, Wood PJ, Taylor NF, Monson JP. The effects of growth hormone deficiency and replacement on glucocorticoid exposure in hypopituitary patients on cortisone acetate and hydrocortisone replacement. *Clin Endocrinol (Oxf)*. 2003;59(5):613–20.
47. Tanriverdi F, Senyurek H, Unluhizarci K, Selcuklu A, Casanueva FF, Kelestimur F. High risk of hypopituitarism after traumatic brain injury: a prospective investigation of anterior pituitary function in the acute phase and 12 months after trauma. *J Clin Endocrinol Metab*. 2006;91(6):2105–11.
48. Tomlinson JW, Holden N, Hills RK, Wheatley K, Clayton RN, Bates AS, et al. Association between premature mortality and hypopituitarism. West Midlands Prospective Hypopituitary Study Group. *Lancet*. 2001;357(9254):425–31.
49. Topliss DJ, White EL, Stockigt JR. Significance of thyrotropin excess in untreated primary adrenal insufficiency. *J Clin Endocrinol Metab*. 1980;50(1):52–6.