

# SEZNAM LITERA TURY

Barkmann, C., Siem A. K., Wessolowski, N., Schulte-Markwort, M.: Clowning as a supportive measure in paediatrics - a survey of clowns, parents and nursing staff. *BMC Pediatr.* 2013, 13:166. doi:10.1186/1471-2431-13-166.

Battrick, C., Glasper, E. A., Prudhoe, G., Weaver K.: Clown humour: the perceptions of doctors, nurses, parents and children. *J Child Young People's Nurs.* 2007, 1:174–179.

Bekinschtein, T. A., Davis, M. H., Rodd, J. M., Owen, A. M.: Why clowns taste funny: the relationship between humor and semantic ambiguity. *J Neurosci.* 2011, 31:9665–71. doi: 10.1523/JNEUROSCI.5058-10.2011.

Bertini, M., Isola, E., Paolone, G., Curcio, G.: Clowns benefit children hospitalized for respiratory pathologies. *Evid Based Complement Alternat Med.* 2011;2011:879125. doi:10.1093/ecam/neq064.

Dillon, K. M., Minchoff, B., Baker, K. H.: Positive emotional states and enhancement of the immune system. *Int J Psychiatry Med.* 1985, 15:13–17.

Dvory, A., Goshen, Y., Ruimi, S., Bikov, S., Halevy, R., Koren, A.: Dream doctor intervention instead of sedation: performing radionuclide scanning without sedation in young children: a study in 142 patients. J Altern Complement Med. 2016, 22:408–412.

Gasper, A., Battrick, C., Prudhue, G., Weaver, K.: Service evaluation of clown doctor humour in one english children's hospital. Theodora Trust Foundation. 2007. [http://uk.theodora.org/sites/default/files/media/United-Kingdom/5-News-Event/full\\_paper.pdf](http://uk.theodora.org/sites/default/files/media/United-Kingdom/5-News-Event/full_paper.pdf).

Gasper, E. A., Prudhoe, G., Weaver, K.: Does clowning benefit children in hospital. Views of theodora children's trust clown doctors. J Child Young People's Nurs. 2007, 01:24–28.

Koller, D., Gryska, C.: The life threatened child and the life enhancing clown: Towards a model of therapeutic clowning. Evid Based Complement Alternat Med. 2007, 5(1):17–25.

Loidl-Keil, R., Gruber, A., Zapotoczky, K.: Humor und Krankenhaus als wechselseitige Kontexte medizinischen Handelns. Befunde einer Evaluationsstudie zu den Wirkungsbedingtheiten der Tätigkeiten von Clowndoctors. In Evaluation im Gesundheitswesen – Konzepte, Beispiele, Erfahrungen. Herausgegeben von Loidl-Keil, R., Lasowski, W. München: Mehring. Rainer Hampp Verlag. 2004, 245–278.

Paskind, H. A.: Effects of laughter on muscle tone. Arch of Neurol Psychiatry. 1932, 28:623–628.

Sridharan, K., Sivaramakrishnan, G.: Therapeutic clowns in pediatrics: a systematic review and meta-analysis of randomized controlled trialscorrigendum. Eur J Pediatr. 2016, 176:289. doi: 10.1007/s00431-016-2832-5.

## Doplňující zdroje

Arriaga, P., Pacheco, C.: Effects of clown doctors on child and caregiver anxiety at the entrance to the surgery care unit and separation from caregivers. *Int J Emot Educ.* 2016, 8:19–34.

Astuto, M., Rosano, G., Rizzo, G., Disma, N., Raciti, L., Sciuto, O.: Preoperative parental information and parents' presence at induction of anaesthesia. *Minerva Anestesiol.* 2006, 72:461–5.

Bevan, J. C., Johnston, C., Haig, M. J., Tousignant, G., Lucy, S., Kirnon, V., et al.: Preoperative parental anxiety predicts behavioural and emotional responses to induction of anaesthesia in children. *Can J Anaesth.* 1990, 37:177–82. doi: 10.1007/BF030 05466.

Dionigi, A., Sangiorgi, D., Flangini, R.: Clown intervention to reduce preoperative anxiety in children and parents: a randomized controlled trial. *J Health Psychol.* 2014, 19:369–80. doi: 10.1177/1359105312471567.

Finlay, F., Baverstock, A., Lenton, S.: Therapeutic clowning in paediatric practice. *Clin Child Psychol Psychiatry.* 2013, 19:596–605. doi: 10.1177/1359104513492746.

Golan, G., Tighe, P., Dobija, N., Perel, A., Keidan, I.: Clowns for the prevention of preoperative anxiety in children: a randomized controlled trial. *Pediatr Anesth.* 2008, 19:262–6. doi: 10.1111/j.1460-9592.2008.02903.x.

Goodenough, B., Ford, J.: Self-reported use of humor by hospitalized preadolescent children to cope with pain-related distress from a medical intervention. *Humor.* 2005, 18:279–98. doi: 10.1515/humr.2005.18.3.279.

Kain, Z. N., Mayes, L. C., Wang S.-M., Caramico, L. A., Krivutza, D. M., Hofstadter, M. B.: Parental presence and a sedative premedicant for children undergoing surgery. *Anesthesiology.* 2000, 92:939–46. doi: 10.1097/00000542-200004000-00010.

Koç, S.: The effects of hospital clowns on the anxiety levels of preoperative children and parents. 2011, HEAD. 8, 26–31.. doi: 10.5222/HEAD.2020.65471.

Kocherov, S., Hen, Y., Jaworowski, S., Ostrovsky, I., Eidelman, Al., Goza, Y., et al.: Medical clowns reduce pre-operative anxiety, post-operative pain and medical costs in children undergoing outpatient penile surgery: a randomised controlled trial. *J Paediatr Child Health*. 2016, 52:877–81. doi: 10.1111/jpc.13242.

Vagnoli, L., Caprilli, S., Messeri, A.: Parental presence, clowns or sedative premedication to treat preoperative anxiety in children: what could be the most promising option? *Pediatr Anesth*. 2010, 20:937–43. doi: 10.1111/j.1460-9592.2010.03403.x.

Vagnoli, L., Caprilli, S., Robiglio, A., Messeri, A.: Clown doctors as a treatment for preoperative anxiety in children: a randomized, prospective study. *Pediatrics*. 2005, 116:563–7. doi: 10.1542/peds.2005-0466.

Wolyniecz, I., Rimon, A., Scolnik, D., Gruber, A., Tavor, O., Haviv, E., et al.: The effect of a medical clown on pain during intravenous access in the pediatric emergency department. *Clin Pediatr*. 2013, 52:1168–72. doi: 10.1177/0009922813502257.

Wright, K. D., Stewart, S. H., Finley, G. A., Buffet-Jerrott, S. E.: Prevention and intervention strategies to alleviate preoperative anxiety in children. *Behav Modif*. 2007, 31:52–79. doi: 10.1177/0145445506295055.