References

[1] Aalen, O.O. (1978) Nonparametric inference for a family of counting processes. *Annals of Statistics* **6**, 701–726.

[2] Aalen, O.O. (1989) A linear regression model for the analysis of life times. *Statistics in Medicine* **8**, 907–925.

[3] Agresti, A. (1990) *Categorical Data Analysis*. New York: John Wiley.

[4] Aitkin, M. and Clayton, D. (1980) The fitting of exponential, Weibull, and extreme value distributions to complex censored survival data using GLIM. *Journal of the Royal Statistical Society* **C29**, 156–163.

[5] Aitkin, M., Francis, B., Hinde, J., and Anderson, D. (1989) *Statistical Modelling in GLIM*. Oxford: Oxford University Press.

[6] Akaike, H. (1973) Information theory and an extension of the maximum likelihood principle. In Petrov, B.N. and Csàki, F., eds., *Second International Symposium on Inference Theory*, Budapest: Akadémiai Kiadó, pp. 267–281.

[7] Altham, P.M.E. (1978) Two generalizations of the binomial distribution. *Journal of the Royal Statistical Society* **C27**, 162–167.

[8] Altham, P.M.E. (1984) Improving the precision of estimation by fitting a model. *Journal of the Royal Statistical Society* **B46**, 118–119.

[9] Altman, D.G. (1991) *Practical Statistics for Medical Research*. London: Chapman & Hall.

232   References

[10] Andersen, A.H., Jensen, E.B., and Schou, G. (1981) Two-way analysis of variance with correlated errors. *International Statistical Review* **49**, 153–167.

[11] Andersen, E.B. (1991) *Statistical Analysis of Categorical Data*. Berlin: Springer-Verlag.

[12] Andersen, P.K., Borgan, O., Gill, R.D., and Keiding, N. (1993) *Statistical Models Based on Counting Processes*. Berlin: Springer-Verlag.

[13] Andrews, D.F. and Herzberg, A.M. (1985) *Data. A Collection of Problems from Many Fields for the Student and Research Worker*. Berlin: Springer-Verlag.

[14] Anscombe, F.J. (1981) *Computing in Statistical Science through APL*. Berlin: Springer-Verlag.

[15] Barndorff-Nielsen, O. (1978) *Information and Exponential Families in Statistical Theory*. New York: John Wiley.

[16] Barnett, V. and Lewis, T. (1984) *Outliers in Statistical Data*. New York: John Wiley.

[17] Barnhart, H.X. and Sampson, A.R. (1995) Multiple population models for multivariate random length data – with applications in clinical trials. *Biometrics* **51**, 195–204.

[18] Baskerville, J.C., Toogood, J.H., Mazza, J., and Jennings, B. (1984) Clinical trials designed to evaluate therapeutic preferences. *Statistics in Medicine* **3**, 45–55.

[19] Bates, D.M. and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. New York: John Wiley.

[20] Bennett, G.W. (1988) Determination of anaerobic threshold. *Canadian Journal of Statistics* **16**, 307–316.

[21] Berger, J.O. and Wolpert, R.L. (1988) *The Likelihood Principle: A Review, Generalizations, and Statistical Implications*. Hayward, California: Institute of Mathematical Statistics.

[22] Berkson, J. (1944) Application of the logistic function to bio-assay. *Journal of the American Statistical Association* **39**, 357–365.

[23] Berkson, J. (1951) Why I prefer logits to probits. *Biometrics* **7**, 327–339.

[24] Besag, J. (1974) Spatial interaction and the statistical analysis of lattice systems. *Journal of the Royal Statistical Society* **B36**, 192–236.

[25] Beveridge, W. (1936) Wages in the Winchester manors. *Economic History Review* **7**, 22–43.

[26] Birch, M.W. (1963) Maximum likelihood in three-way contingency tables. *Journal of the Royal Statistical Society* **B25**, 220–233.

[27] Bishop, Y.M.M., Fienberg, S.E., and Holland, P.W. (1975) *Discrete Multivariate Analysis: Theory and Practice.* Cambridge: MIT Press.

[28] Bliss, C.I. (1935) The calculation of the dosage-mortality curve. *Annals of Applied Biology* **22**, 134–167.

[29] Blossfeld, H.P., Hamerle, A., and Mayer, K.U. (1989) *Event History Analysis.* Hillsdale, New Jersey: Lawrence Erlbaum Associates.

[30] Box, G.E.P. and Cox, D.R. (1964) An analysis of transformations. *Journal of the Royal Statistical Society* **B26**, 211–252.

[31] Box, G.E.P. and Tiao, G.C. (1973) *Bayesian Inference in Statistical Analysis.* New York: John Wiley.

[32] Box, G.E.P. and Tidwell, P.W. (1962) Transformations of the independent variables. *Technometrics* **4**, 531–550.

[33] Brown, B.M. and Maritz, J.S. (1982) Distribution-free methods in regression. *Australian Journal of Statistics* **24**, 318–331.

[34] Brown, L.D. (1986) *Fundamentals of Statistical Exponential Families with Applications in Statistical Decision Theory.* Hayward, California: Institute of Mathematical Statistics.

[35] Burridge, J. (1981) Empirical Bayes analysis of survival time data. *Journal of the Royal Statistical Society* **B43**, 65–75.

[36] Buxton, J.R. (1991) Some comments on the use of response variable transformations in empirical modelling. *Journal of the Royal Statistical Society* **C40**, 391–400.

[37] Coleman, J.S. (1964) *Introduction to Mathematical Sociology.* New York: The Free Press of Glencoe.

[38] Collett, D. (1991) *Modelling Binary Data.* London: Chapman & Hall.

[39] Cook, R.D. (1977) Detection of influential observations in linear regression. *Technometrics* **19**, 15–18.

[40] Cook, R.D. and Weisberg, S. (1982) *Residuals and Influence in Regression.* London: Chapman & Hall.

[41] Cox, D.R. (1972) Regression models and life-tables. *Journal of the Royal Statistical Society* **B34**, 187–220.

[42] Cox, D.R. and Oakes, D. (1984) *Analysis of Survival Data*. London: Chapman & Hall.

[43] Cox, D.R. and Hinkley, D.V. (1974) *Theoretical Statistics*. London: Chapman & Hall.

[44] Cressie, N. (1986) Kriging nonstationary data. *Journal of the American Statistical Association* **81**, 625–634.

[45] Cressie, N. (1989) Geostatistics. *American Statistician* **43**, 197–202.

[46] Cressie, N. (1993) *Statistics for Spatial Data.* New York: John Wiley.

[47] Crouchley, R., Davies, R.B., and Pickles, A.R. (1982) Identification of some recurrent choice processes. *Journal of Mathematical Sociology* **9**, 63–73.

[48] Davison, A.C. and Tsai, C.L. (1992) Regression model diagnostics. *International Statistical Review* **60**, 337–353.

[49] de Angelis, D. and Gilks, W.R. (1994) Estimating acquired immune deficiency syndrome incidence accounting for reporting delay. *Journal of the Royal Statistical Society* **A157**, 31–40.

[50] de Jong, P. (1988) The likelihood of a state space model. *Biometrika* **75**, 165–169.

[51] de Jong, P. and Greig, M. (1985) Models and methods for pairing data. *Canadian Journal of Statistics* **13**, 233–241.

[52] Decarli, A., Francis, B., Gilchrist, R. and Seeber, G.U.H., eds. (1989) *Statistical Modelling*. Berlin: Springer-Verlag

[53] Derman, C., Gleser, L.J., and Olkin, I. (1973) *A Guide to Probability Theory and Application.* New York: Holt, Rinehart, and Winston.

[54] Diggle, P.J. (1990) *Time Series. A Biostatistical Introduction.* Oxford: Oxford University Press.

[55] Diggle, P.J., Liang, K.Y., and Zeger, S.L. (1994) *The Analysis of Longitudinal Data.* Oxford: Oxford University Press.

[56] Dinse, G.E. (1982) Nonparametric estimation for partially-complete time and type of failure data. *Biometrics* **38**, 417–431.

[57] Dobson, A.J. (1990) *An Introduction to Generalized Linear Models.* London: Chapman & Hall.

[58] Dyke, G.V. and Patterson, H.D. (1952) Analysis of factorial arrangements when the data are proportions. *Biometrics* **8**, 1–12.

[59] Edwards, A.W.F. (1972) *Likelihood. An Account of the Statistical Concept of* Likelihood *and its Application to Scientific Inference.* Cambridge: Cambridge University Press.

[60] Efron, B. (1986) Double exponential families and their use in generalized linear regression. *Journal of the American Statistical Association* **81**, 709–721.

[61] Fahrmeir, L. (1989) Extended Kalman filtering for nonnormal longitudinal data. In Decarli *et al.*, pp. 151–156.

[62] Fahrmeir, L., Francis, B., Gilchrist, R., and Tutz, G., eds. (1992) *Advances in GLIM and Statistical Modelling.* Berlin: Springer-Verlag.

[63] Fahrmeir, L. and Tutz, G. (1994) *Multivariate Statistical Modelling Based on Generalized Linear Models.* New York: Springer-Verlag.

[64] Feigl, P. and Zelen, M. (1965) Estimation of exponential survival probabilities with concomitant information. *Biometrics* **21**, 826–838.

[65] Feller, W. (1957) *An Introduction to Probability Theory and its Applications.* New York: John Wiley.

[66] Fingleton, B. (1984) *Models of Category Counts.* Cambridge: Cambridge University Press.

[67] Fisher, R.A. (1922) On the mathematical foundations of theoretical statistics. *Philosophical Transactions of the Royal Society* **222**, 309–368.

[68] Fisher, R.A. (1934) Two new properties of mathematical likelihood. *Proceedings of the Royal Society* **A144**, 285–307.

[69] Fisher, R.A. (1958) *Statistical Methods for Research Workers.* Edinburgh: Oliver and Boyd. (First edition, 1925)

[70] Fisher, R.A. (1959) *Statistical Methods and Scientific Inference.* Edinburgh: Oliver and Boyd. (First edition, 1956)

[71] Fisher, R.A. (1960) *Design of Experiments.* Edinburgh: Oliver and Boyd. (First edition, 1935)

[72] Fitzmaurice, G.M. and Laird, N.M (1993) A likelihood-based method for analysing longitudinal binary responses. *Biometrika* **80**, 141–151.

[73] Fleming, T.R. and Harrington, D.P. (1991) *Counting Processes and Survival Analysis.* New York: John Wiley.

[74] Francis, B., Green, M., and Payne, C. (1993) *The GLIM System. Release 4 Manual.* Oxford: Oxford University Press.

[75] Fry, F.E.J. and Hart, J.S. (1948) Cruising speed of goldfish in relation to water temperature. *Journal of the Fisheries Research Board of Canada* **7**, 169–175.

[76] Gamerman, D¿ (1991) Dynamic Bayesian models for survival data. *Journal of the Royal Statistical Society* **C40**, 63–79.

[77] Gehan, E.A. (1965) A generalized Wilcoxon test for comparing arbitrarily singly-censored samples. *Biometrika* **52**, 203–223.

[78] Gelman, A., Carlin, J.B., Stern, H.S., and Rubin, D.B. (1995) *Bayesian Data Analysis*. London: Chapman & Hall.

[79] Gilchrist, R., ed. (1982) *GLIM 82*. Berlin: Springer-Verlag.

[80] Gilchrist, R., Francis, B. and Whittaker, J., eds (1985) *Generalized Linear Models*. Berlin: Springer-Verlag.

[81] Glasser, M. (1967) Exponential survival with covariance. *Journal of the American Statistical Association* **62**, 561–568.

[82] Haberman, S.J. (1978) *Analysis of Qualitative Data. Volume 1. Introductory Topics*. San Diego: Academic Press.

[83] Haberman, S.J. (1979) *Analysis of Qualitative Data. Volume 2. New Developments*. San Diego: Academic Press.

[84] Hand, D. and Crowder, M. (1996) *Practical Longitudinal Data Analysis*. London: Chapman & Hall.

[85] Hand, D.J., Daly, F., Lunn, A.D., McConway, K.J., and Ostrowski, E. (1994) *A Handbook of Small Data Sets*. London: Chapman & Hall.

[86] Harkness, R.D. and Isham, V. (1983) A bivariate spatial point pattern of ants' nests. *Journal of the Royal Statistical Society* **C32**, 293–303.

[87] Harvey, A.C. (1989) *Forecasting, Structural Time Series Models and the Kalman Filter*. Cambridge: Cambridge University Press.

[88] Harvey, A.C. and Fernandes, C. (1989) Time series models for count or qualitative observations. *Journal of Business and Economic Statistics* **7**, 407–423.

[89] Hay, J.W. and Wolak, F.A. (1994) A procedure for estimating the unconditional cumulative incidence curve and its variability for the human immunodeficiency virus. *Journal of the Royal Statistical Society* **C43**, 599–624.

[90] Healy, M.J.R. (1988) *GLIM. An Introduction*. Oxford: Oxford University Press.

[91] Healy, M.J.R. and Tillett, H.E. (1988) Short-term extrapolation of the AIDS epidemic. *Journal of the Royal Statistical Society* **A151**, 50–61.

[92] Heckman, J.J. and Willis, R.J. (1977) A beta-logistic model for the analysis of sequential labor force participation by married women. *Journal of Political Economy* **85**, 27–58.

[93] Heitjan, D.F. (1991a) Generalized Norton–Simon models of tumour growth. *Statistics in Medicine* **10**, 1075–1088.

[94] Heitjan, D.F. (1991b) Nonlinear modeling of serial immunologic data: a case study. *Journal of the American Statistical Association* **86**, 891–898.

[95] Huet, S., Bouvier, A., Gruet, M.A., and Jolivel, E. (1996) *Statistical Tools for Nonlinear Regression. A Practical Guide with S-Plus Examples.* Berlin: Springer-Verlag.

[96] Hurley, M.A. (1992) Modelling bedload transport events using an inhomogeneous gamma process. *Journal of Hydrology* **138**, 529–541.

[97] Jarrett, R.G. (1979) A note on the intervals between coal-mining disasters. *Biometrika* **66**, 191–193.

[98] Jennrich, R.I. and Schluchter, J.R. (1986) Unbalanced repeated measures with structured covariance matrices. *Biometrics* **42**, 805–820.

[99] Jones, B. and Kenward, M.G. (1989) *Design and Analysis of Crossover Trials.* Chapman & Hall.

[100] Jones, R.H. (1993) *Longitudinal Data Analysis with Serial Correlation: A State-space Approach.* London: Chapman & Hall.

[101] Jones, R.H. and Ackerson, L.M. (1990) Serial correlation in unequally spaced longitudinal data. *Biometrika* **77**, 721–731.

[102] Jones, R.H. and Boadi-Boateng, F. (1991) Unequally spaced longitudinal data with AR(1) serial correlation. *Biometrics* **47**, 161–175.

[103] Jørgensen, B. (1987) Exponential dispersion models. *Journal of the Royal Statistical Society* **B49**, 127–162.

[104] Jørgensen, B. (1993) *The Theory of Linear Models.* London: Chapman & Hall.

[105] Kalbfleisch, J.D. and Prentice, R.L. (1980) *The Statistical Analysis of Failure Time Data.* New York: John Wiley.

[106] Kalbfleisch, J.G. (1985a) *Probability and Statistical Inference.* Volume 1: *Probability.* New York: Springer-Verlag.

[107] Kalbfleisch, J.G. (1985b) *Probability and Statistical Inference.* Volume 2: *Statistical Inference.* New York: Springer-Verlag.

[108] Kaplan, E.L. and Meier, P. (1958) Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association* **53**, 457–481.

[109] Keene, O.N. (1995) The log transformation is special. *Statistics in Medicine* **14**, 811–819.

[110] Kempton, R.A. and Howes, C.W. (1981) The use of neighbouring plot values in the analysis of variety trials. *Journal of the Royal Statistical Society* **C30**, 59–70.

[111] King, G. (1989) *Unifying Political Methodology. The Likelihood Theory of Statistical Inference.* Cambridge: Cambridge University Press.

[112] Kitagawa, G. (1987) Non-Gaussian state–space modeling of non-stationary time series. *Journal of the American Statistical Association* **82**, 1032–1063.

[113] Klotz, J. (1973) Statistical inference in Bernoulli trials with dependence. *Annals of Statistics* **1**, 373–379.

[114] Lambert, P. (1996) Modelling of non-linear growth curves on series of correlated count data measured at unequally spaced times: a full likelihood based approach. *Biometrics* **52**, 50-55.

[115] Lawless, J.F. (1982) *Statistical Models and Methods for Lifetime Data.* New York: John Wiley.

[116] Lawless, J.F. and Nadeau, C. (1995) Some simple robust methods for the analysis of recurrent events. *Technometrics* **37**, 158–168.

[117] Lindsey, J.K. (1971) *Analysis and Comparison of Some Statistical Models.* University of London, Ph.D. thesis.

[118] Lindsey, J.K. (1972) Fitting response surfaces with power transformations. *Journal of the Royal Statistical Society* **C21**, 234–247.

[119] Lindsey, J.K. (1974a) Comparison of probability distributions. *Journal of the Royal Statistical Society* **B36**, 38–47.

[120] Lindsey, J.K. (1974b) Construction and comparison of statistical models. *Journal of the Royal Statistical Society* **B36**, 418–425.

[121] Lindsey, J.K. (1989) *The Analysis of Categorical Data Using GLIM*. Berlin: Springer-Verlag.

[122] Lindsey, J.K. (1992) *The Analysis of Stochastic Processes Using GLIM*. Berlin: Springer-Verlag.

[123] Lindsey, J.K. (1993) *Models for Repeated Measurements*. Oxford: Oxford University Press.

[124] Lindsey, J.K. (1995a) *Introductory Statistics: The Modelling Approach*. Oxford: Oxford University Press.

[125] Lindsey, J.K. (1995b) *Modelling Frequency and Count Data*. Oxford: Oxford University Press.

[126] Lindsey, J.K. (1995c) Fitting parametric counting processes by using log-linear models. *Journal of the Royal Statistical Society* **C44**, 201–212.

[127] Lindsey, J.K. (1996a) Fitting bivariate intensity functions, with an application to modelling delays in reporting acquired immune deficiency syndrome. *Journal of the Royal Statistical Society* **A159**, 125–131.

[128] Lindsey, J.K. (1996b) *Parametric Statistical Inference*. Oxford: Oxford University Press.

[129] Lindsey, J.K., Alderdice, D.F., and Pienaar, L.V. (1970) Analysis of nonlinear models – the nonlinear response surface. *Journal of the Fisheries Research Board of Canada* **27**, 765–791.

[130] Lindsey, J.K. and Jones, B. (1996) A model for cross-over trials evaluating therapeutic preferences. *Statistics in Medicine* **15** 443–447.

[131] Lindsey, J.K. and Lambert, P. (1995) Dynamic generalized linear models and repeated measurements. *Journal of Statistical Planning and Inference* **47**, 129–139.

[132] Lindsey, J.K. and Laurent, C. (1996) Estimating the proportion of epithelial cells affected by exposure to ethylene oxide through micronuclei counts. *Journal of the Royal Statistical Society* **D45**, 223–229.

[133] Lindsey, J.K. and Mersch, G. (1992) Fitting and comparing probability distributions with log linear models. *Computational Statistics and Data Analysis* **13**, 373–384.

[134] McCullagh, P. and Nelder, J.A. (1989) *Generalized Linear Models*. 2nd ed. London: Chapman & Hall.

[135] McPherson, G. (1989) The scientists' view of statistics — a neglected area. *Journal of the Royal Statistical Society* **A152**, 221–240 (with discussion).

[136] Morgan, B.J.T. (1992) *Analysis of Quantal Response Data.* London: Chapman & Hall.

[137] Nelder, J.A. (1961) The fitting of a generalization of the logistic curve. *Biometrika* **17**, 89–100.

[138] Nelder, J.A. (1962) An alternative form of a generalized logistic equation. *Biometrics* **18**, 614–616.

[139] Nelder, J.A. (1966) Inverse polynomials, a useful group of multi-factor response functions. *Biometrics* **22**, 128–141.

[140] Nelder, J.A. and Wedderburn, R.W.M. (1972) Generalized linear models. *Journal of the Royal Statistical Society* **A135**, 370-384.

[141] Oliver, F.R. (1970) Estimating the exponential growth function by direct least squares. *Journal of the Royal Statistical Society* **C19**, 92–100.

[142] Parzen, E. (1979) Nonparametric statistical data modelling. *Journal of the American Statistical Association* **74**, 105–131.

[143] Pierce, D.A. and Schafer, D.W. (1986) Residuals in generalized linear models. *Journal of the American Statistical Association* **81**, 977–986.

[144] Plackett, R.L. (1965) A class of bivariate distributions. *Journal of the American Statistical Association* **60**, 516–522.

[145] Pollock, K.H., Winterstein, S.R., and Conroy, M.J. (1989) Estimation and analysis of survival distributions for radio-tagged animals. *Biometrics* **45**, 99–109.

[146] Pregibon, D. (1981) Logistic regression diagnostics. *Annals of Statistics* **9**, 705–724.

[147] Priestley, M.B. (1981) *Spectral Analysis and Time Series.* San Diego: Academic Press.

[148] Rasch, G. (1960) *Probabilistic Models for some Intelligence and Attainment Tests.* Copenhagen: Danmarks Paedogogiske Institut.

[149] Ripley, B.D. (1981) *Spatial Statistics.* New York: John Wiley.

[150] Ripley, B.D. (1988) *Statistical Inference for Spatial Processes.* Cambridge: Cambridge University Press.

[151] Ross, G.J.S. (1990) *Nonlinear Estimation.* Berlin: Springer-Verlag.

[152] Royston, P. and Thompson, S.G. (1995) Comparing non-nested regression models. *Biometrics* **51**, 114–127.

[153] Sandland, R.L. and McGilchrist, C.A. (1979) Stochastic growth curve analysis. *Biometrics* **35**, 255–271.

[154] Scallon, C.V. (1985) Fitting autoregressive processes in GLIM. *GLIM Newsletter* **9**, 17–22.

[155] Searle, S.R. (1971) *Linear Models.* New York: John Wiley.

[156] Seber, G.A.F. and Wild, C.J. (1989) *Nonlinear Regression.* New York: John Wiley.

[157] Seeber, G.U.H., Francis, B.J., Hatzinger, R., and Steckel-Berger, G. (1995) *Statistical Modelling.* Berlin: Springer-Verlag.

[158] Selvin, S. (1991) *Statistical Analysis of Epidemiologic Data.* Oxford: Oxford University Press.

[159] Senn, S. (1993) *Cross-over Trials in Clinical Research.* New York: John Wiley.

[160] Snedecor, G.W. and Cochran, W.G. (1967) *Statistical Methods.* Ames: Iowa State University Press.

[161] Sokal, R.R. and Rohlf, F.J. (1969) *Biometry. The Principles and Practice of Statistics in Biological Research.* San Francisco: W.H. Freeman.

[162] Stoyan, D., Kendall, W.S., and Mecke, J. (1987) *Stochastic Geometry and its Applications.* New York: John Wiley.

[163] Strauss, D. (1992) The many faces of logistic regression. *American Statistician* **46**, 321–327.

[164] Stuart, A. (1953) The estimation and comparison of strengths of association in contingency tables. *Biometrika* **40**, 105–110.

[165] Thierens, H., Vral, A., and de Ridder, L. (1991) Biological dosimetry using the micronucleus assay for lymphocytes: interindividual differences in dose response. *Health Physics* **61**, 623–630.

[166] Tjur, T. (1982) A connection between Rasch's item analysis model and a multiplicative Poisson model. *Scandinavian Journal of Statistics* **9**, 23–30.

[167] Tong, H. (1990) *Non-linear Time Series. A Dynamical System Approach.* Oxford: Oxford University Press.

[168] Tweedie, M.C.K. (1947) Functions of a statistical variate with given means, with special reference to Laplacian distributions. *Proceedings of the Cambridge Philosophical Society* **43**, 41–49.

[169] Upton, G.J.G. (1978) *The Analysis of Cross-Tabulated Data*. New York: John Wiley.

[170] Upton, G.J.G. and Fingleton, B. (1985, 1989) *Spatial Data Analysis by Example*. Vol. I. *Point Pattern and Quantitative Data*. Vol. II. *Categorical and Directional Data*. New York: John Wiley.

[171] van der Heijden, P.G.M., Jansen, W., Francis, B., and Seeber, G.U.H. (1992) *Statistical Modelling*. Amsterdam: North-Holland.

[172] Wallach, D. and Goffinet, B. (1987) Mean squared error of prediction in models for studying ecological and agronomic systems. *Biometrics* **43**, 561–573.

[173] Wei, L.J. and Lachin, J.M. (1984) Two-sample asymptotically distribution-free tests for incomplete multivariate observations. *Journal of the American Statistical Association* **79**, 653–661.

[174] West, M. and Harrison, P.J. (1989) *Bayesian Forecasting and Dynamic Models*. Berlin: Springer-Verlag.

[175] West, M., Harrison, P.J., and Migon, H.S. (1985) Dynamic generalized linear models and Bayesian forecasting. *Journal of the American Statistical Association* **80**, 73–97.

[176] Wilkinson, G.N. and Rogers, C.E. (1973) Symbolic description of factorial models for analysis of variance. *Journal of the Royal Statistical Society* **C22**, 392–399.

[177] Williams, D.A. (1987) Generalized linear model diagnostics using the deviance and single case deletions. *Journal of the Royal Statistical Society* **C36**, 181–191.

[178] Williams, E.J. (1959) *Regression Analysis*. New York: John Wiley.

[179] Zippin, C. and Armitage, P. (1966) Use of concomitant variables and incomplete survival information in the estimation of an exponential survival parameter. *Biometrics* **22**, 665–672.