

REFERENCES

- [1] Ambrose, W. & Singer, I.M. (1958). On homogeneous Riemannian manifolds. *Duke Math. J.*, 25, 647-669.
- [2] Atiyah, M., Hitchin, N. & Singer, I.M. (1978). Self-duality in four-dimensional Riemannian geometry. *Proc. Roy. Soc. London*, A 362, 425-461.
- [3] Azencott, R. & Wilson, E.N. (1976). Homogeneous manifolds with negative curvature, Part I. *Trans. Amer. Math. Soc.*, 215, 323-362.
- [4] Azencott, R. & Wilson, E.N. (1976). Homogeneous manifolds with negative curvature, Part II. *Mem. Amer. Math. Soc.*, 178.
- [5] Bérard Bergery, L. (1981). Les espaces homogènes riemanniens de dimension 4. *In Géométrie riemannienne en dimension 4*, pp. 40-60. Séminaire A. Besse. Paris : Cedic.
- [6] Berger, M., Gauduchon, P. & Mazet, E. (1971). Le spectre d'une variété riemannienne. *Lecture Notes in Mathematics*, 194. Berlin, Heidelberg, New York : Springer-Verlag.
- [7] Brown, R. & Gray, A. (1967). Vector cross products. *Comment. Math. Helv.*, 42, 222-236.
- [8] Cheeger, J. & Ebin, D.G. (1975). Comparison theorems in Riemannian geometry. Amsterdam : North-Holland Publ. Co..
- [9] D'Atri, J.E. (1975). Geodesic spheres and symmetries in naturally reductive homogeneous spaces. *Michigan Math. J.*, 22, 71-76.
- [10] D'Atri, J.E. & Nickerson, H.K. (1969). Divergence-preserving geodesic symmetries. *J. Differential Geometry*, 3, 467-476.
- [11] D'Atri, J.E. & Nickerson, H.K. (1974). Geodesic symmetries in spaces with special curvature tensor, *J. Differential Geometry*, 9, 251-262.
- [12] D'Atri, J.E. & Ziller, W. (1979). Naturally reductive metrics and

- Einstein metrics on compact Lie groups. *Mem. Amer. Math. Soc.*, 215.
- [13] Gray, A. (1972). Riemannian manifolds with geodesic symmetries of order 3. *J. Differential Geometry*, 7, 343-369.
- [14] Gray, A. (1978). Einstein-like manifolds which are not Einstein. *Geometriae Dedicata*, 7, 259-280.
- [15] Gray, A. & Hervella, L.M. (1980). The sixteen classes of almost Hermitian manifolds and their linear invariants. *Ann. Math. Pura Appl.*, 123, 35-58.
- [16] Gray, A. & Vanhecke, L. (1979). Riemannian geometry as determined by the volume of small geodesic balls. *Acta Math.*, 142, 157-198.
- [17] Heintze, E. (1974). On homogeneous manifolds of negative curvature. *Math. Ann.*, 211, 23-34.
- [18] Helgason, S. (1968). Lie groups and symmetric spaces. In *Batelle Rencontres 1967. Lectures in Mathematics and Physics*, pp. 1-71. New-York : Benjamin.
- [19] Helgason, S. (1978). *Differential geometry, Lie groups and symmetric spaces*. New York : Academic Press.
- [20] Jensen, G.R. (1969). Homogeneous Einstein spaces of dimension four. *J. Differential Geometry*, 3, 309-349.
- [21] Kaplan, A. (1980). Fundamental solutions for a class of hypoelliptic PDE generated by composition of quadratic forms. *Trans. Amer. Math. Soc.*, 258, 147-153.
- [22] Kaplan, A. (1981). Riemannian nilmanifolds attached to Clifford modules. *Geometriae Dedicata*, 11, 127-136.
- [23] Kaplan, A. On the geometry of groups of Heisenberg type. To appear in *Bull. Lond. Math. Soc.*
- [24] Kiričenko, V.I. (1980). On homogeneous Riemannian spaces with invariant tensor structure. *Soviet Math. Dokl.*, 21, 734-737.
- [25] Kobayashi, S. (1972). *Transformation groups in differential geometry*. *Ergebnisse der Mathematik und ihrer Grenzgebiete*, 70. Berlin, Heidelberg, New York : Springer-Verlag.
- [26] Kobayashi, S. & Nomizu, K. (1963 and 1969). *Foundations of differential geometry, I and II*. New York : Interscience Publishers.
- [27] Kostant, B. (1955). Holonomy of the Lie algebra of infinitesimal motions of a Riemannian manifold. *Trans. Amer. Math. Soc.*, 80, 528-542.

- [28] Kostant, B. (1960). A characterization of invariant affine connections. Nagoya Math. J., 16, 35-50.
- [29] Kowalski, O. (1975). Classification of generalized symmetric Riemannian spaces of dimension $n \leq 5$. Praha : Rozpravy ČSAV, Řada MPV, no 8, 85.
- [30] Kowalski, O. (1980). Generalized symmetric spaces. Lecture Notes in Mathematics, 805. Berlin, Heidelberg, New York : Springer-Verlag.
- [31] Kowalski, O. (1980). Additive volume invariants of Riemannian manifolds. Acta Math., 145, 205-225.
- [32] Kurcius, E. (1978). 6-dimensional generalized symmetric Riemannian spaces. Ph. D. Thesis, University of Katowice.
- [33] Milnor, J. (1976). Curvature of left invariant metrics on Lie groups. Advances in Math., 21, 293-329.
- [34] Miquel, V. (1982). The volumes of small geodesic balls for a metric connection. Compositio Math., 46, 121-132.
- [35] Miquel, V. & Naveira, A.M. (1980). Sur la relation entre la fonction volume de certaines boules géodésiques et la géométrie d'une variété riemannienne. C.R. Acad. Sc. Paris, Série A, 290, 379-381.
- [36] Nomizu, K. (1954). Invariant affine connections on homogeneous spaces. Amer. J. Math., 76, 33-65.
- [37] Nomizu, K. (1960). On local and global existence of Killing vector fields. Ann. of Math., 72, 105-120.
- [38] Nomizu, K. (1962). Sur les algèbres de Lie de générateurs de Killing et l'homogénéité d'une variété riemannienne. Osaka J. Math., 14, 45-51.
- [39] Palais, R. (1957). A global formulation of the Lie theory of transformation groups. Mem. Amer. Math. Soc., 22.
- [40] Pansu, P. (1982). Géométrie du groupe de Heisenberg. Thèse 3ème cycle, Université Paris VII.
- [41] Postnikov, M.M. (1967). The variational theory of geodesics. Translated from the Russian. Philadelphia, London : W.B. Saunders Co.
- [42] Sato, T. (1979). Riemannian 3-symmetric spaces and homogeneous K-spaces. Mem. Fac. of Technology Kanazawa Univ., 12(2), 137-143.

- [43] Sekigawa, K. (1978). Notes on homogeneous almost Hermitian manifolds, Hokkaido Math. J., 7, 206-213.
- [44] Singer, I.M. (1960). Infinitesimally homogeneous spaces. Comm. Pura Appl. Math., 13, 685-697.
- [45] Singer, I.M. & Thorpe, J.A. (1969). The curvature of 4-dimensional Einstein spaces. In Global Analysis Papers in Honor of K. Kodaira, eds. D.C. Spencer & S. Iyanaga, pp. 355-365. Princeton : Princeton University Press & University of Tokyo Press.
- [46] Spanier, E.H. (1966). Algebraic Topology.. New York : McGraw-Hill.
- [47] Steenrod, N. (1951). The topology of fibre bundles. Princeton : Princeton University Press.
- [48] Sumitomo, T. (1972). On a certain class of Riemannian homogeneous spaces. Colloquium Math., 26, 129-133.
- [49] Tricerri, F. & Vanhecke, L. (1981). Curvature tensors on almost Hermitian manifolds. Trans. Amer. Math. Soc., 267, 365-398.
- [50] Tricerri, F. & Vanhecke, L. Naturally reductive homogeneous spaces and generalized Heisenberg groups. To appear.
- [51] Vanhecke, L. Some solved and unsolved problems about harmonic and commutative spaces. Bull. Soc. Math. Belg. B 34, 1-24, 1982.
- [52] Vanhecke, L. & Willmore, T.J. Interaction of tubes and spheres. To appear in Math. Ann.
- [53] Weyl, H. (1946). Classical groups, their invariants and representations. Princeton : Princeton University Press.
- [54] Wilson, E.N. (1982). Isometry groups on homogeneous nilmanifolds. Geometriae Dedicata, 12, 337-346.
- [55] Wolf, J.E. (1964). Homogeneity and bounded isometries in manifolds of negative curvature. Illinois J. Math., 8, 14-18.
- [56] Wolf, J.E. (1967). Spaces of constant curvature. New York : McGraw-Hill.
(1977) Spaces of constant curvature. Berkeley : Publish or Perish.
- [57] Wolf, J.E. (1968). The geometry and structure of isotropy irreducible homogeneous spaces. Acta Math., 120, 59-148.
- [58] Ziller, W. (1982). Homogeneous Einstein metrics on spheres and projective spaces. Math. Ann., 259, 351-358.