

## Literatura

1. Bergmann, G., Kniggendorf, H., Graichen, F., Rohlmann, A.: *Influence of shoes and heel strike on the loading of the hip joint*. J Biomech 1995, 28/7, str. 817–827.
2. Bodenwinkler, K.: *Aspekte orthopädischer Schuheinlagen*. Schweizerischer Physiotherapeut SPV, červenec 2000, str. 4–13.
3. Broderson, A., Pederson, B., Reimers, J.: *Foot deformities and relation to the length of leg muscles in Danish children aged 3–17 years*. Ugeskr Laeger, listopad 1993, 155/48, str. 3914–3916.
4. Bruckner, L., Rosler, P.: *Orthopaedic findings of the foot as related to age and body weight among women*. ZFA 1981, 36/1, str. 29–35.
5. Diener, M.: *Zeigt her Eure Schuhe! K-Tip*, říjen 2000, 16, str. 35–37.
6. Einarsdottir, H., Troell, S., Wykman, A.: *Hallux valgus in ballet dancers: a myth?* Foot Ankle Int, únor 1995, 16/2, str. 92–94.
7. Evans, C. J., Fowkes, F. G., Ruckley, C. V., Lee, A. J.: *Prevalence of varicose veins and chronic venous insufficiency in men and women in the general population: Edinburgh Vein Study*. J Epidemiol Community Health, března 1999, 53/3, str. 149–153.
8. Ghibellini, R., Fanello, M., Bardile, A. F., Saleno, M. Aloj, T.: *Exercise training in intermittent claudication*. Int Angiol, března 2000, 19/1, str. 8–13.
9. Gonzales de Aledo Linos, A., Rollan, A., Bonilla Miera, C., Montes Conde, A., Diego Santamaria, M. C., Obeco Garcia, M.: *Results of podoscope screening in 948 non-selected children, with special reference to cavus foot*. An Esp Pediatr, prosinec 1996, 45/6, str. 579–582.
10. Gould, N., Schneider, W., Ashikaga, T.: *Epidemiological survey of foot problems in the continental United States: 1978–1979*. Foot Ankle, červenec 1980, 1/1, str. 8n.
11. Hamdorf, P. A., Penhall, R. K.: *Walking with its training effects on the fitness and activity patterns of 79–91 years old females*. Aust N Z J Med, únor 1999, 29/1, str. 22–28.
12. Jerosch, J., Mamsch, H.: *Deformities and misalignment of feet in children – a field study of 345 studentes*. Z Orthop Ihre Grenzgeb, květen–červen 1998, 136/3, str. 215–220.
13. Kahn, S. R., Solymoss, S., Lamping, D. L., Abenheim, L.: *Long-term outcomes after deep vein thrombosis: postphlebotic syndrome and quality of life*. J Gen Intern Med, červen 2000, 15/6, str. 425–429.
14. Katsouyanni, K., Skalkidis, Y., Petridou, E., Polychronopoulou-Trichopoulou, A., Willet, W., Trichopoulos, D.: *Diet and peripheral arterial occlusive disease: role of poly-, mono-, and saturated fatty acids*. Am J Epidemiol, leden 1991, 133/1, str. 24–31.
15. Larsen, C.: *Füße in guten Händen. Spiraldynamik® – programmierte Therapie für konkrete Resultate*. Thieme Verlag, 2002.
16. Larsen, C., Miescher, B., Wickihalder, G.: *Gesunde Füße für Ihr Kind. Knickfluss&Co. – die spielerischer Fußgymnastik für Ihr Kind*. Trias Verlag, 2002.
17. Larsen, C.: *Funktionelle Frührehabilitation der Füße gemäß Spiraldynamikkonzept*. Trauma Berufskrank 2001–2003, dodatek 2, str. 242–247.
18. Lohrer, H.: *Verletzungen am lateralen Kapselbandapparat des Sprunggelenks*. Sportmedizin, červenec 2000, str. 196–203.
19. Maier, E.: *Und die Behandlung folgt auf dem Fuße – Wissenschaft und Wirksamkeit der Fußsohlenreflexmassage*. Ars Medici 2000, 18, str. 1048–1053.
20. Maki, B. E.: *Effect of facilitation of sensation from plantar foot-surface boundaries on postural stabilisation in young and older adults*. J Gerontol A Biol Sci Med Sci, červen 1999, 54/6, str. 281–287.
21. Marti, B.: *Health effects of recreational running in women. Some epidemiological*

- and preventive aspect. Sports Med, leden 1991, 11/1, str. 20–51.
22. Merkle, B.: *Das Achilles Projekt*. Ars Medici 2000, str. 135–136.
  23. Morlock, M.: *Fuß- und Sprunggelenkmodelle zur Belastungsanalyse – Der Fuß im Sport*. Kongressband 1. Wiesbadener Symposium 13–15, str. 11–16.
  24. Napolitano, C., Walsh, S., Mahoney, L., McCrea, J.: *Risk factors that may adversely modify the natural history of the pediatric pronated foot*. Clin Podiatr Med, Surg, červenec 2000, 17/3, str. 397–417.
  25. Noszvai-Nagy, M.: *Zunehmen krankhafte Befunde an Kinderfüßen – Studie der Technischen Universität Karlsruhe*. Podologie, prosinec 1999, L/12, str. 4.
  26. Nygaard, I. E.: *Relationship between foot flexibility and urinary incontinence in nulliparous varsity athletes*. Obstet Gynecol, červenec 1996, 87/6, str. 1049–1051.
  27. Olmey, M. L., Micheli, L. J.: *Foot and ankle problems in the young athlete*. Med Sci Sports Exerc, červenec 1999, 31/dodatek 7, str. 470–486.
  28. Seichert, N.: *Funktionelle instrumentierte Ganganalyse*. SUVA Klinik, Bellikon, osobní sdělení, 2000.
  29. Rippstein, P.: *Patienten Information – Fußoperationen*. Schulthess Klinik, Zürich.
  30. Robbins, S.: *Improving balance*. J Am Geriatr Soc, prosinec 1998, 46/11, str. 1363–1370.
  31. Robbins, S.: *Foot position awareness in younger and older men: the influence of footwear sole properties*. J Am Geriatr Soc, leden 1997, 45/1, str. 61–66.
  32. Robbins, S.: *Proprioception and stability: foot position awareness as a function of age and footwear*. Age Ageing, leden 1995, 24/1, str. 67–72.
  33. Sachithanandem, V., Joseph, B.: *The influence of footwear on the prevalence of flat foot. A study of 1846 skeletally mature persons*. J bone Joint Surg Br, března 1995, 77/2, str. 254–257.
  34. Samama, M. M.: *An epidemiologic study of risk factors for deep vein thrombosis in medical outpatients: the Sirius study*. Arch Intern Med, 11.–25. prosinec 2000, 160/22, str. 3414–3420.
  35. Schad, W.: *Der Fuß des Menschen – ein lange verkanntes Detail seiner Evolution*. D.A.F. News, září 2000, 5/2, str. 10–13. Deutsche Assoziation für Fußchirurgie.
  36. Snow, R. E.: *High heeled shoes: their effect on centre of mass position, posture, three-dimensional kinematics, rearfoot motion and ground reaction forces*. Arch Phys Med Rehabil, květen 1994, 75/5, str. 568–576.
  37. Sobel, E., Levitz, S., Caselli, M., Brebthnall, Z., Tran, M. Q.: *Natural history of the rearfoot angle: preliminary values in 150 children*. Foot Ankle Int, únor 1999, 20/2, str. 119–125.
  38. Suter, E., Marti, B., Gutzwiller, F.: *Jogging or walking – comparison of health effects*. Ann Rpidemiol, září 1994, 4/5, str. 375–381.
  39. Tanaka, T.: *Effects on the location of the centre of gravity and the foot pressure contribution to standing balance associated with ageing*. Ergonomics, 1999, 42/7, str. 997–1010.