

[R] REFERENCES

- Agnarsson, U., Warde, C., McCarthy, G., Clayden, G. S., & Evans, N. (1993). Anorectal function of children with neurological problems: II. Cerebral palsy. *Developmental Medicine and Child Neurology*, 35, 903-908.
- Albright, A. L., Cervi, A., & Singletary, J. (1991). Intrathecal baclofen for spasticity in cerebral palsy. *Journal of the American Medical Association*, 265(11), 1418-1422.
- Alexander, R., Boehme, R., & Cupps, B. (1993). *Normal development of functional motor skills*. San Antonio, TX: Therapy Skill Builders.
- Almeida, G. L., Corcos, D. M., & Latash, M. L. (1994). Practice and transfer effects during fast single-joint elbow movements in individuals with Down syndrome. *Physical Therapy*, 74(11), 1000-1016.
- American Academy for Cerebral Palsy and Developmental Medicine. (1996). *The history of the American Academy for Cerebral Palsy and Developmental Medicine*. Rosemont, IL: Author.
- Arnold, A. S., Komattu, A. V., & Delp, S. L. (1997). Internal rotation gait: A compensatory mechanism to restore abduction capacity decreased by bone deformity? *Developmental Medicine and Child Neurology*, 39, 40-44.
- Aronsson, D. D., Stokes, I. A. F., Ronchetti, P. J., & Labelle, H. B. (1994). Comparison of curve shape between children with cerebral palsy, Friedreich's ataxia, and adolescent idiopathic scoliosis. *Developmental Medicine and Child Neurology*, 36, 412-418.
- Bastian, A. J. (1997). Mechanisms of ataxia. *Physical Therapy*, 77(6), 672-675.
- Bartlett, D., & Piper, M. C. (1993). Neuromotor development of preterm infants through the first year of life: Implications for physical and occupational therapists. *Physical and Occupational Therapy in Pediatrics*, 12(4), 37-55.
- Berger, W., Quintern, J., & Dietz, V. (1982). Pathophysiology of gait in children with cerebral palsy. *Electroencephalography and Clinical Neurophysiology*, 53, 538-548.
- Bertenthal, B. I., & Campos, J. J. (1987). New directions in the study of early experience. *Child Development*, 58, 560-567.
- Blair, E., Ballantyne, J., Horsman, S., & Chauvel, P. (1995). A study of a dynamic proximal stability splint in the management of children with cerebral palsy. *Developmental Medicine and Child Neurology*, 37, 544-554.
- Bly, L. (1994). *Motor skills acquisition in the first year: An illustrated guide to normal development*. San Antonio, TX: Therapy Skill Builders.
- Bobath, K. (1971). The normal postural reflex mechanism and its deviation in children with cerebral palsy. *Physiotherapy*, 57, 515-525.
- Bobath, B. (1971). Motor development, its effect on general development, and application to the treatment of cerebral palsy. *Physiotherapy*, 57, 526-532.
- Bobath, B. (1985). *Abnormal postural reflex activity caused by brain lesion* (3rd ed.). Oxford: Butterworth-Heinemann.
- Bobath, K., & Bobath, B. (1964). The facilitation of normal postural reactions and movements in the treatment of cerebral palsy. *Physiotherapy*, 50, 246-262.
- Bobath, K., & Bobath, B. (1972). Cerebral palsy. In P. H. Pearson and C. E. Williams (Eds.), *Physical therapy services in the developmental disabilities* (pp. 31-185). Springfield, IL: Charles C. Thomas.

- Bobath, B., & Bobath, K. (1975). *Motor development in the different types of cerebral palsy*. Oxford: Heinemann Medical Books.
- Boiteau, M., Malouin, F., & Richards, C. L. (1995). Use of a hand-held dynamometer and a Kin-Com dynamometer for evaluating spastic hypertonia in children: A reliability study. *Physical Therapy*, 75(9), 796–802.
- Borzyskowski, M. (1989). Cerebral palsy and the bladder. *Developmental Medicine and Child Neurology*, 31, 687–689.
- Bradley, N. (1994). Motor control: Developmental aspects of motor control in skill acquisition. In S. Campbell (Ed.), *Physical therapy for children* (pp. 45–46). Philadelphia: W. B. Saunders.
- Brashears, H. R., & Raney, R. B. (1978). Affections of the spine and thorax. In A. R. Shands (Ed.), *Handbook of Orthopaedic Surgery* (9th ed.) (pp. 313–332). St. Louis: C. V. Mosby.
- Brogren, E., Hadders-Algra, M., & Forssberg, H. (1996). Postural control in children with spastic diplegia: Muscle activity during perturbations in sitting. *Developmental Medicine and Child Neurology*, 38, 379–388.
- Brown, J. K. (Ed.). (1993). Science and spasticity. *Developmental Medicine and Child Neurology*, 35, 471–472.
- Butterworth, G., & Hicks, L. (1977). Visual proprioception and postural stability in infancy: A developmental study. *Perception*, 6, 255–262.
- Carey, J. R., & Burghardt, T. P. (1993). Movement dysfunction following central nervous system lesions: A problem of neurologic or muscular impairment? *Physical Therapy*, 73(8), 538–547.
- Carmick, J. (1995a). Managing equinus in a child with cerebral palsy: Merits of hinged ankle-foot orthoses. *Developmental Medicine and Child Neurology*, 37, 1006–1010.
- Carmick, J. (1995b). Managing equinus in children with cerebral palsy: Electrical stimulation to strengthen the triceps surae muscle. *Developmental Medicine and Child Neurology*, 37, 965–975.
- Cassidy, C., Craig, C. L., Perry, A., Karlin, L. I., & Goldberg, M. J. (1994). A reassessment of spinal stabilization in severe cerebral palsy. *Journal of Pediatric Orthopaedics*, 14, 731–739.
- Castle, M. E., Reyman, T. A., & Schneider, M. (1979). Pathology of spastic muscle in cerebral palsy. *Clinical Orthopedics and Related Research*, 142, 223–233.
- Chauvel, P. J., Horsman, S., Ballantyne, J., & Blair, E. (1993). Lycra splinting and the management of cerebral palsy. *Developmental Medicine and Child Neurology*, 35, 456–459.
- Cioni, G., Fazzi, B., Ipata, A. E., Canapicchi, R., & van Hof-van Duin, J. (1996). Correlation between cerebral visual impairment and magnetic resonance imaging in children with neonatal encephalopathy. *Developmental Medicine and Child Neurology*, 38, 120–132.
- Cole, K. J., Abbs, J. H., & Turner, G. S. (1988). Deficits in the production of grip forces in Down syndrome. *Developmental Medicine and Child Neurology*, 30, 752–758.
- Coniglio, S. J., Stevenson, R. D., & Rogol, A. D. (1996). Apparent growth hormone deficiency in children with cerebral palsy. *Developmental Medicine and Child Neurology*, 38, 797–804.
- Conroy, J. (Director). (1990). *My left foot* [Videotape]. Toronto: Cineplex Odeon Corporation.
- Coon, V., Donato, G., Houser, C., & Bleck, E. E. (1975). Normal ranges of hip motion in infants 6 weeks, 3 months, and 6 months of age. *Clinical Orthopaedics and Related Research*, 110, 256–260.
- Cornell, M. S. (1995). The hip in cerebral palsy. *Developmental Medicine and Child Neurology*, 37, 3–18.
- Crawford, C. L., & Hobbs, M. J. (1994). Anatomy of diplegia: An hypothesis. *Developmental Medicine and Child Neurology*, 36, 513–517.

- Damiano, D. L. (1993). Reviewing muscle cocontraction: Is it a developmental, pathological, or motor control issue? *Physical and Occupational Therapy in Pediatrics*, 12(4), 3-20.
- Davis, W. E., & Kelso, J. A. S. (1982). Analysis of "invariant characteristics" in the motor control of Down's syndrome and normal subjects. *Journal of Motor Behavior*, 14(3), 194-212.
- Deford, F. (1997). *Alex: The life of a child*. Nashville, TN: Rutledge Hill Press.
- Diamond, L. S., Lynne, D., & Sigman, B. (1981). Orthopedic disorders in patients with Down's syndrome. *Orthopedic Clinics of North America*, 12(1), 57-71.
- Dietz, V., & Berger, W. (1995). Cerebral palsy and muscle transformation. *Developmental Medicine and Child Neurology*, 37, 180-184.
- Dofferhof, A. S. M., & Vink, P. (1985). The stabilizing function of the mm. iliocostales and the mm. multifidi during walking. *Journal of Anatomy*, 140(2), 329-336.
- Dorland's Illustrated Medical Dictionary* (28th ed.). (1984). Philadelphia: W. B. Saunders.
- Doyon, J. (1997). Skill learning. *International Review of Neurobiology*, 41, 273-294.
- Duckman, R. H. (1979). The incidence of visual anomalies in a population of cerebral palsied children. *Journal of the American Optometric Association* 50(9), 1013-1016.
- Duckman, R. H. (1984). Accommodation in cerebral palsy: Function and remediation. *Journal of the American Optometric Association*, 55(4), 281-283.
- Duckman, R. H. 1987. Vision therapy for the child with cerebral palsy. *Journal of the American Optometric Association*, 58(1), 28-35.
- Eliasson, A. C., Gordon, A. M., & Forssberg, H. (1991). Basic co-ordination of manipulative forces of children with cerebral palsy. *Developmental Medicine and Child Neurology*, 33, 661-670.
- Eliasson, A. C., Gordon, A. M., & Forssberg, H. (1992). Impaired anticipatory control of isometric forces during grasping by children with cerebral palsy. *Developmental Medicine and Child Neurology*, 34, 216-225.
- Esscher, E., Flodmark, O., Hagberg, G., & Hagberg, B. (1996). Non-progressive ataxia: Origins, brain pathology and impairments in 78 Swedish children. *Developmental Medicine and Child Neurology*, 38, 285-296.
- Fenichel, G. M. (1982). The newborn with poor muscle tone. *Seminars in Perinatology*, 6(1), 68-88.
- Foley, J. (1983). The athetoid syndrome: A review of a personal series. *Journal of Neurology, Neurosurgery, and Psychiatry*, 46, 289-298.
- Foley, J., (1992). Dyskinetic and dystonic cerebral palsy and birth. *Acta Paediatrica Scandinavica*, 81, 57-60.
- Fuji, T., Yonenobu, K., Fujiwara, K., Yamashita, K., Ebara, S., Ono, K., & Okada, K. (1987). Cervical radiculopathy or myelopathy secondary to athetoid cerebral palsy. *The Journal of Bone and Joint Surgery*, 69-A(6), 815-821.
- Gage, J. R. (1991). *Gait analysis in cerebral palsy*. (Clinics in Developmental Medicine, No.121). New York: Cambridge University.
- Gajdosik, C. G., & Ostertag, S. (1996). Cervical instability and Down syndrome: Review of the literature and implications for physical therapists. *Pediatric Physical Therapy*, 8, 31-36.
- Goodman, R., & Yude, C. (1996). IQ and its predictors in childhood hemiplegia. *Developmental Medicine and Child Neurology*, 38, 881-890.
- Gordon, J. (1987). Assumptions underlying physical therapy intervention: Theoretical and historical perspectives. In J. H. Carr & R. B. Shepherd (Eds.), *Movement sciences: Foundations for physical therapy in rehabilitation* (pp. 1-30). Rockville, MD: Aspen Systems.
- Haas, S. S., Epps, C. H., & Adams, J. P. (1973). Normal ranges of hip motion in the newborn. *Clinical Orthopaedics and Related Research*, 91, 114-118.

- Hadders-Algra, M. A., Bos, F., Martijn, A., & Prechtl, H. F. R. (1994). Infantile chorea in an infant with severe bronchopulmonary dysplasia: An EMG study. *Developmental Medicine and Child Neurology*, 36, 173–182.
- Hagberg, B., & Hagberg, G. (1992). Invited commentary: Dyskinetic and dystonic cerebral palsy and birth. *Acta Paediatrica Scandinavica*, 81, 93–94.
- Hainsworth, F., Harrison, M. J., Sheldon, T. A., & Roussounis, S. H. (1997). A preliminary evaluation of ankle orthoses in the management of children with cerebral palsy. *Developmental Medicine and Child Neurology*, 39, 243–247.
- Hallett, M., & Alvarez, N. (1983). Attempted rapid elbow flexion movements in patients with athetosis. *Journal of Neurology, Neurosurgery, and Psychiatry*, 46, 745–750.
- Hallett, M., & Grafman, J. (1997). Executive function and motor skill learning. *International Review of Neurobiology*, 41, 297–223.
- Hallett, M., Shahani, B. T., & Young, R. R. (1975). EMG analysis of patients with cerebellar deficits. *Journal of Neurology, Neurosurgery, and Psychiatry*, 38, 1163–1169.
- Harada, T., Ebara, S., Anwar, M. M., Kajiura, I., Oshita, S., Hiroshima, K., & Ono, K. (1993). The lumbar spine in spastic diplegia. *The Journal of Bone and Joint Surgery*, 75-B, 534–537.
- Harada, T., Ebara, S., Anwar, M. M., Okawa, A., Kajiura, I., Hiroshima, K., & Ono, K. (1996). The cervical spine in athetoid cerebral palsy. *The Journal of Bone and Joint Surgery*, 78(4), 613–619.
- Hebbandi, S. B., Bowen, J. R., Hipwell, G. C., Ma, D. J., Leslie, G. I., & Arnold, J. D. (1997). Ocular sequelae in extremely premature infants at 5 years of age. *Journal of Paediatrics and Child Health*, 33, 339–342.
- Heine, R. G., Reddihough, D. S., & Catto-Smith, A. G. (1995). Gastro-oesophageal reflux and feeding problems after gastrostomy in children with severe neurological impairment. *Developmental Medicine and Child Neurology*, 37, 320–329.
- Held, R. (1965). Plasticity in sensory-motor systems. *Scientific American*, 213(5), 84–95.
- Hodges, P. W., & Richardson, C. A. (1997). Contraction of the abdominal muscles associated with movement of the lower limb. *Physical Therapy*, 77(2), 132–144.
- Ito, J., Saijo, H., Araki, A., Tanaka, H., Tasaki, T., Cho, K., & Miyamoto, A. (1996). Assessment of visuoperceptual disturbance in children with spastic diplegia using measurements of the lateral ventricles on cerebral MRI. *Developmental Medicine and Child Neurology*, 38, 496–502.
- Janda, V. (1978). Muscles, central nervous motor regulation, and back problems. In I. M. Korr (Ed.), *The neurobiologic mechanisms in manipulative therapy* (pp. 27–41). New York: Plenum Press.
- Jette, A. M. (1995). Outcomes research: Shifting the dominant research paradigm in physical therapy. *Physical Therapy*, 75(11), 965–970.
- Johnson, R. K., Goran, M. I., Ferrara, M. S., & Poehlman, E. T. (1996). Athetosis increases resting metabolic rate in adults with cerebral palsy. *Journal of the American Dietetic Association*, 96(2), 145–148.
- Kelly, M. K. (1994). Children with ventilator dependence. In S. Campbell (Ed.), *Physical Therapy for Children* (pp. 663–685). Philadelphia: W. B. Saunders Company.
- Krebs, D. E., Wong, D., Jevsevar, D., Riley, P. O., & Hodge, W. A. (1992). Trunk kinematics during locomotor activities. *Physical Therapy*, 72(7), 505–514.
- Kuban, K. C. K., & Leviton, A. (1994). Cerebral palsy. *The New England Journal of Medicine*, 330(3), 188–195.
- Laplaza, F. J., & Root, L. (1994). Femoral anteversion and neck-shaft angles in hip instability in cerebral palsy. *Journal of Pediatric Orthopaedics*, 14, 719–723.

- Lee, W. (1984). Neuromotor synergies as a basis for coordinated intentional action. *Journal of Motor Behavior*, 16(2), 135–170.
- Lee, W. A. (1988). A control systems framework for understanding normal and abnormal posture. *The American Journal of Occupational Therapy*, 43(5), 291–301.
- Lee, D. N., & Aronson, E. (1974). Visual proprioceptive control of standing in human infants. *Perception and Psychophysics*, 15(3), 529–532.
- Leonard, C. T., Hirschfeld, H., & Forssberg, H. (1991). The development of independent walking in children with cerebral palsy. *Developmental Medicine and Child Neurology*, 33, 567–577.
- LeVeau, B. F., & Bernhardt, D. B. (1984). Developmental biomechanics: Effect of forces on the growth, development, and maintenance of the human body. *Physical Therapy*, 64(12), 1874–1882.
- Levitt, S. (1995). *Treatment of cerebral palsy and motor delay*. (3rd ed.) Cambridge, MA: Blackwell Science Ltd.
- Lin, J. P., Brown, J. K., & Brotherstone, R. (1994). Assessment of spasticity in hemiplegic cerebral palsy: II. Distal lower-limb reflex excitability and function. *Developmental Medicine and Child Neurology*, 36, 290–303.
- Lin, P. P., & Henderson, R. C. (1996). Bone mineralization in the affected extremities of children with spastic hemiplegia. *Developmental Medicine and Child Neurology*, 38, 782–786.
- Mandich, M. B., Simons, C. J. R., Ritchie, S., Schmidt, D., & Mullett, M. (1994). Motor development, infantile reactions, and postural responses of preterm, at-risk infants. *Developmental Medicine and Child Neurology*, 36, 397–405.
- Miedaner, J. A., & Renander, J. (1987). The effectiveness of classroom passive stretching programs for increasing or maintaining passive range of motion in non-ambulatory children: An evaluation of frequency. *Physical and Occupational Therapy in Pediatrics*, 7(3), 35–43.
- Miller, G. (1989). Minor congenital anomalies and ataxic cerebral palsy. *Archives of Disease in Childhood*, 64, 557–562.
- Mossberg, K. A., Linton, K. A., & Friske, K. (1990). Ankle-foot orthoses: Effect on energy expenditure of gait in spastic diplegic children. *Archives of Physical Medicine and Rehabilitation*, 71, 490–494.
- Nashner, L. M., Shumway-Cook, A., & Marin, O. (1983). Stance posture control in select groups of children with cerebral palsy: Deficits in sensory organization and muscular coordination. *Experimental Brain Research*, 49, 393–409.
- Newton, P. M. (1995). *Freud: From youthful dream to midlife crisis*. New York: The Guilford Press.
- Olney, S. J., & Wright, M. J. (1994). Cerebral palsy. In S. K. Campbell (Ed.), *Physical Therapy for Children* (pp. 489–492, 498–499, 513). Philadelphia: W. B. Saunders Company.
- Opila-Lehman, J., Short, M. A., & Trombly, C. A. (1985). Kinesthetic recall of children with athetoid and spastic cerebral palsy and of non-handicapped children. *Developmental Medicine and Child Neurology*, 27, 223–230.
- O'Shea, T. M., Goldstein, D. J., deRegnier, R. A., Sheaffer, C. I., Roberts, D. D., & Dillard, R. G. (1996). Outcome at 4 to 5 years of age in children recovered from neonatal chronic lung disease. *Developmental Medicine and Child Neurology*, 38, 830–839.
- Ostrosky, K. M. (1990). Facilitation vs. motor control. *Clinical Management*, 10(3), 34–40.
- Parker, D. F., Carriere, L., Hebestreit, H., & Salsberg, A., & Bar-Or, O. (1993). Muscle performance and gross motor function of children with spastic cerebral palsy. *Developmental Medicine and Child Neurology*, 35, 17–23.
- Perry, J. (1992). *Gait analysis: Normal and pathological function*. Thorofare, NJ: Slack.

- Perry, J., Antonelli, D., & Ford, W. (1975). Analysis of knee-joint forces during flexed-knee stance. *The Journal of Bone and Joint Surgery*, 57-A(7), 961-967.
- Perry, J., Hoffer, M. M., Giovan, P., Antonelli, D., & Greenberg, R. (1974). Gait analysis of the triceps surae in cerebral palsy. *The Journal of Bone and Joint Surgery*, 56-A(3), 511-520.
- Pimentel, E. D. (1996). The disappearing reflex: A reevaluation of its role in normal and abnormal development. *Physical and Occupational Therapy in Pediatrics*, 16(4), 19-41.
- Pope, D. F., Bueff, H. U., & DeLuca, P. A. (1994). Pelvic osteotomies for subluxation of the hip in cerebral palsy. *Journal of Pediatric Orthopaedics*, 14, 724-730.
- Radtka, S. A., Skinner, S. R., Dixon, D. M., & Johanson, M. E. (1997). A comparison of gait with solid, dynamic, and no ankle-foot orthoses in children with spastic cerebral palsy. *Physical Therapy*, 77(4), 395-409.
- Reese, M. E., Msall, M. E., Owen, S., Pictor, S. P., & Paroski, M. W. (1991). Acquired cervical spine impairment in young adults with cerebral palsy. *Developmental Medicine and Child Neurology*, 33, 153-166.
- Rosenbaum, D. (1991). *Human motor control*. San Diego: Academic Press.
- Rosenthal, R. K. (1984). The use of orthotics in foot and ankle problems in cerebral palsy. *Foot and Ankle*, 4(4), 195-200.
- Rutherford, M. A., Pennock, J. M., Murdoch-Eaton, D. M., Cowan, F. M., & Dubowitz, L. M. S. (1992). Athetoid cerebral palsy with cysts in the putamen after hypoxic-ischaemic encephalopathy. *Archives of Disease in Childhood*, 67, 846-850.
- Sahrman, S. (Ed.). (1983). Should there be NDT certification? View 1. *Physical Therapy*, 63(4), 552.
- Sahrman, S. A., & Norton, B. J. (1977). The relationship of voluntary movement to spasticity in the upper motor neuron syndrome. *Annals of Neurology*, 2(6), 460-465.
- Schleichkorn, J. (1992). *The Bobaths: A biography of Berta and Karel Bobath*. Tucson, AZ: Therapy Skill Builders.
- Schleichkorn, J. (1987). "The Sometime Physician" William John Little: Pioneer in Treatment of Cerebral Palsy and Orthopedic Surgery. Farmingdale, NY: Author
- Schmahmann, J. D. (1991). An emerging concept: The cerebellar contribution to higher function. *Archives of Neurology*, 48, 1178-1187.
- Scrutton, D. (Ed.). (1991). The Bobaths. *Developmental Medicine and Child Neurology*, 33, 565-566.
- Shea, A. M. (1990). Growth and development in Down syndrome in infancy and early childhood: Implications for the physical therapist. In *Topics in Pediatrics: Lesson 5*, Alexandria, VA: American Physical Therapy Association.
- Shumway-Cook, A., & Woollacott, M. H. (1985). Dynamics of postural control in the child with Down syndrome. *Physical Therapy*, 65(9), 1315-1322.
- Shumway-Cook, A., & Woollacott, M. H. (1995). *Motor control: Theory and practical applications*. Baltimore, MD: Williams and Wilkins.
- Simon, S. R., Deutsch, S. D., Nuzzo, R. M., Mansour, M. J., Jackson, J. L., Koskinen, M., & Rosenthal, R. K. (1978). Genu recurvatum in spastic cerebral palsy. *The Journal of Bone and Joint Surgery*, 60-A(7), 882-894.
- Staheli, L. T. (1992). *Fundamentals of pediatric orthopedics*. New York: Raven Press.
- Stallings, V. A., Charney, E. B., Davies, J. C., & Cronk, C. E. (1993a). Nutrition-related growth failure of children with quadriplegic cerebral palsy. *Developmental Medicine and Child Neurology*, 35, 126-138.

- Stallings, V. A., Charney, E. B., Davies, J. C., & Cronk, C. E. (1993b). Nutritional status and growth of children with diplegic or hemiplegic cerebral palsy. *Developmental Medicine and Child Neurology*, 35, 997-1006.
- Stamer, M. H. (1995). *Functional documentation: A process for the physical therapist*. San Antonio, TX: Therapy Skill Builders.
- Stedman's Medical Dictionary* (26th ed.). (1995). Baltimore: Williams and Wilkins.
- Stevenson, R. D., Hayes, R. P., Cater, L. V., & Blackman J. A. (1994). Clinical correlates of linear growth in children with cerebral palsy. *Developmental Medicine and Child Neurology*, 36, 135-142.
- Stevenson, R. D., Roberts, C. D., & Vogtle, L. (1995). The effects of non-nutritional factors on growth in cerebral palsy. *Developmental Medicine and Child Neurology*, 37, 124-130.
- Styer-Acevedo, J. (1994). Physical therapy for the child with cerebral palsy. In J. Tecklin (Ed.), *Pediatric Physical Therapy* (pp. 89-130). Philadelphia: W. B. Saunders Co.
- Sugden, D., & Utley, A. (1995). Interlimb coupling in children with hemiplegic cerebral palsy. *Developmental Medicine and Child Neurology*, 37, 293-309.
- Sutherland, D. H. (1984). *Gait disorders in childhood and adolescence*. 128-151. Baltimore: Williams and Wilkins.
- Sutherland, D. H., & Cooper, L. (1978). The pathomechanics of progressive crouch gait in spastic diplegia. *Orthopedic Clinics of North America*, 9(1), 143-154.
- Tardieu, C., de la Tour, E. H., Bret, M. D., & Tardieu, G. (1982). Muscle hypoextensibility in children with cerebral palsy: I. Clinical and experimental observations. *Archives of Physical Medicine and Rehabilitation*, 63, 97-102.
- Tardieu, C., Lesparot, A., Tabary, V., & Bret, M. D. (1988). For how long must the soleus muscle be stretched each day to prevent contracture? *Developmental Medicine and Child Neurology*, 30, 3-10.
- Tardieu, G., Tardieu, C., Colbeau-Justin, P., & Lespargot, A. (1982). Muscle hypoextensibility in children with cerebral palsy: II. Therapeutic implications. *Archives of Physical Medicine and Rehabilitation*, 63, 103-107.
- Thelen, E., Fisher, D. M., Ridley-Johnson, R., & Griffin, N. J. (1982). Effects of body build and arousal on newborn infant stepping. *Developmental Psychobiology*, 25, 447-453.
- Thometz, J. G., & Simon, S. R. (1988). Progression of scoliosis after skeletal maturity in institutionalized adults who have cerebral palsy. *The Journal of Bone and Joint Surgery*, 70-A(9), 1290-1296.
- Thorstensson, A., Carlson, H., Zomlefer, M. R., & Nilsson, J. (1982). Lumbar back muscle activity in relation to trunk movements during locomotion in man. *Acta Physiologica Scandinavica*, 116, 13-20.
- U.S. Department of Health and Human Services. National Institutes of Health. (1993). *Research plan for the national center for medical rehabilitation research*. (NIH Publication No. 93-3509). Bethesda, MD: Author
- Van den Berg-Emans, R. J. G., van Baak, M. A., de Barbanson, D. C., Speth, L., & Saris, W. H. M. (1996). Reliability of tests to determine peak aerobic power, anaerobic power and isokinetic muscle strength in children with spastic cerebral palsy. *Developmental Medicine and Child Neurology*, 38, 1117-1125.
- Van der Meche, F. G. A., & Van Gijn, J. (1986). Hypotonia: An erroneous clinical concept? *Brain*, 109, 1169-1178.
- Van Sant, A.(Ed.). (1983). Should there be NDT certification? View 5. *Physical Therapy*, 63(4), 554.

- Walsh, E. G. (1992). *Muscles, masses, and motion. The physiology of normality, hypotonicity, spasticity and rigidity.* (Clinics in Developmental Medicine, Nos. 103, 125). New York: Cambridge University Press.
- Wiklund, L. M., & Uvebrant, P. (1991). Hemiplegic cerebral palsy: Correlation between CT morphology and clinical findings. *Developmental Medicine and Child Neurology*, 33, 512-523.
- Williams, P. E., & Goldspink, G. (1978). Changes in sarcomere length and physiological properties in immobilized muscle. *Journal of Anatomy*, 127(3), 459-468.
- Yokochi, K., Shimabukuro, S., Kodama, M., Kodama, K., & Hosoe, A. (1993). Motor function of infants with athetoid cerebral palsy. *Developmental Medicine and Child Neurology*, 35, 909-916.