

## Literatura (klíčové zdroje)

- vedou ke stále větším a závažnějším důsledkům. V pokročilé fázi již i drobný infarkt může způsobit úmrtí pacienta i přes adekvátní zdravotně-sociální intervence. Příčinou je primárně snížení odolnosti/kapacity/potenciálu tří klíčových parametrů: psychiky, imunitu, energie organismu. Většinou je v pozadí pokročilá arteroskleróza, zhroucení prohryv a infekce, které jsou všechny často sekundární.
- Fit for Frailty. London: British Geriatrics Society. 2014. Dostupné z: <https://www.bgs.org.uk/in-resources/resource-series/fit-for-frailty>.
- Halter JB, Ouslander JG, Studentski S, et al. Hazzard's geriatric medicine and gerontology, 7<sup>th</sup> ed. New York: McGraw Hill, 2016.
- Chai E, Meier D, Morris J, Goldhirsch S (eds). Geriatric palliative care. New York: Oxford University Press, 2014.
- Inker LA, Astor BC, Fox CH, et al. KDOQI US commentary on the 2012 KDIGO clinical practice guideline for the evaluation and management of CKD. Am J Kidney Dis. 2014;63:713–735.
- Johansen KL, Dalrymple LS, Delgado C, et al. Factors associated with frailty and its trajectory among patients on hemodialysis. Clin J Am Soc Nephrol. 2017;12:1100–1108.
- Kabelka L. Building specialized palliative care for the Czech Republic: a 15 year leadership journey in a developing country. J Palliat Med. 2020;23:607–610.
- Kabelka L. Geriatrická paliativní péče a komunikace o nemoci, 2. vyd. Praha: Mladá fronta, 2018.
- Kabelka L. Nemocné rozhovory. Praha: Grada Publishing, 2020.
- Kabelka L. Paliativní péče u pokročilého srdečního selhání. Paliat Med Lieč Boles. 2009;2.
- Kalvach Z, Kabelka L. Syndrom terminální geriatrické deteriorace. In Kalvach Z, Zadák Z, Zavázalová H, a kol. Geriatrické syndromy a geriatrický pacient. Praha: Grada Publishing, 2008, s. 336.
- Kurella Tamura M, Covinsky KE, Chertow GM, et al. Functional status of elderly adults before and after initiation of dialysis. N Engl J Med. 2009;361:1539–1547.
- Nicholson C, Meyer J, Flatley M, et al. The experience of living at home with frailty in old age: a psychosocial qualitative study. Int J Nurs Stud. 2013;50:1172–1179.
- Philip KE, Alizad V, Oates A. Development of EASY-Care, for brief standardized assessment of the health and care needs of older people; with latest information about cross-national acceptability. J Am Med Dir Assoc. 2014;15:42–46.
- Sláma O, Kabelka L, Vorlíček J, a kol. Paliativní medicína pro praxi, 3. vyd. Praha: Galén, 2022.
- Stjernswärd J, Foley KM, Ferris FD. The public health strategy for palliative care. J Pain Symptom Manage. 2007;33:486–493.
- Stuck AE, Iliffe S. Comprehensive geriatric assessment for older adults. BMJ. 2011;343:d6799.
- Tian X, Guo X, Xia X, et al. The comparison of cognitive function and risk of dementia in CKD patients under peritoneal dialysis and hemodialysis: a PRISMA-compliant systematic review and meta-analysis. Medicine (Baltimore). 2019;98:e14390.