

LITERATURA

- Adam R, Bozděchová I, Dittmann R, et al. O jazyce bez hranic a další zajímavosti ze současného zkoumání češtiny. Praha: Nakladatelství Lidové noviny 2017, 288 s.
- Adams SH, Zander HA. Functional tooth contacts in lateral and in centric occlusion. *J Am Dent Assoc* 1964; 69: 465–473.
- Ahlgren J. Mechanism of mastication. *Acta Odontol Scand* 1966; 24: 44–45.
- Ahmed HMA, Versiani MA, De-Deus G, Dummer PMH. A new system for classifying root and root canal morphology. *Int Endod J* 2017; 50: 761–770.
- Alexandersen V, Nielsen OV: Generalized microdontia probably associated with intrauterine growth retardation in a medieval skeleton. *Am J Phys Anthropol* 1970; 33: 389–401.
- Anderson DJ, Picton DC. Tooth contact during chewing. *J Dent Res* 1957; 36: 21–26.
- Andreasen JO, Andreasen FM, Andersson L. Textbook and color atlas of traumatic injuries to the teeth. 5th ed. Hoboken: Wiley–Blackwell 2018, 1064 s.
- Andrews LF. The six keys to normal occlusion. *Am J Orthodont* 1972; 62: 296–309.
- Angelici DR. Reopening of fused palatal shelves. *Cleft Palate J* 1968; 5: 205–210.
- Apajalahti S, Hölttä P, Turtola L, Pirinen S. Prevalence of short-root anomaly in healthy young adults. *Acta Odontol Scand* 2002; 60: 56–59.
- Arnold WH, Rezwani T, Baric I. Location and distribution of epithelial pearls and tooth buds in human fetuses with cleft lip and palate. *Cleft Palate Craniofac J* 1998; 35: 359–365.
- Bakke M, Michler L. Temporalis and masseter muscle activity in patients with anterior open bite and cranio-mandibular disorders. *Scand J Dent Res* 1991; 99: 219–228.
- Barteczko K, Jacob M. A re-evaluation of the premaxillary bone in humans. *Anat Embryol* 2004; 207: 417–437.
- Bassetti N. The vertical dimension in prosthesis and orthognathodontics. Integration between function and aesthetics. Milano: Edra 2019, 212 s.
- Belák Š, Starosta M, Žižka R, Šedý J. Nová klasifikace parodontálních a periimplantátových onemocnění. *LKS* 2019; 29: 10–17.
- Beyron HL. Occlusal changes in adult dentition. *J Am Dent Assoc* 1954; 48: 674–686.
- Bhaskar SN. Orban's oral histology and embryology. 9th ed. St. Louis, Toronto, London: C. V. Mosby Company 1980, 500 s.
- Böhn A. The course of the premaxillary and maxillary vessels and nerves in cleft jaw. *Acta Odontol Scand* 1963; 21: 463–513.
- Bolk L. Odontological essays. First essay: On the development of the palate and alveolar ridge in man. *J Anat* 1921; 55: 138–152.
- Bolton WA. Disharmony in tooth size and its relation to the analyses and treatment of malocclusion. *Angle Orthodont* 1958; 28: 113–130.
- Bolton WA. The clinical application of a tooth-size analysis. *Am J Orthodont* 1962; 48: 504–529.
- Brännström M. The hydrodynamics of the dental tubule and pulp fluid: its significance in relation to dentinal sensitivity. *Annu Meet Am Inst Oral Biol* 1966; 23: 219.
- Brännström M. The hydrodynamic theory of dentinal pain: sensation in preparations, caries, and the dentinal crack syndrome. *J Endod* 1986; 12: 453–457.
- Brázda O. Purkyňův žák Jan Nepomuk Čermák, objevitel interglobulárního dentinu. *Prakt Zub Lék* 1989; 37: 127–131.
- Brázda O. Jan Nepomuk Čermák – fyziolog, který přispěl k poznání mikrostruktury dentinu. *Prakt Zub Lék* 2010; 58: 79–82.
- Brekhus PJ, Armstrong WD, Simon WJ. Stimulation of the muscles of mastication. *J Dent Res* 1941; 20: 87–92.
- Buchanan LS. Umění endodoncie [přednáška]. Praha, 2014.

- Cobourne MT, Sharpe PT. Making up the numbers: The molecular control of mammalian dental formula. *Semin Cell Dev Biol* 2010; 21: 314–324.
- Čermák JN. Ohledání dutiny hrtanové a nosové pomocí nástrojů laryngoskopických a rhinoskopických vzhledem k patologii těchto částí. *Čas Lék Čes* 1862; 1: 36–39.
- Čihák R. Anatomie 1. 2. vyd. Praha: Grada 2001, 497 s.
- Čihák R. Anatomie 2. 2. vyd. Praha: Grada 2002, 470 s.
- Čihák R. Anatomie 3. Praha: Grada 1997, 655 s.
- Dawson PE. Functional occlusion. From TMJ to smile design. St. Louis: Elsevier 2007, 630 s.
- Dawson PE, Cranham JC. The complete dentist manual. St. Petersburg, USA: Widiom Publishing Inc. 2017, 370 s.
- Desmons S, Graux F, Atassi M, et al. The lateral pterygoid muscle, a heterogeneous unit implicated in temporomandibular disorder: a literature review. *Cranio* 2007; 25: 283–291.
- Diogenes A, Henry MA, Teixeira FB, Hargreaves KM. An update on clinical regenerative endodontics. *Endod Topics* 2013; 28: 2–23.
- Dokládál M. Anatomie zubů a chrupu. Brno: Masarykova univerzita 1994, 121 s.
- Doskočil M. Anatomická pomůcka ke studiu chirurgických předmětů. Praha: Triton 1999, 152.
- Du W, Hu JK, Du W, Klein OD. Lineage tracing of epithelial cells in developing teeth reveals two strategies for building signaling centers. *J Biol Chem* 2017; 292: 15062–15069.
- Dummer PM, McGinn JH, Rees DG. The position and topography of the apical canal constriction and apical foramen. *Int Endod J* 1984; 17: 192–198.
- Eichner K. Über eine Gruppeneinteilung der Lückengebisse für die Prothetik. *Dtsch Zahnärztl Z* 1955; 10: 1831–1834.
- Eliška O. Lymfologie. Praha: Galén 2018, 716 s.
- Ercoli C, Caton JG. Dental prostheses and tooth-related factors. *J Clin Periodontol* 2018; 45(Suppl 20): S207–S218.
- FCAT. Federative Committee on Anatomical Terminology. Terminologia anatomica. Stuttgart: Georg Thieme Verlag 1998, 292 s.
- Ferguson MVJ. The orofacial region. In: Wiggelsworth JS, Singer DB (eds). *Textbook of fetal and perinatal pathology*. Boston: Blackwell Sci Publ 1991:843–880.
- Foltán R, Klíma K, Špačková J, Šedý J. Mechanism of traumatic neuroma development. *Med Hypotheses* 2008; 71: 572–576.
- Frank AL. Therapy for the divergent pulpless tooth by continued apical formation. *J Am Dent Assoc* 1966; 72: 87–93.
- Fujimura A, Suetsugu H, Onodera M, et al. Long root of deciduous anterior teeth. *Odontology* 2008; 96: 61–64.
- Gargiulo AW, Wentz FM, Orban B. Dimensions and relations of the dentogingival junction in humans. *J Periodontol* 1961; 32: 261–267.
- Garner LD, Kotwal NS. Correlation study of incisive biting forces with age, sex, and anterior occlusion. *J Dent Res* 1973; 52: 698–702.
- Gelb H (ed). *Clinical management of head, neck and TMJ pain and dysfunction: A multidisciplinary approach to diagnosis and treatment*. Philadelphia: W. B. Saunders Co 1977, 547 s.
- Gibbs CH, Messerman T, Reswick JB, Derda HJ. Functional movements of the mandible. *J Prosthet Dent* 1971; 26: 604–620.
- Gibbs CH, Lundeen HC, Mahan PE, Fujimoto J. Chewing movements in relation to border movements at the first molar. *J Prosthet Dent* 1981a; 46: 308–322.
- Gibbs CH, Mahan PE, Lundeen HC, et al. Occlusal forces during chewing – influences of biting strength and food consistency. *J Prosthet Dent* 1981b; 46: 561–567.
- Gibbs CH, Mahan PE, Mauderli A, et al. Limits of human bite strength. *J Prosthet Dent* 1986; 56: 226–229.
- Glickman I, Pameijer JH, Roeber FW, Brion MA. Functional occlusion as revealed by miniaturized radio transmitters. *Dent Clin North Am* 1969; 13: 667–679.
- Goldreich H, Gazit E, Lieberman MA, Rugh JD. The effect of pain from orthodontic arch wire adjustment on masseter muscle electromyographic activity. *Am J Orthod Dentofacial Orthop* 1994; 106: 365–370.
- Goldstein S, Sedaghat-Zandi A, Greenberg M, Friedman S. Apexification & apexogenesis. *NY State Dent J* 1999; 65: 23–25.
- Goon WWY, Carpenter WM, Brace NM, Ahlfeld RJ. Complex facial radicular groove in a maxillary lateral incisor. *J Endod* 1991; 17: 244–248.
- Graber LW, Vanarsdall RL, Vig KWL. *Orthodontics: Current Principles and Techniques*. Philadelphia: Mosby 2012, 1092 s.
- Grim M, Druga R, et al. *Základy anatomie. 4a. Centrální nervový systém*. Praha: Galén 2014, 221 s.
- Hämmerle CH, Wagner D, Brägger U, et al. Threshold of tactile sensitivity perceived with dental endosseous implants and natural teeth. *Clin Oral Implants Res* 1995; 6: 83–90.
- Hansen K, Mehdinia M. Isolated soft tissue cleft lip: The influence on the nasal cavity and supernumerary laterals. *Cleft Palate Craniofac J* 2002; 39: 322–326.
- Hattab FN, Yassin OM, al-Nimri KS. Talon cusp in permanent dentition associated with other dental anomalies: review of literature and reports of seven cases. *ASDC J Dent Child* 1996; 63: 368–376.
- Hellwig E, Klimek J, Attin T. *Záchovná stomatologie a parodontologie*. Praha: Grada 2003, 331 s.
- Hollingsworth HL. Chewing as a technique of relaxation. *Science* 1939; 90: 385–387.
- Horio T, Kawamura Y. Effects of texture of food on chewing patterns in the human subject. *J Oral Rehabil* 1989; 16: 177–183.
- Houba R, Kreuzberg B, Zemen J, Zicha A. *Základy radio-diagnostiky a ostatních zobrazovacích metod ve stomatologii*. Praha: Karolinum 1999, 77 s.
- Hovořáková M, Lesot H, Peterka M, Peterková R. The developmental relationship between the deciduous dentition and the oral vestibule in human embryos *Anat Embryol* 2005; 209: 303–313.

- Hovořáková M, Lesot H, Peterková R, Peterka M. Origin of the deciduous upper lateral incisor and its clinical aspects. *J Dent Res* 2006; 85: 167–171.
- Hovořáková M, Lesot H, Vonesch JL, et al. Early development of the lower deciduous dentition and oral vestibule in human embryos. *Eur J Oral Sci* 2007; 115: 280–287.
- Hovořáková M, Procházka J, Lesot H, et al. Shh expression in a rudimentary tooth offers new insights into development of the mouse incisor. *J Exp Zool B Mol Dev Evol* 2011; 316: 347–358.
- Hovořáková M, Lochovská K, Zahradníček O, et al. One odontogenic cell-population contributes to the development of the mouse incisors and of the oral vestibule. *PLoS One* 2016; 11: e0162523.
- Hovořáková M, Lesot H, Peterka M, Peterková R. Early development of the human dentition revisited. *J Anat* 2018; 233: 135–145.
- Hovořáková M, Zahradníček O, Bartoš M, et al. Reawakening of ancestral dental potential as a mechanism to explain dental pathologies. *Integr Comp Biol*. 2020 Sep 1; 60(3): 619–629.
- Howell AH, Manly RS. An electronic strain gauge for measuring oral forces. *J Dent Res* 1948; 27: 705–712.
- Howell AH, Brudevold F. Vertical forces used during chewing of food. *J Dent Res* 1950; 29: 133–136.
- Hrdlička A. Shovel-shaped teeth. *Am J Phys Anthropol* 1920; 3: 429–465.
- Hsu YY, Kim S. The resected root surface. The issue of canal isthmuses. *Dent Clin North Am* 1997; 41: 529–540.
- Huang GTJ, Sonoyama W, Liu Y, et al. The hidden treasure in apical papilla: the potential role in pulp/dentin regeneration and bioroot engineering. *J Endod* 2008; 34: 645–651.
- Chai Y, Jiang X, Ito Y, et al. Fate of the mammalian cranial neural crest during tooth and mandibular morphogenesis. *Development* 2000; 127: 1671–1679.
- Chapman H. First upper permanent molar partially impacted against second deciduous molar. *Int J Ortho Oral Surg Radiol* 1923; 9: 339–345.
- Chen MY, Chen KL, Chen CA, et al. Responses of immature permanent teeth with infected necrotic pulp tissue and apical periodontitis/abscess to revascularization procedures. *Int Endod J* 2012; 5: 294–305.
- Chrepa V, Pitcher B, Henry MA, Diogenes A. Survival of the apical papilla and its resident stem cells in a case of advanced pulpal necrosis and apical periodontitis. *J Endod* 2017; 43: 561–567.
- Chueh LH, Ho YC, Kuo TC, et al. Regenerative endodontic treatment for necrotic immature permanent teeth. *J Endod* 2009; 35: 160–164.
- Imai H, Osumi-Yamashita N, Ninomiya Y, Eto K. Contribution of early-emigrating midbrain crest cells to the dental mesenchyme of mandibular molar teeth in rat embryos. *Dev Biol* 1996; 176: 151–165.
- Ingber JS, Rose LF, Coslet JG. The »biologic width« – a concept in periodontics and restorative dentistry. *Alpha Omegan* 1977; 70: 62–65.
- Ingle JI, Bakland LK, Baumgartner JC. Ingle's endodontics 6. Hamilton: BC Decker Inc 2008, 1555 s.
- Jafarzadeh H, Abbott PV. Dilaceration: review of an endodontic challenge. *J Endod* 2007; 33: 1025–1030.
- Jankelson B, Hoffman GM, Hendron AJ. Physiology of the stomatognathic system. *J Am Dent Assoc* 1953; 46: 375–386.
- Jarvinen S, Lehtinen L. Supernumerary and congenitally missing primary teeth in Finish children. An epidemiologic study. *Acta Odontol Scand* 1981; 39: 83–86.
- Jepsen S, Caton JG, Albandar JM, et al. Periodontal manifestations of systemic diseases and developmental and acquired conditions: consensus report of workgroup 3 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *J Clin Periodontol* 2018; 45(Suppl 20): S219–S229.
- Jernvall J, Kettunen P, Karavanova I, et al. Evidence for the role of the enamel knot as a control center in mammalian tooth cusp formation: non-dividing cells express growth stimulating Fgf-4 gene. *Int J Dev Biol* 1994; 38: 463–469.
- Kamínek M, et al. Ortodoncie. Praha: Galén 2014, 246 s.
- Keith A, Knowles FH. A description of teeth of palaeolithic man from Jersey. *J Anat Physiol* 1911; 46(Pt 1): 12–27.
- Kitamura H. Epithelial remnants and pearls in the secondary palate in the human abortus: a contribution to the study of the mechanism of cleft palate formation. *Cleft Palate J* 1966; 3: 240–257.
- Kitamura H. Evidence for cleft palate as a postfusion phenomenon. *Cleft Palate Craniofac J* 1991; 28: 195–210.
- Klepáček I, Mazánek J, et al. Klinická anatomie ve stomatologii. Praha: Grada 2001, 332 s.
- Kogon SL. The prevalence, location, and conformation of palato-radicular grooves in maxillary incisors. *J Periodontol* 1986; 57: 231–234.
- Kois JC. Predictable single tooth peri-implant esthetics: five diagnostic keys. *Compend Contin Educ Dent* 2001; 22: 199–206.
- Kollar EJ, Baird GR. Tissue interactions in embryonic mouse tooth germs. II. The inductive role of the dental papilla. *J Embryol Exp Morphol* 1970; 24: 173–186.
- Koťová M. Ortodontický průvodce praktického zubního lékaře. Praha: Grada 2006, 114 s.
- Koukolík F. Sociálně úspěšní psychopati aneb vzpoura deprivantů 1996–2020. Praha: Galén 2020, 224 s.
- Krasner P, Rankow HJ. Anatomy of the pulp chamber floor. *J Endod* 2004; 30: 5–16.
- Kriangkrai R, Chareonvit S, Yahagi K, et al. Study of Pax6 mutant rat revealed the association between upper incisor formation and midface formation. *Dev Dyn* 2006; 235: 2134–2143.
- Lambrichts I, Creemers J, Van Steenberghe D. Periodontal neural endings intimately relate to epithelial rests of Malassez in humans. A light and electron microscope study. *J Anat* 1993; 182: 153–162.
- Lan Y, Jia S, Jiang R. Molecular patterning of the mammalian dentition. *Semin Cell Dev Biol* 2014; 25–26: 61–70.

- Leigh RW. Dental pathology of the Eskimo. *Dent Cosmos* 1925; 67: 884–898.
- Lieberman DE. *Evolution of human head*. Cambridge: Harvard University Press 2011, 768 s.
- Lieberman DE. Příběh lidského těla. Evoluce, zdraví a nemoci. Brno: Jan Melvil Publ 2016, 495 s.
- Lieberman DE, Krovitz GE, Yates FW, et al. Effects of food processing on masticatory strain and craniofacial growth in a retrognathic face. *J Hum Evol* 2004; 46: 655–677.
- Lisson JA, Kjaer I. Location of alveolar clefts relative to the incisive fissure. *Cleft Palate Craniofac J* 1997; 34: 292–296.
- Lukas M, Ehlers V, Becker T. The world's longest human tooth extracted. *Swiss Dent J* 2019; 129: 817–820.
- Lund JP, Donga R, Widmer CG, Stohler CS. The pain-adaptation model: a discussion of the relationship between chronic musculoskeletal pain and motor activity. *Can J Physiol Pharmacol* 1991; 69: 683–694.
- Mader C, Konzelman JL. Transposition of teeth. *J Am Dent Assoc* 1979; 98: 412–413.
- Malpighi M. *Observationes de dentibus*. Manuscripto 936 Busta II D. 1690.
- Marks SC Jr, Cahill DR. Regional control by the dental follicle of alterations in alveolar bone metabolism during tooth eruption. *J Oral Pathol* 1987; 16: 164–169.
- Maslow AH. *O psychologii bytí*. Praha: Portál 2014, 320 s.
- Matalová E, Antonarakis GS, Sharpe PT, Tucker AS. Cell lineage of primary and secondary enamel knots. *Dev Dyn* 2005; 233: 754–759.
- Mayr E. *Co je evoluce*. Praha: Academia 2009, 356 s.
- Melton DC, Krell KV, Fuller MW. Anatomical and histological features of C-shaped canals in mandibular second molars. *J Endod* 1991; 17: 384–388.
- Miel EM. Observation sur un cas très-rare de transposition de dents. *J Méd Chir Pharmacie* 1817; 40: 88–97.
- Mina M, Kollar EJ. The induction of odontogenesis in non-dental mesenchyme combined with early murine mandibular arch epithelium. *Arch Oral Biol* 1987; 32: 123–127.
- Mitchell W. Case report. *Dent Cosmos* 1892; 34: 1036.
- Mjör IA, Fejerskov O. *Human oral embryology and histology*. Copenhagen: Munksgaard 1986, 336 s.
- Morris CB. The measurement of the strength of muscle relative to the cross section. *Res Q* 1948; 19: 295–303.
- Mrázková O. *Systematická, topografická a klinická anatomie*. III. Pohybový aparát hlavy a trupu. Praha: Karolinum 1995, 166 s.
- Mrázková O, Doskočil M. *Klinická anatomie pro stomatologie*. Praha: Alberta 1994, 117 s.
- Nakamura Y, Katakura N. Generation of masticatory rhythm in the brainstem. *Neurosci Res* 1995; 23: 1–19.
- Nazzal H, Duggal MS. Regenerative endodontics: a true paradigm shift or a bandwagon about to be derailed? *Eur Arch Paediatr Dent* 2017; 18: 3–15.
- Nery EB, Kraus BS, Croup M. Timing and topography of early human tooth development. *Arch Oral Biol* 1970; 15: 1315–1326.
- Oehlers FA. *Dens invaginatus* (dilated composite odontome). I. Variations of the invagination process and associated anterior crown forms. *Oral Surg Oral Med Oral Pathol* 1957a, 10: 1204–1218.
- Oehlers FA. *Dens invaginatus* (dilated composite odontome). II. Associated posterior crown forms and pathogenesis. *Oral Surg Oral Med Oral Pathol* 1957b, 10: 1302–1316.
- Oehlers FA. The radicular variety of *dens invaginatus*. *Oral Surg Oral Med Oral Pathol* 1958; 11: 1251–1260.
- Oehlers FA, Lee KW, Lee EC. *Dens evaginatus* (evaginated odontome). Its structure and responses to external stimuli. *Dent Pract Dent Rec* 1967; 17: 239–244.
- Okeson JP. *Management of temporomandibular disorders and occlusion*. 7th ed. St. Louis: Elsevier 2013, 490 s.
- Okeson JP. *Management of temporomandibular disorders and occlusion*. 8th ed. St. Louis: Elsevier 2020, 498 s.
- Ooë T. On the early development of human dental lamina. *Okajimas Folia Anat Jap* 1957; 30: 187–200.
- Orban B. Clinical and histologic study of the surface characteristics of the gingiva. *Oral Surg Oral Med Oral Pathol* 1948; 1: 827–841.
- Osumi-Yamashita N, Ninomiya Y, Doi H, Eto K. The contribution of both forebrain and midbrain crest cells to the mesenchyme in the frontonasal mass of mouse embryos. *Dev Biol* 1994; 164: 409–419.
- Peck L, Peck S, Attia Y. Maxillary canine-first premolar transposition, associated dental anomalies and genetic basis. *Angle Orthod* 1993; 63: 99–109.
- Peck S, Peck L. A time for change of tooth numbering systems. *J Dent Educ* 1993; 57: 643–647.
- Peretz B, Arad A. Bilateral transposition of maxillary canines and first premolars: case report. *Quintessence Int* 1992; 23: 345–348.
- Peřinka L. *Základy klinické endodoncie*. Praha: Quintessenz 2003, 288 s.
- Peterka M, Novotná M. *Úvod do teratologie. Příčiny a mechanismy vrozených vad*. Praha: Karolinum 2010, 89 s.
- Peterková R, Peterka M, Vonesch JL, Ruch JV. Multiple developmental origin of the upper incisor in mouse: histological and computer assisted 3D-reconstruction studies. *Int J Dev Biol* 1993; 37: 581–588.
- Peterková R, Hovořáková M, Peterka M, Lesot H. Three-dimensional analysis of the early development of the dentition. *Aust Dent J* 2014; 59: 55–80.
- Pitt Ford TR (ed). *Harty's endodontics in clinical practice*. 5th ed. Oxford: Butterworth-Heinemann 2004, 283 s.
- Pond LH, Barghi N, Barnwell GM. Occlusion and chewing side preference. *J Prosthet Dent* 1986; 55: 498–500.
- Proctor AD, DeVincenzo JP. Masseter muscle position relative to dentofacial form. *Angle Orthod* 1970; 40: 37–44.
- Raadsheer MC, van Eijden TM, van Ginkel FC, Prahll-Andersen B. Contribution of jaw muscle size and craniofacial morphology to human bite force magnitude. *J Dent Res* 1999; 78: 31–42.

- Raadsheer MC, Van Eijden TM, Van Ginkel FC, Prahll-Andersen B. Human jaw muscle strength and size in relation to limb muscle strength and size. *Eur J Oral Sci* 2004; 112: 398–405.
- Ravn JJ. Aplasia, supernumerary teeth and fused teeth in the primary dentition. *Scand J Dent Res* 1971; 79: 1–6.
- Ricucci D, Siqueira JF Jr, Loghin S, Lin LM. Pulp and apical tissue response to deep caries in immature teeth: a histologic and histobacteriologic study. *J Dent* 2017; 56: 19–32.
- Rinchuse DJ, Kandasamy S. Myths of orthodontic gnathology. *Am J Orthod Dentofacial Orthop* 2009; 136: 322–330.
- Rocabado M, Iglarsh ZA. Musculoskeletal approach to maxillofacial pain. Philadelphia: J. B. Lippincott Co 1991, 244 s.
- Röse C. Über die Entwicklung der Zähne des Menschen. *Arch Mikr Anat* 189; 38, 447–491.
- Rovira-Lastra B, Flores-Orozco EI, Ayuso-Montero R, et al. Peripheral, functional and postural asymmetries related to the preferred chewing side in adults with natural dentition. *J Oral Rehabil* 2016; 43: 279–285.
- Seichert V. Significance of the differential growth, relative tissue shifts and the vascular bed in limb development. *Acta Univ Carol Med – Monographia CXXXV*. Praha: Univerzita Karlova 1988, 164 s.
- Shafer WG, Hine MK, Levy BM: A textbook of oral pathology. Philadelphia: W. B. Saunders Co 1958.
- Sharpe PT. Homeobox genes and orofacial development. *Connect Tissue Res* 1995; 32: 17–25.
- Schantz P, Randall-Fox E, Hutchison W, et al. Muscle fibre type distribution, muscle cross-sectional area and maximal voluntary strength in humans. *Acta Physiol Scand* 1983; 117: 219–26.
- Schour I. Early tooth development with special reference to relationship between the dental lamina and the lip-furrow band. *J Dent Res* 1929; 9, 699–711.
- Sonoyama W, Liu Y, Yamaza T, et al. Mesenchymal stem cell-mediated functional tooth regeneration in swine. *PLoS One* 2006; 1: e79.
- Stamatiou J, Symons AL. Agenesis of the permanent lateral incisor: distribution, number and sites. *J Clin Pediatr Dent* 1991; 15: 244–246.
- Stockton DW, Das P, Goldenberg M, et al. Mutation of PAX9 is associated with oligodontia. *Nat Genet* 2000a; 24: 18–19.
- Strub JR, Kern M, Turp JC, et al. *Protetika I*. Praha: Grada 2015, 328 s.
- Strub JR, Kern M, Turp JC, et al. *Protetika II*. Praha: Grada 2016, 687 s.
- Suit SR, Gibbs CH, Benz ST. Study of gliding tooth contacts during mastication. *J Periodontol* 1976; 47: 331–334.
- Svensson KG, Grigoriadis J, Trulsson M. Alterations in intraoral manipulation and splitting of food by subjects with tooth- or implant-supported fixed prostheses. *Clin Oral Implants Res* 2013; 24: 549–555.
- Ščigel V. Lokální anestezie v praxi zubního lékaře. Praha: Quintessenz 2004, 216 s.
- Ščigel V. Lokální anestezie v praxi zubního lékaře. 2. vyd. Praha: Quintessenz 2011, 248 s.
- Šedý J. *Kompendium stomatologie I*. Praha: Triton 2012, 1196 s.
- Šedý J. *Kompendium stomatologie II*. Praha: Triton 2016, 1224 s.
- Šedý J. *Základy evoluční teorie pro stomatologii*. Praha: Galén 2019a, 106 s.
- Šedý J. *Somatické vyšetření ve stomatologii*. Praha: Galén, 2020, 264 s.
- Šedý J, Navrátilová B. Blokáda nervus alveolaris inferior u 284 pacientů se semiretinovanými a retinovanými dolními zuby moudrosti: naše zkušenosti. *Čes Stomatologie* 2008, 108: 4–8.
- Šedý J, Foltán R. *Klinická anatomie zubů a čelistí*. Praha: Triton 2010, 175 s.
- Šedý J, Žižka R, Tauber Z. Czermak vs. Čermák. *LKS* 2019b, 29: S105.
- Šerý O, Bonczek O, Hloušková A, et al. A screen of a large Czech cohort of oligodontia patients implicates a novel mutation in the PAX9 gene. *Eur J Oral Sci* 2015; 123: 65–71.
- Tannenbaum KA, Alling EE. Anomalous tooth development. Case reports of gemination and twinning. *Oral Surg Oral Med Oral Pathol* 1963; 16: 883–887.
- Tarnow DP, Magner AW, Fletcher P. The effect of the distance from the contact point to the crest of bone on the presence or absence of the interproximal dental papilla. *J Periodontol* 1992; 63: 995–996.
- Thomas HF. Root formation. *Int J Dev Biol* 1995; 39: 231–237.
- Throckmorton GS, Finn RA, Bell WH. Biomechanics of differences in lower facial height. *Am J Orthod* 1980; 77: 410–420.
- Throckmorton GS, Groshan GJ, Boyd SB. Muscle activity patterns and control of temporomandibular joint loads. *J Prosthet Dent* 1990; 63: 685–695.
- Tomes J. *A system of dental surgery*. London: Churchill 1859, 772 s.
- Tonge CH. Identification of cell patterns in human tooth differentiation. *J Dent Res* 1967; 46: 876–878.
- Tonge CH. The time-structure relationship to tooth development in human embryogenesis. *J Dent Res* 1969; 48: 745–752.
- Torabinejad M, Alexander A, Vahdati SA, et al. Effect of residual dental pulp tissue on regeneration of dentin-pulp complex: an *in vivo* investigation. *J Endod*, 2018; 44: 1796–1801.
- Townsend G, Harris EF, Lesot H, et al. Morphogenetic fields within the human dentition: a new, clinically relevant synthesis of an old concept. *Arch Oral Biol* 2009; 54(Suppl 1): S34–S44.
- Tsai TP, Huang CS, Huang CC, See LC. Distribution patterns of primary and permanent dentition in children with unilateral complete cleft lip and palate. *Cleft Palate Craniofac J* 1998; 32: 154–160.

- Tsukiboshi M, Ricucci D, Siqueira JF Jr. Mandibular premolars with immature roots and apical periodontitis lesions treated with pulpotomy: report of 3 cases. *J Endod* 2017; 43: 65–74.
- Tziafas D, Kodonas K. Differentiation potential of dental papilla, dental pulp, and apical papilla progenitor cells. *J Endod* 2010; 36: 781–789.
- Vahtokari A, Aberg T, Thesleff I. Apoptosis in the developing tooth: association with an embryonic signaling center and suppression by EGF and FGF-4. *Development* 1996; 122: 121–129.
- Vacek M, Bittner J. *Gnatologie*. Praha: Avicenum 1986, 175 s.
- Vacek JS, Gher ME, Assad DA, et al. The dimensions of the human dentogingival junction. *Int J Periodontics Restorative Dent* 1994; 14: 154–165.
- Van Spronsen PH, Weijs WA, van Ginkel FC, Prahl-Andersen B. Jaw muscle orientation and moment arms of long-face and normal adults. *J Dent Res* 1996; 75: 1372–1380.
- Vastardis H, Karimbux N, Guthua SW, et al. A human MSX1 homeodomain missense mutation causes selective tooth agenesis. *Nat Genet* 1996; 13: 417–421.
- Versiani MA, Basrani B, Sousa-Neto MD (eds). *The root canal anatomy in permanent dentition*. New York: Springer 2019, 425 s.
- Vertucci FJ. Root canal anatomy of the human permanent teeth. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1984; 58: 589–599.
- Vertucci FJ. Root canal morphology and its relationship to endodontic procedures. *Endod Topics* 2005; 10: 3–29.
- Viohl J. *Dokumentation der konservierenden Zahnheilkunde an Universitätskliniken*. Dtsch Z Mund Kieferheilkd 1966; 46: 345–364.
- Voldřich M et al. *Stomatologická protetika*. Praha: SZN 1960.
- Weine FS. The enigma of the lateral canal. *Dent Clin North Am* 1984; 28: 833–852.
- Weine FS. *Endodontic therapy*. St. Louis: Mosby 1989.
- Williams PL, Bannister H (eds). *Gray's anatomy*. 38th ed. New York: Churchill Livingstone 1995, 1314 s.
- Williams PG, Johnson KT, Curtis BJ, et al. Individual differences in aesthetic engagement are reflected in resting-state fMRI connectivity: implications for stress resilience. *Neuroimage* 2018; 179: 156–165.
- Withers JA, Brunsvold MA, Killjoy WJ, Rahe AJ. The relationship of palato-gingival grooves to localized periodontal disease. *J Periodontol* 1981; 52: 41–44.
- Woelfel JB, Scheid RC. *Dental anatomy – its relevance to dentistry*. Philadelphia: Lippincott Williams and Wilkins 2002, 422 p.
- Wolfart S. *Implant prosthodontics: a patient-oriented strategy*. Quintessence Publ 2016, 728 s.
- Worner HK, Anderson MN. Biting force measurements in children. *Aust Dent J* 1944; 48: 1–5.
- Xiong J, Mrozik K, Gronthos S, Bartold PM. Epithelial cell rests of Malassez contain unique stem cell populations capable of undergoing epithelial-mesenchymal transition. *Stem Cells Dev* 2012; 21: 2012–2025.
- Yamada S, Lav R, Li J, et al. Molar bud-to-cap transition is proliferation independent. *J Dent Res* 2019; 98: 1253–1261.
- Yemm R. A comparison of the electrical activity of masseter and temporal muscles of human subjects during experimental stress. *Arch Oral Biol* 1971; 16: 269–273.
- Yoo YJ, Oh JH, Lee W, Woo KM. Regenerative characteristics of apical papilla-derived cells from immature teeth with pulpal and periapical pathosis. *J Endod* 2017; 42: 1626–1632.
- Young DH. Ectopic eruption of the first permanent molar. *J Dent Child* 1957; 24: 153–162.
- Žižka R, Krejčí P, Šedý J. Porovnání terapie stálých zubů s nedokončeným vývojem a nekrotickou dřením apexifikací hydroxidem vápenatým a maturogenezí. *Čes Stomatol* 2017; 117: 52–59.
- Žižka R, Pauliška P, Šedý J, et al. Externí cervikální invazivní resorpce. 1. část: Histologický popis, etiopatogeneze, klasifikace. *LKS* 2018a; 28: 219–225.
- Žižka R, Pauliška P, Šedý J, et al. Externí cervikální invazivní resorpce. 2. část: Prevence, diagnostika a terapie. *LKS* 2018b; 28: 246–255.
- Žižka R, Šedý J, Gregor L, Voborná I. Discoloration after regenerative endodontic procedures: a critical review. *Iran Endod J* 2018c; 13: 278–284.