

REFERENCES

Preface

U.S. Department of Health & Human Services. 1996. *Physical Activity and Health: A Report of the Surgeon General*. Atlanta: U.S. Department of Health & Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.

U.S. Department of Health & Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Nutrition and Physical Activity. 1999. *Promoting Physical Activity: A Guide for Community Action*. Champaign, IL: Human Kinetics.

Introduction

U.S. Department of Health & Human Services. 1996. *Physical Activity and Health: A Report of the Surgeon General*. Atlanta: U.S. Department of Health & Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.

U.S. Department of Health & Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Nutrition and Physical Activity. 1999. *Promoting Physical Activity: A Guide for Community Action*. Champaign, IL: Human Kinetics.

U.S. Department of Health & Human Services. 2000. *Healthy People 2010*, 2nd edition. With *Understanding and Improving Health* and *Objectives for Improving Health*. 2 volumes. Washington, DC: U.S. Government Printing Office.

U.S. Public Health Service. 1964. *Smoking and Health: Report of the Advisory Committee to the Surgeon General of the Public Health Service*. U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control. PHS Publication No.1103.

Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.

Chapter 1

Abbott RD, White LR, Ross GW, Masaki KH, Curb JD, Petrovich H. 2004. Walking and dementia in physically capable elderly men. *Journal of the American Medical Association* 292(12):1447-1453.

Ainsworth BE, Haskell WL, Whitt MC, Irwin ML, Swartz AM, Strath SJ, et al. 2000. Compendium of physical activities: an update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise* 32(9 suppl):s498-s4504.

American Psychiatric Association. 1994. *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV)*. Washington DC: American Psychiatric Association, 320-327.

Biddle SJH, Fox KR, Boutcher SH (Eds). 2000. *Physical Activity and Psychological Well-Being*. New York: Routledge.

Binder EF, Schechtman KB, Ehsani AA, Steger-May K, Brown M, Sinacore KE, Yarasheski KE, Holloszy JO. 2002. Effects of exercise training on frailty in community-dwelling older adults: results of a randomized controlled trial. *Journal of the American Geriatrics Society* 50:1921-1928.

- Brown DR, Raglin JS, Morgan WP. 1993. Effects of exercise and rest on the state anxiety and blood pressure of physically challenged college students. *Journal of Sports Medicine and Physical Fitness* 33:300-305.
- Butcher LR, Thomas A, Backx K, Roberts A, Webb R, Morris K. 2008. Low-intensity exercise exerts beneficial effects on plasma lipids via PPARgamma. *Medicine & Science in Sports & Exercise* 40(7):1263-1270.
- Campbell A, Robertson M, Gardner M, Norton R, Tilyard M, Buchner D. 1997. Randomized controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. *British Medical Journal* 315:1065-1069.
- Centers for Disease Control and Prevention. 2009. *Cancer Prevention and Control*. www.cdc.gov/cancer.
- Centers for Disease Control and Prevention. n.d. *United States Cancer Statistics*. http://apps.nccd.cdc.gov/uscs/.
- Commonwealth Department of Health and Aged Care. 1999. National physical activity guidelines for Australians. Sydney: Active Australia.
- deVries HA. 1987. Tension reduction with exercise. In: Morgan WP, Goldstein SE (Eds), *Exercise and Mental Health*. Washington, DC: Hemisphere; pp. 99-104.
- deVries HA, Adams GM. 1972. Electromyographic comparison of single doses of exercise and meprobamate as to effects on muscular relaxation. *American Journal of Physical Medicine* 51:130-141.
- DiPietro L, Kohl HW III, Barlow CE, Blair SN. 1998. Improvements in cardiorespiratory fitness attenuate age-related weight gain in healthy men and women: the Aerobics Center Longitudinal Study. *International Journal of Obesity and Related Metabolic Disorders* 22(1):55-62.
- Dishman RK, Washburn RA, Heath GW. 2004. Mental health. In: Dishman RK, Washburn RA, Heath GW (Eds), *Physical Activity Epidemiology*. Champaign, IL: Human Kinetics.
- Durstine JL. 1997. *ACSM's Exercise Management for Persons With Chronic Diseases and Disabilities*. Champaign, IL: Human Kinetics.
- Felson DT, Niu J, Clancy M, Sack B, Aliabadi P. 2007. Effect of recreational physical activities on the development of knee osteoarthritis in older adults of different weights: the Framingham Study. *Arthritis and Rheumatism* 57(1):6-12.
- Frontera WR, Slovik DM, Dawson DM (Eds). 2006. *Exercise in Rehabilitation Medicine*. Champaign, IL: Human Kinetics.
- Goodwin RD. 2003. Association between physical activity and mental disorders among adults in the United States. *Preventive Medicine* 36:698-703.
- Goodman LR, Warren MP. 2005. The female athlete and menstrual function. *Obstetrics and Gynecology* 17(5):466-470.
- Guilleminault C, Clerk A, Black J, Labanowski M, Pelayo R, Claman D. 1995. Non-drug treatment trials in psychophysiological insomnia. *Archives of Internal Medicine* 155(8):838-844.
- Hamman RF, Wing RR, Edelstein SL, Lachin JM, Bray GA, Delahanty L, Hoskin M, Kriska AM, Mayer-Davis EJ, Pi-Sunyer X, Regensteiner J, Venditti B, Wylie-Rosett J. 2006. Effect of weight loss with lifestyle intervention on risk of diabetes. *Diabetes Care* 29(9):2102-2107.
- Hart DJ, Doyle DV, Spector TD. 1999. Incidence and risk factors for radiographic knee osteoarthritis in middle-aged women: the Chingford Study. *Arthritis and Rheumatism* 42(1):17-24.
- Haskell WL, Lee I-M, Pate RR, Powell KE, Blair SN, Franklin BA, et al. 2007. Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine & Science in Sports & Exercise* 39(8):1423-1434.
- Heyn P, Abreu BC, Ottenbacher KJ. 2004. The effects of exercise training on elderly persons with cognitive impairment and dementia: a meta-analysis. *Archives of Physical Medicine and Rehabilitation* 85(10):1694-1704.

- Hillsdon MM, Brunner EJ, Guralnik JM, Marmot MG. 2005. Prospective study of physical activity and physical function, in early old age. *American Journal of Preventive Medicine* 28:245-250.
- Hootman JM, Macera CA, Ainsworth BE, Addy CL, Marin M, Blair SN. 2002. Epidemiology of musculoskeletal injuries among sedentary and physically active adults. *Medicine & Science in Sports & Exercise* 34:838-844.
- Hootman JM, Macera CA, Helmick CG, Blair SN. 2003. Influence of physical activity-related joint stress on the risk of self-reported hip/knee osteoarthritis: a new method to quantify physical activity. *Preventive Medicine* 36:636-644.
- Huang Y, Macera CA, Blair SN, Brill PA, Kohl HW III, Kronenfeld JJ. 1998. Physical fitness, physical activity, and functional limitation in adults age 40 and older. *Medicine & Science in Sports & Exercise* 30:1430-1435.
- Karper WB, Hopewell R. 1998. Exercise, immunity, acute respiratory infections, and homebound older adults. *Home Care Provider* 3(1):41-46.
- Katzmarzyk PT, Janssen I. 2004. The economic costs associated with physical activity and obesity in Canada: an update. *Canadian Journal of Applied Physiology* 29(1):90-115.
- King AC, Baumann K, O'Sullivan P, Wilcox S, Castro C. 2002. Effects of moderate-intensity exercise on physiological, behavioral, and emotional responses to family caregiving: a randomized controlled trial. *Journals of Gerontology, Series A, Biological Sciences and Medical Sciences* 57(1):M26-M36.
- King AC, Oman RF, Brassington GS, Bliwise DL, Haskell WL. 1997. Moderate-intensity exercise and self-rated quality of sleep in older adults: a randomized controlled trial. *Journal of the American Medical Association* 277(1):32-37.
- Kramer AF, Colcombe SJ, McAuley E, Eriksen KI, Scalf P, Jerome GJ, Marquez DX, Elavsky S, Webb AG. 2003. Enhancing brain and cognitive function of older adults through fitness training. *Journal of Molecular Neuroscience* 20:213-221.
- Kostka T, Berthouze SE, Lacour J, Bonnefoy M. 2000. The symptomatology of upper respiratory tract infections and exercise in elderly people. *Medicine & Science in Sports & Exercise* 32(1):46-51.
- Knowler WC, Barrett-Connor E, Fowler SE, Hamman RF, Lachin JM, Walker EA, Nathan DM; Diabetes Prevention Program Research Group. 2002. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *New England Journal of Medicine* 346(6):393-403.
- Larson EB, Wang L, Bowen JD, McCormick WC, Teri L, Crane P, Kukull W. 2006. Exercise is associated with reduced risk for incident dementia among persons 65 years of age and older. *Annals of Internal Medicine* 144(2):73-81.
- Lee I-M, Oguma Y. 2006. Physical activity. In Schottenfeld D, Fraumeni JF Jr (Eds), *Cancer Epidemiology and Prevention*, 3rd edition. New York: Oxford University Press; pp. 449-467.
- Leveille SG, Guralnik JM, Ferrucci L, Langlois JA. 1999. Aging successfully until death in old age: opportunities for increasing active life expectancy. *American Journal of Epidemiology* 149:654-664.
- Lewis CE, Smith DE, Wallace DD, Williams OD, Bild DE, Jacobs DR Jr. 1997. Seven-year trends in body weight and associations with lifestyle and behavioral characteristics in black and white young adults: the CARDIA study. *American Journal of Public Health* 87(4):635-642.
- Lindsay J, Laurin D, Verreault R, Hebert R, Helliwell B, Hill GB, McDowell I. 2002. Risk factors for Alzheimer's disease: a prospective analysis from the Canadian Study of Health and Aging. *American Journal of Epidemiology* 156(5):445-453.
- Lord SR, Castell S, Corcoran J, Dayhew J, Matters B, Shan A, Williams P. 2003. The effect of group exercise on physical functioning and falls in frail older people living in retirement villages: a randomized controlled trial. *Journal of the American Geriatrics Society* 51:1685-1692.

- Luukinen H, Lehtola S, Jokelainen J, Vaananen-Sainio R, Lotvonen S, Koistinen P. 2006. Prevention of disability by exercise among the elderly: a population-based, randomized controlled trial. *Scandinavian Journal of Primary Health Care* 24:199-205.
- Mackinnon LT. 2000. Chronic exercise training effects on immune function. *Medicine & Science in Sports & Exercise* 32(7 suppl):s369-s376.
- Manson JE, Greenland PHP, LaCroix AZ, Stefanick ML, Mouton, CP, Oberman A, Perri MG, Sheps DS, Pettinger MB, Siscovick DS. 2002. Walking compared with vigorous exercise for the prevention of cardiovascular events in women. *New England Journal of Medicine* 347:716-725.
- Martinsen EW, Morgan WP. 1997. Antidepressant effects of physical activity. In: Morgan WP (Ed), *Physical Activity and Mental Health*. Washington, DC: Taylor and Francis; pp. 93-126.
- Matthews CE, Ockene IS, Freedson PS, Rosal MC, Merriam PA, Hebert JR. 2002. Moderate to vigorous physical activity and risk of upper-respiratory tract infection. *Medicine & Science in Sports & Exercise* 34(8):1242-1248.
- McAuley E, Konopack JF, Motl RW, Morris KS, Doerksen SE, Rosengren KR. 2006. Physical activity and quality of life in older adults: influence of health status and self-efficacy. *Annals of Behavioral Medicine* 31(1):99-103.
- Morgan WP (Ed). 1997. *Physical Activity and Mental Health*. Washington, DC: Taylor and Francis.
- Morris JN, Heady JA, Raffle PAB, Roberts CG, Parks JW. 1953. Coronary heart disease and physical activity of work. *Lancet* 2:1111-1120.
- Myers J, Prakash M, Froelicher V, Do D, Partington S, Atwood JE. 2002. Exercise capacity and mortality among men referred for exercise testing. *New England Journal of Medicine* 346:793-801.
- National Academy of Sciences, Institute of Medicine. 2002. Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein, and amino acids. Washington, DC: National Academies Press.
- Nattiv A, Loucks AB, Manore MM, Sanborn CF, Sundgot-Borgen J, Warren MP. 2007. The female triad: special communication American College of Sports Medicine position stand. *Medicine & Science in Sports & Exercise* 39(10):1867-1882.
- Netz Y, Wu MJ, Beck BJ, Tenenbaum G. 2005. Physical activity and psychological well-being in advanced age: a meta-analysis of intervention studies. *Psychology and Aging* 20(2):272-284.
- Ostbye T, Taylor DH, Jung SH. 2002. A longitudinal study of the effects of tobacco smoking and other modifiable risk factors on ill health in middle-aged and old Americans: results from the Health and Retirement Study and Asset and Health Dynamics among the Oldest Old survey. *Preventive Medicine* 34:334-345.
- Paffenbarger RS, Hyde RT, Wing AL, Hsieh CC. 1986. Physical activity, all-cause mortality, and longevity of college alumni. *New England Journal of Medicine* 314:605-613.
- Paffenbarger RS, Wing AL, Hyde RT. 1978. Physical activity as an index of heart attack risk in college alumni. *American Journal of Epidemiology* 108(3):161-175.
- Pate RR, Pratt M, Blair SN, Haskell WL, Macera CA, Bouchard C, et al. 1996. Physical activity and public health: a recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *Journal of the American Medical Association* 273:402-407.
- Physical Activity Guidelines Advisory Committee. 2008. Physical Activity Guidelines Advisory Committee Report, 2008. Washington, DC: U.S. Department of Health and Human Services.
- Puetz TW, O'Connor PJ, Dishman RK. 2006. Effects of chronic exercise on feelings of energy and fatigue: a quantitative synthesis. *Psychological Bulletin* 132:866-876.
- Raglin JS. 1997. Anxiolytic effects of physical activity. In Morgan WP (Ed), *Physical Activity and Mental Health*. Washington, DC: Taylor and Francis; pp. 107-126.

- Raglin JS, Morgan WP. 1987. Influence of exercise and quiet rest on state anxiety and blood pressure. *Medicine & Science in Sports & Exercise* 19:456-463.
- Robertson C, Campbell AJ, Gardner MM, Devlin N. 2002. Preventing injuries in older people by preventing falls: a meta-analysis of individual-level data. *Journal of the American Geriatrics Society* 50:905-911.
- Rogers LQ, Macera CA, Hootman JM, Ainsworth BE, Blair SN. 2002. The association between joint stress from physical activity and self-reported osteoarthritis: an analysis of the Cooper Clinic data. *Osteoarthritis and Cartilage* 10:617-622.
- Rogers RL, Meyer JS, Mortel KF. 1990. After reaching retirement age physical activity sustains cerebral perfusion and cognition. *Journal of the American Geriatrics Society* 38:123-128.
- Rozanski A, Blumenthal JA, Kaplan J. 1999. Impact of psychological factors on the pathogenesis of cardiovascular disease and implications for therapy. *Circulation* 99:2192-2217.
- Sjosten N, Sivela S. 2006. The effects of physical exercise on depressive symptoms among the aged: a systematic review. *International Journal of Geriatric Psychiatry* 21(5):410-418.
- Strong WB, Malina RM, Bumkie CJR, Daniels SR, Dishman RK, Gutin B, Hergenroeder AC, Must A, Nixon PA, Pivarnik JM, Rowland T, Trost S, Trudeau F. 2005. Evidence based physical activity for school-age youth. *Journal of Pediatrics* 146:732-737.
- Taaffe DR, Irie F, Masaki KH, Abbott RD, Petrovitch H, Ross GW, White LR. 2008. Physical activity, physical function, and incident dementia in elderly men: the Honolulu-Asia Aging Study. *Journal of Gerontology* 63:529-535.
- Taylor AH. 2000. Physical activity, anxiety, and stress. In: Biddle SJH, Fox K., Boutcher SH (Eds), *Physical Activity and Psychological Well-being*. New York: Routledge; pp. 10-45.
- Thompson PD, Franklin BA, Balady GJ, Blair SN, Corrado D, Estes NAM III, Fulton JE, Gordon NF, Haskell WL, Link MS, Maron BJ, Mittleman MA, Pelliccia A, Wenger NK, Willich SN, Costa F. 2007. Exercise and acute cardiovascular events: placing the risks into perspective: a scientific statement from the American Heart Association, Council on Nutrition, Physical Activity, and Metabolism and the Council on Clinical Cardiology. *Circulation* 115:2358-2368.
- Tworoger SS, Yasui Y, Vitiello MV, Schwartz RS, Ulrich CM, Aiello EJ, Irwin ML, Bowen D, Potter JD, McTiernan A. 2003. Effects of a year long moderate-intensity exercise and stretching intervention on sleep quality in postmenopausal women. *Sleep* 26(7): 830-836.
- U.S. Department of Health & Human Services. 2004. *Bone Health and Osteoporosis: A Report of the Surgeon General*. Rockville, MD: U.S. Department of Health & Human Services, Office of the Surgeon General.
- U.S. Department of Health & Human Services. 1998. *Clinical Guidelines on the Identification, Evaluation, and Treatment of Overweight and Obesity in Adults: The Evidence Report*. Bethesda, MD: National Institutes of Health, National Heart, Lung, and Blood Institute; p. x.
- U.S. Department of Health & Human Services. 2008. *2008 Physical Activity Guidelines for Americans*. www.health.gov/PAGuidelines/guidelines/default.aspx
- U.S. Department of Health and Human Services. 1999. *Mental Health: A Report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institute of Mental Health.
- Weuve J, Kang JH, Manson JE, Breteler MMB, Ware JH, Grodstein F. 2004. Physical activity including walking, and cognitive function in older women. *Journal of the American Medical Association* 292(12):1454-1461.
- Williams PT, Wood PD. 2006. The effects of changing exercise levels on weight and age-related weight gain. *International Journal of Obesity (London)* 30(3):543-551.
- Wong PC, Chia MY, Tsou IY, Wansaicheong GK, Tan B, Wang JC, Tan J, Kim CG, Boh G, Lim D. 2008. Effects of a 12-week exercise training programme on aerobic fitness, body composition, blood lipids and c-reactive protein in adolescents with obesity. *Annals of the Academy of Medicine, Singapore* 37(4):286-288.

- Woolf-May K, Kearney EM, Owen A, Jones DW, Davison RCR, Bird SR. 1999. The efficacy of accumulated short bouts versus single daily bouts of brisk walking in improving aerobic fitness and blood lipid profiles. *Health Education Research* 14(6):803-815.
- Xuemei S, LaMonte MJ, Laditka JN, Hardin JW, Chase N, Hooker SP, Blair SN. 2007. Cardio-respiratory fitness and adiposity as mortality predictors in older adults. *Journal of the American Medical Association* 298 (21):2507-2516.
- Yaffe K, Barnes D, Nevitt M, Lui L-Y, Covinsky K. 2001. A prospective study of physical activity and cognitive decline in elderly women: women who walk. *Archives of Internal Medicine* 161:1703-1708.
- Yiannis TE, Amalia YE, Dimitrios B, Stavros KA, Labros SS. 2007. A single bout of brisk walking increases basal very low-density lipoprotein triacylglycerol clearance in young men. *Metabolism* 56(8):1037-1043.
- Youngstedt SD, O'Connor PJ, Dishman RK. 1997. The effects of acute exercise on sleep: a quantitative synthesis. *Sleep* 20(3):203-214.
- Zhang JQ, Ji LL, Nunez G, Feathers S, Hart CL, Yao WX. 2004. Effect of exercise timing on postprandial lipemia in hypertriglyceridemic men. *Canadian Journal of Applied Physiology* 590-603.

Chapter 2

- Agency for Healthcare Research and Quality, U.S. Department of Health & Human Services. 1998. *Clinician's Handbook of Preventive Services*, 2nd edition.
- American Academy of Pediatrics. 1994. Assessing physical activity and fitness in the office setting. *Pediatrics* 93 686-689.
- American College of Sports Medicine. 2000. Exercise testing and prescription for children, the elderly, and pregnant women. In: Franklin BA, Whaley MH, Howley ET (Eds), *ACSM's Guidelines for Exercise Testing and Prescription*, 6th edition. Baltimore: Lippincott Williams & Wilkins; pp. 217-234.
- American College of Sports Medicine position statement on the recommended quantity and quality of exercise for developing and maintaining fitness in healthy adults. 1978. *Medicine & Science in Sports & Exercise* 10(3):vii-x.
- American College of Sports Medicine position stand. 1990 The recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and muscular fitness in healthy adults. *Medicine & Science in Sports & Exercise* 22(2):265-274.
- American College of Sports Medicine Position Stand. 1998 Exercise and physical activity for older adults. *Medicine & Science in Sports & Exercise* 30(6):992-1008.
- American College of Sports Medicine. 2009. Position stand: exercise and physical activity for older adults. *Medicine & Science in Sports & Exercise* 41(7):1510-1530.
- American Heart Association. 1972. *Exercise Testing and Training of Apparently Healthy Individuals: A Handbook for Physicians*. Dallas: American Heart Association.
- American Heart Association. 1975. *Exercise Testing and Training of Individuals With Heart Disease or at High Risk for Its Development: A Handbook for Physicians*. Dallas: American Heart Association.
- American Medical Association. 1996. *Guidelines for Adolescent Preventive Services (GAPS): Recommendations Monograph*, 2nd edition. Chicago: American Medical Association.
- Byers T, Nestle M, McTiernan A, et al. 2002. American Cancer Society guidelines on nutrition and physical activity for cancer prevention: reducing the risk of cancer with healthy food choices and physical activity. *CA: A Cancer Journal for Clinicians* 52:92-119.
- Health Canada. 2002a. *Canada's Physical Activity Guide for Children*. Ottawa, Canada: Minister of Public Works and Government Services.
- Health Canada. 2002b. *Canada's Physical Activity Guide for Youth*. Ottawa, Canada: Minister of Public Works and Government Services.
- Centers for Disease Control and Prevention. 1997. Guidelines for school and community programs to promote lifelong physical activity among young people. *Morbidity and Mortality Weekly Report* 46(No. RR-6):1-36.

- Corbin CB, Pangrazi RP. 1998. *Physical Activity for Children: A Statement of Guidelines*. Reston, VA: National Association for Sport and Physical Education.
- Cress ME, Buchner DM, Prohaska T, Rimmer J, Brown M, Macera C, et al. 2004. Physical activity programs and behavior counseling in older adult populations. *Medicine & Science in Sports & Exercise* 36(11):1997-2003.
- Duncan JJ, Gordon NF, Scott CB. 1991. Women walking for health and fitness. How much is enough? *Journal of the American Medical Association* 266(23):3295-3299.
- Fletcher GF. 1997. How to implement physical activity in primary and secondary prevention: a statement for healthcare professionals from the Task Force on Risk Reduction, American Heart Association. *Circulation* 96:355-357.
- Fulton JE, Garg M, Galuska DA, Rattay KT, Caspersen CJ. 2004. Public health and clinical recommendations for physical activity and physical fitness: special focus on overweight youth. *Sports Medicine* 34(9):581-599.
- Haskell WL, Lee IM, Pate RR, Powell KE, Blair SN, Franklin BA, Macera CA, Heath GW, Thompson PD, Bauman A. 2007. Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medicine & Science in Sports & Exercise* 39(8):1423-1434.
- Morris JN, Heady JA, Raffle PAB, Roberts CG, Parks JW. 1953. Coronary heart disease and physical activity of work. *Lancet* 2:1111-1120.
- National Academy of Sciences, Institute of Medicine. 2002. *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids*. Washington, DC: National Academy Press.
- National Association for Sport and Physical Education. 2000. *Active Start: A Statement of Physical Activity Guidelines for Children Birth to Five Years*. Reston, VA: NASPE.
- National Association for Sport and Physical Education. 2004. *Physical Activity for Children: A Statement of Guidelines for Children ages 5-12*, 2nd edition. Reston, VA: NASPE.
- Nelson ME, Rejeski WJ, Blair SN, Duncan PW, Judge JO, King AC, Macera CA, Castaneda-Sceppa C. 2007. Physical activity and public health in older adults: recommendation from the American College of Sports Medicine and the American Heart Association. *Medicine & Science in Sport & Exercise* 39(8):1435-1445.
- NIH Consensus Development Panel on Physical Activity and Cardiovascular Health. 1996. Physical activity and cardiovascular health. NIH Consensus Conference. *Journal of the American Medical Association* 1996 Jul 17;276(3):241-246.
- Commonwealth Department of Health and Aged Care. 1999. *National Physical Activity Guidelines for Australians*. Sydney: Active Australia.
- Paffenbarger RS Jr, Wing AL, Hyde RT. 1978. Physical activity as an index of heart attack risk in college alumni. *American Journal of Epidemiology* 108(3):161-175.
- Paffenbarger RS, Hale WE. 1975. Work activity and coronary heart mortality. *New England Journal of Medicine* 292(11):545-550.
- Pate RR, Pratt M, Blair SN, et al. 1995. Physical activity and public health: a recommendation from the Centers for Disease Control and Prevention and the American College of Sports Medicine. *Journal of the American Medical Association* 273:402-407.
- Pate RR, Trost SM, Williams C. 1998. Critique of existing guidelines for physical activity in young people. In: Biddle S, Sallis J, Cavill N (Eds), *Young and Active? Young People and Health Enhancing Physical Activity: Evidence and Implications*. London: Health Education Authority; pp. 162-176.
- Patrick K, Spear B, Holt K, et al. (Eds). 2001. *Bright Futures in Practice: Physical Activity*. Arlington, VA: National Center for Education in Maternal and Child Health.
- Physical Activity Guidelines Advisory Committee. 2008. *Physical Activity Guidelines Advisory Committee Report, 2008*. Washington, DC: U.S. Department of Health & Human Services.
- Powell KE, Thompson PD, Caspersen CJ, et al. 1987. Physical activity and the incidence of coronary heart disease. *Annual Review of Public Health* 8:253-287.

- Robert Wood Johnson Foundation. 2001. National blueprint: increasing physical activity among adults age 50 and older. *Journal of Aging and Physical Activity* 9(suppl):s1-s28.
- Sallis JF, Patrick K. 1994. Physical activity guidelines for adolescents: consensus statement. *Pediatric Exercise Science* 6:302-314.
- Strong WB, Malina RM, Blimkie CJ, Daniels SR, Dishman RK, Gutin B, Hergenroeder AC, Must A, Nixon PA, Pivarnik JM, Rowland T, Trost S, Trudeau F. 2005. Evidence based physical activity for school-age youth. *Journal of Pediatrics* 146(6):732-737. www.healthysd.gov/Documents/Youth%20PA%20recs.pdf.
- Taylor HL, Kleptar E, Keys A, Parlin W, Blackburn H, Puchner T. 1962. Death rates among physically active and sedentary employees of the railroad industry. *American Journal of Public Health* 52:1697-1707.
- U.S. Department of Agriculture, U.S. Department of Health & Human Services. 2000. *Nutrition and Your Health: Dietary Guidelines for Americans*, 5th edition. Washington, DC: U.S. Government Printing Office.
- U.S. Department of Health & Human Services and U.S. Department of Agriculture. 2005. *Dietary Guidelines for Americans*, 6th edition, Washington, DC: U.S. Government Printing Office.
- U.S. Department of Health & Human Services. 2008. *2008 Physical Activity Guidelines for Americans*. Washington, DC: U.S. Government Printing Office, October 2008. www.health.gov/paguidelines
- U.S. Department of Health & Human Services. 2000. Physical Activity and Fitness. In: *Healthy People 2010*, 2nd edition. With *Understanding and Improving Health and Objectives for Improving Health*. 2 vols. Washington, DC: U.S. Government Printing Office 122-1 to 22-39. www.healthypeople.gov/Document/HTML/Volume2/22Physical.htm#_Toc490380800.
- U.S. Department of Health & Human Services. 1996. *Physical Activity and Health: A Report of the Surgeon General*. Atlanta: U.S. Department of Health & Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- U.S. Preventive Services Task Force. 1996. *Guide to Clinical Preventive Services*, 2nd edition. Alexandria, VA: International Medical Publishing.
- Williams CL, Hayman LL, Daniels SR, et al. 2002. Cardiovascular health in childhood: a statement for health professionals from the Committee on Atherosclerosis, Hypertension, and Obesity in the Young (AHOY) of the Council on Cardiovascular Disease in the Young, American Heart Association. *Circulation* 106:143-160.

Part II

- Brownson RC, Baker EA, Housemann RA, Brennan LK, Bacak SJ. 2001. Environmental and policy determinants of physical activity in the United States. *American Journal of Public Health* 91:1995-2003.
- Frank LD, Engelke PO. 2001. The built environment and human activity patterns: exploring the impacts of urban form on public health. *Journal of Planning Literature* 16(2):202-218.
- Green, LW, Richard, L, Potvin, L. 1996. Ecological foundations of health promotion. *American Journal of Health Promotion* 10:270-281.
- Handy SL, Boarnet MG, Ewing R, Killingsworth RE. 2002. How the built environment affects physical activity: views from urban planning. *American Journal of Preventive Medicine* 23(2S):64-73.
- Hann NE, Kean TJ, Matulionis RM, Russell CM, Sterling TD. 2004. Policy and environmental change: new directions for public health. *Health Promotion Practice* 5(4):377-381.
- Heath GW, Brownson RC, Kruger JK, Miles R, Powell KE, Ramsey LT. 2006. The effectiveness of urban design and land use policies and practices to increase physical activity: a systematic review. *Journal of Physical Activity and Health* 3(suppl 1):s55-s76.
- Humpel N, Owen N, Leslie E. 2002. Environmental factors associated with adults' participation in physical activity: a review. *American Journal of Preventive Medicine* 22:188-199.

- Kahn EB, Ramsey LT, Brownson RC, Heath GW, Howze EH, Powell KE, Stone EJ, Rajab MW, Corso P; Task Force on Community Preventive Services. 2002. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 22(4S):73-96.
- King AC, Stokols D, Talen E, Brassington GS, Killingsworth R. 2002. Theoretical approaches to the promotion of physical activity: forging a transdisciplinary paradigm. *American Journal of Preventive Medicine* 23(2S):15-25.
- McLeroy KR, Bibeau D, Steckler A, Glanz K. 1988. An ecological perspective on health promotion programs. *Health Education Quarterly* 15:351-377.
- Saelens BE, Sallis JF, Frank LD. 2003. Environmental correlates of walking and cycling: findings from the transportation, urban design, and planning literatures. *Annals of Behavioral Medicine* 25:80-91.
- Sallis JF, Bauman A, Pratt M. 1998. Environmental and policy interventions to promote physical activity. *American Journal of Preventive Medicine* 15(4):379-397.
- Sallis JF, Owen N. 1996. Ecological models. In: Glanz K, Lewis FM, Rimer BK (Eds), *Health Behavior and Health Education: Theory, Research, and Practice*, 2nd edition. San Francisco: Jossey-Bass; pp. 403-424.
- Schmid TL, Pratt M, Witmer L. 2006. A framework for physical activity policy research. *Journal of Physical Activity & Health* Volume 3 (supplement 1):S20-S29.
- U.S. Department of Health & Human Services. 2000. *Healthy People 2010*. Washington, DC: U.S. Government Printing Office.
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.

Chapter 3 Subsection 1

- Berkowitz JM, Huhman M, Nollin MJ. 2008. Did augmenting the VERB campaign advertising in select communities have an effect on awareness, attitudes, and physical activity? *American Journal of Preventive Medicine* 34(6 suppl):S257-S266.
- Bjaras G, Harberg LK, Sydhoff J, Ostenson CG. 2001. Walking campaign: a model for developing participation in physical activity? Experiences from three campaign periods of the Stockholm Diabetes Prevention Program (SDPP). *Patient Education and Counseling* 42(1):9-14.
- Bretthauer-Mueller, R, Berkowitz, JM, Thomas, M, McCarthy, S, Green, LA, Melancon, H, Courtney, AH, Bryant, CA, Dodge, K. 2008. Catalyzing community action within a national campaign: community and national partnerships. *American Journal of Preventive Medicine* 34(6S):S210-S221.
- Brown WJ, Mummery K, Eakin E, Schofield G. 2006. 10,000 Steps Rockhampton: evaluation of a whole community approach to improving population levels of physical activity. *Journal of Physical Activity and Health* 3(1):1-14.
- Cochrane T, Davey RC. 2008. Increasing uptake of physical activity: a social ecological approach. *Journal of the Royal Society for the Promotion of Health* 128(1):31-40.
- De Cocker KA, De Bourdeaudhuij IM, Brown WJ, Cardon GM. 2008. The effect of a pedometer-based physical activity intervention on sitting time. *Preventive Medicine* 47(2):179-181.
- De Cocker KA, De Bourdeaudhuij IM, Brown WJ, Cardon GM. 2007. Effects of "10,000 Steps Ghent" a whole-community intervention. *American Journal of Preventive Medicine* 33(6):455-463.
- Goodman RM, Wheeler FC, Lee PR. 1995. Evaluation of the Heart To Heart Project: lessons from a community-based chronic disease prevention project. *American Journal of Health Promotion* 9(6):443-455.
- Huhman M, Heitzler C, Wong F. 2005. The VERB campaign logic model: a tool for planning and evaluation. *Preventing Chronic Disease [serial online]* 1(3): 1-6.
- Huhman ME, Potter LD, Duke JC, Judkins DR, Heitzler CD, Wong FL. 2007. Evaluation of a national physical activity intervention for children: VERB campaign, 2002-2004. *American Journal of Preventive Medicine* 32(1):38-43.

- Huhman M, Potter LD, Wong FL, et al. 2005. Effects of a mass media campaign to increase physical activity among children: year-1 results of the VERB campaign. *Pediatrics* 116(2):e277-e284.
- Huhman, ME, Potter, LD, Nolin, MJ, Piesse, A, Judkins, DR, Banspach, SW, Wong, FL. 2009. The influence of the VERB campaign on children's physical activity in 2002 to 2006. *American Journal of Public Health* 2009;99(9)1-8.
- Jason LA, Greiner BJ, Naylor K, et al. 1991. A large-scale, short-term, media-based weight loss program. *American Journal of Health Promotion* 5(6):432-437.
- Jordan KC, Erickson ED, Cox R, et al. 2008. Evaluation of the gold medal schools program. *Journal of the American Dietetics Association* 108(11):1916-1920.
- Jenum AK, Anderssen SA, Birkeland KI, et al. 2006. Promoting physical activity in a low-income multiethnic district: effects of a community intervention study to reduce risk factors for type 2 diabetes and cardiovascular disease: a community intervention reducing inactivity. *Diabetes Care* 29(7):1605-1612.
- Kahn EB, Ramsey LT, Brownson RC, et al. 2002. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 22(4 suppl 1):73-107.
- Lorentzen C, Ommundsen Y, Jenum AK, Holme I. 2007. The "Romsas in Motion" community intervention: program exposure and psychosocial mediated relationships to change in stages of change in physical activity. *International Journal of Behavioral Nutrition and Physical Activity* 4:15.
- Luepker RV, Murray DM, Jacobs DR Jr, et al. 1994. Community education for cardiovascular disease prevention: risk factor changes in the Minnesota Heart Health Program. *American Journal of Public Health* 84(9):1383-1393.
- Malmgren S, Andersson G. 1986. Who were reached by and participated in a one year newspaper health information campaign? *Scandinavian Journal of Public Health Supplement* 14(3):133-140.
- Matsuda S, Matsudo V, Andrade D, et al. 2004. Physical activity promotion: experiences and evaluation of the Agita Sao Paulo Program using the ecological mobile model. *Journal of Physical Activity and Health* 1(2):81-97.
- Matsudo V, Matsuda S, Andrade D, et al. 2002. Promotion of physical activity in a developing country: the Agita Sao Paulo experience. *Public Health Nutrition* 5(1A):253-261.
- Meyer AJ, Nash JD, McAlister AL, et al. 1980. Skills training in a cardiovascular health education campaign. *Journal of Consulting and Clinical Psychology* 48(2):129-142.
- Neiger BL, Thackeray R, Hanson CL, Rigby S, Hussey C, Anderson JW. 2008. A policy and environmental response to overweight in childhood: the impact of Gold Medal Schools. *Preventing Chronic Disease* 5(4):A132.
- Osler M, Jespersen NB. 1993. The effect of a community-based cardiovascular disease prevention project in a Danish municipality. *Danish Medical Bulletin* 40(4):485-489.
- Owen N, Bauman A, Booth M, et al. 1995. Serial mass-media campaigns to promote physical activity: reinforcing or redundant? *American Journal of Public Health* 85(2):244-248.
- Pearson TA, Wall S, Lewis C, et al. 2001. Dissecting the "black box" of community intervention: lessons from community-wide cardiovascular disease prevention programs in the US and Sweden. *Scandinavian Journal of Public Health Supplement* 56: 69-78.
- Reger B, Cooper L, Booth-Butterfield S, et al. 2002. Wheeling Walks: a community campaign using paid media to encourage walking among sedentary older adults. *Preventive Medicine* 35(3):285-292.
- Reger-Nash B, Bauman A, Booth-Butterfield S, et al. 2005. Wheeling Walks: evaluation of a media-based community intervention. *Family and Community Health* 28(1):64-78.
- Reger-Nash B, Bauman A, Cooper L, et al. 2008. WV Walks: replication with expanded reach. *Journal of Physical Activity and Health* 5(1):19-27.
- Reger-Nash B, Fell P, Spicer D, et al. 2006. BC Walks: replication of a communitywide physical activity campaign. *Preventing Chronic Disease* 3(3):A90.

- Task Force on Community Preventive Services. 2002. Recommendations to increase physical activity in communities. *American Journal of Preventive Medicine* 22 (4 suppl):67-72.
- Tudor-Smith C, Nutbeam D, Moore L, Catford J. 1998. Effects of the Heartbeat Wales programme over five years on behavioural risks for cardiovascular disease: quasi-experimental comparison of results from Wales and a matched reference area. *British Medical Journal* 316(7134):818-822.
- Wimbush E, Macgregor A, Fraser E. 1998. Impacts of a national mass media campaign on walking in Scotland. *Health Promotion International* 13(1):45-53.
- Wong F, Huhman M, Heitzler C, et al. 2005. VERB—a social marketing campaign to increase physical activity among youth. *Preventing Chronic Disease [serial online]* 1(3):1-7.
- Young DR, Haskell WL, Taylor CB, Fortmann SP. 1996. Effect of community health education on physical activity knowledge, attitudes, and behavior: the Stanford Five-City Project. *American Journal of Epidemiology* 144(3):264-274.
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.

Chapter 3 Subsection 2

- Adams J, White M. 2002. A systematic approach to the development and evaluation of an intervention promoting stair use. *Health Education Journal* 61(3):272-286.
- Andersen RE, Franckowiak SC, Snyder J, et al. 1998. Can inexpensive signs encourage the use of stairs? Results from a community intervention [see comments]. *Annals of Internal Medicine* 129:363-369.
- Andersen RE, Franckowiak SC, Zuzak KB, et al. 2000. Community intervention to encourage stair use among African American commuters [abstract]. *Medicine and Science in Sports and Exercise* 32:38.
- van den Auweele Y, Boen F, Schapendonk W, Dornez K. 2005. Promoting stair use among females employees: the effects of a health sign followed by an e-mail. *Journal of Sport & Exercise Psychology* 27:188-196.
- Blamey A, Mutrie N, Aitchison T. 1995. Health promotion by encouraged use of stairs. *British Medical Journal* 311:289-290.
- Boutelle KN, Jeffery RW, Murray DM, Schmitz MK. 2001. Using signs, artwork, and music to promote stair use in a public building. *American Journal of Public Health* 91(12):2004-2006.
- Brownell KD, Stunkard AJ, Albaum JM. 1980. Evaluation and modification of exercise patterns in the natural environment. *American Journal of Psychiatry* 137:1540-1545.
- Centers for Disease Control and Prevention. 2007. *StairWELL to Better Health*. www.cdc.gov/nccdphp/dnpa/hwi/toolkits/stairwell/.
- Coleman KJ, Gonzalez EC. 2001. Promoting stair use in a US-Mexico border community. *American Journal of Public Health* 91(12):2007-2009.
- Dolan L, Weiss A, Lewis RA, Pietrobelli A, Heo H, Faith MS. 2006. Take the stairs instead of the escalator: effect of environmental prompts on community stair use and implications for a national "Small Steps" campaign. *Obesity Reviews* 7:25-32.
- Eves FF, Masters RS. 2006. An uphill struggle: effects of a point-of-choice stair climbing intervention in a non-English speaking population. *International Journal of Epidemiology* 35:1286-1290.
- Eves FF, Olander EK, Nicoll G, Puig-Ribera A, Griffin C. 2009. Increasing stair climbing in a train station: effects of contextual variables and visibility. *Journal of Environmental Psychology* 29(2):300-303.
- Eves FF, Webb OJ. 2006. Worksite interventions to increase stair climbing: reasons for caution. *Preventive Medicine* 43:4-7.
- Eves FF, Webb OJ, Mutrie N. 2006. A workplace intervention to promote stair climbing: greater effects in the overweight. *Obesity* 14:2210-2216.

- Iversen MK, Händel MN, Jensen EN, Frederiksen P, Heitman BL. 2007. Effect of health-promoting posters placed on the platforms of two train stations in Copenhagen, Denmark, on the choice between taking the stairs or the escalator: a secondary publication. *International Journal of Obesity* 31:950-955.
- Kahn, E.B., Ramsey, L.T., Brownson, R.C., et al. 2002. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 22(4 suppl):73-107.
- Kerr J, Eves F, Carroll D. 2000. Posters can prompt less active people to use the stairs. *Journal of Epidemiology and Community Health* 54:942-943.
- Kerr J, Eves F, Carroll D. 2001. Getting more people on the stairs: the impact of a new message format. *Journal of Health Psychology* 91(12):2007-2009.
- Kerr NA, Yore MM, Ham SA, Dietz WH. 2004. Increasing stair use in a worksite through environmental changes. *American Journal of Health Promotion* 18(4):312-315.
- Kwak L, Kremers SPJ, van Baak MA, Brug J. 2007. A poster-based intervention to promote stair use in blue- and white-collar worksites. *Preventive Medicine* 45:177-181.
- Marshall AL, Bauman AC, Patch C, et al. 2002. Can motivational signs prompt increases in physical activity in an Australian health-care facility? *Health Educational Research* 17(6):743-749.
- Olander EK, Eves FF, Puig-Ribera A. 2008. Promoting stair climbing: stair-riser banners are better than posters . . . sometimes. *Preventive Medicine* 46(4):308-310.
- Russell W, Dziewaltowski D, Ryan G. 1999. The effectiveness of a point-of-decision prompt in deterring sedentary behavior. *American Journal of Health Promotion* 13:257-259.
- Russell WD, Hutchison J. 2000. Comparison of health promotion and deterrent prompts in increasing use of the stairs over escalators. *Perceptive Motor Skills* 91(1):55-61.
- Soler RE, Leeks KD, Buchanan RC, Brownson RC, Heath GW, Hopkins DH, Task Force on Community Preventive Services. 2010. Point-of-decision prompts to increase stair use: a systematic review update. *American Journal of Preventive Medicine*. 38(2S): s290-s300.
- Soler RE, Leeks KD, Hopkins DH. 2005. Point-of-decision prompts to increase stair use: an update. A presentation to the Task Force on Community Preventive Services, Atlanta, GA.
- Task Force on Community Preventive Services. 2001. Increasing physical activity: a report on recommendations of the Task Force on Community Preventive Services. *Morbidity and Mortality Weekly Report* 50(No. RR-18):1-16.
- U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Nutrition and Physical Activity. 1999. *Promoting Physical Activity: A Guide for Community Action*. Champaign, IL: Human Kinetics: p. 364.
- Webb OJ, Eves FF. 2005. Promoting stair climbing: single vs. multiple messages. *American Journal of Public Health* 95:1543-1544.
- Webb OJ, Eves FF. 2007. Promoting stair climbing: intervention effects generalize to a subsequent stair ascent. *American Journal of Health Promotion* 22:114-119.
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.
- Chapter 4 Subsection 1
- Allegrante JP, Michela JL. 1990. Impact of a school-based workplace health promotion program on morale of inner-city teachers. *Journal of School Health* 60:25-28.
- American Cancer Society. 1999. *Improving School Health: A Guide to School Health Councils*. Atlanta: American Cancer Society.
- Centers for Disease Control and Prevention. 2006. Youth Risk Behavior Surveillance—United States, 2005. Surveillance Summaries, June 6, 2006. *Morbidity and Mortality Weekly Report* 55:No. SS-5.

- Centers for Disease Control and Prevention, Division of Nutrition, Physical Activity and Obesity. State legislative database. <http://apps.nccd.cdc.gov/DNPAleg/index.asp>. Accessed August 31, 2007.
- Coleman KJ, Tiller CL, Sanchez J, Heath EM, Sy O, Milliken G, Dzewaltowski DA. 2005. Prevention of the epidemic increase in child risk of overweight in low-income schools: the El Paso Coordinated Approach to Child Health. *Archives of Pediatrics and Adolescent Medicine* 159:217-224.
- Cullen KW, Baranowski T, Herbert D, deMoor C, Hearn MD, Resnicow K. 1999. Influence of school organizational characteristics on the outcomes of a school health promotion program. *Journal of School Health* 69:376-380.
- Donnelly JE, Jacobsen DJ, Whatley JE, et al. 1996. Nutrition and physical activity program to attenuate obesity and promote physical and metabolic fitness in elementary school children. *Obesity Research* 4(3):229-243.
- Fardy PS, White RE, Haltiwanger-Schmitz K, et al. 1996. Coronary disease risk factor reduction and behavior modification in minority adolescents: the PATH Program. *Journal of Adolescent Health* 18:427-453.
- Fetro JV. 1998. Implementing coordinated school health programs in local schools. In: Marx E, Wooley SF, Northrop D (Eds), *Health Is Academic*. New York: Teachers College Press; pp. 15-42.
- Harrell JS, McMurray RG, Bangdiwala SI, et al. 1996. Effects of a school-based intervention to reduce cardiovascular disease risk factors in elementary-school children: the Cardiovascular Health in Children (CHIC) study. *Journal of Pediatrics* 128:797-805.
- Heath EM, Coleman, KJ. 2003. Adoption and institutionalization of the Child and Adolescent Trail for Cardiovascular Health (CATCH) in El Paso, Texas. *Health Promotion Practice* 4:157-164.
- Kahn EB, Ramsey LT, Brownson RC, et al. 2002. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 22(4 suppl):73-107.
- Lee SM, Burgeson CR, Fulton JE, Spain C. 2007. Physical education and physical activity: results from the School Health Policies and Programs Study 2006. *Journal of School Health* 77(8):435-463.
- Manios Y, Moschandreas J, Hatzis C, Kafatos A. 1999. Evaluation of a health and nutrition education program in primary school children of Crete over a three-year period. *Preventive Medicine* 28:149-159.
- McKenzie TL, Nader PR, Strikmiller PK, et al. 1996. School physical education: effect of the child and adolescent trial for cardiovascular health. *Preventive Medicine* 25:423-431.
- McKenzie TL, Feldman H, Woods SE, Romero KA, Dahlstrom V, Stone EJ, Strikmiller PK, Williston JM, Harsha DW. 1995. Student activity levels and lesson context during third-grade physical education. *Research Quarterly for Exercise and Sport* 66:184-193.
- National Association for Sport and Physical Education. 2004. *Moving Into the Future: National Standards for Physical Education*, 2nd edition. Reston, VA: National Association for Sport and Physical Education.
- Pate R, Ward DS, Saunders RP, Felton G, Dishman RK, Dowda M. 2005. Promotion of physical activity among high school girls: a randomized controlled trial. *American Journal of Public Health* 95:1582-1587.
- Sallis JF, McKenzie TL, Alcaraz JE, et al. 1997. The effects of a 2-year physical education program (SPARK) on physical activity and fitness in elementary school students. *American Journal of Public Health* 87(8):1328-1334.
- Simons-Morton BG, Parcel GS, Baranowski T, et al. 1991. Promoting physical activity and a healthful diet among children: results of a school-based intervention study. *American Journal of Public Health* 81(8):986-991.
- U.S. Department of Health & Human Services. 2000. *Healthy People 2010*, 2nd edition. With *Understanding and Improving Health and Objectives for Improving Health*. 2 volumes. Washington, DC: U.S. Government Printing Office.

- U.S. Department of Health & Human Services. 2008. *Physical Activity Guidelines for Americans*. Washington, DC: U.S. Government Printing Office.
- Vandongen R, Jennfer DA, Thompson C, et al. 1995. A controlled evaluation of a fitness and nutrition intervention program on cardiovascular health in 10- to 12-year-old children. *Preventive Medicine* 24:9-22.
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.

Chapter 4 Subsection 2

- Brownson RC, Haire-Joshu D, Luke DA 2006. Shaping the context of health: a review of environmental and policy approaches in the prevention of chronic diseases. *Annual Review of Public Health* 27:17.1-17.30.
- Castro CM, King AC. 2002. Telephone assisted counseling for physical activity. *Exercise and Sport Sciences Reviews* 30(2):64-68.
- Chen AH, Sallis JF, Castro CM, et al. 1998. A home-based behavioral intervention to promote walking in sedentary ethnic minority women: Project WALK. *Women's Health* 4(1):19-39.
- Coleman KJ, Raynor HR, Mueller DM, et al. 1999. Providing sedentary adults with choices for meeting their walking goals. *Preventive Medicine* 28:510-519.
- Dunn, AL, Marcus BH, Kampert JB, et al. 1999. Comparison of lifestyle and structured interventions to increase physical activity and cardiorespiratory fitness: a randomized trial. *Journal of the American Medical Association* 281(4):327-334.
- Etkin C et al. 2006. Feasibility of implementing the Strong for Life program in community settings. *Gerontologist* 46(2):284-292.
- Foster C, Hillsdon M, Thorogood M. 2005. Interventions for promoting physical activity. *Cochrane Database of Systematic Reviews* (1):CD003180.
- Humpel N, Marshall A, Iverson D, et al. 2004. Trial of print and telephone delivered interventions to influence walking. *Preventive Medicine* 39:635-641.
- Jarvis KL, Friedman RH, Heeren T, Cullinane PM. 1997. Older women and physical activity: using the telephone to walk. *Women's Health Issues* 7(1):24-29.
- Jette AM, Lachman M, Giorgetti MM, et al. 1999. Exercise—it's never too late: the Strong-for-Life Program. *American Journal of Public Health* 89(1):66-72.
- Kahn EB, Ramsey LT, Brownson R, et al. 2002. Task Force on Community Preventive Services. The effectiveness of interventions to increase physical activity. *American Journal of Preventive Medicine* 22(4S):73-107.
- King AC, Carl F, Birkel L, Haskell WL. 1988. Increasing exercise among blue-collar employees: the tailoring of worksite programs to meet specific needs. *Preventive Medicine* 17(3):357-365.
- King AC, Haskell WL, Taylor CB, et al. 1991. Group vs. home-based exercise training in healthy older men and women: a community-based clinical trial. *Journal of the American Medical Association* 266(11):1535-1542.
- King AC, Haskell WL, Young DR, et al. 1995. Long term effects of varying intensities and formats of physical activity on participation rates, fitness, and lipoproteins in men and women aged 50 to 65 years. *Circulation* 91(10):2596-2604.
- King AC, Taylor CB, Haskell WL, DeBusk RF. 1988. Strategies for increasing early adherence to and long-term maintenance of home-based exercise training in healthy middle-aged men and women. *American Journal of Cardiology* 61(8):628-632.
- Marcus BH, Bock BC, Pinto BM, et al. 1998. Efficacy of an individualized motivationally-tailored physical activity intervention. *Annals of Behavioral Medicine* 20(3):174-180.
- Marcus BH, Forsyth LH. 2009. *Motivating People to be Physically Active*. Champaign, IL: Human Kinetics.

- Marcus BH, Lewis BA, Williams DM, Dunsiger S, Jakkic JM, Whiteley JA, et al. 2007. A comparison of internet and print-based physical activity interventions. *Archives of Internal Medicine* 167:944-949.
- Marcus BH, Nigg CR, Riebe D, Forsyth LAH. 2000. Interactive communication strategies: implications for population-based physical activity promotion. *American Journal of Preventive Medicine* 19(2):121-126.
- Marcus BH, Owen N, Forsyth LAH., Cavill NA, Fridinger F. 1998. Physical activity interventions using mass media, print media, and information technology. *American Journal of Preventive Medicine* 15(4):362-378.
- Marshall AL, Owen N, Bauman AE. 2004. Mediated approaches for influencing physical activity: update of the evidence on mass media, print, telephone and website delivery of interventions. *Journal of Science and Medicine in Sport* 7(1 suppl):74-80.
- Mayer JA, Jermanovich A, Wright BL, et al. 1994. Changes in health behaviors of older adults: the San Diego Medicare Preventive Health Project. *Preventive Medicine* 23(2):127-133.
- McAuley E, Courneya KS, Rudolph DL, Lox CL. 1994. Enhancing exercise adherence in middle-aged males and females. *Preventive Medicine* 23(4):498-506.
- Napolitano MA, Marcus BH. 2002. Targeting and tailoring physical activity information using print and information technologies. *Exercise and Sport Sciences Reviews* 30(3):122-128.
- Owen N, Christina L, Naccarella L, Haag K. 1987 Exercise by mail: a mediated behavior-change program for aerobic exercise. *Journal of Sport Psychology* 9:346-357.
- Pinto B, Friedman R, Marcus B. 2002. Effects of a computer-based, telephone counseling system on physical activity. *American Journal of Preventive Medicine* 23(2):113-120.
- U.S. Department of Health & Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and health Promotion, Division of Nutrition and Physical Activity. 1999. *Promoting Physical Activity: A Guide for Community Action*. Champaign, IL: Human Kinetics.
- Vandelanotte C, Spathonis KM, Eakin EG, Owen N. 2007. Website-delivered physical activity interventions: a review of the literature. *American Journal of Preventive Medicine* 33(1):54-64.
- Vandelanotte C, Bourdeaudhuij ID, Sallis JF, Spittaels H, Brug J. 2005. Efficacy of sequential or simultaneous interactive computer-tailored interventions for increasing physical activity and decreasing fat intake. *Annals of Behavioral Medicine* 29(2):138-146.
- van den Berg MH, Schoones JW, Vliet Vlieland TPM. 2007. Internet-based physical activity interventions: A systematic review of the literature. *Journal of Medical Internet Research* 9(3):e26.
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.

Chapter 4 Subsection 3

- Avila P, Hovell M. 1994. Physical activity training for weight loss in Latinas: a controlled trial. *International Journal of Obesity and Related Metabolic Disorders* 18:476-482.
- Baker E, Brennan L, et al. 2000. Measuring the determinants of physical activity in the community: current and future directions. *Research Quarterly for Exercise and Sport* 71:(2 suppl):S146-S158.
- Briss PA, Zaza S, et al. 2000. Developing an evidence-based Guide to Community Preventive Services—methods. The Task Force on Community Preventive Services. *American Journal of Preventive Medicine* 18(1 suppl):35-43.
- Briss PA, Brownson RC, et al. 2004. Developing and using the Guide to Community Preventive Services: lessons learned about evidence-based public health. *Annual Review of Public Health* 25:281-302.

- Elliot DL, Goldberg L, et al. 2004. The PHLAME firefighters' study: feasibility and findings. *American Journal of Health Behavior* 28(1):13-23.
- Gill A, Veigl V, et al. 1984. A well woman's health maintenance study comparing physical fitness and group support programs. *Occupational Therapy Journal of Research* 4:286-308.
- Heaney CA, Israel BA. 2002. Social networks and social support. In: Glanz K, Rimer BK, Lewis FM (Eds), *Health Behavior and Health Education: Theory, Research and Practice*, 3rd edition. San Francisco: Jossey-Bass; pp. 185-209.
- Heath GW, Brownson RC, et al. 2006) The effectiveness of urban design and land use and transport policies and practices to increase physical activity: a systematic review. *J Physical Activity and Health* 3(suppl 1):S55-S76.
- Hillsdon M, Foster C, et al. 2005. Interventions for promoting physical activity. *Cochrane Database of Systematic Reviews* (1):CD003180.
- Jason L, Greiner B, et al. 1991. A large-scale, short-term, media-based weight loss program. *American Journal of Health Promotion* 5:432-437.
- Kahn EB, Ramsey LT, Brownson RC, Heath GW, Howze EH, Powell KE, Stone EJ, Rajab MW, Corso P, and the Task Force on Community Preventive Services. 2002. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 22(4S):73-96.
- King A. 1988. Strategies for increasing early adherence to and long-term maintenance of home-base exercise training in healthy middle-aged men and women. *American Journal of Cardiology* 61:628-632.
- King A, Frederiksen L. 1984. Low-cost strategies for increasing exercise behavior: relapse preparation training and social support. *Behavior Modification* 8:3-21.
- Kriska A, Bayles C, et al. 1986. A randomized exercise trial in older women: increased activity over two years and the factors associated with compliance. *Medicine & Science in Sports & Exercise* 18:557-562.
- Lombard D, Lombard T, et al. 1995. Walking to meet health guidelines: the effect of prompting frequency and prompt structure. *Health Psychology* 14:164-170.
- Peterson JA, Yates BC, et al. 2005. Effects of a physical activity intervention for women. *Western Journal of Nursing Research* 27(1):93-110.
- U.S. Department of Health & Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Nutrition and Physical Activity. 1999. *Promoting Physical Activity: A Guide for Community Action*. Champaign, IL: Human Kinetics p. 364.
- Simmons D, Fleming C, et al. 1998. A pilot urban church-based program to reduce risk factors for diabetes among Western Samoans in New Zealand. *Diabetic Medicine* 15:136-142.
- Wankel L, Yardley J, et al. 1985. The effects of motivational interventions upon the exercise adherence of high and low self-motivated adults. *Canadian Journal of Applied Sport Sciences/Journal canadien des sciences appliquées au sport* 10:147-156.
- Williams DM, Matthews CE, et al. 2008. Interventions to increase walking behavior. *Medicine & Science in Sports & Exercise* 40(7 suppl):S567-S573.
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.

Chapter 5 Subsection 1

- Blair SN, Piserchia P, Wilbur C, Crowder J. 1986. A public health intervention model for worksite health promotion: impact on exercise and physical fitness in a health promotion plan after 24 months. *Journal of American Medical Association* 255:921-926.
- Bowne DW, Russell M, Morgan J, Optenberg S, Clarke A. 1984. Reduced disability and health care costs in an industrial fitness program. *Journal of Occupational Medicine* 26(11):809-816.

- Boarnet MG, Anderson C, Day K, McMillan T, Alfonzo M. 2005. Evaluation of the California Safe Routes to School legislation: urban form changes and children's active transportation to School. *American Journal of Preventive Medicine* 28(2S2):134-140.
- Brownson RC, Hagood L, Lovegreen S, Britton B, Caito N, Elliott M, et al. 2005. A multilevel ecological approach to promoting walking in rural communities. *Preventive Medicine* 41:837-842.
- Brownson RC, Houseman R, Brown D, Jackson-Thompson J, King A, Malone B, Sallis J. 2000. Promoting physical activity in rural communities: walking trail access, use, and effects. *American Journal of Preventive Medicine* 18(3):235-241.
- Brownson RC, Smith C, Pratt M, et al. 1996. Preventing cardiovascular disease through community-based risk reduction: the Bootheel Heart Health Project. *American Journal of Public Health*. 86(2):206-213.
- Carande-Kulis VG, Maciosek M, Briss P, et al. 2000. Methods for systematic reviews of economic evaluations for the *Guide to Community Preventive Services*. *American Journal of Preventive Medicine* 18(1 suppl):L75-91.
- Cady LD Jr, Thomas P, Karwasky R. 1985. Program for increasing health and physical fitness of fire fighters. *Journal of Occupational Medicine* 27(2):110-114.
- Eddy JM, Eynon D, Nagy S, Paradossi P. 1990. Impact of a physical fitness program in a bluecollar workforce. *Health Values* 14(6):14-23.
- Eyler AA, Mayer J, Rafii R, Houseman R, Brownson R, King A. 1999. Key informant surveys as a tool to implement and evaluate physical activity interventions in the community. *Health Education Research* 14:289-298.
- Giles-Corti B, Broomhall MH, Knuiaman M, Collins C, Douglas K, Ng K, Lange A, Donovan RRJ. 2005. Increasing walking: How important is distance to, attractiveness, and size of public open space? *American Journal of Preventive Medicine* 28(2S2):169-176.
- Godbey GC, Caldwell L, Floyd M, Payne L. 2005. Contributions of leisure studies and recreation and park management research to the active living agenda. *American Journal of Preventive Medicine* 28(2, suppl 2):150-158.
- Golaszewski T, Snow D, Lynch W, Yen L, Solomita D. 1992. A benefit-to-cost analysis of a work-site health promotion program. *Journal of Occupational Medicine* 34(12):1164-1172.
- Guide to Community Preventive Services. 2001. Economic evaluation abstraction form, version 3.0. www.thecommunityguide.org/index.html.
- Heirich MA, Foote A, Erfurt J, Konopka B. 1993. Work-site physical fitness programs: comparing the impact of different program designs on cardiovascular risks. *Journal of Occupational Medicine* 35:510-517.
- Henritze J, Brammell H, McGloin J. 1992. LIFE CHECK: a successful, low touch, low tech, in-plant, cardiovascular disease risk identification and modification program. *American Journal of Health Promotion* 7(2):129-136.
- Kahn EB, Ramsey L, Brownson R, Heath G, Howze E, Powell K, Stone E, Rajab M, Corso P. 2002. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 22(4 suppl):73-107.
- King AC, Carl F, Birkel L, Haskell W. 1988. Increasing exercise among blue-collar employees: the tailoring of worksite programs to meet specific needs. *Preventive Medicine* 17(3):357-365.
- Larsen P, Simons N. 1993. Evaluating a federal health and fitness program: indicators of improving health. *AAOHN Journal* 41(3):143-148.
- Lewis CE, Raczynski J, Heath G, Levinson R, Hilyer J, Cutter G. 1993. Promoting physical activity in low-income African-American communities: the PARR project. *Ethnicity and Disease* 3(2):106-118.
- Linenger JM, Chesson C, Nice D. 1991. Physical fitness gains following simple environmental change. *American Journal of Preventive Medicine* 7(5):298-310.
- Moody JS, Prochaska J, Sallis J, McKenzie T, Brown M, Conway T. 2004. Viability for parks and recreation centers as sites for youth physical activity promotion. *Health Promotion and Practice* 5:438-443.

- Sallis JF, Conway T, Prochaska J, McKenzie T, Marshall S, Brown M. 2001. The association of school environments with youth physical activity. *American Journal of Public Health* 91:618-620.
- Staunton CE, Hubsmith D, Kallins W. 2003. Promoting safe walking and biking to school: the Marin County success story. *American Journal of Public Health* 93:1431-1434.
- Wang G, Macera C, Scudder-Soucie B, Schmid T, Pratt M, Buchner D. 2004. Cost effectiveness of a bicycle/pedestrian trail development in health promotion. *Preventive Medicine* 38(2):237-242.
- Wiggs I, Brownson R, Baker E. 2006. If you build it, they will come: lessons from developing walking trails in rural Missouri. *Health Promotion Practice* 10(10):1-8
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.
- Chapter 5 Subsection 2
- Amarasinghe A, D'Sousa G, Brown, C, Borisova, T. 2006. The Impact of Socioeconomic and Spatial Differences on Obesity in West Virginia. Agricultural and Applied Economics Association, Annual Meeting, July 23-26, Long Beach, CA. <http://purl.umn.edu.21159>.
- Bassett DR, Pucher J, Buehler R, Thompson DL, Crouter SE. 2008. Walking, cycling and obesity rates in Europe, North America and Australia. *Journal of Physical Activity and Health* 5:795-814.
- Besser LM, Dannenberg AL. 2005. Walking to public transit: steps to help meet physical activity recommendations. *American Journal of Preventive Medicine* 29:273-280.
- Boarnet MG, Anderson C, Day K, McMillan T, Alfonzo M. 2005. Evaluation of the California Safe Routes to School legislation: urban form changes and children's active transportation to school. *American Journal of Preventive Medicine* 28:134-140.
- Centers for Disease Control and Prevention (CDC). 2004. KidsWalk-to-School: KidsWalk-to-School Encourages Pedestrian Safety 2004. www.cdc.gov/nccdphp/dnpa/kidswalk/.
- Cervero, R. 1988. Land-use mixing and suburban mobility. *Transportation Quarterly* 42:429-446.
- Cervero R, Radisch C. 1996. Travel choices in pedestrian versus automobile oriented neighborhoods. *Transport Policy* 3:127-141.
- Cleary J, McClintock H. 2000. Evaluation of the cycle challenge project: A case study of the Nottingham cycle-friendly employers project. *Transport Policy* 7:117-125.
- Cooper AR, Page AS, Foster LJ, Qahwaji D. 2003. Commuting to school: are children who walk more physically active? *American Journal of Preventive Medicine* 25: 273-276.
- Craig C, Brownson R, Cragg S, Dunn A. 2002. Exploring the effect of the environment on physical activity: a study examining walking to work. *American Journal of Preventive Medicine* 23:S36-S43.
- deVries SI, Bakker I, van Mechelen W, Hopman-Rock M. 2007. Determinants of activity-friendly neighborhoods for children: results from the SPACE study. *American Journal of Health Promotion* 27(suppl 4):312-316.
- Ewing R, Schmid TL, Killingsworth R, Zlot A, Raudenbush S. 2003. Relationship between urban sprawl and physical activity, obesity and morbidity. *American Journal of Health Promotion* 18:47-57.
- Frank LD, Andersen MA, Schmid TL. 2004. Obesity relationships with community design, physical activity, and time spent in cars. *American Journal of Preventive Medicine* 27(4): 87-96.
- Frank LD, Engelke PO, Schmid TL. 2003. *Health and Community Design: The Impact of the Built Environment on Physical Activity*. Washington, DC: Island Press.
- Frank LD, Sallis JF, Conway T L, Chapman J E, Saelens BE, Bachman W. 2006. Associations between neighborhood walkability and active transportation, body mass index, and air quality. *Journal of the American Planning Association* 72(1):75-87.

- Frank LD, Saelens BE, Powell KE, Chapman JE. 2007. Stepping towards causation: Do built environments or neighborhood and travel preferences explain physical activity and driving behavior? *Social Science and Medicine* 65:1898-1914.
- Li F, Fisher KJ, Brownson RC, Bosworth M. 2005. Multilevel modeling of built environment characteristics related to neighborhood walking activity in older adults. *Journal of Environmental and Community Health* 59:558-564.
- Gomez LF, Jacoby E, Mosquera J. 2006. Urban Design, Transportation, Physical Activity and Quality of Life, Lessons from Bogota Columbia. Paper presented at the International Congress on Physical Activity and Health, Atlanta, April 18, 2006.
- Gordon-Larsen P, Nelson MC, Page P, Popkin BM. 2006. Inequality in the built environment underlies key health disparities in physical activity and obesity. *Pediatrics* 117(2):417-424.
- Greenberg M, Renne J, Lane R, Zupan J. 2005. Physical activity and the use of suburban train stations: an exploratory analysis. *Journal of Public Transportation* 8(3): 89-116.
- Handy SL, Xinyu Cao, Mokhtarian P L. 2006. Self-selection in the relationship between the built environment and walking: empirical evidence from northern California. *Journal of the American Planning Association* 72(1):55-74.
- Heath GW, Brownson RC, Kruger J, Miles R, Powell K, Ramsey LT, and the Task Force on Community Preventive Services. 2006. The Effects of Urban Design and Land Use and Transportation Policies and Practices to Increase Physical Activity: A Systematic Review *Journal of Physical Activity and Health* 3, Suppl 1, S55-S76.
- Kerr J, Frank L, Sallis J, Chapman J. 2007. Urban form correlates of pedestrian travel in youth: differences by gender, race-ethnicity and household attributes. *Transportation Research Part D: Transportation and Environment* 12(3): 177-182.
- Lawlor, DA, Ness AR, Cope AM, Davis A, Insall P, Riddoch C. 2003. The challenges of evaluating environmental interventions to increase population levels of physical activity: the case of the UK National Cycle Network. *Journal of Epidemiology and Community Health* 57: 96-101
- Lee C, Moudon AV. 2006. Environmental and socio-demographic correlates of walking for transportation or recreation purposes. *Journal of Physical Activity and Health* 3(suppl 1) S77-S98.
- Librett J, Yore, M, Schmid TL, Kohl HW III. 2007. Do physical activity levels predict demand for activity-friendly communities? *Health and Place* 13(3):767-733.
- Mc Nally MG, Kulkarni A. 1996. Assessment of influence of land use-transportation system on travel behavior. *Transportation Research Record* 1607:105-115.
- Moudon AV, Lee C, Cheadle A, Garvin C, Johnson D, Schmid T, Weathers R, Lin L. 2006. Operational definitions of walkable neighborhood: theoretical and empirical insights. *Journal of Physical Activity and Health* 3(suppl):S99-S117.
- Mutrie N, Carney C, Blamey A, Crawford F, Aitchison T, Whitelaw A. 2002. "Walk in the Work Out": a randomized control trial of a self-help intervention to promote active commuting. *Journal of Epidemiology and Community Health* 56:407-412.
- NICE. 2006. Physical Activity and the Environment: Transport Evidence Review. NICE Public Health Collaborating Centre—Physical Activity. www.nice.org.uk/nicemedia/pdf/word/Transport%20evidence%20review.doc
- Oja P, Vuori I, Paronen O. 1998. Daily walking and cycling to work: their utility as health-enhancing physical activity. *Patient Education and Counseling* 33:S87-S94.
- Pucher, J. 1997. Bicycling boom in Germany: a revival engineered by public policy. *Transportation Quarterly* 51:31-46.
- Rutt CD, Coleman KJ. 2005a. Examining the impact of the built environment on body mass index (BMI) and vigorous physical activity along the U.S./Mexico border. *Preventive Medicine* 40:831-841.
- Rutt CD, Coleman KJ. 2005b. The impact of the built environment on walking as a leisure time activity along the U.S./Mexico border. *Physical Activity and Health* 3:257-271.

- Sallis JF, Hovell MF, Hofstetter CR. 1992. Predictors of adoption and maintenance of vigorous physical activity in men and women. *Preventive Medicine* 21:237-251.
- Shaw SM, Bonen A, McCabe JF. 1991. Do more constraints mean less leisure? Examining the relationship between constraints and participation. *Journal of Leisure Research* 23:286-300.
- Shriver K. 1997. Influence of environmental design on pedestrian travel behavior in four Austin neighborhoods. *Transportation Research Record* 1578:64-75.
- Snow J. 1855. *On the Mode of Communication of Cholera*. New Burlington Street, England: John Churchill.
- Staunton C, Hubsmith D, Kallins W. 2003 Promoting safe walking and biking to school: the Marin County success story. *American Journal of Public Health* 93:1431-1434.
- Suminiski R, Poston W, Petosa R, Stevens E, Katzenmoyer L. 2005. Features of the neighborhood environment and walking in U.S. adults. *American Journal of Preventive Medicine* 28(2):149-155.
- Transportation Research Board and Institute of Medicine. (2005). Does the Built Environment Influence Physical Activity? Examining the Evidence (Special Report 282). Washington, DC: National Academy Press.
- Tudor-Locke C, Ainsworth BE, Adair LS, Popkin BM. 2003. Objective physical activity of Filipino youth stratified for commuting mode to school. *Medicine & Science in Sports & Exercise* 35:465-471.
- Wardman M, Tight M, Page M. 2007. Factors influencing the propensity to cycle to work. *Transportation Research Part A* 41:339-350.
- Werner RE, Evans GW. 2007. A morning stroll—Levels of physical activity in car and mass transit commuting. *Environment and Behavior* 39(1):62-74.
- Wen LF, Orr N, Millett C, Rissel C. 2006. Driving to work and overweight and obesity: findings from the 2003 New South Wales Health Survey, Australia. *International Journal of Obesity* 30:782-786.

Chapter 6

- American Heritage Dictionary*, 4th edition. 2006. Boston: Houghton Mifflin.
- Centers for Disease Control and Prevention. 2009. Active environments. www.cdc.gov/nccdphp/dnpa/physical/health_professionals/active_environments/index.htm.
- Chrislip DD, Larson, CE. 1995. *Collaborative Leadership—How Citizens and Civic Leaders Can Make a Difference*. San Francisco: Jossey Bass.
- Mattessich P, Murray-Close M, Monsey B. 2001. *Collaboration: What Makes It Work*, 2nd edition. St. Paul: Amherst H. Wilder Foundation.
- Satcher D. 1996. CDC's first 50 years: lessons learned and relearned. *American Journal of Public Health* 86:1705-1708.
- U.S. Department of Health & Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and health Promotion, Division of Nutrition and Physical Activity. 1999. *Promoting Physical Activity: A Guide for Community Action*. Champaign, IL: Human Kinetics.

Chapter 7

- Andreasen AR. 1995. *Marketing Social Change: Changing Behavior to Promote Health, Social Development, and the Environment*. San Francisco: Jossey-Bass.
- Centers for Disease Control and Prevention. 1999. Framework for program evaluation in public health. *MMWR Recommendations and Reports* 48(RR-11):1-40. www.cdc.gov/mmwr/preview/mmwrhtml/rr4811a1.htm.
- Cook TD, Campbell DT. 1979. *Quasi-Experimentation: Design and Analysis Issues for Field Settings*. Boston: Houghton Mifflin.
- Green LW, Kreuter MW. 1992. CDC's Planned Approach to Community Health as an application of PRECEDE and an inspiration for PROCEED. *Journal of Health Education* 23(3):140-147.

- Heath GW, Brownson RC, Kruger J, Miles R, Powell KE, Ramsey LT; Task Force on Community Preventive Services. 2006. The effectiveness of urban design and land use and transport policies and practices to increase physical activity: a systematic review. *Journal of Physical Activity and Health* 3(suppl 1):S55-S76.
- Kahn EB, Ramsey LT, Brownson RC, Heath GW, Howze EH, Powell KE, Stone EJ, Rajab MW, Corso P; Task Force on Community Preventive Services. 2002. The effectiveness of interventions to increase physical activity: a systematic review. *American Journal of Preventive Medicine* 22(4 suppl):73-107.
- U.S. Department of Health & Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Division of Nutrition and Physical Activity. 1999. *Promoting Physical Activity: A Guide for Community Action*. Champaign, IL: Human Kinetics.
- U.S. Department of Health & Human Services. Physical Activity Evaluation Handbook. 2002. Atlanta: U.S. Department of Health & Human Services, Centers for Disease Control and Prevention; www.cdc.gov/nccdphp/dnpa/physical/handbook/pdf/handbook.pdf
- Warden B, Wong S. 2007. Introduction to Qualitative Analysis. Paper presented at the American Evaluation Association and Centers for Disease Control and Prevention 2007 Summer Evaluation Institute with support from the National Association of Chronic Disease Directors. Atlanta, GA, June 11-12.
- Zaza S, Briss PA, Harris KW (Eds). Task Force on Community Preventive Services. 2005. *The Guide to Community Preventive Services: What Works to Promote Health?* New York: Oxford University Press.

Appendix A

- Rimmer JH, Braddock D, Pitetti KH. 1996. Research on physical activity and disability: an emerging national priority. *Medicine & Science in Sports & Exercise* 28(8):1366-1372.
- U.S. Department of Health & Human Services. 2000. *Healthy People 2010*, 2nd edition. With *Understanding and Improving Health and Objectives for Improving Health*. 2 volumes. Washington, DC: U.S. Government Printing Office.