

## Literatura

- American Academy of Pediatrics. *Clinical practice guideline: Diagnosis and evaluation of the child with attention-deficit/hyperactivity disorder*. Pediatrics, 2000, 5, p. 1158-1168.
- American Academy of Pediatrics. *Clinical practice guideline: Treatment of the school-aged child with attention-deficit/hyperactivity disorder*. Pediatrics, 2001, 4, p. 1033-1044.
- American Academy of Pediatrics, Committee on Fetus and Newborn. *Apnea, sudden infant death syndrome, and home monitoring. Policy statement*. Pediatrics, 2003, 4, p. 914-916.
- American Academy of Pediatrics, Committee on Fetus and Newborn. *Hospital discharge of the high-risk neonate. Proposed guidelines. Policy statement*. Pediatrics, 1998, 2, p. 411-417.
- American Academy of Pediatrics, Committee on Practice and Ambulatory Medicine and Committee on Fetus and Newborn. *The role of the primary care pediatrician in the management of high-risk newborn infants*. Pediatrics, 1996, 4, p. 786-788.
- BEEBY, PJ., SPENCER, JD., COSSART, YE. *Risk of hepatitis C virus infection in multiply transfused premature neonates*. J Paediatr Child Health, 2001, 3, p. 244-246.
- BERGER, SP., HOLT-TURNER, I., CUPOLI, JM., et al. *Caring for the graduate from the neonatal intensive care unit*, Pediatr Clin North Am, 1998, 3, p. 701-712.
- BIESENBACH, G., GRAFINGER, P., ZAZGORNIK et al. *Perinatal complications and three-year follow up of infants of diabetic mothers with diabetic nephropathy stage IV*. Ren Fail, 2000, 22, p. 573-580.
- BOWDEN, LS., JONES, CJ., RYAN, SW. *Bone mineralisation in ex-preterm infants aged 8 years*. Eur J Pediatr, 1999, 158, p. 658-661.
- BRESLAU, N., CHILCOAT, HD. *Psychiatric sequelae of low birth weight at 11 years of age*. Biol Psychiatry, 2000, 1, p. 1005-1011.
- BROOKS, AM., BYRD, RS., WEITZMAN, M., et al. *Impact of low birth weight on early childhood asthma in the United States*. Arch Pediatr Adolesc Med, 2001, 3, p. 401-406.
- BROYLES, RS., TYSON, JE., HEYNE, ET., et al. *Comprehensive follow-up care and life threatening illnesses among high risk infants. A randomized controlled trial*. J Am Med Assoc, 2000, 25, p. 2070-2076.

- BRYSON, SR., THERIOT, L., RYAN, NJ., et al. *Primary follow-up care in a multidisciplinary setting enhances catch-up growth of very-low-birth-weight infants.* J Am Diet Assoc, 1997, 97, p. 386-390.
- BUNDAK, R., DARENDELILER, F., GUNOZ, H., et al. *Growth hormone treatment in short children with intrauterine growth retardation.* J Pediatr Endocrinol Metab, 2001, 3, p. 313-318.
- BYLUND, B., CERVIN, T., FINNSTROM, O., et al. *Very-low-birth-weight children at 9 years: School performance and behavior in relation to risk factors.* Prenat Neonat Med, 2000, 5, p. 124-133.
- Canadian Pediatric Society, Nutrition Committee. *Nutrient needs and feeding of premature infants.* Can Med Assoc J, 1995, 10, p. 1415-1417.
- CARVER, JD., WU, PYK., HALL, RT., et al. *Growth of preterm infants fed nutrient-enriched or term formula after hospital discharge.* Pediatrics, 2001, 4, p. 683-689.
- CASEY, PH., KRAEMER, HC., BERNBAUM, J., et al. *Growth patterns of low birth weight preterm infants: A longitudinal analysis of a large, varied sample.* J Pediatr, 1990, 117, p. 298-307.
- CASEY, PH., KRAEMER, HC., BERNBAUM, J., et al. *Growth status and growth rates of a varied sample of low birth weight, preterm infants: A longitudinal cohort from birth to three years of age.* J Pediatr, 1991, 119, p. 599-605.
- CEDERQVIST, K., HAGLUND, C., HEIKKILÄ, P., et al. *Pulmonary trypsin-2 in the development of bronchopulmonary dysplasia in preterm infants.* Pediatrics, 2003, 112, p. 570-577.
- CASIRO, OG., MCKENZIE, ME., McFAYDEN, L., et al. *Earlier discharge with community-based intervention for low birth weight infants: A randomized trial.* Pediatrics, 1993, 92, p. 128-134.
- CONNOLY, BP., MCNAMARA, JA., REGILLO, CD., et al. *Visual outcomes after laser photocoagulation for threshold retinopathy of prematurity.* Ophthalmology, 1999, 106, p. 1734-1738.
- COOKE, RJ., EMBLETON, ND., GRIFFIN, I.J., et al. *Feeding preterm infants after hospital discharge. Growth and development at 18 months of age.* Pediatr Res, 2001, 5, p. 719-722.
- COOKE, RJ., McCORMICK, K., GRIFFIN, IJ., et al. *Feeding preterm infants after hospital discharge: effect of diet on body composition.* Pediatr Res, 1999, 4, p. 461-464.
- CRONIN, CMG., SHAPIRO, CR., CASIRO, OG., et al. *The impact of very-low-birth-weight infants on the family is long lasting.* Arch Pediatr Adolesc Med, 1995, 149, p. 151-158.
- DANIELS, H., NAULAERS, G., et al. *Polysomnography and home documented monitoring of cardiorespiratory pattern.* Arch Dis Child, 1999, 5, p. 436-436.
- DARNALL, RA., KATTWINKEL, J., et al. *Margin of safety for discharge after apnea in preterm infants.* Pediatrics, 1997, 5, p. 795-801.

- DIAZ-GOMEZ, NM., DOMÉNECH, E., BARROSO, F., et al. *The effect of zinc supplementation on linear growth, body composition, and growth factors in preterm infants.* Pediatrics, 2003, 5, p. 1002-1009.
- DOGRU, M., SHIRABE, H., NAKAMURA, M., et al. *Effect of retinopathy of prematurity on resolution acuity development in 1- to 3-year old children.* J Pediatr Ophtalmol Strabismus, 2001, 3, p. 144-148.
- DOYLY, WL., OLINSKY, A., et al. *Adverse effects of smoking on respiratory function in young adults born weighting less than 1000 grams.* Pediatrics, 2003, 112, p. 565-569.
- ESCOBAR, GJ., JOFFE, S., GARDNER, MN., et al. *Rehospitalization in the first two weeks after discharge from the neonatal intensive care unit.* Pediatrics, 1999, Jul, e2.
- FRIEL, JK. *A randomized trial of two levels of iron supplementation and developmental outcome in low birth weight infants.* J Pediatr, 2001, 2, p. 254-260.
- GAPPA, M., BERNER, MM., HOHENSCHILD, S., et al. *Pulmonary function at school-age in surfacant-treated preterm infants.* Pediatr Pulmonol, 1999, 27, p. 191-198.
- GOLEBLOWSKA, M., KARDAS-SOBANTKA, D., et al. *Hepatitis B vaccination in preterm infants.* Eur J Pediatr, 1999, 158, p. 293-297.
- GUNN, AJ. *Does early hospital discharge with home support of families with preterm infants affect breastfeeding success? A randomized trial.* Acta Pediatr, 2000, 11, p. 1280-1283.
- GUNN, TR., THOMPSON, JM., JACKSON, H., et al. *Weight-for-length reference data for preterm, low-birth-weight infants.* Arch Pediatr Adolesc Med, 1996, 150, p. 964-970.
- HACK, M., SCHLUCHTER, M., CARTAR, L., et al. *Growth of very low birth weight infants to age 20 years.* Pediatrics, 2003, 7, e30.
- HACK, M., WILSON-COSTELLO, D., FRIEDMAN, H., et al. *Neurodevelopment and predictors of outcomes of children with birth weights of less than 1000 g 1992-1995.* Arch Pediatr Adolesc Med, 2000, 7, p. 725-731.
- HALL, RT. *Nutritional follow-up of the breastfeeding premature infant after hospital discharge.* Pediatr Clin North Am, 2001, 2, p. 453-460.
- HAMZA, AF. *Testicular descent: when to interfere?* Eur J Pediatr Surg, 11, 2001, 3, p. 173-176.
- HAWDON, JM., BEAUREGARD, N., et al. *Identification of neonates at risk of developing feeding problems in infancy.* Dev Med Child Neurol, 2000, 4, p. 235-239.
- HUDDY, CLJ., JOHNSON, A., HOPE, PL. *Educational and behavioral problems in babies of 32-35 weeks gestation.* Arch Dis Child, 2001, 1, p. F23-F28.
- JOFFE, S., ESCOBAR, GJ., BLACK, SB., et al. *Rehospitalization for respiratory syncytial virus among premature infants.* Pediatrics, 1999, 4, p. 1124-1125.

- KOTAGAL, UR., PERLSTEIN, PH., GAMBLIAN, V., et al. *Description and evaluation of a program for the early discharge of infants from a neonatal intensive care unit.* J Pediatr, 1995, 2, p. 285-290.
- KRIEGER, NR., SHOCHAT, SJ., McGOWAN, V., et al. *Early hernia repair in the premature infant, long-term follow-up.* J Pediatr Surg, 1994, 8, p. 978-982.
- KWANG-SUN, L., BEYONG, IK., BABAK, K., et al. *Outcome of very low birth weight infants in industrialized countries,* Am J Epidemiol, 1995, 141, p. 1188-1193.
- LANGKAMP, DL., HOSHAU-WOODARD, S., BOYE, ME., LE-MESHOW, S. *Delays in receipt of immunizations in low-birth-weight children: A nationally representative sample.* Arch Pediatr Adolesc Med, 2001, 155, p. 167-172.
- LEBL, J., KOLOUŠKOVÁ, S. *Další osud dětí s intrauterinní růstovou retardací.* Praha : Galén, 2002.
- LEE, PA., CHERNAUSEK, SD., et al. *International small for gestational age advisory board consensus development conference statement: Management of short children born small for gestational age, April 24 - October 1, 2001.* Pediatrics, 2003, 6, p. 1253-1261.
- LEITNER, Y., FATTAL-VALEVSKI, A., GEVA, R., et al. *Six-year follow-up of children with intrauterine growth retardation.* J Child Neurol, 2000, 15, p. 781-786.
- LITMANOVITZ, I., DOLFIN, T., FRIEDLAND, O., et al. *Early physical activity intervention prevents decrease of bone strength in very low birth weight infants.* Pediatrics, 2003, 7, p. 15-19.
- LUCAS, A., FEWTRELL, MS., MORLEY, R., et al. *Randomized outcome trial of human milk fortification and developmental outcome in preterm infants.* Am J Clin Nutr, 1996, 2, p. 142-151.
- LUCAS, A., FEWTRELL, MS., MORLEY, R., et al. *Randomized trial of nutrient-enriched formula versus standard formula for postdischarge preterm infants.* Pediatrics, 2001, 3, p. 703-711.
- LUCIANA, M., LINDEKE, L., GEORGIEFF, M., et al. *Neurobehavioral evidence for working-memory deficits in school-aged children with histories of prematurity.* Dev Med Child Neurol, 1999, 8, p. 521-533.
- MAGOON, MW., BELARDO, LJ., CALDITO, G. *Delays in immunizations of high-risk infants during the first two years of life: special care for the high-risk infant should not mean special immunization schedules.* J Perinatol, 1995, 3, p. 222-228.
- MALLOY, HM., HOFFMAN, HJ. *Prematurity, sudden infant death syndrome, and age of death.* Pediatrics, 1995, 3, p. 464-471.
- MCCORMICK, MC., McCARTON, C., et al. *Early educational intervention for very low birth weight infants: Results from the Infant Health and Development Programm.* J Pediatr, 1993, 123, p. 527-533.
- McGRATH, MM., SULLIVAN, MC., et al. *Longitudinal neurologic follow-up in neonatal intensive care unit survivors with various neonatal morbidities.* Pediatrics, 2000, 106, p. 1397-1405.

- MIZOGUCHI, MB., CHUT, G., MURPHY, FM., et al. *Dopamine use is an indicator for the development of threshold retinopathy of prematurity*. Br J Ophthalmol, 1999, 83, p. 425-428.
- MONSET-COUCHARD, M., DE-BETHMANN, O. *Catch-up growth in 166 small-for-gestational age premature infants weighing less than 1,000 g at birth*. Biol Neonate, 2000, 78, p. 161-167.
- MSALL, ME., PHELPS, DL., DiGAUDIO, KM., et al. *Severity of neonatal retinopathy of prematurity is predictive of neurodevelopmental functional outcome at age 5,5 years*. Pediatrics, 106, 2000, 5, p. 998-1005.
- NICHOLL, RM., GAMSU, HR. *Changes in growth and metabolism in very low birth weight infants fed with fortified breast milk*. Acta Paediatr, 1999, 88, p. 1056-1061.
- NIVEN, GR., HARDING, JE. *Another outcome of neonatal intensive care: first year mortality and hospital morbidity*. J Pediatr Child Health, 1995, 2, p. 137-142.
- ODEHNAL, M., GERGELYOVÁ, K., POCHOP, P., HLOŽÁNEK, M. *Transsklerální laserová fotoagulace a kryokoagulace sítnice u retinopatie předčasně narozených dětí*. Čes-Slov Oftal, 59, 2003, 2, s. 80-85.
- OLSEN, E., RICHARDSON, DK., SCHMID, CH., et al. *Intersite differences in weight growth velocity of extremely premature infants*. Pediatrics, 2002, 6, p. 1125-1132.
- ORTENSTRAND, A., WALDENSTROM, U., WINBLADH, B. *Early discharge of preterm infants needing limited special care, followed by domiciliary nursing care*. Acta Paediatr, 1999, 9, p. 1024-1030.
- OSENDARP, SJM., VAN-RAAIN, JMA., DARMSTADT, GL., et al. *Zinc supplementation during pregnancy and effects on growth and morbidity in low birthweight infants: A randomised placebo controlled trial*. Lancet, 2001, 7, p. 1080-1085.
- OUDESLUYS-MURPHY, AM., TENG, HT., BOXMA, H. *Spontaneous regression of clinical inguinal hernias in preterm female infants*. J Pediatr Surg, 2000, 35, p. 1220-1221.
- PEDERSEN, SJ., SOMMERFELT, K., MARKESTAD, F. *Early motor development of premature infants with birthweight less than 2000 grams*. Acta Paediatr, 2000, 89, p. 1456-1461.
- PELKONEN, AS., HAKULINEN, AL., TURPEINEN, M., et al. *Effect of neonatal surfactant therapy on lung function at school age in children born very preterm*. Pediatr Pulmonol, 1998, 3, p. 182-190.
- PERFECT SYCHOWSKI, S., DODD, E., THOMAS, P., et al. *Home apnea monitor use in preterm infants discharged from newborn intensive care units*. J Pediatr, 2001, 2, p. 245-248.
- PETROU, S., MEHTA, Z., HOCKLEY, C., et al. *The impact of preterm births on hospital inpatient admissions and costs during the first 5 years of life*. Pediatrics, 112, 2003, 6, p. 1290-1297.

- PEYCHL, I., LIŠKA, K., KREJČOVÁ, V., et al. *Dlouhodobé sledování nedonošených dětí*. Neonat Listy, 1998, 4, s. 96-98.
- PIKUS, HJ., LEVY, ML., GANS, W., et al. *Outcome, cost analysis, and long-term follow-up in preterm infants with massive grade IV germinal matrix hemorrhage and progressive hydrocephalus*. Neurosurgery, 1997, 5, p. 983-989.
- RADDISH, M., MERRIT, TA. *Early discharge of premature infants*. Clin Perinatol, 1998, 2, p. 499-519.
- RAWLINGS, JS., SCOTT, JS. *Postconceptual age of surviving preterm low-birth-weight infants at hospital discharge*. Arch Pediatr Adolesc Med, 1996, 3, p. 260-262.
- RIEGER, ID., HENDERSON-SMART, DJ. *A neonatal early discharge and home support programme: shifting care into the community*. J Pediatr Child Health, 1995, 1, p. 33-37.
- RIGO, J., DE CURTIS, M., PIELTAIN, C., et al. *Bone mineral metabolism in the micropremie*. Clin Perinatol, 2000, 1, p. 147-170.
- ROBISON, M., PIRAK, C., MORRELL, C. *Multidisciplinary discharge assessment of the medically and socially high-risk infant*. J Perinat Neonat Nurs, 2000, 13, p. 67-86.
- SAIGAL, S. *Follow-up of very low birthweight babies to adolescence*. Semin Neonatol, 2000, 5, p. 107-118.
- SAIGAL, S., STOSKOPE, BL., et al. *Physical growth and current health status of infants who were of extremely low birth weight and controls at adolescence*. Pediatrics, 2001, 2, p. 407-415.
- SAUVE, RS., McMILLAN, DD., MITCHELL, I., et al. *Home oxygen therapy. Outcome of infants discharged from NICU on continuous treatment*. Clin Pediatr, 1989, 3, p. 113-118.
- SHERRY, B., MEI, Z., et al. *Evaluation of and recommendations for growth references for very low birth weight (< 1500 grams) infants in the United States*. Pediatrics, 2003, 4, p. 750-758.
- SCHALIJ-DELFOOS, NE., DEGRAAF, MEL., TREFFERS, WF., et al. *Long term follow up premature infants: Detection of strabismus, amblyopia, and refractive errors*. Br J Ophtalmol, 2000, 84, p. 963-967.
- SIEVERS, E., ARPE, T., SCHLEYERBACH, U., et al. *Plasma selenium in preterm and term infants during the first 12 months of life*. J Trace Elem Med Biol, 2001, 14, p. 218-22.
- SIMAKAJORNBOON, N., BECKERMAN, RC., MACK, A., et al. *Effect of supplemental oxygen on sleep architecture and cardiorespiratory events in preterm infants*. Pediatrics, 2002, 11, p. 884-888.
- SINGHAL, A., COLE, TJ., LUCAS, A. *Early nutrition in preterm infants and later blood pressure: Two cohorts after randomised trials*. Lancet, 2001, 10, p. 413-419.
- SOBOTKOVÁ, D., PROCHÁZKOVÁ, E., MANDYS, F., et al. *Neuromotorický a psychický vývoj nedonošených a donošených dětí v raném věku*. Čes-Slov Pediat, 1994, 10, s. 579-587.

- SONNTAG, J., GRIMMER, I., SCHOLZ, T., et al. *Growth and neurodevelopmental outcome of very low birthweight infants with necrotizing enterocolitis*. Acta Paediatr, 2000, 89, p. 528-532.
- SOUVASI, V., KREMENOPoulos, G., DIAMANTI, E., et al. *Follow-up of very low birth weight infants after erythropoietin treatment to prevent anemia of prematurity*. J Pediatr, 1995, 2, p. 291-297.
- STJERNQUIS, TK., SVENNINGSSEN, NW. *Extremely low-birth-weight infants less than 901 g: Growth and development after one year of life*. Acta Paediatr, 1993, 82, p. 40-44.
- ŠIMÁNKOVÁ, N., MYDLIL, V., VÁGNEROVÁ, M. *Další vývoj rizikových novorozenců*. Čes-Slov Pediat, 1993, 2, s. 65-76.
- TAYLOR, HG., KLEIN, N., HACK, M. *School-age consequences of birth weight less than 750 g: A review and update*. Dev Neuropsychol, 2000, 17, p. 289-321.
- TAYLOR, HG., KLEIN, N., et al. *Long-term family outcomes for children with very low birth weights*. Arch Pediatr Adolesc Med, 2001, 155, p. 155-161.
- THILO, EH., TOWNSEND, SF., MERENSTEIN, GB. *The history of policy and practice related to the perinatal hospital stay*. Clin Perinatol, 1998, 2, p. 257-269.
- TIDEMAN, E. *Longitudinal follow-up of children born preterm: cognitive development at age 19*. Early Hum Dev, 2000, 58, p. 81-90.
- TRACHTENBARG, DE., GOLEMON, TB. *Office care of the premature infant: part II. Common medical and surgical problems*. Am Fam Physician, 1998, 10, p. 2383-2390.
- TRACHTENBARG, DE., MILLER, TC. *Office care of the small, premature infant*. Prim Care, 1995, 22, p. 1-21.
- VYSKOČIL, V., DORT, J., CHVOJKOVÁ, E. *Vliv suplementace minerálů na kostní denzitu nedonošených novorozenců*. Čes-Slov Pediat, 1999, 4, s. 3-7.
- WEISGLAS-KUPERUS, N., BAERTS, W., et al. *Effects of biological and social factors on the cognitive development of very low birth weight children*. Pediatrics, 1993, 92, p. 658-665.
- WHEATER, M., RENNIE, JM. *Perinatal infection is an important risk factor for cerebral palsy in very-low-birth weight infants*. Dev Med Child Neurol, 2000, 42, p. 364-367.
- WHITFIELD, MF., GRUNAU, RE. *Behavior, pain perception, and the extremely low-birth weight survivor*. Clin Perinatol, 2000, 2, p. 363-379.
- World Health Organization, Working Group on Infant Growth. *An evaluation of infant growth: The use and interpretation of anthropometry in infants*. Bull World Health Organ, 1995, 73, p. 165-174.
- YU, VY. *Developmental outcome of extremely preterm infants*. Am J Perinatol, 2000, 17, p. 57-61.