

References

- Aguilera, A. M., Aguilera-Morillo, M. C., and Preda, C. 2016. Penalized versions of functional PLS regression. *Chemometrics and Intelligent Laboratory Systems*, **154**(May 15), 80–92.
- Aguilera-Morillo, M. C., and Aguilera, A. M. 2015. P-spline estimation of functional classification methods for improving the quality in the food industry. *Communications in Statistics – Simulation and Computation*, **44**(10, SI), 2513–2534.
- Aitkin, M., Francis, B., and Hinde, J. 2005. *Statistical Modelling in GLIM 4*. 2nd ed. Oxford Statistical Science Series, Oxford, UK.
- Akaike, H. 1974. A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, **19**(6), 716–723.
- Ayma, D., Durbán, M., Lee, D.-J., and Eilers, P. H. C. 2016. Penalized composite link models for aggregated spatial count data: A mixed model approach. *Spatial Statistics*, **17**, 179–198.
- Azzalini, A., and Bowman, A. W. 1990. A look at some data on the Old Faithful geyser. *Journal of the Royal Statistical Society, Series C*, **39**, 357–365.
- Basford, K. E., Mclachlan, G. J., and York, M. G. 1977. Modelling the distribution of stamp paper thickness via finite normal mixtures: The 1872 Hidalgo stamp issue of Mexico revisited. *Journal of Applied Statistics*, **24**, 169–180.
- Bollaerts, K., Eilers, P. H. C., and Aerts, M. 2006. Quantile regression with monotonicity restrictions using P-splines and the L_1 -norm. *Statistical Modelling*, **6**, 189–207.
- Braun, J., Duchesne, T., and Stafford, J. E. 2005. Local likelihood density estimation for interval censored data. *The Canadian Journal of Statistics*, **33**, 39–60.
- Bro, R. 1999. Exploratory study of sugar production using fluorescence spectroscopy and multi-way analysis. *Chemometrics and Intelligent Laboratory Systems*, **46**, 133–147.
- Camarda, C. G. 2012. Mortalitysmooth: An R package for smoothing Poisson counts with P-splines. *Journal of Statistical Software*, **50**, 1–24.
- Camarda, C. G., Eilers, P. H. C., and Gampe, J. 2008. Modelling general patterns of digit preference. *Statistical Modelling*, **8**, 385–401.
- Camarda, C. G., Eilers, P. H. C., and Gampe, J. 2016. Sums of smooth exponentials to decompose complex series of counts. *Statistical Modelling*, **16**(4), 279–296.

- Camarda, C. G., Eilers, P. H. C., and Gampe, J. 2017. Modelling trends in digit preference patterns. *Journal of the Royal Statistical Society, Series C*, **66**(5), 893–918.
- Claeskens, G., Krivobokova, T., and Opsomer, J. D. 2009. Asymptotic properties of penalized spline estimators. *Biometrika*, **96**, 529–544.
- Currie, I. D. 2019. *Forecasting with penalty functions – Part III*. www.longevitas.co.uk/site/informationmatrix/forecastingwithpenaltyfunctions/part3.html.
- Currie, I. D., and Durbán, M. 2002. Flexible smoothing with P-splines: A unified approach. *Statistical Modelling*, **2**, 333–349.
- Currie, I. D., Durbán, M., and Eilers, P. H. C. 2004. Smoothing and forecasting mortality rates. *Statistical Modelling*, **4**, 279–298.
- Currie, I. D., Durbán, M., and Eilers, P. H. C. 2006. Generalized linear array models with applications to multidimensional smoothing. *Journal of the Royal Statistical Society, Series B*, **68**, 259–280.
- de Boor, C. 2001. *A Practical Guide to Splines, rev. ed.* New York: Springer-Verlag.
- De Gruttola, V., and Lakatos, S. W. 1989. Analysis of doubly censored survival data, with applications to AIDS. *Biometrics*, **45**, 1–11.
- de Rooi, J. J., Devos, O., Sliwa, M., Ruckebusch, C., and Eilers, P. H. C. 2013. Mixture models for two-dimensional baseline correction, applied to artifact elimination in time-resolved spectroscopy. *Analytica Chimica Acta*, **771**(Apr 10), 7–13.
- de Rooi, J. J., and Eilers, P. H. C. 2012. Mixture models for baseline estimation. *Chemometrics and Intelligent Laboratory Systems*, **117**(SI), 56–60.
- de Rooi, J. J., van der Pers, N. M., Hendriks, R. W. A., Delhez, R., Böttger, A. J., and Eilers, P. H. C. 2014. Smoothing of X-ray diffraction data and $K\alpha_2$ elimination using penalized likelihood and the composite link model. *Journal of Applied Crystallography*, **47**, 852–860.
- Dierckx, P. 1993. *Curve and Surface Fitting with Splines*. Oxford: Clarendon Press.
- Dobson, A. J., and Barnett, A. G. 2018. *An Introduction to Generalized Linear Models*, 4th ed. Boca Raton, FL: CRC Press.
- Efron, B. 1988. Logistic regression, survival analysis, and the Kaplan–Meier curve. *Journal of the American Statistical Association*, **83**, 414–425.
- Eilers, P. H. C. 1998. Hazard smoothing with B-splines. In: Marx, B. D., and Friedl, H. (eds.), *Proceedings of the 13th International Workshop on Statistical Modeling*, pp. 200–207. Baton Rouge: Louisiana State University.
- Eilers, P. H. C. 1999. Discussion on: The analysis of designed experiments and longitudinal data by using smoothing splines. *Journal of the Royal Statistical Society, Series C*, **48**, 307–308.
- Eilers, P. H. C. 2003. A perfect smoother. *Analytical Chemistry*, **75**, 3631–3636.
- Eilers, P. H. C. 2005. Unimodal smoothing. *Journal of Chemometrics*, **19**, 317–328.
- Eilers, P. H. C. 2007. III-posed problems with counts, the composite link model and penalized likelihood. *Statistical Modelling*, **7**, 239–254.
- Eilers, P. H. C. 2012. Composite link, the neglected model. In: Komarek, A., and Nagy, S. (eds.), *Proceedings of the 27th International Workshop on Statistical Modelling*, pp. 11–22. Prague: Tribun EU.
- Eilers, P. H. C. 2017. Uncommon penalties for common problems. *Journal of Chemometrics*, **31**(4, SI), 2878.

- Eilers, P. H. C., and Borgdorff, M. W. 2007. Non-parametric log-concave mixtures. *Computational Statistics & Data Analysis*, **51**, 5444–5451.
- Eilers, P. H. C., Currie, I. D., and Durbán, M. 2006. Fast and compact smoothing on large multidimensional grids. *Computational Statistics & Data Analysis*, **50**, 61–76.
- Eilers, P. H. C., and de Menezes, R. X. 2005. Quantile smoothing of array CGH data. *Bioinformatics*, **21**, 1146–1153.
- Eilers, P. H. C., Gampe, J., Marx, B. D., and Rau, R. 2008. Modulation models for seasonal time series and incidence tables. *Statistics in Medicine*, **27**, 3430–3441.
- Eilers, P. H. C., and Goeman, J. J. 2004. Enhancing scatterplots with smoothed densities. *Bioinformatics*, **20**, 623–628.
- Eilers, P. H. C., Li, B., and Marx, B. D. 2009. Multivariate calibration with single-index signal regression. *Chemometrics and Intelligent Laboratory Systems*, **96**, 196–202.
- Eilers, P. H. C., and Marx, B. D. 1992. Generalized linear models with P-splines. In: L. Fahrmeir et al. (eds.), *Advances in GLIM and Statistical Modelling*. New York: Springer.
- Eilers, P. H. C., and Marx, B. D. 1996. Flexible smoothing using B-splines and penalties (with comments and rejoinder). *Statistical Science*, **11**, 89–121.
- Eilers, P. H. C., and Marx, B. D. 2002. Generalized linear additive smooth structures. *Journal of Computational and Graphical Statistics*, **11**, 758–783.
- Eilers, P. H. C., and Marx, B. D. 2003. Multivariate calibration with temperature interaction using two-dimensional penalized signal regression. *Chemometrics and Intelligent Laboratory Systems*, **66**, 159–174.
- Eilers, P. H. C., and Marx, B. D. 2010. Splines, knots and penalties. *Wiley Interdisciplinary Reviews: Computational Statistics*, **2**, 637–653.
- Eilers, P. H. C., Marx, B. D., and Durbán, M. 2015. Twenty years of P-splines. *SORT-Statistics and Operations Research Transactions*, **39**(2), 149–186.
- Fahrmeir, L., Kneib, T., and Lang, S. 2004. Penalized structured additive regression for space-time data: A Bayesian perspective. *Statistica Sinica*, **14**, 731–761.
- Fahrmeir, L., and Tutz, G. 2001. *Multivariate Statistical Modelling Based on Generalized Linear Models*, 2nd ed. New York: Springer.
- Fan, J., and Gijbels, I. 1996. *Local Polynomial Modelling and Its Applications*. London: Chapman and Hall.
- Fellner, W. H. 1986. Robust estimation of variance components. *Technometrics*, **28**(1), 51–60.
- Frank, I. E., and Friedman, J. H. 1993. A statistical view of some chemometric regression tools. *Technometrics*, **35**, 109–148.
- Frasso, G., and Eilers, P. H. C. 2015. L- and V-curves for optimal smoothing. *Statistical Modelling*, **15**, 91–111.
- Gentle, J. E. 2009. *Computational Statistics*. New York: Springer.
- Gressani, O., and Lambert, P. 2018. Fast Bayesian inference using Laplace approximations in a flexible promotion time cure model based on P-splines. *Computational Statistics and Data Analysis*, **124**, 151–167.
- Greven, S., and Scheipl, F. 2017. A general framework for functional regression modelling. *Statistical Modelling*, **17**, 1–35.
- Hall, P., and Opsomer, J. D. 2005. Theory for penalised spline regression. *Biometrika*, **92**(1), 105–118.

- Hansen, P. C. 1992. Analysis of discrete ill-posed problems by means of the L-curve. *SIAM Review*, **34**(4), 561–580.
- Härdle, W. 1992. *Applied Nonparametric Regression*. Cambridge: Cambridge University Press.
- Harville, D. A. 1977. Maximum likelihood approaches to variance component estimation and to related problems. *Journal of the American Statistical Association*, **72**, 320–338.
- Hasselblad, V., Stead, A. G., and Galke, W. 1980. Analysis of coarsely grouped data from the lognormal distribution. *Journal of the American Statistical Association*, **75**, 771–778.
- Hastie, T. J., Buja, A., and Tibshirani, R. J. 1995. Penalized discriminant analysis. *The Annals of Statistics*, **23**, 73–102.
- Hastie, T. J., and Tibshirani, R. J. 1990. *Generalized Additive Models*. London: Chapman and Hall.
- Hastie, T. J., and Tibshirani, R. J. 1993. Varying-coefficient models. *Journal of the Royal Statistical Society, Series B*, **55**, 757–796.
- Hastie, T. J., Tibshirani, R. J., and Friedman, J. H. 2009. *Elements of Statistical Learning: Data Mining, Inference and Prediction*. 2nd ed. New York: Springer.
- Henderson, C. R. 1975. Best linear unbiased estimation and prediction under a selection model. *Biometrics*, **31**, 423–447.
- Hutchinson, M. F., and de Hoog, F. R. 1986. Smoothing noisy data with spline functions. *Numerische Mathematik*, **50**(3), 311–319.
- Hyndman, R. 2014. *Fast computation of cross-validation in linear models*. <https://robjhyndman.com/hyndsight/loocv-linear-models/>.
- Jarrow, R., Ruppert, D., and Yu, Y. 2004. Estimating the interest rate term structure of corporate debt with a semiparametric penalized spline model. *Journal of the American Statistical Association*, **99**, 57–66.
- Jullion, A., and Lambert, P. 2007. Robust specification of the roughness penalty prior distribution in spatially adaptive Bayesian P-splines models. *Computational Statistics & Data Analysis*, **51**, 2542–2558.
- Kauermann, G., Krivobokova, T., and Fahrmeir, L. 2009. Some asymptotic results on generalized penalized spline smoothing. *Journal of the Royal Statistical Society, Series B*, **71**, 487–503.
- Kauermann, G., Krivobokova, T., and Semmler, W. 2011. Filtering time series with penalized splines. *Studies in Nonlinear Dynamic & Econometrics*, **15**, 1–26.
- Keiding, N. 1991. Age-specific incidence and prevalence – a statistical perspective. *Journal of the Royal Statistical Society, Series A*, **154**, 371–412.
- Kneib, T. 2013. Beyond mean regression. *Statistical Modelling*, **13**, 275–303.
- Koenker, R. 2005. *Quantile Regression*. Cambridge: Cambridge University Press.
- Koenker, R., and Bassett, G. 1978. Regression quantiles. *Econometrica*, **46**, 33–50.
- Kooperberg, C., and Stone, C. J. 1991. A study of logspline density estimation. *Computational Statistics and Data Analysis*, **12**, 327–348.
- Lambert, P. 2011. Smooth semiparametric and nonparametric Bayesian estimation of bivariate densities from bivariate histogram data. *Computational Statistics & Data Analysis*, **55**, 429–445.

- Lambert, P., and Eilers, P. H. C. 2005. Bayesian proportional hazards model with time-varying regression coefficients: A penalized Poisson regression approach. *Statistics in Medicine*, **24**, 3977–3989.
- Lambert, P., and Eilers, P. H. C. 2009. Bayesian density estimation from grouped continuous data. *Computational Statistics & Data Analysis*, **53**, 1388–1399.
- Lang, S., Adebayo, S. B., Fahrmeir, L., and Steiner, W. J. 2003. Bayesian ge additive seemingly unrelated regression. *Computational Statistics*, **18**, 263–292.
- Lee, D.-J., and Durbán, M. 2009. Smooth-CAR mixed models for spatial count data. *Computational Statistics & Data Analysis*, **53**, 2968–2979.
- Lee, D.-J., Durbán, M., and Eilers, P. H. C. 2013. Efficient two-dimensional smoothing with P-spline ANOVA mixed models and nested bases. *Computational Statistics & Data Analysis*, **61**, 22–37.
- Lee, Y., Nelder, J. A., and Pawitan, Y. 2006. *Generalized Linear Models with Random Effects*. Boca Raton, FL: CRC Press.
- Lee, Y., Nelder, J. A., and Pawitan, Y. 2017. *Generalized Linear Models with Random Effects*, 2nd ed. Boca Raton, FL: CRC Press.
- Li, B., and Marx, B. D. 2008. Sharpening P-spline signal regression. *Statistical Modelling*, **8**, 367–383.
- Li, Y., and Ruppert, D. 2008. On the asymptotics of penalized splines. *Biometrika*, **95**, 415–436.
- Liao, X., and Meyer, M. C. 2019. cgam: An R package for the constrained generalized additive model. *Journal of Statistical Software*, **89**, Issue 5, 1–24.
- Loader, C. 1999. *Local Regression and Likelihood*. New York: Springer.
- Marx, B. D. 2010. P-spline varying coefficient models for complex data. In: Tutz, G., and Kneib, T. (eds.), *Statistical Modelling and Regression Structures*, pp. 19–43. New York: Springer.
- Marx, B. D. 2015. Varying-coefficient single-index signal regression. *Chemometrics and Intelligent Laboratory Systems*, **143**, 111–121.
- Marx, B. D., and Eilers, P. H. C. 1998. Direct generalized additive modeling with penalized likelihood. *Computational Statistics and Data Analysis*, **28**, 193–209.
- Marx, B. D., and Eilers, P. H. C. 1999. Generalized linear regression on sampled signals and curves: A P-spline approach. *Technometrics*, **41**, 1–13.
- Marx, B. D., and Eilers, P. H. C. 2005. Multidimensional penalized signal regression. *Technometrics*, **47**, 13–22.
- Marx, B. D., Eilers, P. H. C., Gampe, J., and Rau, R. 2010. Bilinear modulation models for seasonal tables of counts. *Statistics and Computing*, **20**, 191–202.
- Marx, B. D., Eilers, P. H. C., and Li, B. 2011. Multidimensional single-index signal regression. *Chemometrics and Intelligent Laboratory Systems*, **109**, 120–130.
- McCullagh, P., and Nelder, J. A. 1989. *Generalized Linear Models*, 2nd ed. London: Chapman and Hall.
- Morris, J. S. 2015. Functional regression. *Annual Review of Statistics and Its Application*, **2**, 321–359.
- Newey, W., and Powell, J. L. 1987. Asymmetric least squares estimation and testing. *Econometrica*, **55**, 819–647.
- Osborne, B. G., Fearn, T., Miller, A. R., and Douglas, S. 1984. Applications of near infrared reflectance spectroscopy to the compositional analysis of biscuits and biscuit dough. *Journal of Scientific Food Agriculture*, **35**, 99–105.

- O'Sullivan, F. 1986. A statistical perspective on ill-posed inverse problems (with discussion). *Statistical Science*, **1**, 505–527.
- Pandit, S. M., and Wu, S. M. 1993. *Time Series and System Analysis with Applications*. Malabar, FL: Krieger.
- Pawitan, Y. 2001. *In All Likelihood*. Oxford: Oxford University Press.
- Perperoglou, A., and Eilers, P. H. C. 2010. Penalized regression with individual deviance effects. *Computational Statistics*, **25**, 341–361.
- Portnoy, S., and Koenker, R. 1997. The Gaussian hare and the Laplacian tortoise: Computability of squared-error versus absolute-error estimators. *Statistical Science*, **12**(4), 279–300.
- Pya, N., and Wood, S. N. 2015. Shape constrained additive models. *Statistics and Computing*, **25**, 543–559.
- Ramsay, J. O., and Silverman, B. W. 2003. *Functional Data Analysis*, 2nd ed. New York: Springer.
- Rigby, R. A., and Stasinopoulos, M.D. 2005. Generalized additive models for location, scale and shape. *Journal of the Royal Computational Statistics & Applied Statistics*, **54**, 507–544.
- Rigby, R. A., Stasinopoulos, M.D., Heller, G. Z., and De Bastiani, F. 2019. *Distributions for Modeling Location, Scale, and Shape: Using GAMLSS in R*. Boca Raton, FL: CRC Press.
- Rippe, R. C. A., Meulman, J. J., and Eilers, P. H. C. 2012a. Reliable single chip genotyping with semi-parametric log-concave mixtures. *PLoS ONE*, **7**(10): e46267.
- Rippe, R. C. A., Meulman, J. J., and Eilers, P. H. C. 2012b. Visualization of genomic changes by segmented smoothing using an l_0 penalty. *PLoS ONE*, **7**(6): e38230.
- Rizzi, S., Gampe, J., and Eilers, P. H. C. 2015. Efficient estimation of smooth distributions from coarsely grouped data. *American Journal of Epidemiology*, **182**, 138–147.
- Rizzi, S., Thinggaard, M., Engholm, G., Christensen, N., Johannesen, T. B., Vaupel, J. W., and Lindahl-Jacobsen, R. 2016. Comparison of non-parametric methods for ungrouping coarsely aggregated data. *BMC Medical Research Methodology*, **16**(May 23).
- Rodríguez-Alvarez, M. X., Boer, M. P., van Eeuwijk, F. A., and Eilers, P. H. C. 2018. Correcting for spatial heterogeneity in plant breeding experiments with P-splines. *Spatial Statistics*, **23**, 52–71.
- Rodríguez-Álvarez, M. X., Durbán, M., Lee, D.-J., and Eilers, P. H. C. 2019. On the estimation of variance parameters in non-standard generalised linear mixed models: Application to penalised smoothing. *Statistics and Computing*, **29**(June), 483–500.
- Rodríguez-Alvarez, M. X., Lee, D.-J., Kneib, T., Durbán, M., and Eilers, P. H. C. 2015. Fast smoothing parameter separation in multidimensional generalized P-splines: The SAP algorithm. *Statistics and Computing*, **25**, 941–957.
- Rue, H., Martino, S., and Chopin, N. 2009. Approximate Bayesian inference for latent Gaussian models using integrated nested Laplace approximations (with discussion). *Journal of the Royal Statistical Society, Series B*, **71**, 319–392.
- Ruppert, D. 2002. Selecting the number of knots for penalized splines. *Journal of Computational and Graphical Statistics*, **11**, 735–757.

- Ruppert, D., and Carroll, R. J. 2000. Spatially-adaptive penalties for spline fitting. *Australian & New Zealand Journal of Statistics*, **42**(2), 205–223.
- Ruppert, D., Wand, M. P., and Carroll, R. J. 2003. *Semiparametric Regression*. Cambridge: Cambridge University Press.
- Schall, R. 1991. Estimation in generalized linear models with random effects. *Biometrika*, **78**, 719–727.
- Schimek, M. G. 2009. Semiparametric penalized generalized additive models for environmental research and epidemiology. *Environmetrics*, **20**, 699–717.
- Schlattmann, P. 2009. *Medical Applications of Finite Mixture Models*. Berlin: Springer-Verlag.
- Schlossmacher, E. J. 1973. An iterative technique for absolute deviations curve fitting. *Journal of the American Statistical Association*, **68**(344), 857–859.
- Schnabel, S. K., and Eilers, P. H. C. 2009. Optimal expectile smoothing. *Computational Statistics & Data Analysis*, **53**, 4168–4177.
- Schnabel, S. K., and Eilers, P. H. C. 2013a. A location-scale model for non-crossing expectile curves. *Stat*, **2**(1), 171–183.
- Schnabel, S. K., and Eilers, P. H. C. 2013b. Simultaneous estimation of quantile curves using quantile sheets. *ASTA – Advances in Statistical Analysis*, **97**, 77–87.
- Schoenberg, I. J. 1964. Spline functions and the problem of graduation. *Proceedings of the American Mathematical Society*, **52**, 947–950.
- Seber, G. A. F., and Lee, A. J. 2003. *Linear Regression Analysis*, 2nd ed. Hoboken, NJ: Wiley.
- Selvin, S. 2019. *The Joy of Statistics: A Treasury of Elementary Statistical Tools and their Applications*. Oxford: Oxford University Press.
- Silverman, B. W. 1986. *Density Estimation for Statistics and Data Analysis*. London: Chapman and Hall.
- Stasinopoulos, M.D., and Rigby, R. A. 2007. Generalized additive models for location scale and shape (GAMLSS) in R. *Journal of Statistical Software*, **23**.
- Stasinopoulos, M.D., Rigby, R. A., Heller, G. Z., Voudouris, V., and De Bastiani, F. 2017. *Flexible Regression and Smoothing*. Boca Raton, FL: Taylor & Francis Ltd.
- Stone, M., and Brooks, R. J. 1990. Continuum regression: Cross-validated sequentially constructed prediction embracing ordinary least squares, partial least squares and principal component regression. *Journal of the Royal Statistical Society, Series B*, **52**, 237–269.
- Thompson, R., and Baker, R. J. 1981. Composite link functions in generalized linear models. *Applied Statistics*, **30**, 125–131.
- Tibshirani, R. J., Saunders, M., Rosset, S., Zhu, J., and Knight, K. 2005. Sparsity and smoothness via the fused lasso. *Journal of the Royal Statistical Society, Series B*, **67**, 9.
- Umlauf, N., Adler, D., Kneib, T., Lang, S., and Zeileis, A. 2015. Structured additive regression models: An R interface to BayesX. *Journal of Statistical Software*, **63**(21), 1–46.
- van Buuren, S. 2007. Worm plot to diagnose fit in quantile regression. *Statistical Modelling*, **7**(4), 363–376.
- van Houwelingen, J. C., and Eilers, P. H. C. 2000. Non-proportional hazards models in survival analysis. In: Bethlehem, J. G. and van der Heijden, P. G. M.

- (eds.), *COMPSTAT Proceedings in Computational Statistics 14th Symposium*, pp. 151–160. New York: Springer.
- Velazco, J. G., Rodríguez-Alvarez, X. M., Boer, M. P., Jordan, D. R., Eilers, P. H. C., Malosetti, M., and van Eeuwijk, F. A. 2017. Modelling spatial trends in sorghum breeding field trials using a two-dimensional P-spline mixed model. *Theoretical and Applied Genetics*, **130**, 1375–1392.
- Verbeek, S., Eilers, P. H. C., Lawrence, K., Hennekam, R. C. M., and Versteegh, F. G. A. 2011. Growth charts for children with Ellis–van Creveld syndrome. *European Journal of Pediatrics*, **170**, 207–211.
- Verweij, P. J. M., and van Houwelingen, H. C. 1993. Cross-validation in survival analysis. *Statistics in Medicine*, **12**, 2305–2314.
- Waltrup, L. S., Sobotka, F., Kneib, T., and Kauermann, G. 2015. Expectile and quantile regression – David and Goliath? *Statistical Modelling*, **15**(5), 433–456.
- Wand, M. P., and Jones, M. C. 1995. *Kernel Smoothing*. London: Chapman and Hall.
- Wand, M. P., and Ormerod, J. T. 2008. On semiparametric regression with O’Sullivan penalized splines. *Australian & New Zealand Journal of Statistics*, **50**, 179–198.
- Wang, Y. 2011. *Smoothing Splines: Methods and Applications*. Boca Raton, FL: CRC Press.
- Wang, Y., Yue, Y. R., and Faraway, J. J. 2018. *Bayesian Regression Modeling with INLA*. Boca Raton, FL: CRC Press.
- Welham, S. J., Cullis, B. R., Kenward, M. G., and Thompson, R. 2006. The analysis of longitudinal data using mixed model L-splines. *Biometrics*, **62**, 392–401.
- Whittaker, E. T. 1923. On a new method of graduation. *Proceedings of the Edinburgh Mathematical Society*, **41**, 63–75.
- Wood, S. N. 2017. *Generalized Additive Models: An Introduction with R*, 2nd ed. Boca Raton, FL: CRC Press.
- Wood, S. N., and Fasiolo, M. 2017. A generalized Fellner-Schall method for smoothing parameter optimization with application to Tweedie location, scale and shape models. *Biometrics*, **73**, 1071–1081.
- Xiao, L., Li, Y., and Ruppert, D. 2013. Fast bivariate P-splines: The sandwich smoother. *Journal of the Royal Statistical Society, Series B*, **75**, 577–599.
- Yavuz, A. C., and Lambert, P. 2016. Semi-parametric frailty model for clustered interval-censored data. *Statistical Modelling*, **16**, 360–391.
- Ye, J. 1998. On measuring and correcting the effects of data mining and model selection. *Journal of the American Statistical Association*, **93**, 120–131.
- Yu, Y., and Ruppert, D. 2002. Penalized spline estimation for partially linear single-index models. *Journal of the American Statistical Association*, **97**, 1042–1054.