

References

- Abramowitz, M. and Stegun, I.A. (eds), 1972, *Handbook of Mathematical Functions*. New York: Dover Books.
- Adams, J.B., Smith, M.O. and Gillespie, A.R., 1989, Simple models for complex natural surfaces: a strategy for the hyperspectral era of remote sensing. *Proceedings of the IEEE International Geoscience and Remote Sensing Symposium (IGARSS'89)*, Vancouver, British Columbia, Canada, 10–14 July 1989. New York: IEEE Press, vol. 1, 16–21.
- Adams, J.B., Smith, M.O. and Gillespie, A.R., 1993, Imaging spectroscopy: interpretation based on spectral mixture analysis. In Pieters, C.M. and Englert, P.A.J. (eds) (1993), *Remote Geochemical Analysis: Elemental and Mineralogical Composition*. Cambridge: Cambridge University Press, 145–166.
- Aleksander, I. and Morton, J., 1990, *An Introduction to Neural Computing*. London: Chapman and Hall.
- Alföldi, T.T., 1982, Remote sensing for water quality monitoring. In Johanssen, C.J. and Sanders, J.L. (eds) (1982), *Remote Sensing for Resource Management*. Ankeny, Iowa: Soil Conservation Society of America, 317–328.
- Al-Hinai, K.G., Khan, M.A. and Canaas, A.A., 1991, Enhancement of sand dune texture from Landsat imagery using difference of Gaussian filter. *International Journal of Remote Sensing*, **12**, 1063–1069.
- Allan, J.A., 1984, The role and future of remote sensing. *Proceedings of the Tenth Anniversary International Conference of the Remote Sensing Society*. Nottingham: The Remote Sensing Society, 23–30.
- Alley, R.E., 1995, *Algorithm Theoretical Basis Document*, version 2.0, 1 March 1995. Jet Propulsion Laboratory, Pasadena, Calif.
- Alparone, L., Baronti, S., Carla, R. and Puglisi, C., 1996, An adaptive order-statistics filter for SAR images. *International Journal of Remote Sensing*, **17**, 1357–1365.
- Anderberg, M.R., 1973, *Cluster Analysis for Applications*. New York: Academic Press.
- Andreadis, I., Glavas, E. and Tsalides, Ph., 1995, Image enhancement using colour information. *International Journal of Remote Sensing*, **16**, 2285–2289.
- Anuta, P.E., 1970, Spatial registration of multispectral and multitemporal digital imagery using Fast Fourier Transform techniques. *IEEE Transactions on Geoscience Electronics*, **8**, 353–368.
- Ardö, J., Pilesjö, P. and Skidmore, A., 1997, Neural networks, multitemporal Landsat Thematic Mapper data and topographic data to classify forest damage in the Czech Republic. *Canadian Journal of Remote Sensing*, **23**, 217–219.
- Arnaud, M., 1994, The SPOT programme. In Mather, P.M. (ed.) (1994), 29–39.
- Askne, J. (ed.), 1995, *Sensors and Environmental Applications of Remote Sensing. Proceedings of the 14th EARSeL Symposium*, Göteborg, Sweden, 6–8 June 1994. Rotterdam: A.A. Balkema
- Asrar, G. (ed.), 1989, *Theory and Applications of Optical Remote Sensing*. New York: Wiley-Interscience.
- Atkinson, P.M. and Curran, P.J., 1997, Choosing an appropriate spatial resolution. *Photogrammetric Engineering and Remote Sensing*, **63**, 1345–1351.
- Austin, J., Harding, S., Kanellopoulos, I., Lees, K., McNaughton, H., Roli, F., Vernazza, G. and Wilkinson, G., 1997, *Connectionist Computation in Earth Observation*. Joint Research Centre, European Commission, Report EUR 17314 EN, Brussels, Belgium.
- Babey, S.K. and Anger, C.D., 1989, A Compact Airborne Spectrographic Imager (CASI). *Proceedings of the IEEE International Geoscience and Remote Sensing Symposium (IGARSS'89)*, Vancouver, British Columbia, Canada, 10–14 July 1989. New York: IEEE Press, 1028–1031.
- Bannari, A., Morin, D., Bénéié, G.B. and Bonn, F.J., 1995a, A theoretical review of different mathematical models of geometric corrections applied to remote sensing images. *Remote Sensing Reviews*, **13**, 27–47.
- Bannari, A., Morin, D., Bonn, F. and Huete, A., 1995b, A review of vegetation indices. *Remote Sensing Reviews*, **13**, 95–120.
- Baret, F. and Guyot, G., 1991, Potential and limits of vegetation indices for LAI and PAR assessment. *Remote Sensing of Environment*, **35**, 161–173.
- Baret, F., Jacquemond, S. and Hanocq, J.F., 1993, The soil line concept in remote sensing. *Remote Sensing Reviews*, **7**, 65–82.
- Barker, J.L. and Gunther, F.L., 1983, Landsat-4 sensor performance. *Proceedings of the Eighth W.T. Pecora Memorial Remote Sensing Symposium, 'Land Remote Sensing Advances for the Eighties'*. Sioux Falls, SD: US Geological Survey,

- 46–74.
- Barnea, D.I. and Silverman, H.F., 1972, A class of algorithm for fast digital image registration. *IEEE Transactions on Computers*, **21**, 179–186.
- Barnsley, M.J., 1983, The implications of view angle effects on the use of multispectral data for vegetation studies. *Proceedings of the International Conference on Remote Sensing for Rangeland Monitoring and Management*, Silsoe, Bedfordshire, England. Nottingham: The Remote Sensing Society, 173–177.
- Barnsley, M.J., 1994, Environmental monitoring using multiple-view-angle (MVA) remotely-sensed data. In Foody, G. and Curran, P. (eds) (1994), *Environmental Remote Sensing from Regional to Global Scales*. Chichester: Wiley, 181–201.
- Barnsley, M.J. and Kay, S.A.W., 1990, The relationship between sensor geometry, vegetation-canopy geometry and image variance. *International Journal of Remote Sensing*, **11**, 1075–1083.
- Bastin, L., 1997, Comparison of fuzzy *c*-mean classification, linear mixture modelling and MLC probabilities as tools for unmixing coarse pixels. *International Journal of Remote Sensing*, **18**, 3629–3648.
- Basu, J.P. and Odell, P.L., 1974, Effects of intraclass correlation among training samples on the misclassification probabilities of Bayes' procedure. *Pattern Recognition*, **6**, 13–16.
- Bateson, A. and Curtiss, B., 1996, A method for manual end-member selection and spectral unmixing. *Remote Sensing of Environment*, **55**, 229–243.
- Beale, R. and Jackson, T., 1990, *Neural Computing: An Introduction*. Bristol: Adam Hilger.
- Beauchemin, M., Thomson, K.B.P. and Edwards, G., 1996, Edge detection and speckle adaptive filtering based on a second-order textural measure. *International Journal of Remote Sensing*, **17**, 1751–1759.
- Begni, G., 1986, Absolute calibration of SPOT data. *SPOT Newsletter*, **10**, 2–3.
- Begni, G., Dinguirard, M.C., Jackson, R.D. and Slater, P.N., 1988, Absolute calibration of the SPOT-1 HRV cameras. *SPIE*, **660**, 66–76.
- Belward, A., 1991, Spectral characteristics of vegetation, soil and water in the visible, near-infrared and middle-infrared wavelengths. In Belward, A. and Valenzuela, C.R. (eds) (1991), 31–53.
- Belward, A. and Valenzuela, C.R. (eds), 1991, *Remote Sensing and Geographical Information Systems for Resource Management in Developing Countries*. Dordrecht: Kluwer Academic.
- Ben-Dor, E. and Kruse, F.A., 1995, Surface mineral mapping of the Makhtesh Ramon Negev, Israel, using GER 63 channel scanner data. *International Journal of Remote Sensing*, **16**, 3529–3553.
- Benediktsson, J.A. and Sveinsson, J.R., 1997, Feature extraction for neural network classifiers. In Kanellopoulos, I. et al. (eds) (1997), 97–104.
- Benediktsson, J.A., Swain, P.H. and Ersoy, O.K., 1990, Neural network approaches versus statistical methods in the classification of multisource remote sensing data. *IEEE Transactions of Geoscience and Remote Sensing*, **28**, 540–552.
- Benny, A.H., 1981, Automatic relocation of ground control points in Landsat imagery. *Proceedings of the International Conference on Matching Remote Sensing Technologies and their Applications*. Nottingham: The Remote Sensing Society, 307–315.
- Bergland, G.D., 1969, A guided tour of the Fast Fourier Transform. *IEEE Spectrum*, **6**, 41–45.
- Bergland, G.D. and Dolan, M.T., 1979, Fast Fourier transform algorithms. *Programs for Digital Signal Processing*. New York: IEEE Acoustics, Speech and Signal Processing Society, IEEE Press/Wiley, Section 1.2–1.
- Bernard, A.C., Kanellopoulos, I. and Wilkinson, G.G., 1996, Neural net classification of mixtures. In Binaghi, E. et al. (eds) (1996), 53–58.
- Bernstein, R., Lotspiech, J.B., Myers, J., Kolsky, H.G. and Lees, R.D., 1984, Analysis and processing of Landsat-4 sensor data using advanced image processing techniques and technologies. *IEEE Transactions on Geoscience and Remote Sensing*, **22**, 192–221.
- Bezdek, J.C., 1993, Editorial: Fuzzy models – what are they, and why? *IEEE Transactions on Fuzzy Systems*, **1**, 1–6.
- Bezdek, J.C., 1994, The thirsty traveler visits Gamont: A rejoinder to 'Comments on fuzzy sets – what are they and why?' *IEEE Transactions on Fuzzy Systems*, **2**, 43–45.
- Bezdek, J.C., Ehrlich, R. and Full, W., 1984, FCM: The fuzzy *c*-means clustering algorithm. *Computers & Geosciences*, **10**, 191–203.
- Billingsley, F.C. 1983, Data processing and reprocessing. In Colwell, R.N. (ed.) (1983), 719–792.
- Binaghi, E., Brivio, P.A. and Rampini, A. (eds), 1996, *Proceedings of the 14th International Workshop on Soft Computing in Remote Sensing Data Analysis*, Milan, 4–5 December 1995. Singapore: World Scientific.
- Bird, A.C., 1991a, Principles of remote sensing: electromagnetic radiation, reflectance and emissivity. In Belward, A. and Valenzuela, C.R. (eds) (1991), 1–15.
- Bird, A.C., 1991b, Principles of remote sensing: interaction of electromagnetic radiation with the atmosphere and the Earth. In Belward, A. and Valenzuela, C.R. (eds) (1991), 17–30.
- Bishop, H., Schneider, W. and Pinz, A.J., 1992, Multispectral classification of Landsat images using neural networks. *IEEE Transactions on Geoscience and Remote Sensing*, **30**, 482–490.
- Bishop, C.M., 1995, *Neural Networks for Pattern Recognition*. Oxford: Clarendon Press.
- Bishop, Y.M., Fienberg, S.E. and Holland, P.W., 1975, *Discrete Multivariate Analysis: Theory and Practice*. Cambridge, Mass.: MIT Press.
- Blamire, P., 1996, The influence of relative sample size in training artificial neural networks. *International Journal of Remote Sensing*, **17**, 223–230.
- Blaser, T.J. and Caloz, R., 1991, Digital ortho-image registration from a SPOT panchromatic image using a digital elevation model. *IEEE Transactions on Geoscience and Remote Sensing*, **29**, 2431–2434.
- Blom, R.G., 1988, Effects of variations in look angle and

- wavelength in radar images of volcanic and aeolian terrains, or now you see it, now you don't. *International Journal of Remote Sensing*, **9**, 945–965.
- Blom, R.G. and Daily, M., 1982, Radar image processing for rock-type discrimination. *IEEE Transactions on Geoscience Electronics*, **20**, 343–351.
- Blonda, P.N. and Pasquariello, G., 1991, An experiment for the interpretation of multitemporal remotely sensed images based on a fuzzy logic approach. *International Journal of Remote Sensing*, **12**, 463–476.
- Boardman, J., 1989, Inversion of imaging spectrometer data using singular value decomposition. *Proceedings of the IEEE International Geoscience and Remote Sensing Symposium (IGARSS'89)*, Vancouver, British Columbia, Canada, 10–14 July 1989. New York: IEEE Press, vol. 4, 2069–2072.
- Bodechtel, J. and Zilger, J., 1996, MOMS – History, concepts, goals. *Proceedings of the MOMS-02 Symposium*, Cologne, Germany, 5–7 July 1995. Paris: European Association of Remote Sensing Laboratories (EARSeL), 12–25.
- Bolstad, P.V. and Lillesand, T.M., 1992, Semi-automated training approaches for spectral class definition. *International Journal of Remote Sensing*, **13**, 3157–3166.
- Bolstad, P.V. and Stowe, T., 1994, An evaluation of DEM accuracy: elevation, slope and aspect. *Photogrammetric Engineering and Remote Sensing*, **60**, 1327–1332.
- Bolstad, P.V., Gessler, P. and Thomas, M.L., 1990, Positional uncertainty in manually-digitised map data. *International Journal of Geographical Information Systems*, **4**, 39–42.
- Bonham-Carter, G.F., 1994, *Geographic Information Systems for Geoscientists*. Oxford: Pergamon/Elsevier Science.
- Bonhomme, R., 1993, The solar radiation: characteristics and distribution in the canopy. In Varlet-Grancher, C., Bonhomme, R. and Sinoquet, H. (eds) (1993), *Crop Structures and Light Microclimate, Characteristics and Applications*. Paris: INRA Editions, 17–28.
- Bouman, B.A.M., 1992, Accuracy of estimating the Leaf Area Index from vegetation indices derived from crop reflectance characteristics: a simulation study. *International Journal of Remote Sensing*, **13**, 3069–3084.
- Bow, S.-T., 1992, *Pattern Recognition and Image Preprocessing*. New York: Marcel Dekker.
- Box, E.O., Holben, B.N. and Kalb, V., 1989, Accuracy of the AVHRR Vegetation Index as a predictor of biomass, primary productivity and net CO₂ flux. *Vegetatio*, **80**, 71–89.
- Brady, M., 1982, Computational approaches to image understanding. *Association of Computer Manufacturers' (ACM) Computing Surveys*, **14**, 3–71.
- Brown, S.R. and Scholz, C.H., 1985, Broad bandwidth study of the topography of natural rock surfaces. *Journal of Geophysical Research*, **90**, 12575–12582.
- Brownrigg, D.R.K., 1984, The weighted median filter. *Communications of the Association of Computer Manufacturers (ACM)*, **27**, 807–818.
- Brush, R.J.H., 1985, A method for real-time navigation of AVHRR imagery. *IEEE Transactions on Geoscience and Remote Sensing*, **23**, 876–887.
- Bruzzone, L., Conese, C., Maselli, F. and Roli, F., 1997, Multi-source classification of complex rural areas using statistical and neural-network approaches. *Photogrammetric Engineering and Remote Sensing*, **63**, 523–533.
- Bryant, R.G., 1996, Validated linear mixture modelling of Landsat TM data for mapping evaporite minerals on a playa surface: methods and applications. *International Journal of Remote Sensing*, **17**, 315–330.
- Buckingham, W.F. and Sommer, S.E., 1983, Mineralogical characterization of rock surfaces formed by hydrothermal alteration and weathering: application to remote sensing. *Economic Geology*, **78**, 664–674.
- Buckley, J.J. and Hayashi, Y., 1994, Fuzzy neural networks: a survey. *Fuzzy Sets and Systems*, **66**, 1–13.
- Budkewitsch, P., Newton, G. and Hynes, A.J., 1994, Characterisation and extraction of linear features from digital images. *Canadian Journal of Remote Sensing*, **20**, 268–279.
- Burrough, P.A. and Frank, A., 1996, *Geographic Objects with Indeterminate Boundaries*. London: Taylor and Francis.
- Calder, N., 1991, *Spaceship Earth*. London: Viking Books/Channel Four Television.
- Campbell, J.B., 1981, Spatial correlation effects upon accuracy of supervised classification of land cover. *Photogrammetric Engineering and Remote Sensing*, **47**, 355–357.
- Campbell, N.A., 1980, Robust procedure in multivariate analysis. I: Robust covariance estimation. *Applied Statistics*, **29**, 231–237.
- Campbell, N.A., 1996, The decorrelation stretch transform. *International Journal of Remote Sensing*, **17**, 1939–1949.
- Cannon, R.J., Dave, J.A., Bezdek, J.C. and Trivedi, M.M., 1986, Segmentation of a Thematic Mapper image using the fuzzy c-means clustering algorithm. *IEEE Transactions on Geoscience and Remote Sensing*, **24**, 400–408.
- Canters, F., 1997, Evaluating the uncertainty of area estimates derived from fuzzy land cover classification. *Photogrammetric Engineering and Remote Sensing*, **63**, 403–414.
- Cappellini, V., Chiuderi, A. and Fini, S., 1995, Neural networks in remote sensing multisensor data processing. In Askne, J. (ed.) (1995), 457–462.
- Carara, A., Bitelli, G. and Carla, T., 1997, Comparison of techniques for generating digital terrain models from contour lines. *International Journal of Geographical Information Science*, **11**, 451–473.
- Carlson, G.E. and Ebell, W.J., 1995, Co-occurrence matrices for small region texture measurements and comparison. *International Journal of Remote Sensing*, **16**, 1417–1423.
- Carpenter, G.A., Grossberg, S., Markuzon, N., Reynolds, J.H. and Rosen, D.B., 1992, Fuzzy ARTMAP: a neural network architecture for incremental supervised learning for analog multidimensional maps. *IEEE Transactions on Neural Networks*, **3**, 698–712.
- Carpenter, G.A., Gjaja, M.N., Gopal, S. and Woodcock, C.E., 1997, ART neural networks for remote sensing: vegetation classification from Landsat TM and terrain data. *IEEE Transactions on Geoscience and Remote Sensing*, **35**, 308–325.
- Chalmers, A.I. and Harris, R., 1981, Band ratios in multispectral analysis of Landsat digital data. *Proceedings of the 8th*

- Annual Conference of the Remote Sensing Society*. Nottingham: The Remote Sensing Society, 139–146.
- Chang, W.C., 1983, On using principal components before separating a mixture of two multivariate normal distributions. *Applied Statistics*, **32**, 267–275.
- Chapman, R.E., 1995, *Physics for Geologists*. London: UCL Press.
- Chavez, P.S., Jr, 1986, Processing techniques for digital sonar images from GLORIA. *Photogrammetric Engineering and Remote Sensing*, **52**, 1133–1145.
- Chavez, P.S., Jr, 1988, An improved dark-object subtraction technique for atmospheric scattering correction of multispectral data. *Remote Sensing of Environment*, **24**, 459–479.
- Chavez, P.S., Jr, 1996, Image-based atmospheric corrections – revisited and improved. *Photogrammetric Engineering and Remote Sensing*, **62**, 1025–1036.
- Chavez, P.S., Jr and Bauer, B., 1982, An automatic kernel-size selection technique for edge enhancement. *Remote Sensing of Environment*, **12**, 23–38.
- Che, N. and Price, J.C., 1992, Survey of radiometric calibration results and methods for visible and near-infrared channels of NOAA-7, -9, and -11 AVHRRs. *Remote Sensing of Environment*, **41**, 19–27.
- Chilar, J., St-Laurent, L. and Dyer, J.A., 1991, Relation between the normalised vegetation index and ecological variables. *Remote Sensing of Environment*, **35**, 279–298.
- Chittenini, C.B., 1983, Edge and line detection in multidimensional noisy imagery. *IEEE Transactions on Geoscience and Remote Sensing*, **21**, 163–174.
- Chiuderi, A. and Cappellini, V., 1996, A Kohonen's Self Organising Map for land cover classification. In Parlow, E. (ed.) (1996a), 107–112.
- Clark, C. and Cañas, A., 1995, Spectral identification by artificial neural network and genetic algorithm. *International Journal of Remote Sensing*, **16**, 2255–2275.
- Clavet, D.M., Lassere, M. and Pouliot, J., 1993, GPS control for 1:50,000 scale topographic mapping from satellite images. *Photogrammetric Engineering and Remote Sensing*, **59**, 107–111.
- Cliff, A.D. and Ord, J.K., 1973, *Spatial Autocorrelation*. London: Pion Press.
- Collins, J.B. and Woodcock, C.E., 1996, Assessment of several linear change detection techniques for mapping forest mortality using multitemporal Landsat TM data. *Remote Sensing of Environment*, **56**, 66–77.
- Colwell, R.N. (ed.), 1983, *Manual of Remote Sensing*, 2 vols. Falls Church, Va.: American Society of Photogrammetry.
- Conese, C., Gilabert, M.A., Maselli, F. and Bottai, L., 1993, Topographic normalisation of TM scenes through the use of an atmospheric correction method and digital terrain models. *Photogrammetric Engineering and Remote Sensing*, **59**, 1745–1753.
- Congalton, R.G., 1991, A review of assessing the accuracy of classifications of remotely-sensed data. *Remote Sensing of Environment*, **37**, 35–46.
- Congalton, R.G., Oderwald, R. and Mead, R., 1983, Landsat classification accuracy using discrete multivariate analysis statistical techniques. *Photogrammetric Engineering and Remote Sensing*, **49**, 1671–1678.
- Cook, A.E. and Pinder, J.E., III, 1996, Relative accuracy of rectifications of coordinates determined from maps and the Global Positioning System. *Photogrammetric Engineering and Remote Sensing*, **62**, 73–77.
- Cracknell, A.P., 1997, *The Advanced Very High Resolution Radiometer*. London: Taylor and Francis.
- Cracknell, A.P., 1998, Review Article: Synergy in remote sensing – what's in a pixel? *International Journal of Remote Sensing*, **19**, 2025–2074.
- Craig, R.G., 1979, Autocorrelation in Landsat data. *Proceedings of the 13th International Symposium on Remote Sensing of Environment*. Ann Arbor, Mich.: Environmental Research Institute of Michigan, 1517–1524.
- Crawford, P.S., Brooks, A.R. and Brush, R.J.H., 1996, Fast navigation of AVHRR images using complex orbital models. *International Journal of Remote Sensing*, **17**, 197–212.
- Crippen, R.W., 1989, A simple spatial filtering routine for the cosmetic removal of scan line noise from Landsat TM P-tape imagery. *Photogrammetric Engineering and Remote Sensing*, **55**, 327–331.
- Crist, E.P., 1983, The TM tasseled cap – a preliminary formulation. *Proceedings of the Symposium on Machine Processing of Remotely-Sensed Data 1983*, Purdue University, West Lafayette, Ind., 357–364.
- Crist, E.P. and Cicone, R.C., 1984a, A physically-based transformation of Thematic Mapper data – the TM Tasseled Cap. *IEEE Transactions on Geoscience and Remote Sensing*, **22**, 256–263.
- Crist, E.P. and Cicone, R.C., 1984b, Comparison of the dimensionality and features of simulated Landsat-4 MSS and TM data. *Remote Sensing of Environment*, **14**, 235–246.
- Crist, E.P. and Kauth, R.J., 1986, The Tasseled Cap de-mystified. *Photogrammetric Engineering and Remote Sensing*, **52**, 81–86.
- Cross, A.M., Settle, J.J., Drake, N.A. and Paivinen, R.T.M., 1991, Subpixel measurement of tropical forest cover using AVHRR data. *International Journal of Remote Sensing*, **12**, 1119–1129.
- Curran, P.J., 1980, Multispectral remote sensing of vegetation amount. *Progress in Physical Geography*, **4**, 315–341.
- Curran, P.J., 1983, Multispectral remote sensing for estimation of green leaf area index. *Philosophical Transactions of the Royal Society of London*, **309A**, 257–270.
- Curran, P.J., 1994, Imaging spectroscopy. *Progress in Physical Geography*, **18**, 247–266.
- Curran, P.J. and Atkinson, P.M., 1998, Geostatistics and remote sensing. *Progress in Physical Geography*, **22**, 61–78.
- Czaplewski, R.L., 1992, Misclassification bias in areal estimates. *Photogrammetric Engineering and Remote Sensing*, **58**, 189–192.
- Daily, M., 1983, Hue-saturation-intensity split-spectrum processing of Seasat radar images. *Photogrammetric Engineering and Remote Sensing*, **49**, 349–355.
- Dale, P.E.R., Chandica, A.L. and Evans, M., 1996, Using image

- subtraction and classification to evaluate change in subtropical inter-tidal wetlands. *International Journal of Remote Sensing*, **17**, 703–719.
- Danielsson, P.E., 1981, Getting the median faster. *Computer Graphics and Image Processing*, **15**, 71–78.
- Davis, J.C., 1973, *Statistics and Data Analysis in Geology*. New York: Wiley.
- Dayhoff, J.E., 1990, *Neural Network Architectures: An Introduction*. New York: Van Nostrand Reinhold.
- Decell, H.P. and Guseman, L.F., 1979, Linear feature selection with applications. *Pattern Recognition*, **11**, 55–63.
- de Cola, L., 1994, Simulating and mapping spatial complexity using multi-scale techniques. *International Journal of Geographical Information Systems*, **8**, 411–427.
- de Jong, S.M. and Burrough, P.A., 1995, A fractal approach to the classification of Mediterranean vegetation types using remotely sensed data. *Photogrammetric Engineering and Remote Sensing*, **61**, 1041–1063.
- Deschamps, P.Y., Herman, M. and Tanré, D., 1983, Definitions of atmospheric radiance and transmittances in remote sensing. *Remote Sensing of Environment*, **13**, 89–92.
- Desnos, Y.-L. and Matteini, V., 1993, Review on structural detection and speckle filtering on ERS-1 images. *EARSeL Advances in Remote Sensing*, **2**, 52–65. Paris: European Association of Remote Sensing Laboratories.
- de Souza Filho, C.R., Drury, S.A., Denniss, A.M., Carlton, R.W.T. and Rothery, D.A., 1996, Restoration of corrupted optical Fuyo-1 (JERS-1) data using frequency domain techniques. *Photogrammetric Engineering and Remote Sensing*, **62**, 1037–1047.
- Dikshit, O., 1996, Textural classification for ecological research using ATM images. *International Journal of Remote Sensing*, **17**, 887–915.
- Diner, D.J., Bruegge, C.J., Martonchik, J.V., Bothwell, G.W., Danielson, E.D., Floyd, E.L., Ford, V.G., Hovland, L.E., Jones, K.L. and White, M.L., 1991, A Multi-Angle Imaging SpectroRadiometer for terrestrial remote sensing from the Earth Observing System. *International Journal of Imaging Systems and Technology*, **3**, 92–107.
- Dobbertin, M. and Biging, G.S., 1996, A simulation study of the effect of scene autocorrelation, training size and sampling method on classification accuracy. *Canadian Journal of Remote Sensing*, **22**, 360–367.
- Dowman, I., 1992, The geometry of SAR images for geocoding and stereo applications. *International Journal of Remote Sensing*, **13**, 1609–1617.
- Dowman, I., Laycock, J. and Whalley, J., 1993, Geocoding in the UK. In Schreier, G. (ed.) (1993a), 373–387.
- Drewniok, C., 1994, Multi-spectral edge detection. Some experiments on data from Landsat-TM. *International Journal of Remote Sensing*, **15**, 3743–3765.
- Drury, S.A., 1993, *Image Interpretation in Geology*, 2nd edn. London: Allen and Unwin.
- Du, L. and Lee, J.S., 1996, Fuzzy classification of earth terrain covers using complex polarimetric SAR data. *International Journal of Remote Sensing*, **17**, 809–826.
- Duda, O. and Hart, P.E., 1973, *Pattern Classification and Scene Analysis*. New York: Wiley.
- Duggin, M.J., 1985, Factors influencing the discrimination and quantification of terrestrial features using remotely-sensed radiance. *International Journal of Remote Sensing*, **6**, 3–28.
- Duguay, C.R. and Peddle, D.R., 1996, Comparison of evidential reasoning and neural network approaches in a multi-source classification of alpine tundra vegetation. *Canadian Journal of Remote Sensing*, **22**, 433–440.
- Dymond, J.R., 1992, How accurately do image classifiers estimate area? *International Journal of Remote Sensing*, **13**, 1735–1742.
- Eberlein, R.B. and Wezka, J.S., 1975, Mixtures of derivative operators as edge detectors. *Computer Graphics and Image Processing*, **4**, 180–185.
- Egbert, D.D. and Ulaby, F.T., 1972, Effect of angles on reflectivity. *Photogrammetric Engineering*, **29**, 556–564.
- Eghbali, H.J., 1979, A K-S test for detecting changes from Landsat imagery data. *IEEE Transactions on Systems, Man and Cybernetics*, **9**, 17–23.
- Ehleringer, J.R. and Field, C.B. (eds) (1991), *Scaling Physiological Processes – Leaf to Globe*. San Diego: Academic Press.
- Elachi, C., 1987, *Introduction to the Physics and Techniques of Remote Sensing*. New York: Wiley.
- Eliason, E.M. and McEwen, A.S., 1990, Adaptive box filters for the removal of random noise from digital images. *Photogrammetric Engineering and Remote Sensing*, **56**, 453–458.
- Elvidge, C.D. and Lyon, R.J.P., 1985, Influence of rock-soil spectral variation on the assessment of green biomass. *Remote Sensing of Environment*, **17**, 265–279.
- Elvidge, C.D., Yuan, D., Weerackoon, R.D. and Lunetta, R.S., 1995, Relative radiometric normalisation of Landsat Multi-spectral Scanner (MSS) data using an automatic scattergram-controlled regression. *Photogrammetric Engineering and Remote Sensing*, **61**, 1255–1260.
- Evans, D.L., Plant, J.J. and Stofan, E.R., 1997, Overview of the Spaceborne Imaging Radar-C/X-Band Synthetic Aperture Radar (SIR-C/X-SAR) missions. *Remote Sensing of Environment*, **59**, 135–140.
- Farag, A.A., 1992, Edge-based image segmentation. *Remote Sensing Reviews*, **6**, 95–122.
- Ferrari, M.C., 1992, Improved decorrelation stretching of TM data for geological applications: first results in Northern Somalia. *International Journal of Remote Sensing*, **13**, 841–851.
- Filella, I. and Penuelas, J., 1994, The red edge position and shape as indicators of plant chlorophyll content, biomass and hydric status. *International Journal of Remote Sensing*, **15**, 1459–1470.
- Fioravanti, S., 1994, Multifractals: theory and application to image texture recognition. In Wilkinson, G.G., Kanellopoulos, I. and Mégier, J. (eds) (1994), *Fractals in Geoscience and Remote Sensing: Proceedings of a Joint JRC/EARSeL Expert Meeting*, Ispra, Italy, 14–15 April 1994. Report EUR 16092. Luxembourg: Office for Official Publications of the European Communities, 152–175.
- Fisher, P., 1997, The pixel: a snare and a delusion. *International Journal of Remote Sensing*, **18**, 679–685.

- Fitzgerald, R.W. and Lees, B.G., 1994, Assessing the classification accuracy of multisource remote sensing data. *Remote Sensing of Environment*, **47**, 362–368.
- Flygare, A.-M., 1997, A comparison of contextual classification methods using Landsat TM. *International Journal of Remote Sensing*, **18**, 3835–3842.
- Foley, J.D., van Dam, A., Feiner, S.K. and Hughes, J.F., 1990, *Computer Graphics – Principles and Practice, Second Edition in C*. Reading, Mass.: Addison-Wesley.
- Foley, J.D., van Dam, A., Feiner, S.K., Hughes, J.F. and Phillips, R.L., 1994, *Introduction to Computer Graphics*. Reading, Mass.: Addison-Wesley.
- Foody, G.M., 1995, Using prior knowledge in artificial neural net classification with a minimal training set. *International Journal of Remote Sensing*, **16**, 301–312.
- Foody, G.M., 1996, Approaches for the production and evaluation of fuzzy land cover classification from remotely-sensed data. *International Journal of Remote Sensing*, **17**, 1317–1340.
- Foody, G.M. and Arora, M.K., 1996, Fuzzy thematic mapping: incorporating mixed pixels in the training, allocation and testing stages of supervised image classification, In Binaghi, E. et al. (eds) (1996), 43–52.
- Foody, G.M., McCullagh, M.B. and Yates, W.B., 1995, The effect of training set size and composition on artificial neural net classification. *International Journal of Remote Sensing*, **16**, 1707–1723.
- Foody, G.M., Lucas, R.M., Curran, P.J. and Honzak, M., 1996, Estimation of the areal extent of land-cover classes that only occur at the sub-pixel level. *Canadian Journal of Remote Sensing*, **22**, 428–432.
- Foody, G.M., Lucas, R.M., Curran, P.J. and Honzak, M., 1997, Non-linear mixture modelling without end members using an artificial neural network. *International Journal of Remote Sensing*, **18**, 937–953.
- Forshaw, M.R.B., Haskell, A., Miller, P.F., Stanley, D.J. and Townshend, J.R.G., 1983, Spatial resolution of remotely-sensed imagery: a review paper. *International Journal of Remote Sensing*, **4**, 497–520.
- Frank, T.D., 1985, Differentiating semiarid environments using Landsat reflectance data. *Professional Geographer*, **37**, 36–46.
- Franklin, S.E. and Peddle, D.R., 1987, Texture analysis of digital image data using spatial co-occurrence. *Computers and Geosciences*, **13**, 293–311.
- Frankot, R.T. and Chellappa, R., 1987, Lognormal random-field models and their applications to radar image synthesis. *IEEE Transactions on Geoscience and Remote Sensing*, **25**, 195–207.
- Freeman, A., Villasenor, J., Klein, J.D., Hoogeboom, P. and Groot, J., 1994, On the use of multi-frequency and polarimetric radar backscatter features for classification of agricultural crops. *International Journal of Remote Sensing*, **15**, 1799–1812.
- Frei, U., Graf, K.Ch. and Meier, E., 1993, Cartographic reference systems. In Schreier, G. (ed.), (1993a), 213–234.
- Frulla, L.A., Milovich, J.A. and Gagliardini, D.A., 1995, Illumination and observational geometry for NOAA-AVHRR imagery. *International Journal of Remote Sensing*, **16**, 2233–2253.
- Fusco, L. and Trevese, D., 1985, On the reconstruction of lost data in images of more than one band. *International Journal of Remote Sensing*, **6**, 1535–1544.
- Gamon, J.A., Field, C.B., Roberts, D.A., Ustin, S.L. and Valentini, R., 1993, Functional patterns in an annual grassland during an AVIRIS overflight. *Remote Sensing of Environment*, **44**, 239–253.
- García-Haro, F.J., Gilabert, M.A. and Melia, J., 1996, Linear spectral mixture modelling to estimate vegetation amount from optical spectral data. *International Journal of Remote Sensing*, **17**, 3373–3400.
- Gardner, B.P., Blad, B.L., Thompson, D.R. and Henderson, K., 1985, Evaluation and interpretation of Thematic Mapper ratios for estimating corn growth parameters. *Remote Sensing of Environment*, **18**, 225–234.
- Gauthier, Y., Bernier, M. and Fortin, J.-P., 1998, Aspect and incidence angle sensitivity in ERS-1 SAR data. *International Journal of Remote Sensing*, **19**, 2001–2006.
- Gens, R. and van Genderen, J.L., 1996, SAR interferometry – issues, techniques, applications. *International Journal of Remote Sensing*, **17**, 1803–1835.
- German, G.W.H. and Gahegan, M.N., 1996, Neural network architectures for the classification of temporal image sequences. *Computers and Geosciences*, **22**, 969–979.
- Gillespie, A.R., Kahle, A.B. and Walker, R.E., 1986, Color enhancement of highly correlated images. I: Decorrelation and HSI contrast stretches. *Remote Sensing of Environment*, **20**, 209–235.
- Goetz, A.F.H., 1984, High spectral resolution remote sensing of the land. *Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE)*, **268**, 56–68.
- Goetz, A.F.H., 1989, Spectral remote sensing in geology. In Asrar, G. (ed.) (1989), 491–526.
- Goetz, A.F.H. and Rowan, L.C., 1981, Geologic remote sensing. *Science*, **211**, 781–791.
- Goetz, A.F.H., Rock B.N. and Rowan, L.C., 1983, Remote sensing for exploration: an overview. *Economic Geology*, **78**, 573–589.
- Goetz, A.F.H., Vane, G., Solomon, J.E. and Rock, B.N., 1985, Imaging spectroscopy for earth remote sensing. *Science*, **228**, 1147–1153.
- Gong, P. and Howarth, P.J., 1990, An assessment of some factors influencing multispectral land-cover classification. *Photogrammetric Engineering and Remote Sensing*, **56**, 597–603.
- Gong, P., Ledrew, E.F. and Miller, J.R., 1992, Registration noise reduction in difference images for change detection. *International Journal of Remote Sensing*, **13**, 773–739.
- Gong, P., Pu, R. and Chen, J., 1996, Mapping ecological land systems and classification uncertainties from digital elevation and forest-cover data using neural networks. *Photogrammetric Engineering and Remote Sensing*, **62**, 1249–1260.
- Gonzales, R.C. and Woods, R.E., 1992, *Digital Image Processing*. Reading, Mass.: Addison-Wesley.

- Goodenough, D.G., Narendra, P.M. and O'Neill, K., 1978, Feature subset selection in remote sensing. *Canadian Journal of Remote Sensing*, **4**, 143–148.
- Gopal, S. and Woodcock, C., 1994, Theory and methods for accuracy assessment of thematic maps using fuzzy sets. *Photogrammetric Engineering and Remote Sensing*, **60**, 181–188.
- Gopal, S. and Woodcock, C., 1996, Remote sensing of forest change using artificial neural networks. *IEEE Transactions on Geoscience and Remote Sensing*, **34**, 398–403.
- Green, A.A., Berman, M., Switzer, P. and Craig, M.D., 1988, A transformation for ordering multispectral data in terms of image quality with implications for noise removal. *IEEE Transactions on Geoscience and Remote Sensing*, **26**, 65–74.
- Green, W.B., 1983, *Digital Image Processing: A Systems Approach*. New York: Van Nostrand Reinhold.
- Greenfield, S., 1997, *The Human Brain: A Guided Tour*. London: Weidenfeld and Nicolson.
- Grossman, Y.L., Ustin, S.L., Jacquemond, S., Sanderson, E.W., Schmuck, G. and Verdebout, J., 1996, Critique of stepwise multiple linear regression for the extraction of leaf biochemistry information from leaf reflectance data. *Remote Sensing of Environment*, **56**, 182–193.
- Guo, L.J. and Moore, J.McM., 1996, Direct decorrelation stretch technique for RGB colour composition. *International Journal of Remote Sensing*, **17**, 1005–1018.
- Gupta, R.P., 1991, *Remote Sensing in Geology*. Berlin: Springer-Verlag.
- Gurney, C.M., 1980, Threshold selection for line detection algorithms. *IEEE Transactions on Geoscience and Remote Sensing*, **18**, 204–211.
- Gurney, C.M. and Townshend, J.R.G., 1983, The use of contextual information in the classification of remotely sensed data. *Photogrammetric Engineering and Remote Sensing*, **49**, 55–64.
- Gutman, G. and Ignatov, A., 1995, Global land monitoring from AVHRR: potential and limitations. *International Journal of Remote Sensing*, **16**, 2301–2309.
- Guyot, G. and Gu, X.-F., 1994, Effect of radiometric corrections on NDVI determined from SPOT-HRV and Landsat-TM data. *Remote Sensing of Environment*, **49**, 169–180.
- Hall, F.G., Strebel, D.E., Nickeson, J.R. and Goetz, S.J., 1991, Radiometric rectification: toward a common radiometric response among multitemporal, multisensor images. *Remote Sensing of Environment*, **35**, 11–27.
- Hansen, M., Dubayah, R. and Defries, R., 1996, Classification trees: an alternative to traditional land cover classifiers. *International Journal of Remote Sensing*, **17**, 1075–1081.
- Haralick, R.M., 1980, Edge and region analysis of digital image data. *Computer Graphics and Image Processing*, **12**, 50–73.
- Haralick, R.M. and Fu, K.-S., 1983, Pattern recognition and classification. In Colwell, R.N. (ed.) (1983), 793–805.
- Haralick, R.M. and Shanmugam, K.S., 1974, Combined spectral and spatial processing of ERTS imagery data. *Remote Sensing of Environment*, **3**, 3–13.
- Haralick, R.M., Shanmugam, K.S. and Dinstein, I., 1973, Textural features for image classification. *IEEE Transactions on Systems, Man and Cybernetics*, **3**, 610–622.
- Harman, H.H., 1967, *Modern Factor Analysis*, 2nd edn. Chicago: Chicago University Press.
- Harries, J., Llewellyn-Jones, D.T., Mutlow, C., Murray, M.J., Barton, I.J. and Prata, A.J., 1994, The ATSR programme: instruments, data and science. In Mather, P.M. (ed.) (1994), 20–28.
- Harris, J.R., Murray, R. and Hirose, T., 1990, IHS transform for the integration of radar imagery and other remotely sensed data. *Photogrammetric Engineering and Remote Sensing*, **56**, 1631–1641.
- Harris, R., 1981, An experiment in probabilistic relaxation for terrain cover classification of Kuwait from Landsat imagery. *Proceedings of the 15th International Conference on Remote Sensing of Environment*. Ann Arbor, Mich.: Environmental Research Institute of Michigan, 1245–1252.
- Harris, R., 1985, Contextual classification post-processing of Landsat data using a probabilistic relaxation model. *International Journal of Remote Sensing*, **6**, 847–866.
- Hartigan, J.A., 1975, *Clustering Algorithms*. New York: Wiley.
- Hay, J.C. and Mackay, D.C., 1985, Estimating solar irradiances on inclined surfaces: a review and assessment of methodologies. *International Journal of Solar Energy*, **3**, 203–240.
- Healy, M.J.R., 1968, Multivariate normal plotting. *Applied Statistics*, **17**, 157–161.
- Hearn, D. and Baker, M.P., 1994, *Computer Graphics*, 2nd edn. London: Prentice-Hall International.
- Henebry, G.M., 1997, Advantages of principal components analysis for land cover segmentation from SAR image series. *Proceedings of the 3rd ERS Symposium*, Florence, Italy, 18–21 March. Available via WWW from: <http://earthnet.esrin.esa.it/pub/florence/program-details/data/henebry3/index.html>
- Hepner, G.F., Logan, T., Ritter, N. and Bryant, N., 1990, Artificial neural network classification using a minimal training set: comparison to conventional supervised classification. *Photogrammetric Engineering and Remote Sensing*, **56**, 469–473.
- Hill, I.D., 1973, The Normal integral. Algorithm AS66. *Applied Statistics*, **22**, 424.
- Hill, J., 1991, A quantitative approach to remote sensing: sensor calibration and comparison. In Belward, A.S. and Valenzuela, C.R. (eds) (1991), 97–110.
- Hill, J., 1993–4, Monitoring land degradation and soil erosion in Mediterranean environments. *ITC Journal*, **1993–4**, 323–331.
- Hill, J. and Aifadopolou, D., 1990, Comparative analysis of Landsat-5 TM and SPOT HRV-1 data for use in multiple sensor approaches. *Remote Sensing of Environment*, **34**, 55–70.
- Hill, J. and Horstert, P.O., 1996, Monitoring the growth of a Mediterranean metropolis based on the analysis of spectral mixtures – a case study on Athens. In Parlow, E. (ed.) (1996a), 21–31.
- Hill, J., Mehl, W. and Radeloff, V., 1995, Improved terrain mapping by combining correction of atmospheric and topographic effects in Landsat TM imagery. In Askne, J. (ed.)

- (1995), 143–151.
- Hobbs, R.J. and Mooney, H.A. (eds), 1990, *Remote Sensing of Biospheric Functioning*. New York: Springer-Verlag.
- Hoffer, R.M., 1978, Biological and physical considerations in applying computer-aided analysis techniques to remote sensor data. In Swain, P.H. and Davis, S.M. (eds) (1978), *Remote Sensing – the Quantitative Approach*. New York: McGraw-Hill, chapter 5.
- Holben, B.N. and Fraser, R.S., 1984, Red and near-infrared sensor response to off-nadir viewing. *International Journal of Remote Sensing*, **5**, 145–160.
- Holben, B.N. and Kimes, D., 1986, Directional reflectance response in AVHRR red and near-infrared bands for three cover types and varying atmospheric conditions. *Remote Sensing of Environment*, **19**, 213–226.
- Holm, R.G., Moran, M.S., Jackson, R.D., Slater, P.N., Yuan, B. and Biggar, S.F., 1989, Surface reflectance factor retrieval from Thematic Mapper data. *Remote Sensing of Environment*, **27**, 47–57.
- Horn, B.K.P. and Woodham, R.J., 1979, Destriping Landsat MSS images by histogram modification. *Computer Graphics and Image Processing*, **10**, 69–83.
- Huang, T.S., Yang, G.J. and Tang, G.Y., 1979, A fast two-dimensional median filtering algorithm. *IEEE Transactions on Acoustics, Speech and Signal Processing*, **27**, 13–18.
- Huete, A., 1989, Soil influences in remotely sensed vegetation-canopy spectra. In Asrar, G. (ed.) (1989), 107–141.
- Hung, C.C., 1993, Competitive learning networks for unsupervised training. *International Journal of Remote Sensing*, **14**, 2411–2415.
- Hunt, G.R., 1977, Spectral signatures of particulate minerals in the visible and near-infrared. *Geophysics*, **42**, 501–513.
- Hunt, G.R., 1979, Near-infrared (1.3–2.4 μm) spectra of alteration minerals: potential for use in remote sensing. *Geophysics*, **44**, 1974–1986.
- Hunt, G.R. and Ashley, R.P., 1979, Spectra of altered rocks in the visible and near infrared. *Economic Geology*, **74**, 1613–1629.
- Hunt, G.R. and Salisbury, J.W., 1970, Visible and near-infrared spectra of minerals and rocks: I. Silicate minerals. *Modern Geology*, **1**, 283–300.
- Hunt, G.R. and Salisbury, J.W., 1971, Visible and near-infrared spectra of minerals and rocks: II. Carbonates. *Modern Geology*, **2**, 23–30.
- Hunt, G.R., Salisbury, J.W. and Lenhoff, D.J., 1971, Visible and near-infrared spectra of minerals and rocks: III. Oxides and hydroxides. *Modern Geology*, **2**, 195–205.
- Hunter, G.J. and Goodchild, M.F., 1997, Modeling the uncertainty of slope and aspect estimates derived from spatial databases. *Geographical Analysis*, **29**, 35–49.
- Hussein, H.A., Rabie, S.I. and Abdel Nabie, S., 1996, Structural interpretation of aeromagnetic data, Gabel Zubeir area, North Eastern Desert, Egypt. *International Journal of Remote Sensing*, **17**, 1997–2012.
- Hutchinson, C.F., 1982, Techniques for combining Landsat and ancillary data for digital classification improvement. *Photogrammetric Engineering and Remote Sensing*, **48**, 123–130.
- Hyman, A.H. and Barnsley, M.J., 1997, On the potential for land cover mapping from multiple-view-angle (MVA) remotely sensed images. *Proceedings of the 23rd Annual Conference and Exhibition of the Remote Sensing Society*, University of Reading, 2–4 September 1997. Nottingham: The Remote Sensing Society, 135–140.
- Hyppänen, H., 1996, Spatial autocorrelation and optimum spatial resolution of optical remote sensing data in boreal forest environment. *International Journal of Remote Sensing*, **17**, 3441–3452.
- Ichoku, C. and Karnieli, A., 1996, A review of mixture modeling techniques for sub-pixel land cover estimation. *Remote Sensing Reviews*, **13**, 161–186.
- Ichoku, C., Karnieli, A., Meisels, A. and Chorowicz, J., 1996, Detection of drainage channel networks on satellite imagery. *International Journal of Remote Sensing*, **17**, 1659–1678.
- Imbrie, J., 1963, *Factor and Vector Analysis Programs for Analyzing Geologic Data*. Technical Report, 6, Office of Naval Research Geography Branch, Task No. 389-135, Contract No. 1228 (26), Northwestern University, Evanston, Ill., October 1963.
- Irons, J.R. and Petersen, G.W., 1981, Texture transforms of remotely sensed data. *Remote Sensing of Environment*, **11**, 359–370.
- Irons, J.R., Weismiller, R.A. and Petersen, G.W., 1989, Soil reflectance. In Asrar, G. (ed.) (1989), 66–106.
- Itten, K.I. and Meyer, P., 1993, Geometric and radiometric correction of TM data of mountainous forested areas. *IEEE Transactions on Geoscience and Remote Sensing*, **31**, 764–770.
- Jackson, R.D., 1983, Spectral indices in n -space. *Remote Sensing of Environment*, **13**, 409–421.
- Jackson, R.D., Slater, P.N. and Pinter, P.J., Jr, 1983, Discrimination of growth and water stress in wheat by various vegetation indices through clear and turbid atmospheres. *Remote Sensing of Environment*, **13**, 187–208.
- Jarvis, C.H. and Stuart, N., 1996, The sensitivity of a neural net for classifying remotely sensed imagery. *Computers and Geosciences*, **22**, 959–967.
- Jensen, J.R., 1986, *Introductory Digital Image Processing – A Remote Sensing Perspective*. Englewood Cliffs, NJ: Prentice-Hall.
- Jensen, J.R. and Toll, D.L., 1982, Detecting residential land-use development at the urban fringe. *Photogrammetric Engineering and Remote Sensing*, **48**, 629–643.
- Johnsen, H., Lauknes, L. and Guneriussen, T., 1995, Geocoding of fast-delivery SAR image mode products using DEM data. *International Journal of Remote Sensing*, **16**, 1957–1968.
- Johnson, R.D. and Kasischke, E.S., 1998, Change vector analysis: a technique for the multispectral monitoring of land cover and condition. *International Journal of Remote Sensing*, **19**, 411–426.
- Jones, A.R., Settle, J.J. and Wyatt, B.K., 1988, Use of digital terrain data in the interpretation of SPOT-1 HRV data. *International Journal of Remote Sensing*, **9**, 669–682.

- Joseph, G., 1996, Imaging sensors for remote sensing. *Remote Sensing Reviews*, **13**, 257–342.
- Jupp, D.L.B. and Mayo, K.K., 1982, The use of residual images in Landsat image analysis. *Photogrammetric Engineering and Remote Sensing*, **48**, 595–604.
- Jupp, D.L.B., Strahler, A.H. and Woodcock, C.E., 1988, Autocorrelation and regularisation in digital images. I: Basic theory. *IEEE Transactions on Geoscience and Remote Sensing*, **26**, 463–473.
- Jupp, D.L.B., Strahler, A.H. and Woodcock, C.E., 1989, Autocorrelation and regularisation in digital images. II: Simple image models. *IEEE Transactions on Geoscience and Remote Sensing*, **27**, 247–258.
- Justice, C.O., Townshend, J.R.G., Holben, B.N. and Tucker, C.J., 1985, Analysis of the phenology of global vegetation using meteorological satellites. *International Journal of Remote Sensing*, **6**, 1271–1318.
- Jutz, S.L. and Chorowicz, J., 1993, Geological mapping and detection of oblique extensional structures in the Kenyan Rift Valley with a SPOT/Landsat data merge. *International Journal of Remote Sensing*, **14**, 1677–1688.
- Kahle, A.B. and Rowan, L.C., 1980, Evaluation of multispectral infrared aircraft images for lithological mapping in the East Tintic Mountains, Utah. *Geology*, **8**, 234–239.
- Kailath, T., 1967, The divergence and Bhattacharyya distance measures in feature selection. *IEEE Transactions on Communication Theory*, **15**, 52–60.
- Kalkhan, M.A., Reich, R.M. and Czaplewski, R.L., 1997, Variance estimates and confidence intervals for the kappa measure of classification accuracy. *Canadian Journal of Remote Sensing*, **23**, 210–216.
- Kanal, L., 1974, Patterns in pattern recognition: 1968–1974. *IEEE Transactions on Information Theory*, **20**, 697–722.
- Kaneko, T., 1976, Evaluation of Landsat image registration accuracy. *Photogrammetric Engineering and Remote Sensing*, **42**, 1285–1299.
- Kanellopoulos, I., Varas, A., Wilkinson, G.G. and Mégier, J., 1992, Land-cover discrimination in SPOT HRV imagery using an artificial neural network – a 20-class experiment. *International Journal of Remote Sensing*, **13**, 917–924.
- Kanellopoulos, I., Wilkinson, G.G., Roli, F. and Austin, J. (eds) (1997), *Neurocomputation in Remote Sensing Data Analysis*. Heidelberg: Springer-Verlag.
- Kardoulas, N.G., Bird, A.C. and Lawan, A.I., 1996, Geometric correction of SPOT and Landsat imagery: a comparison of map and GPS-derived control points. *Photogrammetric Engineering and Remote Sensing*, **62**, 1173–1177.
- Katawa, Y., Ueno, S. and Kusaka, T., 1988, Radiometric correction for atmospheric and topographic effects on Landsat MSS images. *International Journal of Remote Sensing*, **9**, 729–748.
- Kaufmann, H., Berger, M., Meissner, M. and Süssenguth, G., 1996, MOMS-02/STS-55 design and validation of spectral and panchromatic modules. *Proceedings of the MOMS Symposium*, Cologne, Germany, 5–7 July 1995. Paris: European Association of Remote Sensing Laboratories (EARSeL), 26–38.
- Kauth, R.J. and Thomas, G., 1976, The tasselled cap – a graphic description of the spectral-temporal development of agricultural crops as seen by Landsat. *Proceedings of the Symposium on Machine Processing of Remotely-Sensed Data 1976*, Purdue University, West Lafayette, Ind., vol. 4B, 41–51.
- Keller, J.M., Chen, S. and Crownover, R.M., 1989, Texture description and segmentation through fractal geometry. *Computer Graphics, Vision and Image Processing*, **45**, 10–166.
- Kerdiles, H. and Grondona, M.O., 1995, NOAA-AVHRR NDVI decomposition and sub-pixel classification using linear mixing in the Argentine Pampa. *International Journal of Remote Sensing*, **16**, 1303–1325.
- Kess, B.L., Steinwand, D.R. and Reichenbach, S.E., 1996, Compression of Global Land 1-km AVHRR dataset. *International Journal of Remote Sensing*, **17**, 2955–2969.
- Key, J.R., Maslanik, J.A. and Barry, R.G., 1989, Cloud classification from satellite data using a fuzzy sets algorithm: a polar example. *International Journal of Remote Sensing*, **10**, 1823–1842.
- Khan, B., Hayes, L.W.B. and Cracknell, A.P., 1995, The effects of higher-order resampling on AVHRR data. *International Journal of Remote Sensing*, **16**, 147–163.
- Kim, H. and Swain, P.H., 1995, Evidential reasoning approach to multisource data classification in remote sensing. *Proceedings of the International Geoscience and Remote Sensing Symposium (IGARSS'89)*, Vancouver, British Columbia, Canada, 10–14 July 1989. New York: IEEE Press, vol. 2, 829–832.
- Kimble, G., 1951, The inadequacy of the regional concept. In Dudley Stamp, L. and Wooldridge, S.W. (eds) (1951), *London Essays in Geography: Rodwell Jones Memorial Volume*. London: Longmans Green, 151–174.
- Kingsley, S. and Quegan, S., 1992, *Understanding Radar Systems*. London: McGraw-Hill.
- Kittler, J., 1983, Image processing for remote sensing. *Philosophical Transactions of the Royal Society of London*, **309A**, 323–335.
- Kittler, J. and Föglein, J., 1984, Contextual classification of multispectral pixel data. *Image and Vision Computing*, **2**, 13–29.
- Kneizys, F.X., Shettle, E.P., Gallery, W.O., Chetwynd, J.H., Abreu, L.W., Selby, J.E.A., Clough, S.A. and Fenn, R.W., 1983, *Atmospheric Transmittance/Radiance: Computer Code LOWTRAN-6*. US Air Force Geophysics Laboratory, AFGL-TR-83-0187.
- Koch, M. and Mather, P.M., 1997, Lineament mapping for groundwater resource assessment: a comparison of digital Synthetic Aperture Radar imagery and stereoscopic Large Format Camera photographs in the Red Sea Hills, Sudan. *International Journal of Remote Sensing*, **18**, 1465–1482.
- Kohl, H.G. and Hill, J., 1988, Geometric registration of multi-temporal TM data over mountainous areas by use of a low resolution digital elevation model. *Proceedings of the 8th EARSeL Symposium on Alpine and Mediterranean Areas: A Challenge for Remote Sensing*, Capri, Italy, 17–20 May 1998.

- Paris: European Association of Remote Sensing Laboratories (EARSeL), 323–355.
- Kontoes, C.C. and Rokos, D., 1996, The integration of spatial context information in an experimental knowledge-based system and the supervised relaxation algorithm – two successful approaches to improving SPOT-XS classification. *International Journal of Remote Sensing*, **17**, 3093–3106.
- Kowalik, W.S., Lyon, R.J.P. and Switzer, P., 1983, The effects of additive radiance terms on ratios of Landsat data. *Photogrammetric Engineering and Remote Sensing*, **49**, 659–669.
- Kramer, H.J., 1994, *Observation of the Earth and its Environment – Survey of Missions and Sensors*. Berlin: Springer-Verlag.
- Krishnamurthy, J., Manalavan, P. and Saivasan, V., 1992, Application of digital enhancement techniques for groundwater exploration in hard rock terrains. *International Journal of Remote Sensing*, **13**, 2925–2942.
- Kropatsch, W.G. and Strobl, D., 1990, The generation of SAR layover and shadow maps from digital elevation models. *IEEE Transactions on Geoscience and Remote Sensing*, **28**, 90–107.
- Kruse, F.A., Lefkoff, A.B., Boardman, J.W., Heidebrecht, K.B., Shapiro, A.T., Barloon, P.J. and Goetz, A.F.H., 1993, The Spectral Image Processing System (SIPS) – Interactive visualization and analysis of imaging spectrometer data. *Remote Sensing of Environment*, **44**, 145–163.
- Kumar, R., 1979, Comparison of feature selection techniques for Earth resources data. In Gardner, W.E. (ed.) (1979), *Proceedings of an International Conference on Applications of Machine-Aided Image Analysis*, Oxford, 1979, Bristol: Institute of Physics, Conference Series, vol. 44, 238–243.
- Kwok, R., Curlander, J.C. and Pang, S.S., 1987, Rectification of terrain-induced distortions in radar images. *Photogrammetric Engineering and Remote Sensing*, **53**, 507–513.
- Labovitz, M.L. and Matsuoko, E.J., 1984, The influence of autocorrelation on signature extraction – an example from a geobotanical investigation of Cotter Basin, Montana. *International Journal of Remote Sensing*, **5**, 315–332.
- Labovitz, M.L., Toll, D.L. and Kennard, R.E., 1982, Preliminary evidence for the influence of physiography and scale upon the autocorrelation function of remotely sensed data. *International Journal of Remote Sensing*, **3**, 13–30.
- Lambin, E.F., 1996, Change detection at multiple temporal scales: seasonal and annual variations in landscape variables. *Photogrammetric Engineering and Remote Sensing*, **62**, 931–938.
- Lambin, E.F. and Strahler, A.H., 1994, Indicators for land cover change for change-vector analysis in multitemporal space at coarse spatial scales. *International Journal of Remote Sensing*, **15**, 2099–2119.
- Land, E.H., 1977, The retinex theory of color vision. *Scientific American*, December 1977, 108–128.
- Landgrebe, D.A., 1980, The development of a spectral-spatial classifier for Earth observation data. *Pattern Recognition*, **12**, 165–175.
- Landgrebe, D.A. and staff, 1975, *A Study of the Utilisation of ERTS-1 Data from the Wabash River Basin*. Laboratory for the Applications of Remote Sensing, Purdue University, West Lafayette, Ind., Information Note 052375.
- Lark, R.M., 1995, A reappraisal of unsupervised classification. I: Correspondence between spectral and conceptual classes. *International Journal of Remote Sensing*, **16**, 1425–1443.
- Lark, R.M., 1996, Geostatistical description of texture on an aerial photograph for discriminating classes of land cover. *International Journal of Remote Sensing*, **17**, 2115–2133.
- Lark, R.M., 1998, Forming spatially-coherent regions by classification of multi-variate data: an example from the analysis of maps of crop yield. *International Journal of Remote Sensing*, **19**, 83–98.
- Lawrence, R.L. and Ripple, W.J., 1996, Determining patch perimeters in raster image processing and geographic information systems. *International Journal of Remote Sensing*, **17**, 1255–1259.
- Lawson, C.L. and Hansen, R.J. (eds), 1995, *Solving Least Squares Problems*. Englewood Cliffs, NJ: Prentice Hall.
- Leachtenauer, J.C., 1977, Optical power spectrum analysis: scale and resolution effects. *Photogrammetric Engineering and Remote Sensing*, **43**, 1117–1125.
- Leberl, F.W., 1990, *Radargrammetric Image Processing*. Dordrecht, Mass.: Artech House.
- Le Cun, Y., Denker, J.S. and Solla, S.A., 1990, Optimal brain damage. In Touretsky, D.S. (ed.) (1990), *Advances in Neural Information*. San Mateo, Calif.: Morgan Kaufmann, 598–605.
- Lee, C. and Landgrebe, P.A., 1993, Decision boundary feature extraction for non-parametric classifiers. *IEEE Transactions on Systems, Man, and Cybernetics*, **23**, 433–444.
- Lee, J.S., 1983a, Digital image smoothing and the sigma filter. *Computer Graphics, Vision and Image Processing*, **17**, 24–32.
- Lee, J.S., 1983b, A simple speckle smoothing algorithm for synthetic aperture radar images. *IEEE Transactions on Systems, Man and Cybernetics*, **13**, 85–89.
- Lee, J.S., Jurkevich, I., Dewaele, P., Wambacq, P. and Oosterlinck, M., 1994, Speckle filtering of synthetic aperture radar images: a review. *Remote Sensing Reviews*, **8**, 313–340.
- Lee, T. and Richards, J.A., 1985, A low-cost classifier for multitemporal applications. *International Journal of Remote Sensing*, **6**, 1405–1418.
- Lee, T., Richards, J.A. and Swain, P.H., 1987, Probabilistic and evidential approaches for multisource data analysis. *IEEE Transactions on Geoscience and Remote Sensing*, **25**, 283–293.
- Lei, Q., Henkel, J., Frei, M., Mehl, H., Lörchner, G. and Bodechtel, J., 1996, Radiometric noise correction of panchromatic high resolution data of MOMS-02. *Proceedings of the MOMS Symposium*, Cologne, Germany, 5–7 July 1995. Paris: European Association of Remote Sensing Laboratories (EARSeL), 303–313.
- Leprieux, C., Kerr, Y.H. and Pichon, J.M., 1996, Critical assessment of vegetation indices from AVHRR in a semi-arid environment. *International Journal of Remote Sensing*, **17**, 2549–2563.
- Levin, S.A., 1991, Concepts of scale at the local level. In Ehleringer, J.R. and Field, C.B. (eds) (1991), 7–19.

- Li, M., Daels, L. and Antrop, M., 1996, Lambertian and Minnaert relation simulation for topographic normalization. *Proceedings of the 11th Thematic Conference and Workshops on Applied Geologic Remote Sensing*, Las Vegas, Nevada, 27–29 February 1996. Ann Arbor, Mich.: Environmental Research Institute of Michigan, vol. 2, 133–141.
- Li, W.-H., Weeks, R. and Gillespie, A.R., 1998, Multiple scattering in the remote sensing of natural surfaces. *International Journal of Remote Sensing*, **19**, 1725–1740.
- Li, Z., 1993, Theoretical models of the accuracy of Digital Terrain Models: an evaluation and some observations. *Photogrammetric Record*, **14**, 651–660.
- Lillesand, T.M. and Keifer, R.W., 1994, *Remote Sensing and Image Interpretation*, 3rd edn. New York: Wiley.
- Lobo, A., Chic, O. and Casterad, A., 1996, Classification of Mediterranean crops with multi-sensor data: per-pixel versus per-object statistics and image segmentation. *International Journal of Remote Sensing*, **17**, 2385–2400.
- Logan, T.L. and Strahler, A.H., 1983, Optimal Landsat transforms for forest applications. *Proceedings of the Symposium on Machine Processing of Remotely Sensed Data 1983*, Purdue University, West Lafayette, Ind., 146–153.
- Lopes, A., Nezry, E., Touzi, R. and Laur, H., 1993, Structure detection and statistical adaptive speckle filtering in SAR images. *International Journal of Remote Sensing*, **14**, 1735–1758.
- Lowitz, G.E., 1978, Stability and dimensionality of Karhunen-Loeve multispectral image expansions. *Pattern Recognition*, **10**, 359–363.
- Lowman, P.D., Jr, 1994, Radar geology of the Canadian Shield: a 10-year review. *Canadian Journal of Remote Sensing*, **20**, 198–209.
- Lynn, P.A., 1982, *An Introduction to the Analysis and Processing of Signals*, 2nd edn. London: Macmillan.
- McCullagh, M.J. and Davis, J.C., 1972, Optical analysis of two-dimensional patterns. *Annals of the Association of American Geographers*, **62**, 561–577.
- McDonnell, M.J., 1981, Box filtering techniques. *Computer Graphics and Image Processing*, **17**, 65–70.
- MacFarlane, N. and Thomas, M.H.B., 1984, Speckle reduction algorithms and their application to SAR imagery. *Proceedings of the Tenth Anniversary International Conference of The Remote Sensing Society: Satellite Remote Sensing – Review and Preview*. Nottingham: The Remote Sensing Society, 391–398.
- Maguire, D.J., Goodchild, M.F. and Rhind, D.W. (eds), 1991, *Geographic Information Systems – Principles and Applications*. Harlow, Essex: Longman Scientific and Technical.
- Mannan, B., Roy, J. and Ray, A.K., 1998, Fuzzy ARTMAP supervised classification of multi-spectral remotely-sensed images. *International Journal of Remote Sensing*, **19**, 767–774.
- Marceau, J., Howarth, P.J., Dubois, J.M. and Gratton, D.J., 1990, Evaluation of the grey-level co-occurrence matrix method for land cover classification using SPOT imagery. *IEEE Transactions on Geoscience and Remote Sensing*, **28**, 513–519.
- Markham, B.L. and Barker, J.L., 1987, Thematic Mapper bandpass solar exoatmospheric irradiances. *International Journal of Remote Sensing*, **8**, 517–523.
- Markham, B.L., Halthore, R.N. and Goetz, S.J., 1992, Surface reflectance retrieval from satellite and aircraft sensors: result of sensor and algorithm comparisons during FIFE. *Journal of Geophysical Research*, **97**, 18785–18795.
- Marr, D. and Hildreth, E.C. 1980, Theory of edge detection. *Proceedings of the Royal Society of London*, **B209**, 187–217.
- Martin, F.J. and Turner, R.W., 1993, SAR speckle reduction by weighted filtering. *International Journal of Remote Sensing*, **14**, 1759–1774.
- Maselli, F., Conese, C., de Filippis, T. and Norcini, S., 1995a, Estimation of forest parameters through fuzzy classification. *IEEE Transactions on Geoscience and Remote Sensing*, **33**, 77–84.
- Maselli, F., Conese, C., de Filippis, T. and Romani, M., 1995b, Integration of ancillary data into a maximum likelihood classification with nonparametric priors. *ISPRS Journal of Photogrammetry and Remote Sensing*, **50**, 2–11.
- Maselli, F., Rodolfi, A. and Conese, C., 1996, Fuzzy classification of spatially degraded TM data for the estimation of sub-pixel components. *International Journal of Remote Sensing*, **17**, 537–551.
- Mason, D.C., Corr, D.G., Cross, A., Hoggs, D.C., Lawrence, D.H., Petrou, M. and Taylor, A.M., 1988, The use of digital map data in the segmentation and classification of remotely-sensed images. *International Journal of Remote Sensing*, **9**, 195–205.
- Massonet, D., 1993, Geoscientific applications at CNES. In Schreier, G. (ed.) (1993a), 397–415.
- Mather, P.M., 1976, *Computational Methods of Multivariate Analysis in Physical Geography*. Chichester: Wiley.
- Mather, P.M., 1991, *Computer Applications in Geography*. Chichester: Wiley.
- Mather, P.M. (ed.), 1994, *TERRA 2: Understanding the Terrestrial Environment – Remote Sensing Data Systems and Networks*. Chichester: Wiley.
- Mather, P.M., 1995, Map-image registration using least-squares polynomials. *International Journal of Geographical Information Systems*, **9**, 543–554.
- Mather, P.M., Tso, B. and Koch, M., 1998, An evaluation of Landsat TM spectral data and SAR-derived textural information for lithological discrimination in the Red Sea Hills, Sudan. *International Journal of Remote Sensing*, **19**, 587–604.
- Maxwell, E.L., 1976, Multivariate system analysis of multispectral images. *Photogrammetric Engineering and Remote Sensing*, **42**, 1173–1186.
- Meadows, P., 1995, The calibration of ERS-1 synthetic aperture radar images using UK-PAF imagery. In Askne, J. (ed.) (1995), 423–430.
- Menenti, M., Azzali, S., Verhoef, W. and van Swol, R., 1993, Mapping agroecological zones and time-lag in vegetation growth by means of Fourier analysis of time series of NDVI images. *Advances in Space Research*, **13**, 233–237.
- Milovich, J.A., Frulla, L.A. and Gagliardini, D.A., 1995, Envi-

- ronmental contribution to the atmospheric correction for Landsat-MSS images. *International Journal of Remote Sensing*, **16**, 2515–2537.
- Milton, E.J., 1986, Principles of field spectroscopy and its role in remote sensing. In Bradbury, P.A. and Rollin, E.A. (eds) (1986), *Ground Truth for Remote Sensing, Proceedings of a Remote Sensing Workshop*, Department of Geography, The University of Nottingham, May 1986. Nottingham: The Remote Sensing Society, 14–39.
- Misra, P.N. and Wheeler, S.G., 1978, Crop classification with Landsat Multispectral Scanner data. *Pattern Recognition*, **10**, 1–13.
- Moik, J., 1980, *Digital Processing of Remotely-Sensed Images*. Washington DC: National Aeronautics and Space Administration (NASA), Special Publication 431.
- Montserud, R.A. and Leamans, R., 1992, Comparing global vegetation maps with the kappa statistic. *Ecological Modelling*, **62**, 275–293.
- Moon, W.M., Li, B., Singhroy, V., So, C.S. and Yamaguchi, Y., 1994, Notes on JERS-1 SAR data characteristics for geological applications. *Canadian Journal of Remote Sensing*, **20**, 329–332.
- Moore, G.K. and Waltz, F.A., 1983, Objective procedures for lineament enhancement and extraction. *Photogrammetric Engineering and Remote Sensing*, **49**, 641–647.
- Morad, M., Chalmers, A.I. and O'Regan, P.R., 1996, The role of root-mean-square error in the geo-transformation of images in GIS. *International Journal of Geographical Information Systems*, **10**, 347–353.
- Moran, M.S., Jackson, R.D., Hart, G.F., Slater, P.N., Bartell, R.J., Biggar, S.F., Gellman, D.I. and Santer, R.P., 1990, Obtaining surface reflectance factors from atmospheric and view angle corrected SPOT-1 HRV data. *Remote Sensing of Environment*, **32**, 203–214.
- Moran, M.S., Jackson, R.D., Slater, P.N. and Teillet, P.M., 1992, Evaluation of simplified procedures for retrieval of land surface reflectance factors from satellite sensor output. *Remote Sensing of Environment*, **41**, 169–184.
- Moran, M.S., Jackson, R.D., Clarke, T.R., Qi, J., Cabot, F., Thome, K.J. and Markham, B.L., 1995, Reflectance factor retrieval from Landsat TM and SPOT HRV data for bright and dark targets. *Remote Sensing of Environment*, **52**, 218–230.
- Moreno, J.E. and Melia, J., 1993, A method for accurate geometric correction of NOAA AVHRR HRPT data. *IEEE Transactions on Geoscience and Remote Sensing*, **31**, 204–226.
- Motrena, P. and Rebordão, J.M., 1998, Invariant models for ground control points in high-resolution images. *International Journal of Remote Sensing*, **19**, 1359–1375.
- Muasher, M.J. and Landgrebe, D.A., 1984, A binary tree feature selection technique for limited training sample size. *Remote Sensing of Environment*, **16**, 183–194.
- Mulder, N.J., 1980, A view on digital image processing. *ITC Journal*, **1980-3**, 452–476.
- Muller, E., 1993, Evaluation and correction of angular anisotropic effects in multirate SPOT and Thematic Mapper data. *Remote Sensing of Environment*, **45**, 295–309.
- Murphy, R.J. and Wadge, G., 1994, The effects of vegetation on the ability to map soils using imaging spectrometer data. *International Journal of Remote Sensing*, **15**, 63–86.
- Myneni, R.B., Hall, F.G., Sellers, P.J. and Marshak, A.L., 1995, The interpretation of spectral vegetation indices. *IEEE Transactions on Geoscience and Remote Sensing*, **33**, 481–486.
- Nagao, M. and Matsuyama, T., 1979, Edge preserving smoothing. *Computer Graphics and Image Processing*, **9**, 394–407.
- Nalbant, S.S. and Alptekin, Ö., 1995, The use of Landsat Thematic Mapper imagery for analysing lithology and structure of Korucu-Duğla area in Western Turkey. *International Journal of Remote Sensing*, **16**, 2357–2374.
- Narendra, P.M. and Fukunaga, K., 1977, A branch and bound algorithm for feature subset selection. *IEEE Transactions on Computers*, **26**, 917–921.
- NASA, 1988, *Earth Observing System Instrument Panel Report, Volume IIf, Synthetic Aperture Radar*. Washington DC: National Aeronautics and Space Administration (NASA).
- Nasrabadi, N.M., Ibikunle, J.O. and King, R.A., 1984, A new line detection technique in noisy images. *Proceedings of the Tenth Anniversary International Conference of the Remote Sensing Society*. Nottingham: Remote Sensing Society, 237–246.
- Novak, K., 1992, Rectification of digital imagery. *Photogrammetric Engineering and Remote Sensing*, **58**, 339–344.
- Oliver, C. and Quegan, S., 1998, *Understanding Synthetic Aperture Radar*. Boston: Artech House.
- O'Leary, D.W., Friedmann, J.D. and Pohn, H.A., 1976, Lineament, linear, lineation: some proposed new standards for old terms. *Bulletin of the Geological Society of America*, **87**, 1463–1469.
- Olsson, H., 1993, Regression functions for multitemporal relative calibrations of Thematic Mapper data over boreal forests. *Remote Sensing of Environment*, **46**, 89–102.
- Olsson, H., 1995, Radiometric calibration of Thematic Mapper data for forest change detection. *International Journal of Remote Sensing*, **16**, 81–96.
- Olsson, L. and Ekhlund, L., 1994, Fourier series for analysis of temporal sequences of satellite sensor imagery. *International Journal of Remote Sensing*, **15**, 3735–3741.
- Ormsby, J., 1992, Evaluation of natural and man-made features using Landsat TM data. *International Journal of Remote Sensing*, **13**, 303–318.
- Orti, F., Garcia, A. and Martin, M.A., 1979, Geometric correction of Landsat MSS images using a ground control point library. In Allan, J.A. and Harris, R. (eds) (1979), *Proceedings of the 5th Annual Conference of the Remote Sensing Society*, Durham University, 1978. Nottingham: The Remote Sensing Society, 17–26.
- Overheim, R.D. and Wagner, D.L., 1982, *Light and Color*. New York: Wiley.
- Palà, V. and Pons, X., 1995, Incorporation of relief in polynomial-based geometric corrections. *Photogrammetric Engineering and Remote Sensing*, **61**, 935–944.
- Pan, J.-J. and Chang, C.-I., 1992, Destriping of Landsat MSS images by filtering techniques. *Photogrammetric Engineering*

- and *Remote Sensing*, **58**, 1417–1423.
- Paola, J. and Schowengerdt, R.A., 1995a, A review and analysis of backpropagation neural networks for classification of remotely-sensed multi-spectral imagery. *International Journal of Remote Sensing*, **16**, 3033–3058.
- Paola, J. and Schowengerdt, R.A., 1995b, A detailed comparison of backpropagation neural networks and maximum-likelihood classifiers for urban land use classification. *IEEE Transactions on Geoscience and Remote Sensing*, **33**, 981–996.
- Paola, J. and Schowengerdt, R.A., 1997, The effect of neural network structure on multispectral land-use/land-cover classification. *Photogrammetric Engineering and Remote Sensing*, **63**, 535–544.
- Parlow, E. (ed.), 1996a, *Progress in Environmental Remote Sensing Research and Applications, Proceedings of the 15th EAR-SeL Symposium*, Basle, Switzerland, 4–6 September 1996. Rotterdam: A.A. Balkema.
- Parlow, E., 1996b, Correction of terrain controlled illumination effects in satellite data. In Parlow, E. (ed.) (1996a), 139–145.
- Pavlidis, T., 1982, *Algorithms for Graphics and Image Processing*. Berlin: Springer-Verlag.
- Peddle, D.R., 1993, An empirical comparison of evidential reasoning, linear discriminant analysis, and maximum likelihood algorithms for land cover classification. *Canadian Journal of Remote Sensing*, **19**, 31–44.
- Peddle, D.R., 1995a, Knowledge foundation for supervised evidential classification. *Photogrammetric Engineering and Remote Sensing*, **61**, 409–417.
- Peddle, D.R., 1995b, Mercury \oplus : an evidential reasoning classifier. *Computers and Geosciences*, **21**, 1163–1176.
- Peddle, D.R., Foody, G.M., Zhang, A., Franklin, S.E. and LeDrew, E.F., 1994, Multi-source image classification. II: An empirical comparison of evidential reasoning and neural network approaches. *Canadian Journal of Remote Sensing*, **20**, 396–407.
- Peleg, S., 1980, A new probabilistic relaxation scheme. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **2**, 362–369.
- Peli, T. and Malah, D., 1982, A study of edge-detection algorithms. *Computer Graphics and Image Processing*, **20**, 1–21.
- Perry, C.R. and Lautenschlager, L.F., 1984, Functional equivalence of spectral vegetation indices. *Remote Sensing of Environment*, **14**, 169–182.
- Pinter, P.J., Jackson, R.D., Idso, S.B. and Reginato, R.J., 1983, Diurnal patterns of wheat spectral reflectance. *IEEE Transactions on Geoscience and Remote Sensing*, **21**, 156–163.
- Pinty, B., Leprieux, C. and Verstraete, M.M., 1993, Towards a quantitative interpretation of vegetation indices. Part I: Biophysical canopy properties and classical indices. *Remote Sensing Reviews*, **7**, 127–150.
- Pitas, I., 1993, *Digital Image Processing Algorithms*. Englewood Cliffs, NJ: Prentice-Hall.
- Pohl, C. and van Genderen, J.L., 1998, Multisensor image fusion in remote sensing: concepts, methods and application. *International Journal of Remote Sensing*, **19**, 823–854.
- Popp, T., 1995, Correcting atmospheric masking to retrieve the spectral albedo of land surfaces from satellite measurements. *International Journal of Remote Sensing*, **16**, 3843–3508.
- Prasad, L. and Iyengar, S.S., 1997, *Wavelet Analysis with Applications to Image Processing*. Boca Raton, FL: CRC Press.
- Pratt, W.K., 1978, *Digital Image Processing*. New York: Wiley.
- Price, J.C., 1987, Calibration of satellite radiometers and the comparison of vegetation indices. *Remote Sensing of Environment*, **21**, 15–27.
- Price, J.C., 1988, An update on visible and near infrared calibration of satellite instruments. *Remote Sensing of Environment*, **24**, 419–422.
- Price, J.C., 1994, How unique are spectral signatures? *Remote Sensing of Environment*, **49**, 181–186.
- Proy, C., Tanré, D. and Deschamps, P.Y., 1989, Evaluation of topographic effects in remotely sensed data. *Remote Sensing of Environment*, **30**, 21–32.
- Quegan, S. and Rhodes, I., 1994, Relating polarimetric SAR data to surface properties – the MAC-Europe experiment. In Mather, P.M. (ed.) (1994), 159–174.
- Quegan, S. and Wright, A., 1984, Automatic segmentation techniques for satellite-borne synthetic aperture radar (SAR) images. *Proceedings of the Tenth Anniversary Conference of the Remote Sensing Society*. Nottingham: Remote Sensing Society, 161–167.
- Ramirez, R.W., 1985, *The Fast Fourier Transform: Fundamentals and Concepts*. Englewood Cliffs, NJ: Prentice-Hall.
- Ranchin, T. and Wald, L., 1993, The wavelet transform for the analysis of remotely sensed images. *International Journal of Remote Sensing*, **14**, 615–619.
- Ranson, K.J., Biehl, L.L. and Bauer, M.E., 1985, Variation in spectral response of soybeans with respect to illumination, view and canopy geometry. *International Journal of Remote Sensing*, **6**, 1827–1842.
- Rao, C.R.N. and Chen, J., 1996, Post-launch calibration of the visible and near-infrared channels on the Advanced Very High Resolution Radiometer on the NOAA-14 spacecraft. *International Journal of Remote Sensing*, **17**, 2743–2747.
- Rao, K.S. and Rao, Y.S., 1995, Frequency dependence of polarisation phase difference. *International Journal of Remote Sensing*, **16**, 3605–3617.
- Ray, T.W. and Murray, B.C., 1996, Nonlinear spectral mixing in desert vegetation. *Remote Sensing of Environment*, **55**, 59–74.
- Rayner, J.N., 1971, *An Introduction to Spectral Analysis*. London: Pion Press.
- Rees, W.G., 1990, *Physical Principles of Remote Sensing*. Cambridge: Cambridge University Press.
- Rees, W.G. and Satchell, M.J.F., 1997, The effect of median filtering on synthetic aperture radar images. *International Journal of Remote Sensing*, **18**, 2887–2893.
- Riazanoff, S., Cervelle, B. and Chorowicz, J., 1990, Parametrizable skeletonisation of binary and multi-level images. *Pattern Recognition Letters*, **11**, 25–33.
- Ribed, P.S. and Lopez, A.M., 1995, Monitoring burnt areas by principal components analysis of multitemporal TM data. *International Journal of Remote Sensing*, **16**, 1577–1587.

- Richards, J.A., 1993, *Remote Sensing Digital Image Analysis: An Introduction*, 2nd edn. Berlin: Springer-Verlag.
- Richardson, A.J. and Wiegand, C.L., 1977, Distinguishing vegetation from soil background information. *Photogrammetric Engineering and Remote Sensing*, **43**, 1541–1552.
- Richter, R., 1996, A spatially-adaptive fast atmospheric correction algorithm. *International Journal of Remote Sensing*, **17**, 1201–1214.
- Riou, R. and Seyler, F., 1997, Texture analysis of tropical rain forest infrared satellite imagery. *Photogrammetric Engineering and Remote Sensing*, **63**, 515–521.
- Roberts, D., Adams, J.B. and Smith, M.O., 1993, Discriminating green vegetation, non-photosynthetic vegetation and soils in AVIRIS data. *Remote Sensing of Environment*, **44**, 1–25.
- Roger, R.E., 1996, Principal components transform with simple, automatic noise adjustment. *International Journal of Remote Sensing*, **17**, 2719–2727.
- Rondeaux, G., 1995, Vegetation monitoring by remote sensing: a review of biophysical indices. *Photo-Interpretation*, No. 1995/3, 197–216.
- Rondeaux, G., Steven, M.D. and Baret, F., 1996, Optimisation of Soil-Adjusted Vegetation Indices. *Remote Sensing of Environment*, **55**, 95–107.
- Rosenfeld, A., 1976, Iterative methods in image analysis. *Pattern Recognition*, **10**, 181–187.
- Rosenfeld, A. and Kak, A.C., 1982, *Digital Picture Processing*, 2nd edn, vol. 1. New York: Academic Press.
- Rothery, D.A. and Hunt, G.A., 1990, A simple way to perform decorrelation stretching and related techniques on menu-driven image processing systems. *International Journal of Remote Sensing*, **11**, 133–137.
- Rowan, L.C., Wetlaufer, P., Goetz, A.F.H., Billingsley, F. and Stewart, J., 1974, *Discrimination of Rock Types and Detection of Hydrothermally-Altered Areas in South-Central Nevada by the Use of Computer-Enhanced ERTS Images*. US Geological Survey, Professional Paper 883. Washington DC: US Government Printing Office.
- Running, S.W., Justice, C.O., Salomonson, V.V., Strahler, A.H., Huete, A.R., Muller, J.-P., Vanderbilt, V., Wan, Z.M., Teillet, P.M. and Carneggie, D., 1994, Terrestrial remote sensing science and algorithms planned for EOS/MODIS. *International Journal of Remote Sensing*, **15**, 3587–3620.
- Russ, J.C., 1995, *The Image Processing Handbook*, 2nd edn. Boca Raton, FL: CRC Press, 88–100.
- Samet, H., 1990, *The Design and Analysis of Spatial Data Structures*. Reading, Mass.: Addison-Wesley.
- Sammon, J.W., Jr, 1969, A nonlinear mapping algorithm for data structure analysis. *IEEE Transactions on Computers*, **18**, 401–409.
- Sarkar, N. and Chaudhuri, B.B., 1994, An efficient differential box-counting approach to compute the fractal dimension of an image. *IEEE Transactions on Systems, Man and Cybernetics*, **24**, 155–120.
- Sawter, R., Deuze, J.L., Devaux, G., Vermote, E., Guyot, G., Tu, X.F., Verbrugge, M. and Leroy, M., 1991, SPOT calibration on the test site at La Crau, France. *Cinquième Colloque International Mesures Physiques et Signatures on Télédétection*, Courcheval, 14–18 January 1991. ESA-SP-319. Paris: European Space Agency, 77–80.
- Schaale, M. and Furrer, R., 1995, Land surface classification by neural networks. *International Journal of Remote Sensing*, **16**, 3003–3031.
- Schetselaar, E.M., 1998, Fusion by the IHS transform: should we use cylindrical or spherical coordinates? *International Journal of Remote Sensing*, **19**, 759–765.
- Schistad, A.H. and Jain, A.K., 1992, Texture analysis in the presence of speckle noise. *Proceedings of the International Symposium on Geoscience and Remote Sensing (IGARSS'92)*, Houston, Texas, May 1992. New York: IEEE Press, 884–886.
- Schott, J.R. and Volchok, W.J., 1985, Thematic Mapper thermal infrared calibration. *Photogrammetric Engineering and Remote Sensing*, **51**, 1351–1357.
- Schotten, C.G.J., van Rooy, W.W.L. and Janssen, L.L.F., 1995, Assessment of the capabilities of multi-temporal ERS-1 SAR data to discriminate between agricultural crops. *International Journal of Remote Sensing*, **16**, 2619–2637.
- Schowengerdt, R.A., 1997, *Remote Sensing: Models and Methods for Image Processing*, 2nd edn. San Diego: Academic Press.
- Schreier, G. (ed.), 1993a, *SAR Geocoding: Data and Systems*. Karlsruhe, Germany: Herbert Wichmann.
- Schreier, G., 1993b, Geometrical properties of SAR images. In Schreier, G. (ed.) (1993a), 103–134.
- Seftor, J.L. and Larch, D., 1995, The use of the genetic algorithm to optimise rule-based classifiers for land cover categorization. *Canadian Journal of Remote Sensing*, **21**, 412–420.
- Sellers, P., 1989, Vegetation-canopy reflectance and biophysical properties. In Arsar, G. (ed.) (1989), 297–335.
- Settle, J.J. and Campbell, N., 1998, On the errors of two estimators of sub-pixel fractional cover when mixing is linear. *IEEE Transactions on Geoscience and Remote Sensing*, **36**, 163–170.
- Settle, J.J. and Drake, N.A., 1993, Linear mixing and the estimation of ground cover proportions. *International Journal of Remote Sensing*, **14**, 1159–1177.
- Shandley, J., Franklin, J. and White, T., 1996, Testing the Woodcock–Harward image segmentation algorithm in an area of southern California chaparral and woodland vegetation. *International Journal of Remote Sensing*, **17**, 983–1004.
- Sharma, K.M.S. and Sarker, A., 1998, A modified contextual classification technique for remote sensing data. *Photogrammetric Engineering and Remote Sensing*, **64**, 273–280.
- Shaw, R., Sowers, L. and Sanchez, E., 1982, A comparative study of linear and nonlinear edge finding techniques for Landsat multispectral data. In Richason, B.F., Jr (ed.) (1982), *Proceedings of the Pecora VII Symposium*, Sioux Falls, South Dakota. Falls Church, Va.: American Society of Photogrammetry, 529–542.
- Shih, T.-Y., 1995, The reversibility of six geometric color spaces. *Photogrammetric Engineering and Remote Sensing*, **61**, 1223–1232.

- Shimabukuro, Y.E. and Smith, J.A., 1991, The least-squares mixing models to generate fraction images derived from remote sensing multispectral data. *IEEE Transactions on Geoscience and Remote Sensing*, **29**, 16–21.
- Shipman, H. and Adams, J.B., 1987, Detectability of minerals on desert alluvial fans using reflectance spectra. *Journal of Geophysical Research*, **92**, 10391–10402.
- Shlien, S., 1979, Geometric correction, registration and re-sampling of Landsat imagery. *Canadian Journal of Remote Sensing*, **5**, 74–87.
- Sietsma, J. and Dow, R.J.F., 1988, Neural net pruning – why and how. *IEEE International Conference on Neural Networks*. New York: IEEE, I-325 to I-333.
- Siljeström, P.A. and Moreno, A., 1995, Monitoring burnt areas by principal components analysis of multi-temporal TM data. *International Journal of Remote Sensing*, **16**, 1577–1587.
- Siljeström, P.A., Moreno, A., Vikgren, G. and Cáceres, L.M., 1997, The application of selective principal components analysis (SPCA) to a Thematic Mapper (TM) image for the recognition of geomorphologic features configuration. *International Journal of Remote Sensing*, **18**, 3843–3852.
- Simonett, D.S. (ed.), 1983, The development and principles of remote sensing. In Colwell, R.N. (ed.) (1983), 1–36.
- Singh, A., 1984, Some clarifications about the pairwise divergence method in remote sensing. *International Journal of Remote Sensing*, **5**, 623–627.
- Singh, A. and Harrison, A., 1985, Standardised principal components. *International Journal of Remote Sensing*, **6**, 883–896.
- Singleton, R.C., 1979a, Mixed radix fast Fourier transform. *Programs for Digital Signal Processing*. New York: IEEE Acoustics, Speech and Signal Processing Society, IEEE Press/Wiley, Section 1.4-1.
- Singleton, R.C., 1979b, Two-dimensional mixed radix mass storage Fourier transform. *Programs for Digital Signal Processing*. New York: IEEE Acoustics, Speech and Signal Processing Society, IEEE Press/Wiley, Section 1.9-1.
- Skidmore, A.K., Turner, B.J., Brinkhof, W. and Knowles, E., 1997, Performance of a neural network: mapping forests using GIS and remotely sensed data. *Photogrammetric Engineering and Remote Sensing*, **63**, 501–514.
- Slater, P.N., 1980, *Remote Sensing: Optics and Optical Systems*. Reading, Mass.: Addison-Wesley.
- Slater, P.N., Biggar, S.F., Holm, R.G., Jackson, R.D., Mao, Y., Moran, M.S., Palmer, M. and Yuan, B., 1987, Reflectance- and radiance-based methods for the in-flight calibration of multi-spectral sensors. *Remote Sensing of Environment*, **22**, 11–37.
- Smith, A.R., 1978, Color gamut transform pairs. *Computer Graphics*, **12**, 12–19.
- Smith, D.M., 1996, Speckle reduction and segmentation of Synthetic Aperture Radar images. *International Journal of Remote Sensing*, **17**, 2043–2057.
- Smith, G.M. and Curran, P., 1996, The signal-to-noise ratio (SNR) required for the estimation of foliar biochemical concentrations. *International Journal of Remote Sensing*, **17**, 1031–1058.
- Smith, J.A., Lin, T.L., and Ranson, K.J., 1980, The Lambertian assumption and Landsat data. *Photogrammetric Engineering and Remote Sensing*, **46**, 1183–1189.
- Smith, M.O., Ustin, S.L., Adams, J.B. and Gillespie, A.R., 1990, Vegetation in deserts: I. Regional measure of abundance from multispectral images. *Remote Sensing of Environment*, **31**, 1–26.
- Snyder, J.P., 1982, *Map Projections used by the US Geological Survey*. US Geological Survey Bulletin 1532. Washington DC: US Government Printing Office.
- Soares, J.V., Rennó, C.D., Formaggio, A.R., Yanasse, C.C.F. and Frery, A.C., 1997, An investigation into the selection of texture features for crop discrimination using SAR imagery. *Remote Sensing of Environment*, **59**, 234–247.
- Sohn, Y. and McCoy, R.M., 1997, Mapping desert shrub rangeland using spectral unmixing and modelling spectral mixtures with TM data. *Photogrammetric Engineering and Remote Sensing*, **63**, 707–716.
- Spanner, M.A., Brass, J.A. and Peterson, D.L., 1984, Feature selection and the information content of Thematic Mapper simulator data for forest structural assessment. *IEEE Transactions on Geoscience and Remote Sensing*, **22**, 482–489.
- Sparks, D.N., 1985, Half-Normal plotting. In Griffiths, P. and Hill, I.D. (eds) (1985), *Applied Statistical Algorithms*. Chichester: Ellis Horwood, 65–69.
- Srinivasana, A. and Richards, J.A., 1990, Knowledge-based techniques for multisource classification. *International Journal of Remote Sensing*, **11**, 505–525.
- Steers, J.A., 1962, *An Introduction to the Study of Map Projections*, 13th edn. London: University of London Press.
- Stehman, S.V., 1997, Selecting and interpreting measures of thematic classification accuracy. *Remote Sensing of Environment*, **62**, 77–89.
- Steigler, S.E., 1978, *Dictionary of Earth Sciences*. London: Pan Books.
- Steven, M.D., 1998, The sensitivity of the OSAVI vegetation index to observational parameters. *Remote Sensing of Environment*, **63**, 49–60.
- Stimson, A., 1974, *Photometry and Radiometry for Engineers*. New York: Wiley.
- Stolz, R. and Mauser, W., 1996, A fuzzy approach for improving landcover classification by integrating remote sensing and GIS. In Parlow, E. (ed.) (1996a), 33–41.
- Story, M. and Congalton, R.G., 1986, Accuracy assessment: a user's perspective. *Photogrammetric Engineering and Remote Sensing*, **52**, 397–399.
- Strahler, A.H., 1980, The use of prior probabilities in maximum likelihood classification of remotely sensed data. *Remote Sensing of Environment*, **10**, 135–163.
- Strahler, A.H., Logan, T.L. and Bryant, N.A., 1978, Improving forest classification from Landsat by incorporating topographic information. *Proceedings of the 12th International Conference on Remote Sensing of Environment*, Ann Arbor, Mich.: Environmental Research Institute of Michigan, 927–942.
- Strang, G., 1994, Wavelets. *American Scientist*, **82**, 250–255.

- Stromberg, W.D. and Farr, T.G., 1986, A Fourier-based textural feature extraction procedure. *IEEE Transactions on Geoscience and Remote Sensing*, **24**, 722–731.
- Suits, G.H., 1983, The nature of electromagnetic radiation. In Colwell, R.N. (ed.) (1983), vol. I, 37–60.
- Swain, P.H. and King, R.C., 1973, Two effective feature selection criteria for multispectral remote sensing. *Proceedings of the 1st International Joint Conference on Pattern Recognition*, 73 CHO821-9C. New York: IEEE, 536–540.
- Switzer, P., Kowalik, W.S. and Lyon, R.J.P., 1981, Estimation of atmospheric path radiance by the covariance matrix method. *Photogrammetric Engineering and Remote Sensing*, **47**, 1469–1476.
- Tanré, D., Deroo, C., Duhaut, P., Herman, M., Morcrette, J.J., Perbos, J. and Deschamps, P.Y., 1986, *Simulation of the Satellite Signal in the Solar Spectrum*. Laboratoire d'Optique Atmosphérique, Université des Sciences et Techniques de Lille/Centre Spatiale de Toulouse.
- Teillet, P.M. and Fedosejevs, G., 1995, On the dark target approach to atmospheric correction of remotely-sensed data. *Canadian Journal of Remote Sensing*, **21**, 374–387.
- Teillet, P.M., Guindon, B. and Goodenough, D.G., 1982, On the slope–aspect correction of multispectral data. *Canadian Journal of Remote Sensing*, **8**, 84–106.
- Terhalle, U. and Bodechtel, J., 1986, Landsat TM data enhancement technique for mapping arid geomorphic features. *Proceedings of the ISPRS/Remote Sensing Society Symposium, Mapping from Modern Imagery*, Edinburgh, September 1986. Nottingham: The Remote Sensing Society, 725–729.
- Thomas, G., Hobbs, S.E. and Dufour, M., 1996, Woodland area estimation by spectral mixing: applying a goodness of fit solution method. *International Journal of Remote Sensing*, **17**, 291–301.
- Thomas, I.L., 1980, Spatial postprocessing of spectrally-classified Landsat data. *Photogrammetric Engineering and Remote Sensing*, **46**, 1201–1206.
- Thomas, I.L., Howarth, R., Eggers, A. and Fowler, A.D.W., 1981, Textural enhancement of a circular geologic feature. *Photogrammetric Engineering and Remote Sensing*, **47**, 89–91.
- Thome, K.J., Gellman, D.I., Parada, R.J., Biggar, S.F., Slater, P.N. and Moran, M.S., 1993, Absolute radiometric calibration of Thematic Mapper. *SPIE Proceedings*, **600**, 2–8.
- Thomson, A.G., Fuller, T.H., Sparks, T.H., Yates, M.G. and Eastwood, J.A., 1998, Ground and airborne radiometry over intertidal surfaces: waveband selection for cover classification. *International Journal of Remote Sensing*, **19**, 1189–1205.
- Tidemann, J. and Nielsen, A.A., 1997, A simple neural network contextual classifier. In Kanellopoulos, I. et al. (eds) (1997), 186–193.
- Todd, S.W., Hoffer, R.M. and Milchunas, D.G., 1998, Biomass estimation on grazed and ungrazed rangelands using spectral indices. *International Journal of Remote Sensing*, **19**, 427–438.
- Tompkins, S., Mustard, J.F., Pieters, C.M. and Forsythe, D.W., 1997, Optimization of end members for spectral mixture analysis. *Remote Sensing of Environment*, **59**, 472–489.
- Toselli, F. and Bodechtel, J. (eds), 1992, *Imaging Spectroscopy: Fundamentals and Prospective Applications*. Dordrecht: Kluwer Academic.
- Tou, J. and Gonzales, R., 1974, *Pattern Recognition Principles*. Reading, Mass.: Addison-Wesley.
- Toutin, T., 1995, Multisource data integration with integrated and unified geometric modelling. In Askne, J. (ed.) (1995), 163–174.
- Townshend, J.R.G., 1980, *The Spatial Resolving Power of Earth Resources Satellites: A Review*. NASA Technical Memorandum 82020, Goddard Spaceflight Center, Greenbelt, MD. See also: *Progress in Physical Geography*, **5**, 33–35.
- Townshend, J.R.G., 1984, Agricultural land-cover discrimination using thematic mapper spectral bands. *International Journal of Remote Sensing*, **5**, 681–698.
- Townshend, J.R.G. and Harrison, A., 1984, Estimation of the spatial resolving power of the Thematic Mapper of Landsat-4. *Proceedings of the Tenth Anniversary International Conference of the Remote Sensing Society*. Nottingham: The Remote Sensing Society, 67–72.
- Townshend, J.R.G., Justice, C., Gurney, C. and McManus, J., 1992, The impact of misregistration on change detection. *IEEE Transactions on Geoscience and Remote Sensing*, **30**, 1054–1060.
- Townshend, J.R.G. and Skole, D.L., 1994, The Global 1 km data set from the Advanced Very High Resolution Radiometer. In Mather, P.M. (ed.) (1994), 75–82.
- Tozawa, Y., 1983, Fast geometric correction of NOAA AVHRR. *Proceedings of the Symposium on Machine Processing of Remotely-Sensed Data 1983*, Purdue University, West Lafayette, Ind., 46–53.
- Tso, B., 1997, The investigation of alternative strategies for incorporating spectral, textural and contextual information in remote sensing image classification. Ph.D. Thesis, Department of Geography, The University of Nottingham.
- Tucker, C.J., 1979, Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, **10**, 127–150.
- Tukey, J.W., 1977, *Exploratory Data Analysis*. Reading, Mass.: Addison-Wesley.
- Ulaby, F.T. and Elachi, C., 1990, *Radar Polarimetry for Geoscience Applications*. Dedham, Mass.: Artech House.
- Ulaby, F.T., Moore, R.K. and Fung, A.K., 1981–1986, *Microwave Remote Sensing: Active and Passive*, 3 vols. Dedham, Mass.: Artech House.
- Unwin, D.J. and Wrigley, N., 1987, Towards a general theory of control point distribution effects in trend surface models. *Computers and Geosciences*, **13**, 351–355.
- Ustin, S.L., Smith, M.O. and Adams, J.B., 1991, Remote sensing of ecological processes – a strategy for developing and testing ecological models through spectral mixture analysis. In Ehleringer, J.R. and Field, C.B. (eds) (1991), 339–357.
- Ustin, S.L., Hart, Q.J., Duan, L. and Scheer, G., 1996, Vegetation mapping on hardwood rangelands in California. *International Journal of Remote Sensing*, **17**, 3015–3036.
- Vanderbrugg, G.J., 1976, Line detection in satellite imagery. *IEEE Transactions on Geoscience Electronics*, **14**, 37–44.

- van der Meer, F., 1994, Extraction of mineral absorption features from high spectral resolution data using nonparametric geostatistical techniques. *International Journal of Remote Sensing*, **15**, 2193–2214.
- van der Meer, F., 1996a, Classification of remotely-sensed imagery using an indicator kriging approach: application to the problem of calcite–dolomite mineral mapping. *International Journal of Remote Sensing*, **17**, 1233–1249.
- van der Meer, F., 1996b, Performance characteristics of the indicator classifier on simulated data. *International Journal of Remote Sensing*, **17**, 621–627.
- van der Meer, F., 1996c, Metamorphic facies zonation in the Ronda peridotites: spectroscopic results from field and GER imaging spectrometer data. *International Journal of Remote Sensing*, **17**, 1633–1657.
- van der Meer, F., van Dijk, P.M. and Westerhof, A.B., 1995, Digital classification of the contact metamorphic aureole along the Los Pedroches batholith, south-central Spain, using Landsat Thematic Mapper data. *International Journal of Remote Sensing*, **16**, 1043–1062.
- Vane, G. (ed.), 1987, *Airborne Visible/Infrared Imaging Spectrometer (AVIRIS): A Description of the Sensor, Ground Data Processing Facility, Laboratory Calibration and First Results*, JPL Publication 87-38. Pasadena, Calif.: NASA Jet Propulsion Laboratory.
- Vane, G., Green, R.O., Chrien, T.G., Enmark, H.T., Hansen, E.G. and Porter, W.M., 1993, The airborne visible/infrared imaging spectrometer (AVIRIS). *Remote Sensing of Environment*, **44**, 127–143.
- van Gardingen, P.R., Foody, G.M. and Curran, P.J. (eds), 1997, *Scaling-Up*. Cambridge: Cambridge University Press.
- van Wie, P. and Stein, M., 1977, A Landsat digital image rectification system. *IEEE Transactions on Geoscience Electronics*, **15**, 130–137.
- Varjo, J., 1996, Controlling continuously updated forest data by satellite remote sensing. *International Journal of Remote Sensing*, **17**, 43–67.
- Vermote, E. and Kaufman, Y.J., 1995, Absolute calibration of AVHRR visible and near-infrared channels using ocean and cloud views. *International Journal of Remote Sensing*, **16**, 2317–2340.
- Verstraete, M.M. and Pinty, B., 1992, Extracting surface properties from satellite data in the visible and near-infrared wavelengths. In Mather, P.M. (ed.) (1992), *TERRA 1: Understanding the Terrestrial Environment – The Role of Earth Observations from Space*. London: Taylor and Francis, 203–209.
- Wakabayashi, H. and Arai, K., 1996, A new method for SAR speckle noise reduction (CST filter). *Canadian Journal of Remote Sensing*, **22**, 190–197.
- Wang, F., 1990, Fuzzy supervised classification of remote sensing images. *IEEE Transactions on Geoscience and Remote Sensing*, **28**, 194–201.
- Wang, J., 1993, LINDA – A system for automated linear feature detection. *Canadian Journal of Remote Sensing*, **19**, 9–21.
- Wang, R.-Y., 1986a, An approach to tree-classifier design based on hierarchical clustering. *International Journal of Remote Sensing*, **7**, 75–88.
- Wang, R.-Y., 1986b, An approach to tree-classifier design based on a splitting algorithm. *International Journal of Remote Sensing*, **7**, 89–104.
- Wardley, N.W., 1984, Vegetation index variability as a function of viewing geometry. *International Journal of Remote Sensing*, **5**, 861–870.
- Wasserman, G., 1978, *Color Vision: An Historical Introduction*. New York: Wiley.
- Wecksung, G.W. and Breedlove, J.R., Jr, 1977, Some techniques for digital preprocessing, display and interpretation of ratio images in multispectral remote sensing. *Proceedings of the Society of Photo-Optical Instrumentation Engineers (SPIE)*, **119**, 47–54.
- Wegener, M., 1990, Destriping multiple sensor imagery by improved histogram matching. *International Journal of Remote Sensing*, **11**, 859–975.
- Wegman, E., 1990, Hyperdimensional data analysis using parallel coordinates. *Journal of the American Statistical Association*, **85**, 664–675.
- Weinand, H.C., 1974, Cosine theta in components analysis. *Annals of the Association of American Geographers*, **64**, 353.
- Westin, T., 1990, Precision rectification of SPOT imagery. *Photogrammetric Engineering and Remote Sensing*, **56**, 247–253.
- Wezka, J.S., Dyer, C.R. and Rosenfield, A., 1976, A comparative study of texture measures for terrain classification. *IEEE Transactions on Systems, Man and Cybernetics*, **6**, 269–285.
- Wharton, S.W., 1980, A contextual classification method for recognising land use patterns in high-resolution remotely-sensed data. *Pattern Recognition*, **15**, 317–324.
- White, K., 1993, Image processing of Thematic Mapper data for discriminating piedmont surficial materials in the Tunisian Southern Atlas. *International Journal of Remote Sensing*, **14**, 961–977.
- Wilkinson, J.H. and Reinsch, C. (eds), 1971, *Linear Algebra. Handbook for Automatic Computation*, vol. 2. Berlin: Springer-Verlag.
- Wilkinson, J.J. and Mégier, J., 1990, Evidential reasoning in a pixel classification hierarchy – a potential method for integrating image classifiers and expert system rules based on geographic context. *International Journal of Remote Sensing*, **11**, 1963–1968.
- Williams, C.S. and Becklund, O.A., 1972, *Optics: A Short Course for Scientists and Engineers*. New York: Wiley-Interscience.
- Williams, J., 1995, *Geographic Information from Space*. Chichester: Wiley/Praxis.
- Wilson, J.D., 1992, A comparison of procedures for classifying remotely-sensed data using simulated data sets incorporating autocorrelations between spectral responses. *International Journal of Remote Sensing*, **13**, 2701–2725.
- Wong, F., Orth, R. and Friedmann, D., 1981, The use of digital terrain models in the rectification of satellite-borne imagery.

- Proceedings of the 15th International Symposium on Remote Sensing of Environment*. Ann Arbor, Mich.: Environmental Research Institute of Michigan, 653–662.
- Woodcock, C. and Harward, V.J., 1992, Nested-hierarchical scene models and image segmentation. *International Journal of Remote Sensing*, **16**, 3167–3187.
- Woodcock, C.E. and Strahler, A.H., 1987, The factor of scale in remote sensing. *Remote Sensing of Environment*, **21**, 311–322.
- Woodcock, C.E., Strahler, A.H. and Jupp, D.L.B., 1988a, The use of variograms in remote sensing. I: Scene models and simulated images. *Remote Sensing of Environment*, **25**, 323–348.
- Woodcock, C.E., Strahler, A.H. and Jupp, D.L.B., 1988b, The use of variograms in remote sensing. II: Real digital images. *Remote Sensing of Environment*, **25**, 349–379.
- Woodham, R.J., 1989, Determining intrinsic surface reflectance in rugged terrain and changing illumination. *Proceedings of the International Geoscience and Remote Sensing Symposium (IGARSS'89)*, Vancouver, British Columbia, Canada, 10–14 July 1989. New York: IEEE Press, vol. 1, 1–5.
- Wooding, M.G., Zmuda, A.D. and Griffiths, G.H., 1993, Crop discrimination using multi-temporal ERS-1 SAR data. *Proceedings of the Second ERS-1 Symposium on Space at the Service of our Environment*, Hamburg, Germany. ESA SP-361. Paris: European Space Agency, 51–56.
- Wu, H.-H.P. and Schowengerdt, R.A., 1993, Improved fraction image estimation using image restoration. *IEEE Transactions on Geoscience and Remote Sensing*, **31**, 771–778.
- Yocky, D.A., 1996, Multiresolution wavelet decomposition image merger of Landsat Thematic Mapper and SPOT panchromatic data. *Photogrammetric Engineering and Remote Sensing*, **62**, 1067–1084.
- Yool, S.R., Star, J.L., Estes, J.E., Botkin, D.B., Eckhardt, D.W. and Davis, F.W., 1986, Performance analysis of image processing algorithms for classification of natural vegetation in the mountains of Southern California. *International Journal of Remote Sensing*, **7**, 683–702.
- Young, T.L. and Kaufman, Y.J., 1986, Non-Lambertian effects on remote sensing of surface reflectance and vegetation index. *IEEE Transactions on Geoscience and Remote Sensing*, **24**, 699–707.
- Zhou, J. and Civco, D.L., 1996, Using genetic learning neural networks for spatial decision making in GIS. *Photogrammetric Engineering and Remote Sensing*, **62**, 1287–1295.
- Zhou, Z., Civco, D.L. and Silander, J.A., 1998, A wavelet transform method to merge Landsat TM and SPOT panchromatic data. *International Journal of Remote Sensing*, **19**, 743–757.
- Zhuang, X., Engel, B.A., Xiong, X. and Johannsen, C.J., 1995, Analysis of classification results of remotely sensed data and evaluation of classification algorithms. *Photogrammetric Engineering and Remote Sensing*, **61**, 427–433.