

## Literatura

- Abbott MM, et al. Nasoalveolar molding in cleft care: is it efficacious? *Plast Reconstr Surg*, 2012; 130(3): 659–666.
- Agrawal K. Classification of cleft lip and palate: An Indian perspective. *J Cleft Lip Palate Craniofac Anomal*, 2014; 1: 78–84.
- Alberga JM, et al. Dental implant placement in alveolar cleft patients: a retrospective comparative study on clinical and aesthetic outcomes. *Int J Oral Maxillofac Surg*, 2020; 49(7): 952–959.
- Almeida M, et al. Analysis of permanent second molar development in children born with cleft lip and palate. *J Appl Oral Sci*, 2020; 28: e20190628.
- Baek SH, Son WS. Difference in alveolar molding effect and growth in the cleft segments: 3 dimensional analysis of unilateral cleft lip and palate patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 2006; 102( 2): 160–168.
- Bardach J. The influence of cleft lip repair on facial growth. *Cleft Palate J*, 1990; 27(1): 76–78.
- Bartl J, Kořová M. Prořezávání horního stálého špičáku u pacientů s rozštěpovou vadou. *Ortodoncie*, 2011; 20(4): 198–207.
- Bergland KP, et al. Occlusal changes from the deciduous to the early mixed dentition in unilateral complete clefts. *Cleft Palate J*, 1974; 11: 317–326.
- Berkowitz S. Why Hasn't Cutting and Grayson Done a Longitudinal Study to Show Why Nasoalveolar Molding Should Not Be Used? *Cleft Palate Craniofac J*, 2019; 56(1): 141.
- Bjerklin K, Kurol J, Paulin G. Ectopic eruption of the maxillary first permanent molars in children with cleft lip and/or palate. *European Journal of Orthodontics*, 1993; 15: 535–540.
- Boehn A. Dental anomalies in harelip and cleft palate. *Acta Odont Scand*, 1963; 21 (suppl. 38): 1–109.
- Borodkin A, et al. Permanent teeth development in children with cleft lip and palate. *Pediatric Dentistry*, 2008; 30(5): 408–413.
- Borský J. Nová modifikovaná metoda neonatální operace rozštěpu rtu. Disertační práce. Praha: 2. lékařská fakulta Univerzity Karlovy, 2014.
- Borský J, Tvrdek M, Kozák J, Černý M, Zach J. Our first experience with primary lip repair in newborns with cleft lip and palate. *Acta Chir Plast*, 2007; 49(4): 83–87.
- Broadbent TR, Fogh-Andersen P, Berlin AJ, Karfik V, Matthews DN, Pfeifer G. Report of the Subcommittee on Nomenclature and Classification of Clefts of Lip, Alveolus and Palate and Proposals for Further Activities. Newsletter of the International Confederation for Plastic and Reconstructive Surgery. Amsterdam: Excerpta Medica Foundation, 1969.
- Brophy TW. Cleft lip and palate. Philadelphia: P. Blakiston's Son and Co., 1923.
- Brophy TW. Cleft palate and harelip procedures. *Int J Orthod Oral Surg*, 1921; 7: 319–330.
- Burdi AR. Developmental biology and morphogenesis of the face, lip and palate. In: Berkowitz S. Cleft lip and palate. 2nd edition. Berlin: Springer-Verlag, 2006.
- Burian F. Chirurgie rozštěpů rtu a patra. Praha: Státní zdravotnické nakladatelství, 1954.

- Burian F. Původ a povaha retních a nosních zrůdností u vrozených rozštěpů. *Čas lék čes*, 1937; 76: 101–105, 138–146.
- Cai J, Ash D, Kotch LE, Jabs EW, Attie-Bitach T, Auge J, Mattei G, Etchevers H, Ve-kemans M, Korshunova Y, Tidwell R, Messina DN, Winston JB, Lovett M. Gene expression in pharyngeal arch 1 during human embryonic development. *Hum Mol Genet*, 2005; 14(7): 903–912.
- Carr E, Mink J. Ectopic eruption of the first permanent maxillary molar in cleft lip and cleft palate children. *ASDC J of Dent Child*, 1965; 32(1): 179–183.
- Carlson BM. *Human Embryology and Developmental Biology*. St. Louis: CV Mosby, 1994.
- Case C. *Dental orthopedia and prosthetic correction of cleft palate*. Chicago: CS Case, 1921.
- Cerny M, Fara M, Hrivnakova J, Moucha M. Cleft lip and palate: variability in the Czech population, sex ratio and familiar incidence. *Acta Chir Plast*, 1987; 28(1): 1–14.
- Cobourne MT. The complex genetics of cleft lip and palate. *Eur J Orthod*, 2004; 26: 7–15.
- Converse JM, Bell LD. *Reconstructive plastic surgery: Principles and procedures in correction reconstruction and transplantation*. Philadelphia: W.B. Saunders, 1964.
- Curtis EJ, Fraser FC, Warburton D. Congenital cleft lip and palate. Risk figures for counseling. *Am J Dis Child*, 1961; 102(6): 853–857.
- De Clerck HJ, Cornelis MA, Cevidanes LH, Heymann GC, Tulloch CJ. Orthopedic traction of the maxilla with miniplates: a new perspective for treatment of midface deficiency. *J Oral Maxillofac Surg*, 2009; 67(10): 2123–2129.
- Duskova M, Kotova M, Sedlackova K, Leamerova E, Horak J. Bone reconstruction of the maxillary alveolus for subsequent insertion of a dental implant in patients with cleft lip and palate. *J Craniofac Surg*, 2007; 18(3): 630–638.
- Dušková M. *Pokroky v sekundární léčbě nemocných s rozštěpem*. Hradec Králové: Nakladatelství Olga Čermáková, 2007; s. 99–105.
- Dušková M, Koťová M, Urban F, Sosna B, Jirkalová R, Strnadel T, Kristen M, Leamerová E, Gojiš O. Reconstruction of maxilla alveolus for application of dental implant in patients with cleft defect. *Acta Chirurgiae Plasticae*, 2004; 46(4): 115–121.
- Dušková M, Urban F, Koťová M. Rekonstrukce alveolárního defektu maxily u nemocných s rozštěpem v časně dospělosti. Závěrečná zpráva výzkumného projektu IGA MZČR NK 7186-3. Praha, 2004.
- Dvořák Z. *Funkční vývoj střední obličejové etáže u pacientů s rozštěpem patra*. Doktorská disertační práce. Brno: Lékařská fakulta Masarykovy univerzity, 2009.
- Ezzat C, Chavarria C, Teichgraeber J, Chen JW, Stratmann RG, Gateno J, Xia JJ. Presurgical nasoalveolar molding therapy for the treatment of unilateral cleft lip and palate. *Cleft Palate Craniofac J*, 2007; 44(1): 8–12.
- Fára M, Hrivnáková J. The problem of protruding premaxilla in bilateral total clefts. *Acta Chir Plast*, 1965; 4: 281–296.
- Feng W, et al. Clinical outcomes of dental implant therapy in alveolar cleft patients: a systematic review. *Int J Oral Maxillofac Implants*, 2014; 29(5): 1098–1105.
- Flinn W, Long RE, Garattini G, Semb G. A multicenter outcomes assessment of five-year-old patients with unilateral cleft lip and palate. *Cleft Palate Craniofac J*, 2006; 43(3): 253–258.

- Forster A. Die Misbildungen des Menschen. Jena: Friedrich, Mauke, 1861.
- Galinier P, et al. Neonatal repair of cleft lip: a decision-making protocol. *J Pediatr Surg*, 2008; 43(4): 662–667.
- Georgiade NG, Latham RA. Maxillary arch alignment in the bilateral cleft lip and palate infant, using pinned coaxial screw appliance. *Plast Reconstr Surg*, 1975; 56(1): 52–60.
- Grayson BH, Cutting CB. Presurgical nasoalveolar orthopedic molding in primary correction of the nose, lip, and alveolus of infants born with unilateral and bilateral clefts. *Cleft Palate Craniofac J*, 2001; 38(3): 193–198.
- Gürsoy S, et al. Five-year follow-up of maxillary distraction osteogenesis on the dentofacial structure of children with cleft lip and palate. *J Oral Maxillofac. Surg*, 2010; 68(4): 744–750.
- Hathorn IS, et al. Centralization of services: standard setting and outcomes. *Cleft Palate Craniofac J*, 2006; 43(4): 401–405.
- Hellquist R, Svärdröm B, Ponten B. Gesichtswachstum und Occlusion bei Patienten mit bilateralen Spalten nach Kieferspalt-Operation im Säuglingsalter. Eine Längsschnittuntersuchung vom Säuglingsalter bis zum Alter von 14 Jahren. In: Pfeifer G. Lippen-Kiefer-Gaumen-Spalten. Stuttgart: Thieme, 1982.
- Hofman J, Urbanová W, Borovec J, Kořová M. Časná léčba progenních a pseudopro-genních stavů skeletálně kotvenými závěsy. Souhrnný referát. *Ortodoncie*, 2020; 29(4): 234–251.
- Hotz M, Perko M, Gnoinski W. Early orthopaedic stabilization of the praemaxilla in complete bilateral cleft lip and palate in combination with the Celesnik lip repair. *Scand J Plast Reconstr Surg*, 1987; 21: 45–51.
- Hovorakova M, Lesot H, Peterkova R, Peterka M. Origin of the deciduous upper lateral incisor and its clinical aspects. *J Dent Res*, 2006; 85(2): 167–171.
- Chapple JR, Nunn JH. The oral health of children with clefts of the lip, palate, or both. *Cleft Palate Craniofac J*, 2001; 38(5): 525–528.
- Jelínek R, Dostál M, Peterka M. Rozštěp rtu a patra v obraze experimentu. Praha: Univerzita Karlova, 1983.
- Jelínek R, Peterka M. The role of the mandible in mouse palatal development revisited. *Cleft Palate J*, 1977, 14(3): 211–221.
- Jendrejovský J, Kořová M. Stabilita dentálních implantátů u pacientů s rozštěpem. *Ortodoncie*, 2014; 23(3): 143–154.
- Jiroutova O. Hypodontia in patients with isolated cleft palate, its relationship to ethio-pathogenesis. *Acta Chirurgiae Plasticae*, 1991; 33(1): 57–63.
- Jiroutová O. Výskyt hypodontie u pacientů s rozštěpem rtu, čelisti a patra. Odborná práce ke specializační atestaci z ortodontie. Praha: 3. lékařská fakulta Univerzity Karlovy, 1988.
- Jiroutova O, Müllerova Z. The occurrence of hypodontia in patients with cleft lip and palate. *Acta Chirurgiae Plasticae*, 1994; 36(2): 53–56.
- João LC, et al. Evaluation of the efficiency of dental implants used in the oral rehabilitation in cleft patients. *J Dental Sci*, 2018; 3(3): 000184.
- Karfík V. Návrh systematiky vzácných vrozených vad rozštěpových v obličeji. *Rozhledy v chirurgii*, 1966; 45: 8.
- Kernahan DA, Stark RB. A new classification for cleft lip and cleft palate. *Plast Reconstr Surg and Transplant Bull*, 1958; 22(5): 435–441.

- Kernahan DA. On symbolic representation of cleft lip and palate. *Cleft Palate Craniofac J*, 1991; 28: 259–260.
- Kerr MP, Welch CD Jr, Moore RN, Tekieli ME, Ruscello DM. Functional regulator therapy for cleft palate patients. *Am J Orthod*, 1981; 80(5): 508–524.
- Kilian J. *Základy preventivní stomatologie*. Praha: Univerzita Karlova, 1996.
- Klásková O. První epidemiologický průzkum. In: Karfík V. *Problémy rozštěpů obličejových*. Sborník Burianovy laboratoře vrozených vad ČSAV a kliniky plastické chirurgie v Praze. Praha, 1971.
- Kleindienstová Z. Anomálie počtu zubů u pacientů s rozštěpem. Odborná práce ke specializační atestaci z ortodontie. Praha: 3. lékařská fakulta Univerzity Karlovy, 2006.
- Kleindienstová Z, Kořová M. Anomálie počtu zubů u pacientů s rozštěpem. *Ortodoncologie*, 2007; 16(2): 23–30.
- Klímová I. EUROCLEFT – úroveň starostlivosti o rozštěpy v Evropě, informace o mezinárodním projektu. *Ortodoncologie*, 2000; 9(4): 25–31.
- Komínek J, Toman J, Rozkovicová E. *Dětská stomatologie*. Praha: Avicenum, 1980.
- Kořová M, Dušková M, Leamerová E, Urbanová W, Schwarzmánová K, Novotná K, Sukop A. Postoperative fixation after repositioning of premaxilla in patient with bilateral cleft lip and palate – case report. *Acta Chir Plast Spring*, 2017; 59(3–4): 157–162.
- Kramer GJ, et al. Early palatal changes in complete and incomplete cleft lip and/or palate. *Acta anat Basel*, 1992; 144: 202–212.
- Kriens O. LAHSHAL a concise documentation system for cleft lip, alveolus and palate diagnosis. In: Kolektiv autorů. *What is cleft lip and palate?* New York: Thieme Publishing Group, 1989.
- Küçükkeles N, Nevzatoglu S, Koldas T. Rapid maxillary expansion compared to surgery for assistance in maxillary face mask protraction. *Angle Orthodont*, 2011; 81(1): 42–49.
- Latham RA. Orthopedic advancement of the cleft maxillary segment: a preliminary report. *Cleft Palate J*, 1980; 17: 227–233.
- Lee ST, Cole O, McNamamy D, Shaw WC, Semb G, Chen Y, Mercer N, Ngim R. International committee on cleft documentation and measurement: recommendations. Paper presented at Seventh International Conference on Cleft Palate and Related Craniofacial Anomalies. Broadbeach, Queensland, Australia, 1993.
- Lekkas C, Kuijpers-Jagtman AM, Latief BS. The adult unoperated cleft patient: Absence of maxillary teeth outside the cleft area. *Cleft Palate Craniofac J*, 2000; 37(1): 17–20.
- Loevy HT, Aduss H. Tooth maturation in cleft lip, cleft palate, or both. *Cleft Palate J*, 1988; 25: 343–347.
- Long RE, Semb G, Shaw WC. Orthodontic treatment of the patient with complete clefts of lip, alveolus, and palate: Lessons of the past 60 years. *Cleft Palate Craniofac J*, 2000; 37(6): 533.
- Lucas VS, Gupta R, Ololade O, Gelbier M, Roberts GJ. Dental health indices and caries associated microflora in children with unilateral cleft lip and palate. *Cleft Palate Craniofac J*, 2000; 37: 447–452.
- Maarse W, et al. A practical prenatal ultrasound classification system for common oral clefts. *Prenatal diagnosis*, 2015; 35(9): 894–900.

- MacLean JE, Fitzsimons D, Fitzgerald DA, et al. The spectrum of sleep-disordered breathing symptoms and respiratory events in infants with cleft lip and/or palate. *Arch Dis Child*, 2012; 97: 1058–1063.
- Marková M, Vášková J. Nový pohled na problematiku hypodontie. *Čs Stomat*, 1989; 89(6): 416–424.
- Mars M, Houston WJB. A preliminary study of facial growth and morphology in unoperated male unilateral cleft lip and palate subjects over 13 years of age. *Cleft Palate J*, 1990; 27(1): 7–10.
- Matsui K, Echigo S, Kimizuka S, Takahashi M, Chiba M. Clinical study on eruption of permanent canines after secondary alveolar bone grafting. *Cleft Palate Craniofacial J*, 2005; 42(3): 309–313.
- Matsuo K, et al. Nonsurgical correction of congenital auricular deformities in the early neonate: a preliminary report. *Plastic Rec. Surg*, 1984; 73: 38–50.
- Mattheeuws N, Dermaut L, Martens G. Has hypodontia increased in Caucasians during 20th century? A meta-analysis. *Eur J Orthod*, 2004; 26(1): 99–103.
- Meazzini MC, et al. Craniofacial anomalies: Surgical-orthodontic management. Bologna: Edizioni Martina s.r.l., 2011.
- Merglová V. Anomálie tvaru, postavení a počtu zubů u dítěte. *Prakt zub lék*, 2001; 49(1): 3–7.
- Mezinárodní klasifikace nemocí. 10. revize. Praha: ÚZIS, 1992.
- Mezinárodní statistická klasifikace nemocí a souvisejících zdravotních problémů 10. revize. Verze ICD-10: 2019. Dostupné na: <https://icd.who.int/browse10/2019/en#/Q35-Q37>.
- Millard DR. *Cleft craft: The evolution of its surgery*. Boston: Little Brown, 1980.
- Molina F, Ortiz Monasterio F, de la Pa AM, Barrera J. Maxillary distraction: aesthetic and functional benefits in cleft lip-palate and prognathic patients during mixed dentition. *Plast Reconstr Surg*, 1998; 101(4): 951–963.
- Mossey PA, Little J. Epidemiology of oral clefts: an international perspective. In: Wyszynski DF (ed.). *Cleft lip and palate – From origin to treatment*. Oxford: Oxford University Press, 2002.
- Müllerová Ž. Problém jednostranného rozštěpu rtu, čelisti a patra. In: Karfík V. *Morfologické změny rozštěpových vad obličeje ve vztahu k léčení a jejich genetickému pozadí. Výzkumný úkol VII-3-1. Závěrečná zpráva*. Praha: Ústav experimentální medicíny ČSAV, 1980.
- Nicholls W. Dental anomalies in children with cleft lip and palate in Western Australia. *European Journal of Dentistry*, 2016; 10(2): 254.
- Oberoi S, Chigurupati PGR, Hoffman WY. Three-dimensional assessment of the eruption path of the canine in individuals with bone grafted alveolar clefts using cone beam computed tomography. *Cleft Palate Craniofac J*, 2010; 47(5): 507–512.
- Okan Akcam M, et al. Dental anomalies in individuals with cleft lip and/or palate. *European Journal of Orthodontics*, 2010; 32: 207–219.
- Opitz Ch. *Kieferorthopädische Behandlung von Patienten mit Lippen-Kiefer-Gaumen-Spalten*. Berlin: Quintessenz Verlag GmbH, 2001.
- Opitz Ch, et al. A contribution to the controversial discussion on a preoperative orthodontic treatment for infants with unilateral cheilognatopalatoschisis. *J Orofac Orthop/Fortschr Kieferorthop*, 1992; 53: 330–337.

- Opitz Ch, et al. Auswirkungen der präoperativen kieferorthopädischen Beeinflussung der Prämaxilla-Position auf das Wachstum bei Patienten mit doppelseitigen Lippen-Kiefer-Gaumenspalten. Eine Longitudinale Untersuchung. *Kieferorthop*, 1995; 9: 255–274.
- Opitz Ch, et al. Einseitige Lippen-Kiefer-Gaumenspalte. Zusammenhänge zwischen gebissmorphologischen und zungenfunctionellen Parametern. *J Orofac Orthop/ Fortschr Kieferorthop*, 1997; 58: 270–281.
- Peterka M. Příčiny vzniku vrozených vad, jejich léčba a prevence. Teze doktorské disertační práce. Praha: Akademie věd České republiky, 2005.
- Peterka M, et al. Sex differences in the incidence of orofacial clefts and the question of primary prevention in families with genetic risk. *Acta Chir Plast*, 1996; 38: 57–60.
- Peterka M, et al. Significant differences in the incidence of orofacial clefts in fifty-two Czech districts between 1983 and 1997. *Acta Chir Plast*, 2000; 4: 124–129.
- Peterka M, Jelínek R, Fára M. Rozbor příčin vzniku vrozených vad z pohledu teratologa. *Čs Gynekol*, 1985; 50: 363–368.
- Peterka M, Peterková R. Kritické periody pro vznik rozštěpů obličeje a incidence rozštěpů v Čechách. *Neonatologické listy*, 2015; 21(1): 20–26.
- Pfeifer G. Morphogenese, Morphologie und Therapie der Lippen-Kiefer-Gaumen-Spaltenformen. *Nova acta Leopoldina*, 1979; 50: 67–98.
- Phan M, et al. Tooth agenesis and orofacial clefting: genetic brothers in arms? *Hum Genet*, 2016; 135(12): 1299–1327.
- Prahl C, et al. A randomised prospective clinical trials into the effect of infant orthopaedics on maxillary arch dimension in unilateral cleft lip and palate. *Eur J Oral Sci*, 2001; 109(5): 297–305.
- Pruzansky S. (ed.). *Congenital anomalies of the face and associated structures*. Springfield, Ill.: Thomas, 1961.
- Pruzansky S. Factors determining arch form in clefts of the lip and palate. *Am J Orthodont*, 1955; 41: 827–851.
- Ranta R. A review of tooth formation of children with cleft lip/palate. *Am J Orthod Dentofacial Orthop*, 1986; 90: 11–18.
- Ranta R. Hypodontia and delayed development in the second premolars in cleft palate children. *European Journal of Orthodontics*, 1983; 5: 145–148.
- Ranta R. Numeric anomalies of teeth in concomitant hypodontia and hyperodontia. *Craniofac Genet Dev Biol*, 1988; 8(3): 245–251.
- Ranta R. The development of the permanent teeth in children with complete cleft lip and palate. Disertační práce. Helsinki: Proc Finn Dent Soc, 1972.
- Ren YF, et al. Interactive influence of a pharyngeal flap and an adenoid on maxillofacial growth in cleft lip and palate patients. *Cleft Palate Craniofac J*, 1993; 30(2): 144–149.
- Ross RB. Treatment variables affecting facial growth in unilateral cleft lip and palate. *Cleft Palate J*, 1987; 24(1): 5–77.
- Ross RB, et al. Effect of presurgical infant orthopaedics on facial esthetics in complete bilateral cleft lip. *Cleft Palate Craniofac J*, 1994; 31(1): 68–73.
- Rossell-Perry P. New diagram for cleft lip and palate description: the clock diagram. *Cleft Palate Craniofac J*, 2009; 46(3): 305–313.
- Santiago P, Grayson B, Cutting C, Gianoutsos M, Brecht L, Kwon S. Reduced need for alveolar bone grafting by presurgical orthopaedics and primary gingivoperiosteoplasty. *Cleft Palate J*, 1998; 35: 77–80.

- Schopf P. Kieferorthopädie. Berlin: Quintessenz Verlags, GmbH, 1994.
- Schroeder A, Hubert E. Oral structural biology. Stuttgart: Georg Thieme Verlag, 1991.
- Schwartz S, Kapala JT, Rajchgot H, Roberts GL. Accurate and systematic numerical recording system for the identification of various types of lip and maxillary clefts (RPL system). *Cleft Palate Craniofac J*, 1993; 30: 330–332.
- Sedlackova K, Duskova M, Strnadel T, Kotova M, Haas M. Using dental implants in the prosthetic rehabilitation of patients with cleft defect type II. *Cleft Palate Craniofac J*, 2011; 48(1): 98–102.
- Shapira Y, Lubit E, Kuflinec MM. Hypodontia in children with various types of clefts. *Angle Orthod*, 1999; 70(1): 16–21.
- Shaw B, et al. The Eurocleft project. Amsterdam: IOS Press, 2000.
- Shaw WC. Early orthopaedic treatment of unilateral cleft lip and palate. *Br J Orthodont*, 1978; 5: 119–132.
- Shaw WC, et al. The Eurocleft project 1996–2000: overview. *J Cranio Maxillofac Surg*, 2001; 29(8): 1–10.
- Shaw WC, Dahl E, Asher-McDade C, et al. A six-center international study of treatment outcome in patients with clefts of the lip and palate: part 5. General discussion and conclusions. *Cleft Palate Craniofac J*, 1992; 29: 413–418.
- Slade P, et al. A longitudinal comparison of the psychological impact on mothers of neonatal and 3 month repair of cleft lip. *Br J Plast Surg*, 1999; 52(1): 1–5.
- Šmahel Z. Kraniofaciální morfologie u jednostranné formy aplasie boltce a rozštěpu rtu a patra. Kandidátská práce. Praha: Ústav experimentální medicíny ČSAV, oddělení vrozených vad. 1978.
- Šmahel Z, Müllerová Ž. Facial growth and development in unilateral cleft lip and palate from time of palatoplasty to the onset of puberty: a longitudinal study. *J Craniofac Genet Dev Biol*, 1995; 15(2): 72–80.
- Smith KS, et al. Presurgical dentofacial orthopedic management of the cleft patient. *Oral Maxillofacial Surg Clin North Am*, 2016; 28(2): 169–176.
- Solis A, et al. Maxillary dental development in complete unilateral alveolar clefts. *Cleft Palate Craniofac J*, 1998; 35(4): 320–328.
- Souren JP, Prah-Andersen B. Tooth development in children with cleft lip and palate. An international inquiry into unilateral cleft lip, jaw and palate. *Am Ned Tijdschr Tandheelkd*, 1994; 101(3): 104–106.
- Starý M, Borovec J, Kořová M. Chirurgicky asistovaná maxilární protrakce u pacientů s rozštěpem. *Ortodoncie*, 2018; 27(1): 45–60.
- Tolarová M. Empirical recurrence risk figures for genetic counseling for clefts. Annotation of results in research. *Acta chir plast*, 1972; 14: 234.
- Topolski F, et al. Dental development of children and adolescents with cleft lip and palate. *Braz J Oral Sci*, 2014; 13(4): 319–324.
- Trávník P. Embryonální vývoj člověka a jeho ovlivnění léčivými látkami. *Praktické lékařství*, 2011; 7(1): 17–19.
- Urbanová W. Vývoj morfologie patra a tvaru zubního oblouku u pacientů s rozštěpem. Disertační práce. Plzeň: Lékařská fakulta Univerzity Karlovy, 2012.
- Urbanová W, Kořová M. Ortodontická léčba před primární rekonstrukcí rtu u pacientů s rozštěpem. *Ortodoncie*, 2008; 17(1): 26–35.
- Urbanová W, Kořová M, Vaňková Z. The incidence of cleft lip and palate in the Czech Republic in 1994–2008. *Bratisl Lek Listy*, 2013; 114(8): 474–479.

- Vacek Z. Embryologie pro pediatrii. Praha: Univerzita Karlova, 1992.
- Van den Boogaard MJ, et al. MSX1 mutation in associated with orofacial clefting and tooth agenesis in humans. *Nat Genet*, 2000; 24: 342–343.
- Vargervik K. Growth characteristics of the premaxilla and orthodontic treatment principles in bilateral cleft lip and palate. *Cleft Palate J*, 1983; 20(4): 289–302.
- Verdi FJ, Lanzi GL, Cohen SR, Powell R. Use of the Branemark implant in the cleft palate patient. *Cleft Palate Craniofac J*, 1991; 28: 301–304.
- Vokurková J. Rozštěpové vady obličeje. Disertační práce. Brno: Lékařská fakulta Masarykovy univerzity, 2000.
- Whitaker LA, et al. Proposed new classification of craniofacial anomalies. *Cleft Palate J*, 1981; 18(3): 161–176.
- Worth V, et al. Are people with an orofacial cleft at a higher risk of dental caries? A systematic review and meta-analyses. *British Dental Journal*, 2017; 223: 37–47.