
Bibliography

- [1] A. Aguilera, F. Ocaña, and M. Valderrama. Forecasting with unequally spaced data by a functional principal component approach. *Test*, 8(1):233–253, 1999.
- [2] A. Ait-Saïdi, F. Ferraty, R. Kassa, and P. Vieu. Cross-validated estimations in the single-functional index model. *Statistics*, 42(6):475–494, 2008.
- [3] H. Akaike. A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19(6):716–723, 1974.
- [4] M.R. Anderberg. *Cluster Analysis for Applications*. Academic Press: New York, 1973.
- [5] M. Ankerst, M.M. Breunig, H.-P. Kriegel, and J. Sander. OPTICS: Ordering Points To Identify the Clustering Structure. *ACM SIGMOD international conference on Management of data*. ACM Press, pages 49–60, 1999.
- [6] A. Antoniadis and T. Sapatinas. Estimation and inference in functional mixed-effects models. *Computational Statistics & Data Analysis*, 51(10):4793–4813, 2007.
- [7] E. Arias, B. Tejada-Vera, and F. Ahmad. Provisional life expectancy estimates for January through June, 2020. *Vital Statistics Rapid Release: National Vital Statistics System*, 10:1–4, 2021.
- [8] J.A.D. Aston, J.-M. Chiou, and J.P. Evans. Linguistic pitch analysis using functional principal component mixed effect models. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 59(2):297–317, 2010.
- [9] V. Baladandayuthapani, B.K. Mallick, M.Y. Hong, J.R. Lupton, N.D. Turner, and R.J. Carroll. Bayesian hierarchical spatially correlated functional data analysis with application to colon carcinogenesis. *Biometrics*, 64(1):64–73, 2008.
- [10] D. Bates, M. Mächler, B. Bolker, and S. Walker. Fitting linear mixed-effects models using lme4. *Journal of Statistical Software*, 67(1):1–48, 2015.
- [11] A. Bauer, F. Scheipl, H. Küchenhoff, and A.-A. Gabriel. An introduction to semiparametric function-on-scalar regression. *Statistical Modelling*, 18(3-4):346–364, 2018.
- [12] A. Baïllo and A. Grané. Local linear regression for functional predictor and scalar response. *Journal of Multivariate Analysis*, 100(1):102–111, 2009.
- [13] J.M. Beckers and R. Michel. EOF calculations and data filling from incomplete oceanographic datasets. *Journal of Atmospheric and Oceanic Technology*, 20, 12 2003.
- [14] R. Bender, T. Augustin, and M. Blettner. Generating survival times to simulate cox proportional hazards models. *Statistics in Medicine*, 24(11):1713–1723, 2005.
- [15] Y. Benjamini and Y. Hochberg. Controlling the false discovery rate: A practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society: Series B (Methodological)*, 57(1):289–300, 1995.

- [16] U. Beyaztas and H.L. Shang. On function-on-function regression: Partial least squares approach. *Environmental and Ecological Statistics*, 27:95–114, 2020.
- [17] K. Bhaskaran, I. dos Santos-Silva, D.A. Leon, I.J. Douglas, and L. Smeeth. Association of BMI with overall and cause-specific mortality: A population-based cohort study of 3.6 million adults in the UK. *Lancet Diabetes & Endocrinology*, 6:944–953, 2018.
- [18] P. Billingsley. *Convergence of Probability Measures, 2nd Edition*. Probability and Statistics. Wiley, 1999.
- [19] J. Boland, D. Telesca, C. Sugar, S. Jeste, C. Goldbeck, and D. Senturk. A study of longitudinal trends in time-frequency transformations of EEG data during a learning experiment. *Computational Statistics & Data Analysis*, 167:107367, 2022.
- [20] E. Borghi, M. de Onis, C. Garza, J. Van den Broeck, E. A. Frongillo, L. Grummer-Strawn, S. Van Buuren, H. Pan, L. Molinari, R. Martorell, A. W. Onyango, J. C. Martines, and for the WHO Multicentre Growth Reference Study Group. Construction of the World Health Organization child growth standards: Selection of methods for attained growth curves. *Statistics in Medicine*, 25(2):247–265, 2006.
- [21] C. Bouveyron. *funFEM: Clustering in the Discriminative Functional Subspace*, 2021. R package version 1.2.
- [22] N.E. Breslow. Discussion of the paper by D.R. Cox. *Journal of the Royal Statistical Society, Series B*, 34:216–217, 1972.
- [23] S. Brockhaus and D. Rügamer. *FDboost: Boosting Functional Regression Models*, 2018.
- [24] S. Brockhaus, D. Rügamer, and S. Greven. Boosting functional regression models with FDboost. *Journal of Statistical Software*, 94(10):1–50, 2020.
- [25] S. Brockhaus, F. Scheipl, T. Hothorn, and S. Greven. The functional linear array model. *Statistical Modelling*, 15(3):279–300, 2015.
- [26] B. Brumback, D. Ruppert, and M.P. Wand. Comment on variable selection and function estimation in additive nonparametric regression using data-based prior by Shively, Kohn, and Wood. *Journal of the American Statistical Association*, 94(447):794–797, 1999.
- [27] B.A. Brumback and J.A. Rice. Smoothing spline models for the analysis of nested and crossed samples of curves. *Journal of the American Statistical Association*, 93(443):961–976, 1998.
- [28] T.T. Cai and M. Yuan. Nonparametric covariance function estimation for functional and longitudinal data. *Technical Report*, 2010.
- [29] E.J. Candes and Y. Plan. Matrix completion with noise. *Proceedings of the IEEE*, 98(6):925–936, 2010.
- [30] E.J. Candes and T. Tao. The power of convex relaxation: Near-optimal matrix completion. *IEEE Transactions on Information Theory*, 56(5):2053–2080, 2010.
- [31] H. Cardot, C. Crambes, and P. Sarda. Quantile regression when the covariates are functions. *Nonparametric Statistics*, 17(7):841–856, 2005.

- [32] H. Cardot, A. Dessertaine, C. Goga, E. Josserand, and P. Lardin. Comparison of different sample designs and construction of confidence bands to estimate the mean of functional data: An illustration on electricity consumption. *Survey Methodology*, 39(2):283–301, 2013.
- [33] H. Cardot, C. Goga, and P. Lardin. Uniform convergence and asymptotic confidence bands for model-assisted estimators of the mean of sampled functional data. *Electronic Journal of Statistics*, 7:562–596, 2013.
- [34] H. Cardot, C. Goga, and P. Lardin. Variance estimation and asymptotic confidence bands for the mean estimator of sampled functional data with high entropy unequal probability sampling designs. *Scandinavian Journal of Statistics*, 41(2):516–534, 2014.
- [35] B. Carpenter, A. Gelman, M.D. Hoffman, D. Lee, B. Goodrich, M. Betancourt, M. Brubaker, J. Guo, P. Li, and A. Riddell. Stan: A probabilistic programming language. *Journal of Statistical Software*, 76(1), 2017.
- [36] R.J. Carter, D.A. Rose, R.T. Sabo, J. Clayton, J. Steinberg, M. Anderson, and CDC COVID-19 Response Team. Widespread severe acute respiratory syndrome coronavirus 2 transmission among attendees at a large motorcycle rally and their contacts, 30 US jurisdictions, August–September, 2020. *Clinical Infectious Diseases*, 73(Supplement 1):S106–S109, 04 2021.
- [37] G. Casella and E.I. George. Explaining the Gibbs sampler. *The American Statistician*, 46(3):167–174, 1992.
- [38] W. Checkley, L.D. Epstein, R.H. Gilman, R.E. Black, L. Cabrera, and C.R. Sterling. Effects of *Cryptosporidium parvum* infection in Peruvian children: Growth faltering and subsequent catch-up growth. *American Journal of Epidemiology*, 148:497–506, 1998.
- [39] W. Checkley, L.D. Epstein, R.H. Gilman, L. Cabrera, and R.E. Black. Effects of acute diarrhea on linear growth in Peruvian children. *American Journal of Epidemiology*, 157:166–175, 2003.
- [40] K. Chen and H.-G. Müller. Conditional quantile analysis when covariates are functions, with application to growth data. *Journal of the Royal Statistical Society Series B: Statistical Methodology*, 74(1):67–89, 2012.
- [41] K. Chen and H.-G. Müller. Modeling repeated functional observations. *Journal of the American Statistical Association*, 107(500):1599–1609, 2012.
- [42] S. Chib and E. Greenberg. Understanding the Metropolis-Hastings algorithm. *The American Statistician*, 49(4):327–335, 1995.
- [43] J.-M. Chiou. Dynamical functional prediction and classification, with application to traffic flow prediction. *The Annals of Applied Statistics*, 6:1588–1614, 2016.
- [44] J.-M. Chiou, H.-G. Müller, and J.-L. Wang. Functional quasi-likelihood regression models with smooth random effects. *Journal of the Royal Statistical Society. Series B (Statistical Methodology)*, 65(2):405–423, 2003.
- [45] J.-M. Chiou, H.-G. Müller, and J.-L. Wang. Functional response models. *Statistica Sinica*, 14(3):675–693, 2004.

- [46] J.-M. Chiou, Y.-F. Yang, and Chen Y.-T. Multivariate functional linear regression and prediction. *Journal of Multivariate Analysis*, 146:301–312, 2016.
- [47] D.R. Cox. Regression models and life-tables. *Journal of the Royal Statistical Society. Series B (Methodological)*, 34(2):187–220, 1972.
- [48] C.M. Crainiceanu and A.J. Goldsmith. Bayesian functional data analysis using WinBUGS. *Journal of Statistical Software*, 32(11):1–33, 2010.
- [49] C.M. Crainiceanu and D. Ruppert. Likelihood ratio tests in linear mixed models with one variance component. *Journal of the Royal Statistical Society. Series B (Statistical Methodology)*, 66(1):165–185, 2004.
- [50] C.M. Crainiceanu, D. Ruppert, G. Claeskens, and M.P. Wand. Exact likelihood ratio tests for penalised splines. *Biometrika*, 92(1):91–103, 3 2005.
- [51] C.M. Crainiceanu, D. Ruppert, and M.P. Wand. Bayesian analysis for penalized spline regression using winbugs. *Journal of Statistical Software*, 14(14):1–24, 2005.
- [52] C.M. Crainiceanu, A.-M. Staicu, and C.Z. Di. Generalized multilevel functional regression. *Journal of the American Statistical Association*, 104(488):1550–1561, 2009.
- [53] C.M. Crainiceanu, A.-M. Staicu, S. Ray, and N.M. Punjabi. Bootstrap-based inference on the difference in the means of two correlated functional processes. *Statistics in Medicine*, 31(26):3223–3240, 2012.
- [54] P. Craven and G. Wahba. Smoothing noisy data with spline functions. *Numerische Mathematik*, 1:377–403, 1979.
- [55] E. Cui. *Functional Data Analysis Methods for Large Scale Physical Activity Studies*. PhD thesis, Johns Hopkins University, Baltimore, MD, June 2023. Available at <https://jscholarship.library.jhu.edu/bitstream/handle/1774.2/68330/CUI-DISSERTATION-2023.pdf?sequence=1&isAllowed=y>.
- [56] E. Cui, C.M. Crainiceanu, and A. Leroux. Additive functional Cox model. *Journal of Computational and Graphical Statistics*, 30(3):780–793, 2021.
- [57] E. Cui, A. Leroux, E. Smirnova, and C.M. Crainiceanu. Fast univariate inference for longitudinal functional models. *Journal of Computational and Graphical Statistics*, 31(1):219–230, 2022.
- [58] E. Cui, R. Li, C.M. Crainiceanu, and L. Xiao. Fast multilevel functional principal component analysis. *Journal of Computational and Graphical Statistics*, 32(2):366–377, 2023.
- [59] E. Cui, E.C. Thompson, R.J. Carroll, and D. Ruppert. A semiparametric risk score for physical activity. *Statistics in Medicine*, 41(7):1191–1204, 2022.
- [60] C. de Boor. *A Practical Guide to Splines*. Applied Mathematical Sciences. Springer, 2001.
- [61] A.P. Dempster, N.M. Laird, and D.B. Rubin. Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society. Series B (Methodological)*, 39(1):1–38, 1977.
- [62] C.Z. Di, C.M. Crainiceanu, B. Caffo, and N.M. Punjabi. Multilevel functional principal component analysis. *Annals of Applied Statistics*, 3(1):458–488, 2009.

- [63] C.Z. Di, C.M. Crainiceanu, and W.S. Jank. Multilevel sparse functional principal component analysis. *Stat*, 3(1):126–143, 2014.
- [64] J. Di, A. Leroux, J. Urbanek, R. Varadhan, A. Spira, and V. Zipunnikov. Patterns of sedentary and active time accumulation are associated with mortality in US: The NHANES study. *bioRxiv*, 08 2017.
- [65] K.M. Diaz, V.J. Howard, B. Hutto, N. Colabianchi, J.E. Vena, M.M. Safford, S.N. Blair, and S.P. Hooker. Patterns of sedentary behavior and mortality in U.S. middle-aged and older adults: A national cohort study. *Annals of Internal Medicine*, 167(7):465–475, 2017.
- [66] P. Diggle, P. Heagerty, K.Y. Liang, and S. Zeger. *Analysis of Longitudinal Data, 2nd edition*. Oxford, England: Oxford University Press, 2002.
- [67] J.D. Dixon. Estimating extremal eigenvalues and condition numbers of matrices. *SIAM Journal on Numerical Analysis*, 20(4):812–814, 1983.
- [68] S. Dray and J. Josse. Principal component analysis with missing values: a comparative survey of methods. *Plant Ecology*, 216, 05 2014.
- [69] R.M. Dudley. Sample functions of the Gaussian process. *The Annals of Probability*, 1(1):66–103, 1973.
- [70] P.H.C. Eilers, B. Li, and B.D. Marx. Multivariate calibration with single-index signal regression. *Chemometrics and Intelligent Laboratory Systems*, 96(2):196–202, 2009.
- [71] P.H.C. Eilers and B.D. Marx. Flexible smoothing with B-splines and penalties. *Statistical Science*, 11(2):89–121, 1996.
- [72] P.H.C. Eilers and B.D. Marx. Generalized linear additive smooth structures. *Journal of Computational and Graphical Statistics*, 11(4):758–783, 2002.
- [73] M. Ester, H.-P. Kriegel, J. Sander, and X. Xu. A density-based algorithm for discovering clusters in large spatial databases with noise. *Proceedings of the Second International Conference on Knowledge Discovery and Data Mining (KDD-96)*. AAAI Press, 11:226–231, 1996.
- [74] B. Everitt. *Cluster Analysis*. London: Heinemann Educational Books, 1974.
- [75] W.F. Fadel, J.K. Urbanek, N.W. Glynn, and J. Harezlak. Use of functional linear models to detect associations between characteristics of walking and continuous responses using accelerometry data. *Sensors (Basel)*, 20(21):6394, 2020.
- [76] J. Fan and I. Gijbels. *Local Polynomial Modelling and Its Applications: Monographs on Statistics and Applied Probability 66*, volume 66. CRC Press, 1996.
- [77] J. Fan and J.-T. Zhang. Two-step estimation of functional linear models with applications to longitudinal data. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 62(2):303–322, 2000.
- [78] Y. Fan, N. Foutz, G.M. James, and W. Jank. Functional response additive model estimation with online virtual stock markets. *The Annals of Applied Statistics*, 8(4):2435–2460, 2014.
- [79] J.J. Faraway. Regression analysis for a functional response. *Technometrics*, 39(3):254–261, 1997.

- [80] M. Febrero-Bande and M. Oviedo de la Fuente. Statistical computing in functional data analysis: The R package *fda.usc*. *Journal of Statistical Software*, 51(4):1–28, 2012.
- [81] F. Ferraty. *Nonparametric Functional Data Analysis*. Springer, 2006.
- [82] F. Ferraty, P. Hall, and P. Vieu. Most-predictive design points for functional data predictors. *Biometrika*, 97(4):807–824, 12 2010.
- [83] F. Ferraty, A. Laksaci, and P. Vieu. Functional time series prediction via conditional mode estimation. *Comptes Rendus Mathematique*, 340(5):389–392, 2005.
- [84] F. Ferraty, A. Mas, and P. Vieu. Nonparametric regression on functional data: Inference and practical aspects. *Australian & New Zealand Journal of Statistics*, 49(3):267–286, 2007.
- [85] F. Ferraty, J. Park, and P. Vieu. Estimation of a functional single index model. In *Recent Advances in Functional Data Analysis and Related Topics*, pages 111–116. Springer, 2011.
- [86] F. Ferraty and P. Vieu. *Nonparametric Functional Data Analysis: Theory and Practice*. Springer: New York, NY, USA, 2006.
- [87] G. Fitzmaurice, M. Davidian, G. Molenberghs, and G. Verbeke. *Longitudinal Data Analysis*. Boca Raton, FL: Chapman & Hall/CRC, 2008.
- [88] E.W. Forgy. Cluster analysis of multivariate data: Efficiency vs interpretability of classifications. *Biometrics*, 21:768–769, 1965.
- [89] D. Fourdrinier, W.E. Strawderman, and M.T. Wells. Estimation of a functional single index model. In *Shrinkage Estimation*, pages 127–150. Springer, 2018.
- [90] T. Galili. *dendextend: An R package for visualizing, adjusting, and comparing trees of hierarchical clustering*. *Bioinformatics*, 2015.
- [91] M. Gaston, T. Leon, and F. Mallor. Functional data analysis for non-homogeneous Poisson processes. In *2008 Winter Simulation Conference*, pages 337–343, 2008.
- [92] I. Gaynanova, N. Punjabi, and C.M. Crainiceanu. Modeling continuous glucose monitoring (CGM) data during sleep. *Biostatistics*, 23(1):223–239, 05 2020.
- [93] J.E. Gellar, E. Colantuoni, D.M. Needham, and C.M. Crainiceanu. Variable-domain functional regression for modeling ICU data. *Journal of American Statistical Association*, 109(508):1425–1439, 2014.
- [94] J.E. Gellar, E. Colantuoni, D.M. Needham, and C.M. Crainiceanu. Cox regression models with functional covariates for survival data. *Statistical Modelling*, 15(3):256–278, 2015.
- [95] S. Geman and D. Geman. Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-6(6):721–741, 1984.
- [96] A. Genz and F. Bretz. *Computation of Multivariate Normal and t Probabilities*. Lecture Notes in Statistics. Springer-Verlag, Heidelberg, 2009.

- [97] A. Genz, F. Bretz, T. Miwa, X. Mi, F. Leisch, F. Scheipl, and T. Hothorn. *mvtnorm: Multivariate Normal and t Distributions*, 2021. R package version 1.1-3.
- [98] J. Gertheiss, J. Goldsmith, C.M. Crainiceanu, and S. Greven. Longitudinal scalar-on-functions regression with application to tractography data. *Biostatistics*, 14(3):447–461, 2013.
- [99] J. Gertheiss, A. Maity, and A.M. Staicu. Variable selection in generalized functional linear models. *Stat*, 2(1):86–103, 2013.
- [100] J. Gertheiss, E.F. Hessel V. Maier, and A.-M. Staicu. Marginal functional regression models for analyzing the feeding behavior of pigs. *Journal of Agricultural, Biological, and Environmental Statistics*, 20:353–370, 2015.
- [101] Y. Goldberg, Y. Ritov, and A. Mandelbaum. Predicting the continuation of a function with applications to call center data. *Journal of Statistical Planning and Inference*, 147:53–65, 2014.
- [102] A.J. Goldsmith, J. Bobb, C.M. Crainiceanu, B. Caffo, and D. Reich. Penalized functional regression. *Journal of Computational and Graphical Statistics*, 20(4):830–851, 2011.
- [103] A.J. Goldsmith, C.M. Crainiceanu, B. Caffo, and D. Reich. Longitudinal penalized functional regression for cognitive outcomes on neuronal tract measurements. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 61(3):453–469, 2012.
- [104] A.J. Goldsmith, S. Greven, and C.M. Crainiceanu. Corrected confidence bands for functional data using principal components. *Biometrics*, 69(1):41–51, 2013.
- [105] A.J. Goldsmith, F. Scheipl, L. Huang, J. Wrobel, C. Di, J. Gellar, J. Harezlak, M.W. McLean, B. Swihart, L. Xiao, C.M. Crainiceanu, and P.T. Reiss. *refund: Regression with Functional Data*, 2020. R package version 0.1-23.
- [106] J. Goldsmith, V. Zipunnikov, and J. Schrack. Generalized multilevel function-on-scalar regression and principal component analysis. *Biometrics*, 71(2):344–353, 2015.
- [107] A.D. Gordon. *Classification. Second Edition*. London: Chapman and Hall/CRC, 1999.
- [108] C. Goutis. Second-derivative functional regression with applications to near infra-red spectroscopy. *Journal of the Royal Statistical Society. Series B (Statistical Methodology)*, 60(1):103–114, 1998.
- [109] S. Greven, C.M. Crainiceanu, B. Caffo, and D.S. Reich. Longitudinal functional principal component analysis. *Electronic Journal of Statistics*, pages 1022–1054, 2010.
- [110] S. Greven and F. Scheipl. A general framework for functional regression modelling. *Statistical Modelling*, 17:1–35, 2017.
- [111] Z. Gu, R. Eils, and M. Schlesner. Complex heatmaps reveal patterns and correlations in multidimensional genomic data. *Bioinformatics*, 2016.
- [112] Z. Gu, L. Gu, R. Eils, M. Schlesner, and B. Brors. circlize implements and enhances circular visualization in r. *Bioinformatics*, 30:2811–2812, 2014.
- [113] J.E. Gubernatis. Marshall Rosenbluth and the Metropolis Algorithm. *Physics of Plasmas*, 12(5):57303, 2005.

- [114] W. Guo. Functional mixed effects models. *Biometrics*, 58(1):121–128, 2002.
- [115] J. Harezlak, B.A. Coull, N.M. Laird, S.R. Magari, and D.C. Christiani. Penalized solutions to functional regression problems. *Computational Statistics & Data Analysis*, 51(10):4911–4925, 2007.
- [116] J. Harezlak, D. Ruppert, and M.P. Wand. *Semiparametric Regression with R*. Springer New York, NY, USA, 2018.
- [117] J.A. Hartigan. Direct clustering of a data matrix. *Journal of the American Statistical Association*, 67(337):123–129, 1972.
- [118] J.A. Hartigan. *Clustering Algorithms*. New York: Wiley, 1975.
- [119] J.A. Hartigan and M.A. Wong. Algorithm AS 136: A K-means clustering algorithm. *Applied Statistics*, 28:100–108, 1979.
- [120] E. Hartuv and R. Shamir. A clustering algorithm based on graph connectivity. *Information Processing Letters*, 76(4-6):175–181, 2000.
- [121] D.A. Harville. Maximum likelihood approaches to variance component estimation and to related problems. *Journal of the American Statistical Association*, 72(358):320–338, 1977.
- [122] G. He, H.-G. Müller, J.-L. Wang, and W. Yang. Functional linear regression via canonical analysis. *Bernoulli*, 16(3):705–729, 2010.
- [123] L. Horváth and P. Kokoszka. *Inference for Functional Data with Applications*. New York: Springer, 2012.
- [124] L. Huang, A.J. Goldsmith, P.T. Reiss, D.S. Reich, and C.M. Crainiceanu. Bayesian scalar-on-image regression with application to association between intracranial DTI and cognitive outcomes. *Neuroimage*, 83:210–223, 2013.
- [125] H. Hullait, D.S. Leslie, N.G. Pavlidis, and S. King. Robust function-on-function regression. *Technometrics*, 63(3):396–409, 2021.
- [126] R.J. Hyndman and H.L. Shang. Forecasting functional time series (with discussion). *Journal of the Korean Statistical Society*, 38(3):199–221, 2009.
- [127] A.E. Ivanescu, C.M. Crainiceanu, and W. Checkley. Dynamic child growth prediction: A comparative methods approach. *Statistical Modelling*, 17(6):468–493, 2017.
- [128] A.E. Ivanescu, A.-M. Staicu, F. Scheipl, and S. Greven. Penalized function-on-function regression. *Computational Statistics*, 30(2):539–568, 2015.
- [129] Peng J. and D. Paul. A geometric approach to maximum likelihood estimation of the functional principal components from sparse longitudinal data. *Journal of Computational and Graphical Statistics*, 18(4):995–1015, 2009.
- [130] J. Jacques and C. Preda. Functional data clustering: A survey. *Advances in Data Analysis and Classification*, 8:231–255, 09 2013.
- [131] D. Jaganath, M. Saito, R.H. Gilman, D.M. Queiroz, G.A. Rocha, V. Cama, L. Cabrera, D. Kelleher, H.J. Windle, J.E. Crabtree, and W. Checkley. First detected *Helicobacter pylori* infection in infancy modifies the association between diarrheal disease and childhood growth in Peru. *Helicobacter*, 19:272–279, 2014.

- [132] A.K. Jain and R.C. Dubes. *Algorithms for Clustering Data*. Prentice-Hall, 1988.
- [133] P. Jain, C. Jin, S.M. Kakade, P. Netrapalli, and A. Sidford. Streaming PCA: Matching matrix Bernstein and near-optimal finite sample guarantees for Oja's algorithm. In V. Feldman, A. Rakhlin, and O. Shamir, editors, *29th Annual Conference on Learning Theory*, volume 49 of *Proceedings of Machine Learning Research*, pages 1147–1164, Columbia University, New York, New York, USA, 23–26 Jun 2016.
- [134] G. James, T. Hastie, and C. Sugar. Principal component models for sparse functional data. *Biometrika*, 87(3):587–602, 2000.
- [135] G.M James, J. Wang, and J. Zhu. Functional linear regression that's interpretable. *Annals of Statistics*, 37(5A):2083–2108, 2009.
- [136] B.J. Jefferis, T.J. Parsons, C. Sartini, S. Ash, L.T. Lennon, O. Papacosta, R.W. Morris, S.G. Wannamethee, I.-M. Lee, and P.H. Whincup. Objectively measured physical activity, sedentary behaviour and all-cause mortality in older men: Does volume of activity matter more than pattern of accumulation? *British Journal of Sports Medicine*, 53(16):1013–1020, 2019.
- [137] H. Jiang and N. Serban. Clustering random curves under spatial interdependence with application to service accessibility. *Technometrics*, 54(2):108–119, 2012.
- [138] D. John, Q. Tang, F. Albinali, and S.S. Intille. A monitor-independent movement summary to harmonize accelerometer data processing. *Human Kinetics Journal*, 2(4):268–281, 2018.
- [139] I.T. Jolliffe. A note on the use of principal components in regression. *Journal of the Royal Statistical Society, Series C*, 31(3):300–303, 1982.
- [140] I.T. Jolliffe. *Principal Component Analysis*. Springer, 2002.
- [141] E.L. Kaplan and P. Meier. Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association*, 53(282):457–481, 1958.
- [142] M. Karas, J. Muschelli, A. Leroux, J.K. Urbanek, A.A. Wanigatunga, J. Bai, C.M. Crainiceanu, and J.A. Schrack. Comparison of accelerometry-based measures of physical activity: Retrospective observational data analysis study. *JMIR Mhealth Uhealth*, 10(7):e38077, Jul 2022.
- [143] K. Karhunen. Über lineare Methoden in der Wahrscheinlichkeitsrechnung. *Annals of the Academy of Science Fennicae. Series A. I. Mathematics-Physics*, 37:1–79, 1947.
- [144] R.A. Kaslow, D.G. Ostrow, R. Detels, J.P. Phair, B.F. Polk, and C.R. Rinaldo Jr. The multicenter AIDS cohort study: Rationale, organization, and selected characteristics of the participants. *American Journal of Epidemiology*, 126(2):310–318, 1987.
- [145] R.E. Kass and V. Ventura. A spike train probability model. *Neural Computation*, 13:1713–1720, 2001.
- [146] L. Kaufman and P.J. Rousseeuw. *Finding Groups in Data: An Introduction to Cluster Analysis*. New York: Wiley, 1990.
- [147] R.C. Kelly and R.E. Kass. A framework for evaluating pairwise and multiway synchrony among stimulus-driven neurons. *Neural Computation*, 24:2007–2032, 2012.

- [148] J.S. Kim, A.-M. Staicu, A. Maity, R.J. Carroll, and D. Ruppert. Additive function-on-function regression. *Journal of Computational and Graphical Statistics*, 27(1):234–244, 2018.
- [149] K. Kim, D. Sentürk, and R. Li. Recent history functional linear models for sparse longitudinal data. *Journal of Statistical Planning and Inference*, 141(4):1554–1566, 2011.
- [150] G.S. Kimeldorf and G. Wahba. A correspondence between bayesian estimation on stochastic processes and smoothing by splines. *The Annals of Mathematical Statistics*, 41(2):495–502, 1970.
- [151] J.P. Klein and M.L. Moeschberger. *Survival Analysis: Techniques for Censored and Truncated Data (2nd ed.)*. Springer, 2003.
- [152] G.G. Koch. Some further remarks concerning “A general approach to the estimation of variance components”. *Technometrics*, 10(3):551–558, 1968.
- [153] P. Kokoszka and M. Reimherr. *Introduction to Functional Data Analysis*. Chapman and Hall/CRC, 2017.
- [154] S. Koner and A.-M. Staicu. Second-generation functional data. *Annual Review of Statistics and Its Application*, 10(1):547–572, 2023.
- [155] D. Kong, J.G. Ibrahim, E. Lee, and H. Zhu. FLCRM: Functional linear Cox regression model. *Biometrics*, 74(1):109–117, 2018.
- [156] E.L. Korn and B.I. Graubard. *Analysis of Health Surveys*, volume 323. John Wiley & Sons, 2011.
- [157] D. D. Kosambi. Statistics in function space. *Journal of the Indian Mathematical Society*, 7:76–88, 1943.
- [158] J. Kuczyński and H. Woźniakowski. Estimating the largest eigenvalue by the power and Lanczos algorithms with a random start. *SIAM Journal on Matrix Analysis and Applications*, 13(4):1094–1122, 1992.
- [159] M.G. Kundu, J. Harezlak, and T.W. Randolph. Longitudinal functional models with structured penalties. *Statistical Modelling*, 16(2):114–139, 2016.
- [160] P.A. Lachenbruch and M.R. Mickey. Estimation of error rates in discriminant analysis. *Technometrics*, 10(1):1–11, 1968.
- [161] N.M. Laird and J.H. Ware. Random-effects models for longitudinal data. *Biometrics*, 38(4):963–974, 1982.
- [162] W. Lee, M.F. Miranda, P. Rausch, V. Baladandayuthapani, M. Fazio, J.C. Downs, and J.S. Morris. Bayesian semiparametric functional mixed models for serially correlated functional data, with application to glaucoma data. *Journal of the American Statistical Association*, 114(526):495–513, 2019.
- [163] H. Lennon, M. Sperrin, E. Badrick, and A.G. Renehan. The obesity paradox in cancer: A review. *Current Oncology Reports*, 18(9):56, 2016.

- [164] A. Leroux. *Statistical Methods for the Analysis of Functional Data under Models with Complex Association Structures*. PhD thesis, Johns Hopkins University, Baltimore, MD, June 2020. Available at <https://jscholarship.library.jhu.edu/bitstream/handle/1774.2/63686/LEROUX-DISSERTATION-2020.pdf?sequence=1>.
- [165] A. Leroux. *rnhanesdata: NHANES Accelerometry Data Pipeline*, 2022. R package version 1.02.
- [166] A. Leroux and C.M. Crainiceanu. Dynamic prediction using landmark historical functional Cox regression. *Under Review*, 2023.
- [167] A. Leroux, C.M. Crainiceanu, and J. Wrobel. Fast generalized functional principal component analysis. *Under Review*, 2022.
- [168] A. Leroux, J. Di, E. Smirnova, E.J. McGuffey, Q. Cao, E. Bayatmokhtari, L. Tabacu, V. Zipunnikov, J.K. Urbanek, and C.M. Crainiceanu. Organizing and analyzing the activity data in NHANES. *Statistics in Biosciences*, 11(2):262–287, 2019.
- [169] A. Leroux, L. Xiao, C.M. Crainiceanu, and W. Checkley. Dynamic prediction in functional concurrent regression with an application to child growth. *Statistics in Medicine*, 37(8):1376–1388, 2018.
- [170] A. Leroux, S. Xu, P. Kundu, J. Muschelli, E. Smirnova, N. Chatterjee, and C. Crainiceanu. Quantifying the predictive performance of objectively measured physical activity on mortality in the UK Biobank. *The Journals of Gerontology: Series A*, September 2020.
- [171] B. Li and B.D. Marx. Sharpening P-spline signal regression. *Statistical Modelling*, 8(4):367–383, 2008.
- [172] C. Li and L. Xiao. *mfaces: Fast Covariance Estimation for Multivariate Sparse Functional Data*, 2021. R package version 0.1-3.
- [173] C. Li, L. Xiao, and S. Luo. Fast covariance estimation for multivariate sparse functional data. *Stat*, 9(1):p.e245, 2020.
- [174] G. Li, L. Raffield, M. Logue, M.W. Miller, H.P. Santos Jr, T.M. O’Shea, R.C. Fry, and Y. Li. CUE: CpG impUtation ensemble for DNA methylation levels across the human methylation450 (HM450) and EPIC (HM850) BeadChip platforms. *Epigenetics*, 16(8):851–861, 2021.
- [175] H. Li, S. Keadle, H. Assaad, J. Huang, and R. Carroll. Methods to assess an exercise intervention trial based on 3-level functional data. *Biostatistics*, 16(4):754–771, 05 2015.
- [176] M. Li, A.-M. Staicu, and H.D. Bondell. Incorporating covariates in skewed functional data models. *Biostatistics*, 16(3):413–426, 2015.
- [177] T. Li, T. Li, Z. Zhu, and H. Zhu. Regression analysis of asynchronous longitudinal functional and scalar data. *Journal of the American Statistical Association*, 0(0):1–15, 2020.
- [178] Y. Li, S. Banerjee, C. Rhee, K. Kalantar-Zadeh, E. Kurum, and D. Şentürk. Multilevel modeling of spatially nested functional data: Spatiotemporal patterns of hospitalization rates in the US dialysis population. *Statistics in Medicine*, 40, 04 2021.

- [179] Y. Li, N. Wang, and R.J. Carroll. Generalized functional linear models with semi-parametric single-index interactions. *Journal of the American Statistical Association*, 105(490):621–633, 2010.
- [180] Z. Li and S.N. Wood. Faster model matrix crossproducts for large generalized linear models with discretized covariates. *Statistics and Computing*, 30:19–25, 2020.
- [181] M.A. Lindquist. The statistical analysis of fMRI data. *Statistical Science*, 23(4):439–464, 2008.
- [182] M.A. Lindquist. Functional causal mediation analysis with an application to brain connectivity. *Journal of American Statistica Association*, 107(500):1297–1309, 2012.
- [183] S.P. Lloyd. Least squares quantization in PCM. *IEEE Transactions on Information Theory. Technical Note, Bell Laboratories.*, 28:128–137, 1957, 1982.
- [184] M. Loève. *Probability Theory, Vol. II, 4th ed. Graduate Texts in Mathematics.* Springer-Verlag, 1978.
- [185] T. Lumley. Analysis of complex survey samples. *Journal of Statistical Software*, 9(1):1–19, 2004.
- [186] A.R. Lundborg, R.D. Shah, and J. Peters. Conditional Independence Testing in Hilbert Spaces with Applications to Functional Data Analysis. *Journal of the Royal Statistical Society Series B: Statistical Methodology*, 84(5):1821–1850, 11 2022.
- [187] D.J. Lunn, A. Thomas, N. Best, and D. Spiegelhalter. WinBUGS - A Bayesian modelling framework: Concepts, structure, and extensibility. *Statistics and Computing*, 10:325–337, 2000.
- [188] W. Ma, L. Xiao, B. Liu, and M.A. Lindquist. A functional mixed model for scalar on function regression with application to a functional MRI study. *Biostatistics*, 22(3):439–454, 2019.
- [189] J. MacQueen. Some methods for classification and analysis of multivariate observations. In L.M. Le Cam and J. Neyman, editors, *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*, volume 1, pages 1147–1164, Berkeley, CA, 2016. University of California Press.
- [190] N. Malfait and J.O. Ramsay. The historical functional linear model. *Canadian Journal of Statistics*, 31(2):115–128, 2003.
- [191] E.J. Malloy, J.S. Morris, S.D. Adar, H. Suh, D.R. Gold, and B.A. Coull. Wavelet-based functional linear mixed models: An application to measurement error-corrected distributed lag models. *Biostatistics*, 11(3):432–452, 2010.
- [192] B.D. Marx and P.H.C. Eilers. Generalized linear regression on sampled signals and curves: A p-spline approach. *Technometrics*, 41(1):1–13, 1999.
- [193] B.D. Marx and P.H.C. Eilers. Multidimensional penalized signal regression. *Technometrics*, 47(1):13–22, 2005.
- [194] M. Matabuena, A. Petersen, J.C. Vidal, and F. Gude. Glucodensities: A new representation of glucose profiles using distributional data analysis. *Statistical Methods in Medical Research*, 30(6):1445–1464, 2021.

- [195] H. Matsui, S. Kawano, and S. Konishi. Regularized functional regression modeling for functional response and predictors. *Journal of Math-for-Industry*, 1:17–25, 06 2013.
- [196] C.E. McCulloch, S.R. Searle, and J.M. Neuhaus. *Generalized, Linear, and Mixed Models, 2nd edition*. New York: Wiley, 2008.
- [197] G.J. McLachlan and D. Peel. *Finite Mixture Models*. New York: Wiley, 2000.
- [198] M.W. McLean, G. Hooker, A.-M. Staicu, F. Scheipl, and D. Ruppert. Functional generalized additive models. *Journal of Computational and Graphical Statistics*, 23(1):249–269, 2014.
- [199] J. Mercer. Functions of positive and negative type and their connection with the theory of integral equations. *Philosophical Transactions of the Royal Society*, 209:4–415, 1909.
- [200] N. Metropolis, A.W. Rosenbluth, M.N. Rosenbluth, A.H. Teller, and E. Teller. Equation of state calculations by fast computing machines. *Journal of Chemical Physics*, 21(6):1087–1092, 1953.
- [201] M. Meyer, B. Coull, F. Versace, P. Cinciripini, and J. Morris. Bayesian function-on-function regression for multilevel functional data. *Biometrics*, 71:563–574, 03 2015.
- [202] B. Mirkin. *Mathematical Classification and Clustering*. Kluwer Academic Publishers, 1996.
- [203] I. Mitliagkas, C. Caramanis, and P. Jain. Memory limited, streaming pca. In C.J.C. Burges, L. Bottou, M. Welling, Z. Ghahramani, and K.Q. Weinberger, editors, *Advances in Neural Information Processing Systems*, volume 26. Curran Associates, Inc., 2013.
- [204] J.S. Morris. Statistical methods for proteomic biomarker discovery based on feature extraction or functional modeling approaches. *Statistics and Its Interface*, 5 1:117–135, 2012.
- [205] J.S. Morris. Functional regression. *Annual Review of Statistics and Its Application*, 2(1):321–359, 2015.
- [206] J.S. Morris, P.J. Brown, R.C. Herrick, K.A. Baggerly, and K.R. Coombes. Bayesian analysis of mass spectrometry proteomic data using wavelet-based functional mixed models. *Biometrics*, 64(2):479–489, 2008.
- [207] J.S. Morris and R.J. Carroll. Wavelet-based functional mixed models. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 68(2):179–199, 2006.
- [208] J.S. Morris, M. Vannucci, P.J. Brown, and R.J. Carroll. Wavelet-based nonparametric modeling of hierarchical functions in colon carcinogenesis. *Journal of the American Statistical Association*, 98(463):573–583, 2003.
- [209] F. Mosteller and J.W. Tukey. Data analysis, including statistics. In G. Lindzey and E. Aronson, editors, *Handbook of Social Psychology, Vol. 2*. Addison-Wesley, 1968.
- [210] H.-G. Müller, Y. Wu, and F. Yao. Continuously additive models for nonlinear functional regression. *Biometrika*, 100(3):607–622, 2013.

- [211] F. Murtagh and P. Legendre. Ward's hierarchical agglomerative clustering method: Which algorithms implement ward's criterion? *Journal of Classification*, 31(3):274–295, 2014.
- [212] M. Mutis, U. Beyaztas, G.G. Simsek, and H.L. Shang. A robust scalar-on-function logistic regression for classification. *Communications in Statistics - Theory and Methods*, 52(23):8538–8554, 2023.
- [213] H.-G. Müller and U. Stadtmüller. Generalized functional linear models. *The Annals of Statistics*, 33(2):774–805, 2005.
- [214] L.T. Nguyen, J. Kim, and B. Shim. Low-rank matrix completion: A contemporary survey. *IEEE Access*, 7:94215–94237, 2019.
- [215] J. Niedziela, B. Hudzik, N. Niedziela, M. Gasior, M. Gierlotka, J. Wasilewski, K. Myrda, A. Lekston, L. Polonski, and P. Rozentryt. The obesity paradox in acute coronary syndrome: A meta-analysis. *European Journal of Epidemiology*, 29(11):801–812, 2014.
- [216] D. Nychka. Bayesian confidence intervals for smoothing splines. *Journal of the American Statistical Association*, 83(404):1134–1143, 1988.
- [217] D. Nychka, R. Furrer, J. Paige, and S. Sain. *fields: Tools for spatial data*, 2021. R package version 14.1.
- [218] R.T. Ogden and E. Greene. Wavelet modeling of functional random effects with application to human vision data. *Journal of Statistical Planning and Inference*, 140(12):3797–3808, 2010. Special Issue in Honor of Emanuel Parzen on the Occasion of his 80th Birthday and Retirement from the Department of Statistics, Texas A&M University.
- [219] E. Oja. Simplified neuron model as a principal component analyzer. *Journal of Mathematical Biology*, 15:267–273, 1982.
- [220] A. Oreopoulos, R. Padwal, K. Kalantar-Zadeh, G.C. Fonarow, C.M. Norris, and F.A. McAlister. Body mass index and mortality in heart failure: A meta-analysis. *American Heart Journal*, 156(1):13–22, 2008.
- [221] F. O'Sullivan. A statistical perspective on ill-posed inverse problems (with discussion). *Statistical Science*, 1(4):505–527, 1986.
- [222] H. Park, E. Petkova, T. Tarpey, and R.T. Ogden. Functional additive models for optimizing individualized treatment rules. *Biometrics*, 79(1):113–12, 2023.
- [223] S.Y. Park, A.-M. Staicu, L. Xiao, and C.M. Crainiceanu. Simple fixed-effects inference for complex functional models. *Biostatistics*, 19(2):137–152, 06 2017.
- [224] Y. Park, B. Li, and Y. Li. Crop yield prediction using Bayesian spatially varying coefficient models with functional predictors. *Journal of the American Statistical Association*, 118(541):70–83, 2023.
- [225] Y. Park, L.L. Peterson, and G.A. Colditz. The plausibility of obesity paradox in cancer-point. *Cancer research*, 78(8):1898–1903, 2018.
- [226] P.A. Parker and S.H. Holan. A Bayesian functional data model for surveys collected under informative sampling with application to mortality estimation using NHANES. *Biometrics*, 79(2):1397–1408, 2022.

- [227] A. Parodi, M. Patriarca, L. Sangalli, P. Secchi, V. Vantini, and V. Vitelli. *fdakma: Functional Data Analysis: K-Mean Alignment*, 2015. R package version 1.2.1.
- [228] H.D. Patterson and R. Thompson. Recovery of inter-block information when block sizes are unequal. *Biometrika*, 58(3):545, 1971.
- [229] K. Pearson. On lines and planes of closest fit to systems of points in space. *Philosophical Magazine*, 2(11):559–572, 1901.
- [230] J. Pinheiro, D. Bates, S. DebRoy, D. Sarkar, and R Core Team. *nlme: Linear and Nonlinear Mixed Effects Models*, 2020. R package version 3.1-149.
- [231] J. Pinheiro and D.M. Bates. *Mixed-effects models in S and S-PLUS. Statistics and Computing*. Springer New York, NY, USA, 2006.
- [232] M. Plummer. JAGS: A program for analysis of Bayesian graphical models using Gibbs sampling. In *Proceedings of the 3rd International Workshop on Distributed Statistical Computing*, page 1–10, 2003.
- [233] C. Preda. Regression models for functional data by reproducing kernel Hilbert spaces methods. *Journal of Statistical Planning and Inference*, 137(3):829–840, 2007.
- [234] C. Preda and J. Schiltz. Functional PLS regression with functional response: The basis expansion approach. In *Proceedings of the 14th Applied Stochastic Models and Data Analysis Conference. Universita di Roma La Sapienza*, page 1126–1133, 2011.
- [235] A. Prelić, S. Bleuler, P. Zimmermann, A. Wille, P. Bühlmann, W. Gruissem, L. Hennig, L. Thiele, and E. Zitzler. A systematic comparison and evaluation of biclustering methods for gene expression data. *Bioinformatics*, 22(9):1122–1129, 2006.
- [236] N. Pya. *scam: Shape Constrained Additive Models*, 2021. R package version 1.2-12.
- [237] X. Qi and R. Luo. Function-on-function regression with thousands of predictive curves. *Journal of Multivariate Analysis*, 163:51–66, 2018.
- [238] S. Qu, J.-L. Wang, and X. Wang. Optimal estimation for the functional Cox model. *The Annals of Statistics*, 44(4):1708–1738, 2016.
- [239] S.F. Quan, B.V. Howard, C. Iber, J.P. Kiley, F.J. Nieto, G.T. O'Connor, D.M. Rapoport, S. Redline, J. Robbins, J.M. Samet, and P.W. Wahl. The Sleep Heart Health Study: Design, rationale, and methods. *Sleep*, 20(12):1077–1085, 1997.
- [240] R Core Team. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria, 2020.
- [241] J.O. Ramsay and C.J. Dalzell. Some tools for functional data analysis. *Journal of the Royal Statistical Society: Series B (Methodological)*, 53(3):539–561, 1991.
- [242] J.O. Ramsay, G. Hooker, and S. Graves. *Functional data analysis with R and MATLAB*. Springer New York, NY, USA, 2009.
- [243] J.O. Ramsay, K.G. Munhall, V.L. Gracco, and D.J. Ostry. Functional data analyses of lip motion. *Journal of the Acoustical Society of America*, 99(6):3718–3727, 1996.
- [244] J.O. Ramsay and B.W. Silverman. *Functional Data Analysis*. Springer New York, NY, USA, 1997.

- [245] J.O. Ramsay and B.W. Silverman. *Functional Data Analysis*. Springer New York, NY, USA, 2005.
- [246] J.O. Ramsay, H. Wickham, S. Graves, and G. Hooker. *FDA: Functional Data Analysis*, 2014.
- [247] C.R. Rao. Some statistical methods for comparison of growth curves. *Biometrics*, 14(1):1–17, 1958.
- [248] S.J. Ratcliffe, G.Z. Heller, and L.R. Leader. Functional data analysis with application to periodically stimulated foetal heart rate data. II: Functional logistic regression. *Statistics in Medicine*, 21(8):1115–1127, 2002.
- [249] M. Reimherr, B. Sriperumbudur, and B. Taoufik. Optimal prediction for additive function-on-function regression. *Electronic Journal of Statistics*, 12(2):4571 – 4601, 2018.
- [250] P.T. Reiss, A.J. Goldsmith, H.L. Shang, and R.T. Ogden. Methods for scalar-on-function regression. *International Statistical Review*, 85(2):228–249, 2017.
- [251] P.T. Reiss, L. Huang, and M. Mennes. Fast function-on-scalar regression with penalized basis expansions. *International Journal of Biostatistics*, 6:1, 2010.
- [252] P.T. Reiss and R.T. Ogden. Functional principal component regression and functional partial least squares. *Journal of the American Statistical Association*, 102(479):984–996, 2007.
- [253] P.T. Reiss and R.T. Ogden. Functional generalized linear models with images as predictors. *Biometrics*, 66(1):61–69, 2010.
- [254] J.A. Rice and B.W. Silverman. Estimating the mean and covariance structure non-parametrically when the data are curves. *Journal of the Royal Statistical Society. Series B (Methodological)*, 53(1):233–243, 1991.
- [255] J.A. Rice and C.O. Wu. Nonparametric mixed effects models for unequally sampled noisy curves. *Biometrics*, 57(1):253–259, 2001.
- [256] M.N. Rosenbluth. Genesis of the Monte Carlo algorithm for statistical mechanics. In *AIP Conference Proceedings*, volume 690, page 22–30, 2003.
- [257] D. Ruppert. Selecting the number of knots for penalized splines. *Journal of Computational and Graphical Statistics*, 11(4):735–757, 2002.
- [258] D. Ruppert, M.P. Wand, and R.J. Carroll. *Semiparametric Regression*. Cambridge Series in Statistical and Probabilistic Mathematics. Cambridge University Press, 2003.
- [259] P.F. Saint-Maurice, R.P. Troiano, D. Berrigan, W.E. Kraus, and C.E. Matthews. Volume of light versus moderate-to-vigorous physical activity: Similar benefits for all-cause mortality? *Journal of the American Heart Association*, 7(7), 2018.
- [260] F. Scheipl, J. Gertheiss, and S. Greven. Generalized functional additive mixed models. *Electronic Journal of Statistics*, 10(1):1455–1492, 2016.
- [261] F. Scheipl, A.J. Goldsmith, and J. Wrobel. *tidyfun: Tools for Tidy Functional Data*, 2022. <https://github.com/tidyfun/tidyfun>, <https://tidyfun.github.io/tidyfun/>.

- [262] F. Scheipl and S. Greven. Identifiability in penalized function-on-function regression models. *Electronic Journal of Statistics*, 10(1):495 – 526, 2016.
- [263] F. Scheipl, A.-M. Staicu, and S. Greven. Functional additive mixed models. *Journal of Computational and Graphical Statistics*, 24(2):477–501, 2015.
- [264] A. Schmutz, J. Jacques, and C. Bouveyron. *funHDDC: Univariate and Multivariate Model-Based Clustering in Group-Specific Functional Subspaces*, 2021. R package version 2.3.1.
- [265] J.A. Schrack, V. Zipunnikov, J. Goldsmith, J. Bai, E.M. Simonsick, C. Crainiceanu, and L. Ferrucci. Assessing the “Physical Cliff”: Detailed quantification of age-related differences in daily patterns of physical activity. *The Journals of Gerontology: Series A*, 69(8):973–979, 12 2013.
- [266] G. Schwarz. Estimating the dimension of a model. *The Annals of Statistics*, 6(2):461–464, 1978.
- [267] E. Sebastián-González, J.A. Sánchez-Zapata, F. Botella, and O. Ovaskainen. Testing the heterospecific attraction hypothesis with time-series data on species co-occurrence. *Proceedings: Biological Sciences*, 277(1696):2983–2990, 2010.
- [268] D. Sentürk, L.S. Dalrymple, and D.V. Nguyen. Functional linear models for zero-inflated count data with application to modeling hospitalizations in patients on dialysis. *Statistics in Medicine*, 33(27):4825–4840, 2014.
- [269] N. Serban and H. Jiang. Multilevel functional clustering analysis. *Biometrics*, 68(3):805–814, 2012.
- [270] R. Sergazinov, A. Leroux, E. Cui, C.M. Crainiceanu, R.N. Aurora, N.M. Punjabi, and I. Gaynanova. A case study of glucose levels during sleep using fast function on scalar regression inference. *Biometrics*, 2023.
- [271] J. Shamsioian, D. Şentürk, S. Jeste, and D. Telesca. Bayesian analysis of longitudinal and multidimensional functional data. *Biostatistics*, 23(2):558–573, 10 2020.
- [272] H. Shou, A. Eloyan, S. Lee, V. Zipunnikov, A. Crainiceanu, M.-B. Nebel, B. Caffo, M.A. Lindquist, and C.M. Crainiceanu. Quantifying the reliability of image replication studies: The image intraclass correlation coefficient (I2C2). *Cognitive, Affective & Behavioral Neuroscience*, 13(4):714–724, 2013.
- [273] H. Shou, V. Zipunnikov, C.M. Crainiceanu, and S. Greven. Structured functional principal component analysis. *Biometrics*, 71(1):247–257, 2015.
- [274] C. Skinner and J. Wakefield. Introduction to the design and analysis of complex survey data. *Statistical Science*, 32(2):165–175, 2017.
- [275] E. Smirnova, A. Leroux, Q. Cao, L. Tabacu, V. Zipunnikov, C. Crainiceanu, and J.K. Urbanek. The predictive performance of objective measures of physical activity derived from accelerometry data for 5-year all-cause mortality in older adults: National Health and Nutritional Examination Survey 2003-2006. *The Journals of Gerontology Series A Biological Sciences & Medical Sciences*, 75(9):1779–1785, 2020.
- [276] Wood S.N., F. Scheipl, and J.J. Faraway. Straightforward intermediate rank tensor product smoothing in mixed models. *Statistics and Computing*, 23(3):341–360, 2013/2011 online.

- [277] R.R. Sokal and C.D. Michener. A statistical method for evaluating systematic relationships. *University of Kansas Science Bulletin*, 38, 1958.
- [278] A.-M. Staicu, M.N. Islam, R. Dumitru, and E. van Heugten. Longitudinal Dynamic Functional Regression. *Journal of the Royal Statistical Society Series C: Applied Statistics*, 69(1):25–46, 09 2019.
- [279] A.M. Staicu, C.M. Crainiceanu, and R.J. Carroll. Fast methods for spatially correlated multilevel functional data. *Biostatistics*, 11(2):177–194, April 2010.
- [280] A.M. Staicu, C.M. Crainiceanu, D.S. Reich, and D. Ruppert. Modeling functional data with spatially heterogeneous shape characteristics. *Biometrics*, 68(2):331–343, 2018.
- [281] Stan Development Team. *The Stan Core Library*, 2018. Version 2.18.0.
- [282] Stan Development Team. *RStan: The R interface to Stan*, 2022. R package version 2.21.7.
- [283] J. Staniswalis and J. Lee. Nonparametric regression analysis of longitudinal data. *Journal of the American Statistical Association*, 93(444):1403–1418, 1998.
- [284] J.L. Stone and A.H. Norris. Activities and attitudes of participants in the Baltimore Longitudinal Study. *The Journals of Gerontology*, 21:575–580, 1966.
- [285] J. Sun, D. Tao, S. Papadimitriou, P.S. Yu, and C. Faloutsos. Incremental tensor analysis: Theory and applications. *ACM Transactions on Knowledge Discovery from Data*, 2(3), October 2008.
- [286] B.J. Swihart, B. Caffo, B.D. James, M. Strand, B.S. Schwartz, and N.M. Punjabi. Lasagna plots: A saucy alternative to spaghetti plots. *Epidemiology*, 21(5):621–625, 2010.
- [287] B.J. Swihart, A.J. Goldsmith, and C.M. Crainiceanu. Restricted likelihood ratio tests for functional effects in the functional linear model. *Technometrics*, 56(4):483–493, 2014.
- [288] B.J. Swihart, N.M. Punjabi, and C.M. Crainiceanu. Modeling sleep fragmentation in sleep hypnograms: An instance of fast, scalable discrete-state, discrete-time analyses. *Computational Statistics and Data Analysis*, 89:1–11, 2015.
- [289] M. Taylor, M. Losch, M. Wenzel, and J. Schröter. On the sensitivity of field reconstruction and prediction using empirical orthogonal functions derived from gappy data. *Journal of Climate*, 07 2013.
- [290] C.D. Tekwe, R.S. Zoh, F.W. Bazer, G. Wu, and R.J. Carroll. Functional multiple indicators, multiple causes measurement error models. *Biometrics*, 74(1):127–134, 2018.
- [291] C.D. Tekwe, R.S. Zoh, M. Yang, R.J. Carroll, G. Honvoh, D.B. Allison, M. Benden, and L. Xue. Instrumental variable approach to estimating the scalar-on-function regression model with measurement error with application to energy expenditure assessment in childhood obesity. *Statistics in medicine*, 38(20):3764–3781, 2019.
- [292] O. Theou, J.M. Blodgett, J. Godin, and K. Rockwood. Association between sedentary time and mortality across levels of frailty. *Canadian Medical Association Journal*, 189(33):E1056–E1064, 2017.

- [293] T.M. Therneau. *A Package for Survival Analysis in R*, 2020. R package version 3.2-7.
- [294] A.N. Tikhonov. Solution of incorrectly formulated problems and the regularization method. *Soviet Mathematics Doklady*, 1963.
- [295] T.M. Therneau and P.M. Grambsch. *Modeling Survival Data: Extending the Cox Model*. Springer, New York, 2000.
- [296] R.P. Troiano, D. Berrigan, K.W. Dodd, L.C. Mâsse, T. Tilert, and M. McDowell. Physical activity in the united states measured by accelerometer. *Medicine & Science in Sports & Exercise*, 40(1):181–188, 2008.
- [297] A.A. Tsiatis. A large sample study of Cox’s regression model. *The Annals of Statistics*, 9(1):93–108, 1981.
- [298] G. Tutz and J. Gertheiss. Feature extraction in signal regression: A boosting technique for functional data regression. *Journal of Computational and Graphical Statistics*, 19(1):154–174, 2010.
- [299] S. Ullah and C.F. Finch. Applications of functional data analysis: A systematic review. *BMC Medical Research Methodology*, 13(43), 2013.
- [300] M. Valderrama, F. Ocaña, A. Aguilera, and F. Ocaña-Peinado. Forecasting pollen concentration by a two-step functional model. *Biometrics*, 66:578–585, 08 2010.
- [301] G. Verbeke and G. Molenberghs. *Linear Mixed Models for Longitudinal Data*. Springer, New York, 2000.
- [302] A. Volkmann, A. Stöcker, F. Scheipl, and S. Greven. Multivariate functional additive mixed models. *Statistical Modelling*, 0(0):1471082X211056158, 2023.
- [303] G. Wahba. Bayesian “Confidence Intervals” for the Cross-Validated Smoothing Spline. *Journal of the Royal Statistical Society: Series B*, 45(1):133–150, 1983.
- [304] G. Wahba. *Spline Models for Observational Data (CBMS-NSF Regional Conference Series in Applied Mathematics, Series Number 59)*. Society for Industrial and Applied Mathematics, 1990.
- [305] G. Wahba, Y. Wang, C. Gu, R. Klein, and B. Klein. Smoothing spline ANOVA for exponential families, with application to the Wisconsin Epidemiological Study of Diabetic Retinopathy: The 1994 Neyman Memorial Lecture. *The Annals of Statistics*, 23(6):1865–1895, 1995.
- [306] M. Wand and J. Ormerod. On O’Sullivan penalised splines and semiparametric regression. *Australian & New Zealand Journal of Statistics*, 50:179–198, 06 2008.
- [307] J.-L. Wang, J.-M. Chiou, and H.-G. Müller. Functional data analysis. *Annual Review of Statistics and Its Application*, 3(1):257–295, 2016.
- [308] W. Wang. Linear mixed function-on-function regression models. *Biometrics*, 70(4):794–801, 2014.
- [309] X. Wang, S. Ray, and B.K. Mallick. Bayesian curve classification using wavelets. *Journal of the American Statistical Association*, 102(479):962–973, 2007.
- [310] J.H. Ward. Hierarchical grouping to optimize an objective function. *Journal of the American Statistical Association*, 58(301):236–244, 1963.

- [311] H. Wickham and G. Grolemund. *R for Data Science: Import, Tidy, Transform, Visualize, and Model Data*. O'Reilly Media, 1 edition, 2017.
- [312] R.K.W. Wong and T.C.M. Lee. Matrix completion with noisy entries and outliers. *Journal of Machine Learning Research*, 18(147):1–25, 2017.
- [313] S.N. Wood. Thin plate regression splines. *Journal of the Royal Statistical Society: Series B (Statistical Methodology)*, 65(1):95–114, 2003.
- [314] S.N. Wood. Stable and efficient multiple smoothing parameter estimation for generalized additive models. *Journal of the American Statistical Association*, 99(467):673–686, 2004.
- [315] S.N. Wood. *Generalized Additive Models: An Introduction with R*. Chapman and Hall/CRC, 2006.
- [316] S.N. Wood. On confidence intervals for generalized additive models based on penalized regression splines. *Australian & New Zealand Journal of Statistics*, 48(4):445–464, 2006.
- [317] S.N. Wood. Fast stable restricted maximum likelihood and marginal likelihood estimation of semiparametric generalized linear models. *Journal of the Royal Statistical Society, Series B*, 73(1):3–36, 2011.
- [318] S.N. Wood. On p-values for smooth components of an extended generalized additive model. *Biometrika*, 100(1):221–228, 10 2012.
- [319] S.N. Wood. *Generalized Additive Models: An Introduction with R. Second Edition*. Chapman and Hall/CRC, 2017.
- [320] S.N. Wood, Y. Goude, and S. Shaw. Generalized additive models for large datasets. *Journal of the Royal Statistical Society, Series C*, 64(1):139–155, 2015.
- [321] S.N. Wood, Z. Li, G. Shaddick, and N.H. Augustin. Generalized additive models for gigadata: modelling the UK black smoke network daily data. *Journal of the American Statistical Association*, 112(519):1199–1210, 2017.
- [322] S.N. Wood, N. Pya, and B. Safken. Smoothing parameter and model selection for general smooth models (with discussion). *Journal of the American Statistical Association*, 111:1548–1575, 2016.
- [323] J. Wrobel. register: Registration for exponential family functional data. *Journal of Open Source Software*, 3(22):557, 2018.
- [324] J. Wrobel. *fastGFPCA: Fast generalized principal components analysis*, 2023. <https://github.com/julia-wrobel/fastGFPCA>.
- [325] J. Wrobel, V. Zipunnikov, J. Schrack, and J. Goldsmith. Registration for exponential family functional data. *Biometrics*, 75(1):48–57, 2019.
- [326] Y. Wu, J. Fan, and H.G. Müller. Varying-coefficient functional linear regression. *Bernoulli*, 16(3):730–758, 2010.
- [327] L. Xiao, L. Huang, J.A. Schrack, L. Ferrucci, V. Zipunnikov, and C.M. Crainiceanu. Quantifying the lifetime circadian rhythm of physical activity: A covariate-dependent functional approach. *Biostatistics*, 16(2):352–367, 10 2014.

- [328] L. Xiao, C. Li, W. Checkley, and C.M. Crainiceanu. Fast covariance estimation for sparse functional data. *Statistics and Computing*, 28(3):511–522, 2018.
- [329] L. Xiao, C. Li, W. Checkley, and C.M. Crainiceanu. *face: Fast Covariance Estimation for Sparse Functional Data*, 2021. R package version 0.1-6.
- [330] L. Xiao, Y. Li, and D. Ruppert. Fast bivariate P-splines: The sandwich smoother. *Journal of the Royal Statistical Society, Series B (Methodological)*, pages 577–599, 2013.
- [331] L. Xiao, V. Zipunnikov, D. Ruppert, and C.M. Crainiceanu. Fast covariance estimation for high-dimensional functional data. *Statistics and Computing*, 26(1):409–421, 2016.
- [332] M. Xu and P.T. Reiss. Distribution-free pointwise adjusted p -values for functional hypotheses. In G. Aneiros, I. Horová, M. Hušková, and P. Vieu, editors, *Functional and High-Dimensional Statistics and Related Fields*, pages 245–252. Springer, 2020.
- [333] Y. Xu, Y. Li, and D. Nettleton. Nested hierarchical functional data modeling and inference for the analysis of functional plant phenotypes. *Journal of the American Statistical Association*, 113(522):593–606, 2018.
- [334] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for sparse longitudinal data. *Journal of the American Statistical Association*, 28(100):577–590, 2005.
- [335] F. Yao, H.-G. Müller, and J.-L. Wang. Functional linear regression analysis for longitudinal data. *Annals of Statistics*, 33(6):2873–2903, 2005.
- [336] F. Yao, H.G. Müller, A.J. Clifford, S.R. Dueker, J. Follett, Y. Lin, B.A. Buchholz, and J.S. Vogel. Shrinkage estimation for functional principal component scores with application to the population kinetics of plasma folate. *Biometrics*, 59(3):676–685, 2003.
- [337] Y. Yuan, J.H. Gilmore, X. Geng, S. Martin, K. Chen, J.-L. Wang, and H. Zhu. Fmem: Functional mixed effects modeling for the analysis of longitudinal white matter tract data. *NeuroImage*, 84:753–764, 2014.
- [338] D. Zhang, X. Lin, and M. Sowers. Two-stage functional mixed models for evaluating the effect of longitudinal covariate profiles on a scalar outcome. *Biometrics*, 63(2):351–362, 2007.
- [339] Y. Zhang and Y. Wu. Robust hypothesis testing in functional linear models. *Journal of Statistical Computation and Simulation*, 0(0):1–19, 2023.
- [340] Y. Zhao, R.T. Ogden, and P.T. Reiss. Wavelet-based lasso in functional linear regression. *Journal of Computational and Graphical Statistics*, 21(3):600–617, 2012.
- [341] X. Zhou, J. Wrobel, C.M. Crainiceanu, and A. Leroux. Generalized multilevel functional principal component analysis. *Under Review*, 2023.
- [342] H. Zhu, P.J. Brown, and J.S. Morris. Robust, adaptive functional regression in functional mixed model framework. *Journal of the American Statistical Association*, 106(495):1167–1179, 2011.
- [343] H. Zhu, P.J. Brown, and J.S. Morris. Robust classification of functional and quantitative image data using functional mixed models. *Biometrics*, 68(4):1260–1268, 2012.

[344] H. Zhu, K. Chen, X. Luo, Y. Yuan, and J.-L. Wang. Fmem: Functional mixed effects models for longitudinal functional responses. *Statistica Sinica*, 29(4):2007, 2019.

[345] V. Zipunnikov, B. Caffo, D.M. Yousem, C. Davatzikos, B. Schwartz, and C.M. Crainiceanu. Multilevel functional principal component analysis for high-dimensional data. *Journal of Computational and Graphical Statistics*, 20(4):852–873, 2011.

[346] V. Zipunnikov, S. Greven, H. Shou, B. Caffo, D.S. Reich, and C.M. Crainiceanu. Longitudinal high-dimensional principal components analysis with application to diffusion tensor imaging of multiple sclerosis. *The Annals of Applied Statistics*, 8(4):2175–2202, 2014.

[347] M. Xu and P.T. Reiss. Distribution-free pointwise adjusted regression for functional data. *Journal of the American Statistical Association*, 113(524):1257–1267, 2018.

[348] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[349] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[350] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[351] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[352] M. Xu and P.T. Reiss. Distribution-free pointwise adjusted regression for functional data. *Journal of the American Statistical Association*, 113(524):1257–1267, 2018.

[353] Y. Xue, Y. Li, and D. Nettleton. Nested hierarchical functional data modeling and inference for the analysis of functional plant phenotypes. *Journal of the American Statistical Association*, 113(524):1257–1267, 2018.

[354] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[355] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[356] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[357] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[358] F. Yao, H.-G. Müller, A.J. Clifford, S.H. Dong, and B.A. Granger. Shrinkage estimation for functional principal component scores with application to the prediction of plasma glucose. *Journal of the Royal Statistical Society, Series C*, 51(1):61–75, 2003.

[359] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[360] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[361] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[362] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[363] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[364] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[365] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[366] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[367] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[368] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[369] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[370] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[371] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.

[372] L. Xia, L. Huang, T. A. Seaman, V. Zipunnikov, and C.M. Crainiceanu. Functional mixed model framework. *Journal of the American Statistical Association*, 106(507):1157–1170, 2011.

[373] F. Yao, H.-G. Müller, and J.-L. Wang. Functional data analysis for irregularly observed longitudinal data. *Journal of the American Statistical Association*, 103(483):612–628, 2008.