

## Bibliography

- Adams, C. G., D. E. Lee, and B. R. Rosen. 1990. Conflicting isotopic and biotic evidence for tropical sea-surface temperatures during the Tertiary. *Palaeogeography, Palaeoclimatology, Palaeoecology* 77:289–313.
- Adams, D., and M. Carwardine. 1990. *Last Chance to See*. New York: Harmony Books.
- Addicott, W. O. 1969. Tertiary climatic change in the marginal northeastern Pacific Ocean. *Science* 165:583–586.
- . 1970. Tertiary paleoclimatic trends in the San Joaquin Basin, California. *U.S. Geological Survey Professional Paper* 644-D:1–19.
- . 1976. Neogene molluscan stages of Oregon and Washington. In A. E. Fritsche, H. TerBest Jr., and W. W. Wornardt, eds., *The Neogene Symposium*, pp. 95–115. San Francisco: SEPM, Pacific Section.
- Agassiz, L. 1840. *Etudes sur les glaciers*. Neuchâtel: Privately published.
- Agusti, J., and M. Anton. 2002. *Mammoths, Sabertooths, and Hominids: 65 Million Years of Mammalian Evolution in Europe*. New York: Columbia University Press.
- Alroy, J. 2002. Extraterrestrial bolide impacts and biotic change in North American mammals. *Journal of Vertebrate Paleontology* 22 (3): 32A.
- Alvarez, L. W., W. Alvarez, F. Asaro, and H. V. Michel. 1980. Extraterrestrial cause for the Cretaceous-Tertiary extinction. *Science* 208:1095–1108.
- Alvarez, W., F. Asaro, H. V. Michel, and L. W. Alvarez. 1982. Iridium anomaly approximately synchronous with terminal Eocene extinctions. *Science* 216:886–888.
- Archer, M., S. J. Hand, and H. Godthelp. 1995. Tertiary environmental and biotic change in Australia. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 77–90. New Haven, Conn.: Yale University Press.
- . 2001. *Australia's Lost World: Prehistoric Animals of Riversleigh*. Bloomington: Indiana University Press.
- Archibald, J. D. 1982. A study of Mammalia and geology across the Cretaceous-Tertiary boundary in Garfield County, Montana. *University of California Publications in Geological Sciences* 122:1–286.
- . 1993. The importance of phylogenetic analysis for the assessment of species turnover: A case history of Paleocene mammals in North America. *Paleobiology* 19:1–27.
- . 1996. *Dinosaur Extinctions and the End of an Era: What the Fossils Say*. New York: Columbia University Press.
- Archibald, J. D., and L. J. Bryant. 1990. Differential Cretaceous-Tertiary extinc-



- tions of non-marine vertebrates: Evidence from northeastern Montana. *Geological Society of America Special Paper* 247:549–562.
- Archibald, J. D., W. A. Clemens, P. D. Gingerich, D. W. Krause, E. H. Lindsay, and K. D. Rose. 1987. First North American land mammal ages of the Cenozoic Era. In M. O. Woodburne, ed., *Cenozoic Mammals of North America: Geochronology and Biostratigraphy*, pp. 24–76. Berkeley: University of California Press.
- Asaro, F., L. W. Alvarez, W. Alvarez, and H. V. Michel. 1982. Geochemical anomalies near the Eocene/Oligocene and Permian/ Triassic boundaries. *Geological Society of America Special Paper* 190:517–528.
- Askin, R. A. 1992. Late Cretaceous–early Tertiary Antarctic outcrop evidence for past vegetation and climates. *Antarctic Research Series* 56:61–73.
- Aubry, M.-P. 1992. Late Paleogene calcareous nannoplankton evolution: A tale of climatic deterioration. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 272–309. Princeton, N.J.: Princeton University Press.
- . 1998. Early Paleogene calcareous nannoplankton evolution: A tale of climatic amelioration. In M.-P. Aubry, S. G. Lucas, and W. A. Berggren, eds., *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*, pp. 158–203. New York: Columbia University Press.
- Aubry, M.-P., F. M. Gradstein, and L. F. Jansa. 1990. The late early Eocene Montagnais meteorite: No impact on biotic diversity. *Micropaleontology* 36 (2): 164–172.
- Aubry, M.-P., S. G. Lucas, and W. A. Berggren, eds. 1998. *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*. New York: Columbia University Press.
- Axelrod, D. I. 1985. Rise of the grassland biome, central North America. *Botanical Review* 51:163–201.
- . 1992. Climatic pulses, a major factor in legume evolution. In P. S. Herendeen and D. L. Dilcher, eds., *Advances in Legume Systematics*, pt. 4, *The Fossil Record*, pp. 259–279. Kew, England: Royal Botanic Gardens.
- Baldauf, J. G. 1992. Middle Eocene through early Miocene diatom floral turnover. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 310–326. Princeton, N.J.: Princeton University Press.
- Baldauf, J. G., and J. A. Barron. 1990. Evolution of biosiliceous sedimentation patterns—Eocene through Quaternary: paleoceanographic response to polar cooling. In U. Bleil and J. Thiede, eds., *Geological History of the Polar Oceans: Arctic Versus Antarctic*, pp. 575–607. Amsterdam: Kluwer Academic Publishers.
- Barker, P. F., and J. Burrell. 1977. The opening of the Drake Passage. *Marine Geology* 25:15–34.
- . 1982. The influence upon Southern Ocean circulation sedimentation and climate of the opening of Drake Passage. In C. Craddock, ed., *Antarctic Geoscience*, pp. 377–385. Madison: University of Wisconsin Press.
- Barnes, L. G. 1984. Whales, dolphins and porpoises—origin and evolution of the Cetacea. *University of Tennessee, Department of Geological Sciences, Studies in Geology* 8:139–154.
- . 1989. A new enaliarctine pinniped from the Astoria Formation, Oregon,



- and a classification of the Otariidae (Mammalia: Carnivora). *Natural History Museum of Los Angeles County Contributions in Science* 403:1–26.
- Barnola, J. M., M. Bender, and T. Sowers. 1991. *Trends '91: A Compendium of Data on Global Change*. ORNL/CDIAC-46, Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, Tennessee.
- Barnosky, A. D., P. L. Koch, R. S. Feranec, S. L. Wing, and A. B. Shabel. 2004. Assessing the causes of late Pleistocene extinctions on the continents. *Science* 306:70–75.
- Barrera, E., and G. Keller. 1990. Foraminiferal stable isotope evidence for gradual decrease of marine productivity and Cretaceous species survivorship in the earliest Danian. *Paleoceanography* 5:867–870.
- Barrett, P.J., C. J. Adams, W. C. McIntosh, C. C. Swisher III, and G. S. Wilson. 1992. Geochronological evidence supporting Antarctic deglaciation three million years ago. *Nature* 359:816–818.
- Barron, E. J. 1984. Climatic implications of the variable obliquity explanations of Cretaceous-Paleogene high-latitude floras. *Geology* 12:595–598.
- . 1987. Eocene equator-to-pole surface ocean temperatures: A significant climate problem? *Paleoceanography* 2:729–732.
- Barron, J., B. Larsen, and the Leg 119 Shipboard Scientific Party. 1989. *Proceedings of the Ocean Drilling Program* 119:1–939.
- Beard, K. C. 1998. East of Eden: Asia as an important center of taxonomic origination in mammalian evolution. *Bulletin of the Carnegie Museum of Natural History* 34:5–39.
- . 2004. *The Hunt for the Dawn Monkey: Unearthing the Origin of Monkeys, Apes, and Humans*. Berkeley: University of California Press.
- Beck, M. W., 1996. On discerning the causes of late Pleistocene megafaunal extinctions. *Paleobiology* 22:91–103.
- Bell, C. J., E. L. Lundelius Jr., A. D. Barnosky, R. W. Graham, E. H. Lindsay, D. R. Ruez Jr., H. A. Semken Jr., S. D. Webb, and R. J. Zakrzewski. 2004. The Blancan, Irvingtonian, and Rancholabrean land mammal ages. In M. O. Woodburne, ed., *Late Cretaceous and Cenozoic Mammals of North America: Biostratigraphy and Geochronology*, pp. 377–385. Berkeley: University of California Press.
- Bender, M. L., and L. D. Keigwin. 1979. Speculations about the upper Miocene change in abyssal Pacific dissolved bicarbonate  $^{13}\text{C}$ . *Earth and Planetary Sciences Letters* 45:383–393.
- Berggren, W. A. 1971. Tertiary boundaries and correlations. In B. M. Funnell and W. R. Riedel, eds., *The Micropaleontology of Oceans*, pp. 693–809. Cambridge: Cambridge University Press.
- . 1972. Late Pliocene–Pleistocene glaciation. *Initial Reports of the Deep Sea Drilling Project* 12:953–963.
- . 1982. Role of ocean gateways in climatic change. In W. Berger and J. C. Crowell, eds., *Climate in Earth History*, pp. 118–285. Washington, D.C.: National Academy of Sciences.
- Berggren, W. A., and B. U. Haq. 1976. The Andalusian Stage (late Miocene); biostratigraphy, biochronology and paleoecology. *Palaeogeography, Palaeoclimatology, Palaeoecology* 20:67–129.
- Berggren, W. A., and C. D. Hollister. 1974. Paleogeography, paleobiogeography and the history of circulation in the Atlantic Ocean. *SEPM Special Publication* 20:126–176.



- \_\_\_\_\_. 1978. Plate tectonics and paleocirculation; commotion in the ocean. *Tectonophysics* 38:11–48.
- Berggren, W. A., D. V. Kent, and J. Hardenbol, eds. 1995. *Geochronology, Time Scales, and Stratigraphic Correlation*. SEPM Special Publication 54. Tulsa, Okla.: SEPM.
- Berner, R. A., A. C. Lasaga, and R. M. Garrels. 1983. The carbonate-silicate geochemical cycle and its effect on atmospheric carbon dioxide over the past 100 million years. *American Journal of Science* 283:641–683.
- Berta, A. 1981. The Plio-Pleistocene hyaena *Chasmoporthetes ossifragus* from Florida. *Journal of Vertebrate Paleontology* 1:341–356.
- Berta, A., and C. E. Ray. 1990. Skeletal morphology and locomotor capabilities of the archaic pinniped *Enaliarctos mealsi*. *Journal of Vertebrate Paleontology* 10:141–157.
- Berta, A., C. E. Ray, and A. R. Wyss. 1989. Skeleton of the oldest known pinniped, *Enaliarctos*. *Science* 244:60–62.
- Beyrich, H. E. von. 1954. Über die Stellung die hessischen Tertiär-bildungen. *Königliche Preussische Akademie Wissenschaften Berlin Monatsheft* 1854:664–666.
- Birkelund, T., and E. Hakansson. 1982. The terminal Cretaceous in Boreal shelf seas: A multicausal event. *Geological Society of America Special Paper* 190:373–384.
- Birkenmajer, K. 1987. Tertiary glacial and interglacial deposits, South Shetland Islands, Antarctica: Geochronology versus biostratigraphy. *Bulletin of the Polish Academy of Science, Earth Science* 36:133–145.
- Birkenmajer, K., A. Gazdzicki, K. P. Krajewski, A. Przybycin, A. Solecki, A. Tatur, and H. I. Yoon. 2005. First Cenozoic glaciers in West Antarctica. *Polish Polar Research* 26:3–12.
- Blackwelder, B. W. 1981. Late Cenozoic stages and molluscan zones of the U.S. Middle Atlantic Coastal Plain. *Journal of Paleontology Memoir* 12:1–34.
- Boersma, A., I. Premoli-Silva, and N. J. Shackleton. 1987. Atlantic Eocene planktonic foraminiferal paleohydrographic indicators and stable isotope paleoceanography. *Paleoceanography* 2 (3): 287–331.
- Boersma, A., I. Premoli Silva, and P. Hallock. 1998. Trophic models for the well-mixed and poorly mixed warm oceans across the Paleocene/Eocene boundary. In M.-P. Aubry, S. G. Lucas, and W. A. Berggren, eds., *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*, pp. 118–285. New York: Columbia University Press.
- Bolles, E. B. 1999. *The Ice Finders: How a Poet, a Professor, and a Politician Discovered the Ice Age*. New York: Counterpoint.
- Bonnefille, R. 1995. A reassessment of the Plio-Pleistocene pollen record of East Africa. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 299–310. New Haven, Conn.: Yale University Press.
- Bottomley, R., and D. York. 1988. Age measurements of the submarine Montagnais impact crater and the periodicity question. *Geophysical Research Letters* 14 (12): 1409–1412.
- Bottomley, R., R. A. F. Grieve, D. York, and V. Masaitis. 1997. The age of the Popigai impact event and its relation to events at the Eocene/Oligocene boundary. *Nature* 388:365–368.
- Boulter, M. C. 1984. Palaeobotanical evidence for land-surface temperature in



- the European Paleogene. In Brenchley, P., ed., *Fossils and Climate*, pp. 35–47. Chichester: Wiley.
- Boulter, M. C., and R. N. L. B. Hubbard. 1982. Objective paleoecological and biostratigraphic interpretation of Tertiary palynological data by multivariate statistical analysis. *Palynology* 6:55–68.
- \_\_\_\_\_. 1983. Reconstruction of Palaeogene climate from palynological evidence. *Nature* 301:147–150.
- Bown, T. M., and M. J. Kraus. 1981. Lower Eocene alluvial paleosols (Willwood Formation, northwest Wyoming, U.S.A.) and their significance for paleoecology, paleoclimatology, and basin analysis. *Palaeogeography, Palaeoclimatology, Palaeoecology* 34:1–30.
- \_\_\_\_\_. 1987. Integration of channel and floodplain suites: 1. Developmental sequence and lateral relations of alluvial paleosols. *Journal of Sedimentary Petrology* 57:587–601.
- Brinkhuis, H. 1992. Late Paleogene dinoflagellate cysts with special reference to the Eocene/Oligocene boundary. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 327–340. Princeton, N.J.: Princeton University Press.
- Broecker, W. S. 1987. The biggest chill. *Natural History* 96:74–82.
- \_\_\_\_\_. 1991. Keeping global change honest. *Global Biogeochemical Cycles* 5:191–192.
- \_\_\_\_\_. 1999a. Abrupt climate change: Causal constraints provided by the paleoclimate record. *Earth Science Reviews* 51:137–154.
- \_\_\_\_\_. 1999b. What if the conveyor were to shut down? Reflections on a possible outcome of the great global experiment. *GSA Today* 9 (1): 1–7.
- Broecker, W. S., and G. H. Denton. 1989. The role of ocean-atmosphere reorganizations in glacial cycles. *Geochimica et Cosmochimica Acta* 52:2465–2501.
- \_\_\_\_\_. 1990. What drives glacial cycles? *Scientific American* (January): 48–56.
- Brunet, M. 1977. Les mammifères et le problème de la limite Eocène-Oligocène en Europe. *Géobios, Mémoires Spéciaux* 1:11–27.
- Brunet, M., et al. 2002. A new hominid from the upper Miocene of Chad, central Africa. *Nature* 418:145–151.
- Brunner, C. A. 1978. Late Neogene history recorded by sedimentation in the Straits of Florida. *Geological Society of America Abstracts with Programs* 10 (7): 373.
- Bryan, J. R., and D. S. Jones. 1989. Fabric of the Cretaceous-Tertiary marine macrofaunal transition at Braggs, Alabama. *Palaeogeography, Palaeoclimatology, Palaeoecology* 69:279–301.
- Bryson, R. A., and T. J. Murray. 1977. *Climates of Hunger: Mankind and the World's Changing Weather*. Madison: University of Wisconsin Press.
- Bryse, K. 2004. Off-limits to no one: Vertebrate paleontologists and the Cretaceous-Tertiary mass extinction. Ph.D. dissertation, University of Alberta, Alberta, Canada.
- Budantsev, L. Y. 1992. Early stage of formation and dispersal of the temperate flora in the boreal region. *The Botanical Review* 58:1–48.
- Budd, A. F., T. A. Stemann, and K. G. Johnson. 1994. Stratigraphic distribution of Neogene to Recent Caribbean reef corals. *Journal of Paleontology* 68:951–977.
- Burckle, L. H. 1995. Current issues in Pliocene paleoclimatology. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and*



- Evolution, with Emphasis on Human Origins*, pp. 3–7. New Haven, Conn.: Yale University Press.
- Burckle, L. H., and F. Akiba. 1978. Implications of late Neogene freshwater sediment in the Sea of Japan. *Geology* 6:123–127.
- Callahan, J. E. 1971. Velocity structure and flux of the Antarctic Circumpolar Current of South Australia. *Journal of Geophysical Research* 76:5859–5870.
- Campbell, D. C., and M. R. Campbell. 2003. Biotic patterns in Eocene-Oligocene mollusks of the Atlantic Coastal Plain, U.S.A. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 341–353. New York: Columbia University Press.
- Campbell, K. C., Jr., C. D. Frailey, D. R. Prothero, and M. Heizler. 2001. Upper Cenozoic chronostratigraphy of the Amazon Basin: Implications for the Great American Interchange. *Geology* 29:595–598.
- Campbell, L. D., S. Campbell, D. Colquhoun, J. Ernissee, and W. Abbott. 1975. Plio-Pleistocene faunas of the central Carolina Coastal Plain. *Geologic Notes, South Carolina State Development Board, Division of Geology* 19:52–124.
- Capetta, H., J.-J. Jaeger, M. Sabatier, B. Sige, J. Sudre, and M. Vianey-Liaud. 1978. Découverte dans le Paleocène du Maroc des plus anciens mammifères eutheriens d'Afrique. *Géobios* 11:257–263.
- Carozzi, A. V., trans. 1967. *Studies on Glaciers; Preceded by the Discourse of Neuchâtel*, by Louis Agassiz. New York: Hafner.
- Carter, B. D. 2003. Diversity patterns in Eocene and Oligocene echinoids of the southeastern United States. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 365–385. New York: Columbia University Press.
- Case, J. A. 1988. Paleogene floras from Seymour Island, Antarctic Peninsula. *Geological Society of America Memoir* 169:523–530.
- Cavelier, C. 1979. La limite Eocène-Oligocène en Europe occidentale. *Sciences Géologiques, Mémoire (Institut de Géologie, Strasbourg)* 54:1–280.
- Cavender, T. M. 1986. Review of the fossil history of North American freshwater fishes. In C. H. Hocutt and E. O. Wiley, eds. *The Zoogeography of North American Freshwater Fishes*, pp. 699–724. New York: Wiley.
- Cerling, T. E. 1992. Development of grasslands and savannas in East Africa during the Neogene. *Palaeogeography, Palaeoclimatology, Palaeoecology* 97:241–247.
- Cerling, T. E., J. M. Harris, B. J. MacFadden, M. G. Leakey, J. Quade, V. Eisenmann, and J. R. Ehleringer. 1997. Global vegetation change through the Miocene/Pliocene boundary. *Nature* 389:153–158.
- Chandler, M. 1993. GCM simulations of the Pliocene climate: Feedbacks, ocean transports, and CO<sub>2</sub>. In R. Thompson, ed., *Pliocene Terrestrial Environments and Data/Model Comparisons*. USGS Open-File Report No. 94-23.
- . 1994. Global climate model simulations of the Middle Pliocene, continued. In S. Ishman, ed., *Pliocene High-Latitude Climate Records*. USGS Open-File Report No. 94-588.
- Chandler, M. A., D. Rind, and R. S. Thompson. 1994. Joint investigations of the middle Pliocene climate II: GISS GCM Northern Hemisphere results. *Palaeogeography, Palaeoclimatology, Palaeoecology* 9:197–219.
- Chiappe, L. M. 1995. The first 85 million years of avian evolution. *Nature* 378:349–355.



- Chinzei, K. 1978. Neogene molluscan faunas in the Japanese islands: An ecological and zoogeographic synthesis. *The Veliger* 21:155–170.
- Cifelli, R. 1969. Radiation of the Cenozoic planktonic foraminifera. *Systematic Zoology* 18:154–168.
- Clementz, M. T., K. A. Hoppe, and P. L. Koch. 2003. A paleoecological paradox: The habitat and dietary preferences of the extinct tethythere *Desmostylus*, inferred from stable isotope analysis. *Paleobiology* 29:506–519.
- Coates, A. G., and J. B. C. Jackson. 1985. Morphological themes in the evolution of clonal and aclonal marine invertebrates. In J. B. C. Jackson, L. W. Buss, and R. E. Cook, eds., *Population Biology and Evolution of Clonal Organisms*, pp. 67–105. New Haven, Conn.: Yale University Press.
- Coates, A. G., J. B. C. Jackson, L. S. Collins, T. M. Cronin, H. J. Dowsett, L. M. Bybell, P. Jung, and J. A. Obando. 1992. Closure of the Isthmus of Panama: The near-shore marine record of Costa Rica and western Panama. *Geological Society of America Bulletin* 104:814–828.
- Coccioni, R., and S. Galeotti. 1994. K-T boundary extinction: Geologically instantaneous or gradual event? Evidence from deep-sea benthic foraminifera. *Geology* 22:779–782.
- Coccioni, R., D. Basso, H. Brinkhuis, S. Galeotti, S. Gardin, S. Monechi, and S. Spezzaferri. 2000. Marine biotic signals across a late Eocene impact layer at Massignano, Italy: Evidence for long-term environmental perturbations? *Terra Nova* 12:258–263.
- Collinson, M. E. 1983. Palaeofloristic assemblages and palaeoecology of the lower Oligocene Bembridge Marls, Hamstead Ledge, Isle of Wight. *Botanical Journal of the Linnean Society* 86:177–225.
- . Vegetational and floristic changes around the Eocene/Oligocene boundary in western and central Europe. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 437–450. Princeton, N.J.: Princeton University Press.
- Collinson, M. E., and J. J. Hooker. 1987. Vegetational and mammalian faunal changes in the early Tertiary of southern England. In E. M. Friis, W. G. Chaloner, and P. R. Crane, eds., *The Origins of Angiosperms and Their Biological Consequences*, pp. 295–304. Cambridge: Cambridge University Press.
- Collinson, M. E., K. Fowler, and M. C. Boulter. 1981. Floristic changes indicate a cooling climate in the Eocene of southern England. *Nature* 291:315–317.
- Coombs, M. C. 1983. Large mammalian clawed herbivores: A comparative study. *Transactions of the American Philosophical Society* 73 (7): 1–96.
- Cope, E. D. 1884. The Vertebrata of the Tertiary formations of the West. Book I. Report of the United States Geological Survey of the Territories. III. Washington, D.C.: U.S. Geological Survey.
- Craddock, C., and C. D. Hollister. 1976. *Initial Reports of the Deep Sea Drilling Project* 35:723–743.
- Creber, G. T., and W. G. Chaloner. 1984. Climatic indications from growth rings in fossil woods. In P. J. Brenchley, ed., *Fossils and Climate*, pp. 49–74. New York: Wiley.
- Crouch, E. and H. Visscher. 2003. Terrestrial vegetation record across the initial Eocene thermal maximum at the Tawanui marine section, New Zealand. *Geological Society of America Special Paper* 369:351–364.
- Crouch, E., C. Heilmann-Clausen, H. Brinkhuis, H. E. G. Morgans, K. M.



- Rogers, H. Egger, and B. Schmitz. 2001. Global dinoflagellate event associated with late Paleocene thermal maximum. *Geology* 29:289–376.
- Crowley, T. J. 1991. Modeling Pliocene warmth. *Quaternary Science Review* 10:275–282.
- Cuvier, G. 1804. Sur les espèces d'animaux dont proviennent les os fossiles répandus dans la pierre à plâtre des environs de Paris. *Annales Musée Histoire Naturelles*, Paris, ser. 3: 275–472.
- . 1818. Analyse des travaux de l'Académie royale des sciences, pour les années 1813, 1814, 1815: Partie physique. *Mém. Acad. Sci. Paris* 1813–15: cxvii–ccxxxv.
- Darwin, C. R. 1839. *The Voyage of the H.M.S. Beagle*. London: Charles Murray.
- Davies, R., J. Cartwright, J. Pike, and C. Line. 2001. Early Oligocene initiation of North Atlantic Deep Water formation. *Nature* 410:917–920.
- DeConto, R. M., and D. Pollard. 2003. Rapid Cenozoic glaciation of Antarctica induced by declining atmospheric CO<sub>2</sub>. *Nature* 421:245–249.
- Deffeyes, K. F. 2001. *Hubbert's Curve: The Impending World Energy Shortage*. Princeton, N.J.: Princeton University Press.
- Deming, D. 1999. On the possible influence of extraterrestrial volatiles on earth's climate and the origin of the oceans. *Palaeogeography, Palaeoclimatology, Palaeoecology* 146:33–51.
- Dial, K. P. 2003. Wing-assisted incline running and the evolution of flight. *Science* 299:402–405.
- Dickens, G. R., J. R. O'Neill, D. K. Rea, and R. M. Owen. 1995. Dissociation of oceanic methane hydrate as a cause of the carbon isotope excursion at the end of the Paleocene. *Paleoceanography* 10:965–971.
- Dickens, G. R., C. K. Paull, P. Wallace, and the ODP Leg 164 Scientific Party. 1997. Direct measurement of *in situ* methane quantities in large gas hydrate reservoir. *Nature* 385:426–428.
- Dickens, G. R., M. M. Castillo, and J. C. G. Walker. 1998. A blast of gas in the latest Paleocene: Simulating first-order effects of massive dissociation of oceanic methane hydrate. *Geology* 25:258–262.
- Dickens, G. R., T. Fewless, E. Thomas, and T. J. Bralower. 2003. Excess barite accumulation during the Paleocene-Eocene Thermal Maximum: Massive input of dissolved barium from seafloor gas hydrate reserves. *Geological Society of America Special Paper* 369:11–24.
- Diester-Haass, L., and R. Zahn. 1996. The Eocene-Oligocene transition in the Southern Ocean: History of water masses, circulation, and biological productivity inferred from high-resolution records of stable isotopes and benthic foraminiferal abundances. *Geology* 24:16–20.
- Dingus, L., and T. Rowe. 1998. *The Mistaken Extinction: Dinosaur Evolution and the Origin of Birds*. New York: W.H. Freeman.
- Dockery, D. T., III. 1986. Punctuated succession of Paleogene mollusks in the northern Gulf Coastal Plain. *Palaios* 1:582–589.
- . 1998. Molluscan faunas across the Paleocene/Eocene series boundary in the North American Gulf Coastal Plain. In M.-P. Aubry, S. G. Lucas, and W. A. Berggren, eds. 1998. *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*, pp. 296–322. New York: Columbia University Press.
- Dockery, D. T., III, and P. Lozouet. 2003. Molluscan faunas across the Eocene/Oligocene boundary in the North American Gulf Coastal Plain, with



- comparison to those of the Eocene and Oligocene of France. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 303–340. New York: Columbia University Press.
- Domning, D. P. 1994. The terrestrial posture of desmostylians. *Smithsonian Contributions to Paleobiology* 93:83–98.
- . 2001. The earliest known fully quadrupedal sirenian. *Nature* 413:625–627.
- Domning, D. P., C. E. Ray, and M. C. McKenna. 1986. Two new Oligocene desmostylians and a discussion of tethytherian systematics. *Smithsonian Contributions to Paleobiology* 59:1–56.
- Dorf, E. 1960. Tertiary fossil forests of Yellowstone National Park, Wyoming. *Billings Geological Society Annual Field Conference* 11:253–360.
- Dowsett, H. J., T. M. Cronin, R. Z. Poore, R. S. Thompson, R. C. Whatley, and A. M. Wood 1992. Micropaleontological evidence for increased meridional heat transport in the North Atlantic Ocean during the Pliocene. *Science* 258:1133–1135.
- Dowsett, H. J., R. S. Thompson, J. A. Barron, T. M. Cronin, S. E. Ishman, R. Z. Poore, D. A. Willard, and T. R. Holtz Jr. 1994. Joint investigations of the middle Pliocene climate I: PRISM palaeoenvironmental reconstructions. *Palaeogeography, Palaeoclimatology, Palaeoecology* 9:169–195.
- Dumont, A. 1849. Rapport sur la carte géologique du Royaume. *Bulletin de l'Académie Royale de Belgique* 16 (2): 351–373.
- Durham, J. W. 1950. Cenozoic marine climates of the Pacific Coast. *Geological Society of America Bulletin* 61:1243–1264.
- Eaton, J. G., J. I. Kirkland, and K. Doi. 1989. Evidence of reworked Cretaceous fossils and their bearing on the existence of Tertiary dinosaurs. *Palaios* 4:281–286.
- Edwards, A. R. 1975. Southwest Pacific Cenozoic paleogeography and an integrated Neogene paleocirculation model. *Initial Reports of the Deep-Sea Drilling Project* 30:667–684.
- Eicher, D. L. 1976. *Geologic Time*. 2nd ed. Englewood Cliffs, N.J.: Prentice-Hall.
- Eldholm, O., and E. Thomas. 1993. Environmental impact of volcanic margin formation. *Earth and Planetary Sciences Letters* 117:319–329.
- Emry, R. J., S. G. Lucas, L. Tyutkova, and B. Wang. 1998. The Ergilian-Shandgolian (Eocene-Oligocene) transition in the Zaysan Basin, Kazakstan. *Bulletin of the Carnegie Museum of Natural History* 34:298–312.
- Ehrlich, P., and A. Ehrlich. 1990. *The Population Explosion*. New York: Simon and Schuster.
- Estes, R., and J. H. Hutchison. 1980. Eocene lower vertebrates from Ellesmere Island, Canadian Arctic Archipelago. *Palaeogeography, Palaeoclimatology, Palaeoecology* 30:325–347.
- Evanoff, E., D. R. Prothero, and R. H. Lander. 1992. Eocene-Oligocene climatic change in North America: The White River Formation near Douglas, east-central Wyoming. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 116–130. Princeton, N.J.: Princeton University Press.
- Evernden, J. F., D. E. Savage, G. H. Curtis, and G. T. James. 1964. Potassium-argon dates and the Cenozoic mammalian chronology of North America. *American Journal of Science* 262:145–198.



- Exon, N., et al. 2002. Drilling reveals climatic consequences of Tasmanian gateway opening. *EOS* 83 (23): 253–259.
- Fawcett, P. J., and M. B. E. Boslough. 2002. Climatic effects of an impact-induced equatorial debris ring. *Journal of Geophysical Research* 107 (D15): 10129–10146.
- Fenner, J. 1986. Information from diatom analysis concerning the Eocene-Oligocene boundary. In C. H. Pomeroy and I. Premoli-Silva, eds., *Terminal Eocene Events*, pp. 283–288. Amsterdam: Elsevier.
- Fillon, R. H. 1977. Ice-rafted detritus and paleotemperature; late Cenozoic relationships in the Ross Sea region. *Marine Geology* 25:75–93.
- Fischer, A. G. 1986. Climatic rhythms recorded in strata. *Annual Reviews of Earth and Planetary Sciences* 14:351–376.
- Fluegeman, R. H. 2003. Late Eocene–early Oligocene benthic foraminifera in the Gulf Coastal Plain: Regional vs. global influences. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 283–293. New York: Columbia University Press.
- Flynn, J. J., and C. C. Swisher III. 1995. Cenozoic South American land mammal ages: Correlation to global geochronologies. *SEPM Special Publication* 54:317–333.
- Fordyce, R. E. 1980. Whale evolution and Oligocene Southern Ocean environments. *Palaeogeography, Palaeoclimatology, Palaeoecology* 31:319–336.
- . 1989. Origins and evolution of Antarctic marine mammals. *Special Publications of the Geological Society of London* 47:269–281.
- . 1992. Cetacean evolution and Eocene-Oligocene environments. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 368–381. Princeton, N.J.: Princeton University Press.
- . 2003. Cetacean evolution and Eocene-Oligocene oceans revisited. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 154–170. New York: Columbia University Press.
- Frailey, C. D., and K. Campbell. 2004. Eocene rodents from South American and the evolution of the Caviidae. *Journal of Vertebrate Paleontology* 24 (3): 61A.
- Frakes, L. A. 1979. *Climates throughout Geological Time*. New York: Elsevier.
- Francis, J. E., and I. Poole. 2002. Cretaceous and Tertiary climates of Antarctica: Evidence from fossil wood. *Palaeogeography, Palaeoclimatology, Palaeoecology* 182:47–64.
- Frederiksen, N. O. 1988. Sporomorph biostratigraphy, floral changes, and paleoclimatology, Eocene and earliest Oligocene of the eastern Gulf Coast. *U.S. Geological Survey Professional Paper* 1448.
- . 1991. Pulses of middle Eocene to earliest Oligocene climatic deterioration in southern California and the Gulf Coast. *Palaios* 6:564–571.
- Froehlich, D. J. 2002. Quo vadis *Eohippus*? The systematics and taxonomy of the early Eocene equids (Perissodactyla). *Zoological Journal of the Linnean Society of London* 134:141–256.
- Frost, S. H. 1977. Miocene to Holocene evolution of Caribbean Province reef-building corals. *Third Annual International Coral Reef Symposium (Miami), Proceedings*, pp. 353–359.
- Gallagher, W. B. 1991. Selective extinction and survival across the Cretaceous/Tertiary boundary in the northern Atlantic Coastal Plain. *Geology* 19:967–970.



- \_\_\_\_\_. 1993. The Cretaceous/Tertiary mass extinction event in the northern Atlantic Coastal Plain. *The Mosasaur* 5:75–154.
- \_\_\_\_\_. 2002. Faunal changes across the Cretaceous-Tertiary (K-T) boundary in the Atlantic Coastal Plain of New Jersey: Restructuring the marine community after the K-T mass extinction event. *Geological Society of America Special Paper* 356:291–302.
- Ganapathy, R. 1982. Evidence for a major meteorite impact on the earth 34 million years ago: Implications for Eocene extinctions. *Science* 216:885–886.
- Gaskell, B. A. 1991. Extinction patterns in Paleogene benthic foraminiferal faunas: Relationship to climate and sea level. *Palaios* 6:2–16.
- Gazin, C. L. 1968. A study of the Eocene condylarthran mammal *Hyopsodus*. *Smithsonian Miscellaneous Collections* 149 (2): 1–98.
- Geary, D. H. 1990. Patterns of evolutionary tempo and mode in the radiation of *Melanopsis* (Gastropoda: Melanopsidae). *Paleobiology* 16:492–511.
- Geikie, A. 1894. *The Great Ice Age and Its Relation to the Antiquity of Man*. 3rd ed. London: Stanford.
- Gheerbrant, E. 1990. On the early biogeographical history of the African placentals. *Historical Biology* 4:107–116.
- Gheerbrant, E., J. Sudre, and H. Capetta. 1996. Palaeocene proboscidean from Morocco. *Nature* 383:68–70.
- Gillet, S. 1946. Lamellibranches dulcicoles, les limnocardidés. *Revue de Science, Paris* 84:343–353.
- Gingerich, P. D. 1976. Cranial anatomy and evolution of early Tertiary Plesiadapidae (Mammalia, Primates). *University of Michigan Papers in Paleontology* 15:1–141.
- Gingerich, P. D., N. A. Wells, D. E. Russell, and S. M. Ibrahim Shah. 1983. Origin of whales in epicontinental remnant seas; new evidence from the early Eocene of Pakistan. *Science* 220:403–406.
- Gingerich, P. D., B. H. Smith, and E. L. Simons. 1990. Hind limbs of Eocene *Basilosaurus*: Evidence of feet in whales. *Science* 249:154–157.
- Gingerich, P. D., M. Haq, I. S. Zalmout, I. H. Khan, and M. S. Malkani. 2001. Origin of whales from early artiodactyls; hands and feet of Eocene Protocetidae from Pakistan. *Science* 293:2239–2242.
- Gladenkov, Y. B. 1992. North Pacific: Neogene biotic and abiotic events. In R. Rsuchi and J. C. Ingle Jr., eds., *Pacific Neogene Environments and Evolution*, pp. 171–179. Tokyo: University of Tokyo Press.
- Glass, B. P., and M. J. Zwart. 1977. North American microtektites, radiolarian extinctions and the age of the Eocene/Oligocene boundary. In F. M. Swain, ed., *Stratigraphic Micropaleontology of the Atlantic Basin and Borderlands*, pp. 553–568. Amsterdam: Elsevier.
- Glass, B. P., D. L. DuBois, and R. Ganapathy. 1982. Relationship between an iridium anomaly and the North American micro-tektite layer in core RC9-58 from the Caribbean Sea. *Journal of Geophysical Research* 87:425–428.
- Godthelp, H., M. Archer, R. L. Cifelli, S. J. Hand, and G. F. Gilkerson. 1992. Earliest known Australian Tertiary mammal fauna. *Nature* 356:514–516.
- Goodwin, P. W., and E. J. Anderson. 1985. Punctuated aggradational cycles: A general hypothesis of episodic stratigraphic accumulation. *Journal of Geology* 93:515–533.
- Gore, A. 1992. *Earth in the Balance: Ecology and Human Spirit*. New York: Penguin.



- Graham, A. 1999. *Late Cretaceous and Cenozoic History of North American Vegetation*. Oxford: Oxford University Press.
- Graham, R. W., and E. L. Lundelius Jr. 1984. Coevolutionary disequilibrium and Pleistocene extinctions. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 250–258. Tucson: University of Arizona Press.
- Grande, L. 1980. Paleontology of the Green River Formation, with a review of the fish fauna. *Geological Survey of Wyoming Bulletin* 63:1–333.
- Granger, W. 1938. A giant oxyaenid from the upper Eocene of Mongolia. *American Museum Novitates* 969:1–5.
- Greenwood, D. R., P. T. Moss, A. I. Rowett, A. J. Vadala, and R. J. Keefe. 2003. Plant communities and climate change in southeastern Australia during the early Paleogene. *Geological Society of America Special Paper* 369:365–380.
- Gribben, J. 1982. *Future Weather and the Greenhouse Effect*. New York: Delacorte.
- Gunnell, G. F. 2001. *Eocene Biodiversity: Unusual Occurrences and Rarely Sampled Habitats*. New York: Kluwer Academic/Plenum Publishers.
- Guo, S. X. 1985. Preliminary interpretation of Tertiary climate by using megafossil floras in China. *Palaeotologia Cathayana* 2:169–175.
- Guthrie, R. D. 1990. *Frozen Fauna of the Mammoth Steppe: The Story of the Blue Babe*. Chicago: University of Chicago Press.
- Hakansson, E., and E. Thomsen. 1979. Distribution and types of bryozoan communities at the boundary in Denmark. In T. Birkelund, and R. G. Bromley, eds., *Cretaceous-Tertiary Boundary Events*, vol. 1, *The Maastrichtian and Danian of Denmark*, pp. 78–91. Copenhagen: University of Copenhagen.
- Hallam, A., and P. B. Wignall. 1997. *Mass Extinctions and Their Aftermath*. Oxford: Oxford University Press.
- Hamilton, W. 1965. Cenozoic climatic change and its causes. *Meteorological Monograph* 8.
- Hansen, T. A. 1987. Extinction of late Eocene to Oligocene molluscs: Relationship to shelf area, temperature changes, and impact events. *Palaios* 2:69–75.
- . Early Tertiary radiation of marine molluscs and the long-term effects of the Cretaceous-Tertiary extinction. *Paleobiology* 14:37–51.
- . 1992. The patterns and causes of molluscan extinction across the Eocene/Oligocene boundary. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 341–348. Princeton, N.J.: Princeton University Press.
- Hansen, T. A., and P. Kelley. 2004. Paleocological patterns in molluscan extinctions and recoveries; comparison of the Cretaceous-Paleogene and Eocene-Oligocene extinctions in North America. *Palaeogeography, Palaeoclimatology, Palaeoecology* 214:233–242.
- Hansen, T. A., R. B. Farrand, H. A. Montgomery, H. G. Billman, and G. Blechschmidt. 1987. Sedimentology and extinction patterns across the Cretaceous-Tertiary boundary interval in east Texas. *Cretaceous Research* 8:229–252.
- Hansen, T. A., B. R. Farrell, and B. Upshaw. 1993. The first 2 million years after the Cretaceous-Tertiary boundary in east Texas and paleoecology of the molluscan recovery. *Paleobiology* 19:251–265.
- Haq, B. U., and G. P. Lohmann. 1976. Early Cenozoic calcareous nannoplankton biogeography of the Atlantic Ocean. *Marine Micropaleontology* 1:119–194.

ary boundary in the northern Atlantic Ocean. *Journal of Paleontology* 20



- Haq, B. U., J. Hardenbol, and P. R. Vail. 1987. The chronology of fluctuating sea level since the Triassic. *Science* 235:1156–1167.
- Hardenbol, J., and W. A. Berggren. 1978. A new Paleogene numerical time scale. *American Association of Petroleum Geologists Memoir* 6:213–234.
- Harris, A. W., and W. R. Ward. 1982. Dynamical constraints on the formation and evolution of planetary bodies. *Annual Review of Earth and Planetary Sciences* 10:61–108.
- Hays, J. D., J. Imbrie, and N. J. Shackleton. 1976. Variations in the earth's orbit—pacemaker of the ice ages. *Science* 194:1121–1132.
- Hazel, J. E. 1971. Paleoclimatology of the Yorktown Formation (upper Miocene and lower Pliocene) of Virginia and North Carolina. *Centre Recherches Pau-SNPA Bulletin* 5:361–375.
- . 1988. Determining late Neogene and Quaternary palaeoclimates and palaeotemperature regimes using ostracods. In P. De Deckker, J.-P. Colin, and J.-P. Peypouquet, eds., *Ostracoda in the Earth Sciences*, pp. 89–101. Amsterdam: Elsevier.
- Heckel, P. H. 1986. Sea-level curves for Pennsylvanian eustatic marine transgressive-regressive depositional cycles across the mid-continent outcrop belt, North America. *Geology* 14:330–334.
- Heissig, K. 1986. No effect of the Ries impact event on the local mammal fauna. *Modern Geology* 10:171–179.
- Hickey, L. J. 1977. Stratigraphy and paleobotany of the Golden Valley Formation (early Tertiary) of western North Dakota. *Geological Society of America Memoir* 150:1–181.
- Hickman, C. S. 2003. Evidence for abrupt Eocene-Oligocene molluscan faunal change in the Pacific Northwest. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 71–87. New York: Columbia University Press.
- Hodell, D. A., and J. P. Kennett. 1986. Late Miocene–early Pliocene stratigraphy and palaeoceanography of the South Atlantic and southwest Pacific oceans: A synthesis. *Paleoceanography* 1:285–311.
- Hooker, J. J. 1989. Character polarities in early perissodactyls and their significance for *Hyracotherium* and infraordinal relationships. In D. R. Prothero and R. M. Schoch, eds., *The Evolution of Perissodactyls*, pp. 79–101. New York: Oxford University Press.
- . 1992. British mammalian paleocommunities across the Eocene-Oligocene transition and their environmental implications. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 494–515. Princeton, N.J.: Princeton University Press.
- Hooker, J. J., and D. Dashzeveg. 2003. Evidence for direct mammalian faunal interchange between Europe and Asia near the Paleocene-Eocene boundary. *Geological Society of America Special Paper* 369:479–500.
- Hornibrook, N. D. 1992. New Zealand Cenozoic marine paleoclimates: A review based on the distribution of some shallow water and terrestrial biota. In R. Tsuchi and J. C. Ingle Jr., eds., *Pacific Neogene*, pp. 83–106. Tokyo: University of Tokyo Press.
- Horowitz, A. S., and J. F. Pachut. 1994. Lyellian bryozoan percentages and the fossil record of the recent bryozoan fauna. *Palaios* 9:500–505.
- Horton, D. R. 1984. Red kangaroos: Last of the Australian megafauna. In P. S.



- Martin and R. G. Klein, eds. *Quaternary Extinctions: A Prehistoric Revolution*, pp. 639–680. Tucson: University of Arizona Press.
- Hsu, K. J. 1983. *The Mediterranean Was a Desert*. Princeton, N.J.: Princeton University Press.
- Hsu, K. J., et al. 1977. History of the Mediterranean salinity crisis. *Nature* 267:399–403.
- Hsu, K. J., J. A. McKenzie, and Q. X. He. 1982. Terminal Cretaceous environmental and evolutionary changes. *Geological Society of America Special Paper* 190:317–328.
- Huber, B. T., K. G. MacLeod, and R. D. Norris. 2002. Abrupt extinction and subsequent reworking of Cretaceous planktonic foraminifera across the Cretaceous-Tertiary boundary: Evidence from the subtropical North Atlantic. *Geological Society of America Special Paper* 356:277–290.
- Huber, M., L. C. Sloan, and C. Shellito. 2003. Early Paleogene oceans and climate: A fully coupled modeling approach using the NCAR CCSM. *Geological Society of America Special Paper* 369:25–48.
- Hunt, R. J., and I. Poole. 2003. Paleogene West Antarctic climate and vegetation history in light of new data from King George Island. *Geological Society of America Special Paper* 369:395–412.
- Hurlbert, S. H., and Archibald, J. D. 1996. No statistical support for sudden (or gradual) extinction of dinosaurs: Discussion and reply. *Geology* 24:957–959.
- Hut, P., W. Alvarez, W. P. Elder, T. Hansen, E. G. Kauffman, G. Keller, E. M. Shoemaker, and P. Weismann. 1987. Comet showers as a cause of mass extinctions. *Nature* 329:118–126.
- Hutchison, J. H. 1982. Turtle, crocodylian and champsosaur diversity changes in the Cenozoic of the north-central region of the western United States. *Palaeogeography, Palaeoclimatology, Palaeoecology* 37:149–164.
- . 1992. Western North American reptile and amphibian record across the Eocene/Oligocene boundary and its climatic implications. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 451–463. Princeton, N.J.: Princeton University Press.
- Imbrie, J. 1992. On the structure and origin of major glacial cycles. Pt. 1. *Paleoceanography* 7:701–738.
- . 1993. On the structure and origin of major glacial cycles. Pt. 2. *Paleoceanography* 8:699–735.
- Imbrie, J., and K. P. Imbrie. 1979. *Ice Ages: Solving the Mystery*. Short Hills, N.J.: Enslow.
- Ivany, L. C., W. P. Patterson, and K. C. Lohmann. 2000. Cooler winters as a possible cause of mass extinctions at the Eocene/Oligocene boundary. *Nature* 407:887–890.
- Ivany, L. C., K. C. Lohmann, and W. P. Patterson. 2003. Paleogene temperature history of the U.S. Gulf Coastal Plain inferred from  $^{18}\text{O}$  of fossil otoliths. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 232–251. New York: Columbia University Press.
- Ivany, L. C., B. H. Wilkinson, K. C. Lohmann, E. R. Johnson, B. J. McElroy, and G. J. Cohen. 2004. Intra-annual isotopic variation in *Venericardia* bivalves: Implications for early Eocene temperatures, seasonality, and salinity on the U.S. Gulf Coast. *Journal of Sedimentary Research* 74:7–19.
- Janis, C., and E. M. Manning. 1998. Antilocapridae. In C. Janis, K. M. Scott, and



- L. Jacobs, eds., *Tertiary Mammals of North America*, pp. 491–507. Cambridge: Cambridge University Press.
- Janis, C. M., J. Damuth, and J. M. Theodor. 2000. Miocene ungulates and terrestrial primary productivity: Where have all the browsers gone? *Proceedings of the National Academy of Sciences* 97 (14): 7899–7904.
- . 2002. The origins and evolution of the North American grassland biome: The story from the hoofed mammals. *Palaeogeography, Palaeoclimatology, Palaeoecology* 177:183–198.
- . 2004. The species richness of Miocene browsers, and implications for habitat type and primary productivity in the North American grassland biome. *Palaeogeography, Palaeoclimatology, Palaeoecology* 207:371–398.
- Jansa, L. F., M.-P. Aubry, and F. M. Gradstein. 1990. Comets and extinctions: Cause and effect? *Geological Society of America Special Paper* 247:223–232.
- Jansen, E., and J. Sjöholm. 1991. Reconstruction of glaciation over the past 6 myr from ice-borne deposits in the Norwegian Sea. *Nature* 349:600–603.
- Johanson, D., and B. Edgar. 1996. *From Lucy to Language*. New York: Simon and Schuster.
- Johnson, K. R., and L. J. Hickey. 1990. Megafloral change across the Cretaceous/Tertiary boundary in the northern Great Plains and Rocky Mountains. *Geological Society of America Special Paper* 247:433–444.
- Jones, D. S., and P. F. Hasson. 1985. History and development of the marine invertebrate faunas separated by the Central American Isthmus. In F. G. Stehli and S. D. Webb, eds., *The Great American Biotic Interchange*, pp. 325–356. New York: Plenum Press.
- Jouse, A. P. 1978. Diatom biostratigraphy on the generic level. *Micropaleontology* 24:316–326.
- Kaminski, M. A. 1987. Cenozoic deep-water agglutinated foraminifera in the North Atlantic. Ph.D. thesis, Massachusetts Institute of Technology/Woods Hole Oceanographic Institute.
- Kamp, P. J. J., D. B. Waghorn, and C. S. Nelson. 1990. Late Eocene–early Oligocene integrated isotope stratigraphy and biostratigraphy for paleoshelf sequences in southern Australia: Paleoceanographic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 80:311–323.
- Kauffman, E. G. 1988. The dynamics of marine stepwise mass extinctions. In M. A. Lamolda, E. G. Kauffman, and O. H. Walliser, eds., *Paleontology and Evolution: Extinction Events*, pp. 57–71. *Revista Española de Paleontología*, No. Extraordinario.
- Kay, R. F., R. Madden, M. G. Vucetich, A. A. Carlini, M. M. Mazzoni, G. H. Re, M. Heizler, and H. Sandeman. 1999. Revised age of the Casamayoran South American land mammal “age”—climatic and biotic implications. *Proceedings of the National Academy of Sciences* 96:13235–13240.
- Keigwin, L. D., Jr. 1976. Late Cenozoic planktonic foraminiferal biostratigraphy and paleoceanography of the Panama Basin. *Micropaleontology* 22:419–442.
- . 1978. Pliocene closing of the Isthmus of Panama based on biostratigraphic evidence from nearby Pacific Ocean and Caribbean Sea cores. *Geology* 6:630–634.
- Keigwin, L. D., Jr., and R. Thunell. 1979. Middle Pliocene climatic change in the western Mediterranean from faunal and oxygen isotope trends. *Nature* 282:294–296.



- Keller, G. 1983a. Biochronology and paleoclimatic implications of middle Eocene to Oligocene planktic foraminiferal faunas. *Marine Micropaleontology* 7:463–486.
- . 1983b. Paleoclimatic analyses of middle Eocene through Oligocene planktic foraminiferal faunas. *Palaeogeography, Palaeoclimatology, Palaeoecology* 43:73–94.
- Keller, G., T. Herbert, R. Dorsey, S. D'Hondt, M. Johnsson, and W. R. Chi. 1987. Global distribution of late Paleogene hiatuses. *Geology* 15:199–203.
- Kemp, E. M. 1975. Palynology of Leg 28 drill sites, Deep Sea Drilling Project. *Initial Reports of the Deep Sea Drilling Project* 28:599–623.
- . 1978. Tertiary climatic evolution and vegetation history in the southeast Indian Ocean region. *Palaeogeography, Palaeoclimatology, Palaeoecology* 24:169–208.
- Kennedy, W. J. 1993. Ammonite faunas of the European Maastrichtian: Diversity and extinction. In House, M. R., ed., *The Ammonoidea: Environment, Ecology and Evolutionary Change*, pp. 285–326. Systematics Association Special Volume.
- Kennett, J. P. 1977. Cenozoic evolution of Antarctic glaciation, the Circum-Antarctic Ocean, and their impact on global paleoceanography. *Journal of Geophysical Research* 82:3843–3860.
- . 1985. *The Miocene Ocean: Paleoceanography and Biogeography*. Geological Society of America Memoir 163. Boulder, Colo.: Geological Society of America.
- . 1995. A review of polar climatic evolution during the Neogene, based on the marine sediment record. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 49–64. New Haven, Conn.: Yale University Press.
- Kennett, J. P., and P. F. Barker. 1990. Latest Cretaceous to Cenozoic climate and oceanographic developments in the Weddell Sea, Antarctica: An ocean drilling perspective. *Proceedings of the Ocean Drilling Program* 113 (pt. B): 937–960.
- Kennett, J. P., and Srinivasan, M. S. 1983. *Neogene Planktonic Foraminifera; a Phylogenetic Atlas*. Stroudsburg, Pa.: Hutchinson Ross.
- Kennett, J. P., and L. D. Stott. 1990. Proteus and Proto-Oceanus; ancestral Paleogene oceans as revealed from Antarctic stable isotopic results, ODP Leg 113. *Proceedings of the Ocean Drilling Program, Scientific Results* 113:865–880.
- . 1991. Abrupt deep-sea warming, palaeoceanographic changes and benthic extinction at the end of the Palaeocene. *Nature* 353:225–229.
- Kennett, J. P., et al. 1972. Australian-Antarctic continental drift, palaeocirculation changes and Oligocene deep-sea erosion. *Nature* 91:51–55.
- Kennett, J. P., R. E. Houtz, P. B. Andrews, A. R. Edwards, V. A. Gostin, M. Hahos, M. A. Hampton, D. G. Jenkins, S. V. Margolis, A. T. Ovenshine, and K. Perch-Nielsen. 1975. Cenozoic paleoceanography in the southwest Pacific Ocean, Antarctic glaciation and the development of the circum-Antarctic current. *Initial Reports of the Deep Sea Drilling Project* 29:1155–1169.
- Kennett, J. P., G. Keller, and M. S. Srinivasan. 1985. Miocene planktonic foraminiferal biogeography and paleoceanographic development of the Indo-Pacific region. *Geological Society of America Memoir* 163:197–236.
- Kent, D. V., B. S. Cramer, and L. Lanci. 2001. Evidence of an impact trigger for the Paleocene/Eocene thermal maximum and carbon isotope excursion. *EOS* 82: PP32A-0509.



- Kier, P. M. 1975. Evolutionary trends and their functional significance in post-Paleozoic echinoids. *Paleontological Society Memoir* 5:1-95.
- Kleinpell, R. M. 1938. *Miocene Stratigraphy of California*. Tulsa: Okla.: American Association of Petroleum Geologists
- Koch, P. L., J. C. Zachos, and P. D. Gingerich. 1992. Correlation between isotope records in marine and continental carbon reservoirs near the Paleocene-Eocene boundary. *Nature* 358:319-322.
- Koch, P. L., J. C. Zachos, and D. L. Dettman. 1995. Stable isotope stratigraphy and paleoclimatology of the Paleogene Bighorn Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology* 115:61-89.
- Kozisek, J. 2003. New implications for Cretaceous-Tertiary asteroid impact theory based upon the persistence of extant tropical honeybees (Hymenoptera: Apidae). *Journal of Vertebrate Paleontology* 23(3):69A.
- Krantz, D. E. 1990. Mollusk-isotope records of Plio-Pleistocene marine paleoclimate, U.S. Middle Atlantic Coastal Plain. *Palaios* 5:317-335.
- Krause, D. W., and M. C. Maas. 1990. The biogeographic origins of late Paleocene-early Eocene mammalian immigrants to the Western Interior of North America. *Geological Society of America Special Paper* 243:71-105.
- Kurtén, B. 1968. *Pleistocene Mammals of Europe*. New York: Columbia University Press.
- . 1971. *The Age of Mammals*. New York: Columbia University Press.
- . 1988. *Before the Indians*. New York: Columbia University Press.
- Kurtén, B., and E. Anderson. 1980. *Pleistocene Mammals of North America*. New York: Columbia University Press.
- Kvenvolden, K. A. 1993. Gas hydrates: Geological perspective and global change. *Reviews of Geophysics* 31:173-187.
- LaBandeira, C., and J. J. Sepkoski Jr. 1993. Insect diversity and the fossil record: Myth and reality. *Science* 261:310-315.
- Ladurie, E. L. R. 1971. *Times of Feast, Times of Famine*. New York: Doubleday.
- Lamb, H. H. 1972. *Climate: Past, Present, and Future*. London: Methuen.
- . 1982. *Climate History and the Modern World*. London: Methuen.
- Lartet, E. 1834. Sur plusieurs gisements d'ossements fossiles, et les différens débris. *Bulletin de la Société Géologique de France* 4:342-344.
- Leakey, R., and R. Lewin. 1995. *The Sixth Extinction*. New York: Doubleday.
- Legendre, S., and J. L. Hartenberger. 1992. The evolution of mammalian faunas in Europe during the Eocene and Oligocene. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 516-528. Princeton, N.J.: Princeton University Press.
- Leidy, J. 1854. The ancient fauna of Nebraska, or a description of remains of extinct Mammalia and Chelonia from the Mauvais Terres of Nebraska. *Smithsonian Contributions to Knowledge*, 6, article 7, pp. 1-126.
- Leopold, E. B., and M. F. Denton. 1987. Comparative age of grassland and steppe east and west of the northern Rocky Mountains. *Annals of the Missouri Botanical Garden* 75:841-867.
- Leopold, E. B., L. Gengwu, and S. Clay-Poole. 1992. Low-biomass vegetation in the Oligocene?. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 399-420. Princeton, N.J.: Princeton University Press.
- Lewin, R. 1984. *Human Evolution: An Illustrated Introduction*. 2nd ed. Boston: Blackwell.



- Loel, W., and W. H. Corey. 1932. The Vaqueros Formation, lower Miocene of California. *University of California Publications in Geological Sciences* 22:31–410.
- Lofgren, D. L., J. A. Lillegraven, W. A. Clemens, P. D. Gingerich, and T. E. Williamson. 2004. Paleocene biochronology: The Puercan through Clarkforkian land mammal ages. In M. O. Woodburne, ed., *Late Cretaceous and Cenozoic Mammals of North America: Biostratigraphy and Geochronology*, pp. 43–105. New York: Columbia University Press.
- Lozouet, P. 1997. Nouvelles espèces de gastéropodes (Mollusca: Gastropoda) de l'Oligocène et du Miocène d'Aquitaine (Sud-Ouest de la France). Pt. 2. *Cossmanniana* 6:1–68.
- Lucas, S. G. 1998. Fossil mammals and the Paleocene/Eocene series boundary in Europe, North America, and Asia. In M.-P. Aubry, S. G. Lucas, and W. A. Berggren, eds., *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*, pp. 451–500. New York: Columbia University Press.
- Lucas, S. G., E. G. Kordikova, and R. J. Emry. 1998. Oligocene stratigraphy, sequence stratigraphy, and mammalian biochronology north of the Aral Sea, western Kazakhstan. *Bulletin of the Carnegie Museum of Natural History* 34:313–348.
- Lundelius, E. L., Jr. 1983. Climatic implications of late Pleistocene and Holocene faunal associations in Australia. *Alcheringa* 7:125–149.
- Lyell, C. 1833. *Principles of Geology*. 3 vols. London: John Murray.
- Maas, M. C., J. G. M. Thewissen, and J. Kappelman. 1998. *Hypsamasia seni* (Mammalia: Embrithopoda) and other mammals from the Eocene Kartal Formation of Turkey. *Bulletin of the Carnegie Museum of Natural History* 34:286–297.
- Macdougall, J. D. 2004. *Frozen Earth: The Once and Future Story of the Ice Ages*. Berkeley: University of California Press.
- MacFadden, B. J. 1992. *Fossil Horses*. Cambridge: Cambridge University Press.
- MacGinitie, H. D. 1969. The Eocene Green River flora of northwestern Colorado and northeastern Utah. *University of California Publications in Geological Science* 83:1–202.
- MacLeod, K. G. 1994. Extinction of inoceramid bivalves in Maastrichtian strata of the Bay of Biscay region of France and Spain. *Journal of Paleontology* 68:1048–1066.
- MacLeod, N., et al. 1997. The Cretaceous-Tertiary biotic transition. *Journal of the Geological Society, London* 154:265–292.
- MacLeod, N., N. Ortiz, N. Fefferman, W. Clyde, C. Schuster, and J. MacLean. 2000. Phenotypic response of Foraminifera to episodes of global environmental change. In S. C. Culver and P. F. Rawson, eds., *Biotic Response to Global Change: The Last 145 Million Years*, pp. 51–78. Cambridge: Cambridge University Press.
- Margolis, S. V., and Y. Herman. 1980. Northern Hemisphere sea-ice and glacial development in the late Cenozoic. *Nature* 286:145–149.
- Marshak, S., and D. R. Prothero. 2001. *Earth: Portrait of a Planet*. New York: W. W. Norton.
- Marshall, L. G. 1978. The terror bird. *Field Museum of Natural History Bulletin* 49:6–15.



- \_\_\_\_\_. 1981. The Argentine connection. *Field Museum of Natural History Bulletin* 52:17–25.
- \_\_\_\_\_. 1984. Who killed Cock Robin? An investigation of the extinction controversy. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 785–806. Tucson: University of Arizona Press.
- \_\_\_\_\_. 1985. Geochronology and land-mammal biochronology of the trans-american faunal interchange. In F. G. Stehli and S. D. Webb, eds., *The Great American Biotic Interchange*, pp. 49–88. New York: Plenum Press.
- Marshall, L. G., and R. L. Cifelli. 1989. Analysis of changing diversity patterns in Cenozoic land mammal age faunas, South America. *Palaeovertebrata* 19:169–210.
- Marshall, L. G., and R. S. Corruccini. 1978. Variability, evolutionary rates, and allometry in dwarfing lineages. *Paleobiology* 4:101–119.
- Marshall, L. G., S. D. Webb, J. J. Sepkoski, and D. M. Raup. 1982. Mammalian evolution and the Great American Interchange. *Science* 215:1351–1357.
- Martin, P. S. 1967. Prehistoric overkill. In P. S. Martin and H. E. Wright, eds., *Pleistocene Extinctions: The Search for a Cause*, pp. 75–120. New Haven, Conn.: Yale University Press.
- \_\_\_\_\_. 1984. Prehistoric overkill: The global model. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 354–403. Tucson: University of Arizona Press.
- Martin, P. S., and R. G. Klein, eds. 1984. *Quaternary Extinctions: A Prehistoric Revolution*. Tucson: University of Arizona Press.
- Masaitis, V., M. V. Mikhailov, and T. V. Selivanovskaya. 1975. [Popigai Meteorite Crater]. Moscow: Nauka Press. In Russian.
- Matthew, W. D., and W. Granger. 1925. Fauna and correlation of the Gashato Formation of Mongolia. *American Museum Novitates* 189:1–12.
- Matthews, R. K. 1984. *Dynamic Stratigraphy*. Englewood Cliffs, N.J.: Prentice-Hall.
- Matthiessen, P. 1991. *African Silences*. New York: Random House.
- Maurrasse, F., and B. P. Glass. 1976. Radiolarian stratigraphy and North American microtektites in Caribbean Core RC9-58: Implications concerning late Eocene radiolarian chronology and the age of the Eocene-Oligocene boundary. *Seventh Caribbean Geological Conference Proceedings*, pp. 205–212.
- McDougall, I., and H. Wensink. 1966. Paleomagnetism and geochronology of Pliocene-Pleistocene lavas in Iceland. *Earth and Planetary Sciences Letters* 1:232–236.
- McKenna, M. C. 1975. Toward a phylogenetic classification of the Mammalia. In W. P. Luckett and F. S. Szalay, eds., *Phylogeny of the Primates: A Multidisciplinary Approach*, pp. 21–46. New York: Plenum.
- \_\_\_\_\_. 1980. Eocene paleolatitude, climate and mammals of Ellesmere Island. *Palaeogeography, Palaeoclimatology, Palaeoecology* 30:349–362.
- \_\_\_\_\_. 1983. Holarctic landmass rearrangement, cosmic events, and Cenozoic terrestrial organisms. *Annals of the Missouri Botanical Garden* 70:459–489.
- \_\_\_\_\_. 2002. Semi-isolation and lowered salinity of the Arctic Ocean in late Paleocene to earliest Eocene time. *Journal of Vertebrate Paleontology* 23 (3): 77A.
- McKenna, M. C., and E. M. Manning. 1977. Affinities and biogeographic significance of the Mongolian Paleocene genus *Phenacolophus*. *Géobios, Mémoire Spécial* 1:61–85.
- McKenna, M. C., M. Chow, S. Ting, and Z. Luo. 1989. *Radinskya yupingae*, a



- Exon, N., et al. 2002. Drilling reveals climatic consequences of Tasmanian gateway opening. *EOS* 83 (23): 253–259.
- Fawcett, P. J., and M. B. E. Boslough. 2002. Climatic effects of an impact-induced equatorial debris ring. *Journal of Geophysical Research* 107 (D15): 10129–10146.
- Fenner, J. 1986. Information from diatom analysis concerning the Eocene-Oligocene boundary. In C. H. Pomeroy and I. Premoli-Silva, eds., *Terminal Eocene Events*, pp. 283–288. Amsterdam: Elsevier.
- Fillon, R. H. 1977. Ice-rafted detritus and paleotemperature; late Cenozoic relationships in the Ross Sea region. *Marine Geology* 25:75–93.
- Fischer, A. G. 1986. Climatic rhythms recorded in strata. *Annual Reviews of Earth and Planetary Sciences* 14:351–376.
- Fluegeman, R. H. 2003. Late Eocene–early Oligocene benthic foraminifera in the Gulf Coastal Plain: Regional vs. global influences. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 283–293. New York: Columbia University Press.
- Flynn, J. J., and C. C. Swisher III. 1995. Cenozoic South American land mammal ages: Correlation to global geochronologies. *SEPM Special Publication* 54:317–333.
- Fordyce, R. E. 1980. Whale evolution and Oligocene Southern Ocean environments. *Palaeogeography, Palaeoclimatology, Palaeoecology* 31:319–336.
- . 1989. Origins and evolution of Antarctic marine mammals. *Special Publications of the Geological Society of London* 47:269–281.
- . 1992. Cetacean evolution and Eocene-Oligocene environments. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 368–381. Princeton, N.J.: Princeton University Press.
- . 2003. Cetacean evolution and Eocene-Oligocene oceans revisited. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 154–170. New York: Columbia University Press.
- Frailey, C. D., and K. Campbell. 2004. Eocene rodents from South American and the evolution of the Caviidae. *Journal of Vertebrate Paleontology* 24 (3): 61A.
- Frakes, L. A. 1979. *Climates throughout Geological Time*. New York: Elsevier.
- Francis, J. E., and I. Poole. 2002. Cretaceous and Tertiary climates of Antarctica: Evidence from fossil wood. *Palaeogeography, Palaeoclimatology, Palaeoecology* 182:47–64.
- Frederiksen, N. O. 1988. Sporomorph biostratigraphy, floral changes, and paleoclimatology, Eocene and earliest Oligocene of the eastern Gulf Coast. *U.S. Geological Survey Professional Paper* 1448.
- . 1991. Pulses of middle Eocene to earliest Oligocene climatic deterioration in southern California and the Gulf Coast. *Palaios* 6:564–571.
- Froehlich, D. J. 2002. Quo vadis *Eohippus*? The systematics and taxonomy of the early Eocene equids (Perissodactyla). *Zoological Journal of the Linnean Society of London* 134:141–256.
- Frost, S. H. 1977. Miocene to Holocene evolution of Caribbean Province reef-building corals. *Third Annual International Coral Reef Symposium (Miami), Proceedings*, pp. 353–359.
- Gallagher, W. B. 1991. Selective extinction and survival across the Cretaceous/Tertiary boundary in the northern Atlantic Coastal Plain. *Geology* 19:967–970.



- \_\_\_\_\_. 1993. The Cretaceous/Tertiary mass extinction event in the northern Atlantic Coastal Plain. *The Mosasaur* 5:75–154.
- \_\_\_\_\_. 2002. Faunal changes across the Cretaceous-Tertiary (K-T) boundary in the Atlantic Coastal Plain of New Jersey: Restructuring the marine community after the K-T mass extinction event. *Geological Society of America Special Paper* 356:291–302.
- Ganapathy, R. 1982. Evidence for a major meteorite impact on the earth 34 million years ago: Implications for Eocene extinctions. *Science* 216:885–886.
- Gaskell, B. A. 1991. Extinction patterns in Paleogene benthic foraminiferal faunas: Relationship to climate and sea level. *Palaios* 6:2–16.
- Gazin, C. L. 1968. A study of the Eocene condylarthran mammal *Hyopsodus*. *Smithsonian Miscellaneous Collections* 149 (2): 1–98.
- Geary, D. H. 1990. Patterns of evolutionary tempo and mode in the radiation of *Melanopsis* (Gastropoda: Melanopsidae). *Paleobiology* 16:492–511.
- Geikie, A. 1894. *The Great Ice Age and Its Relation to the Antiquity of Man*. 3rd ed. London: Stanford.
- Gheerbrant, E. 1990. On the early biogeographical history of the African placentals. *Historical Biology* 4:107–116.
- Gheerbrant, E., J. Sudre, and H. Capetta. 1996. Palaeocene proboscidean from Morocco. *Nature* 383:68–70.
- Gillet, S. 1946. Lamellibranches dulcicoles, les limnocardidés. *Revue de Science, Paris* 84:343–353.
- Gingerich, P. D. 1976. Cranial anatomy and evolution of early Tertiary Plesiadapidae (Mammalia, Primates). *University of Michigan Papers in Paleontology* 15:1–141.
- Gingerich, P. D., N. A. Wells, D. E. Russell, and S. M. Ibrahim Shah. 1983. Origin of whales in epicontinental remnant seas; new evidence from the early Eocene of Pakistan. *Science* 220:403–406.
- Gingerich, P. D., B. H. Smith, and E. L. Simons. 1990. Hind limbs of Eocene *Basilosaurus*: Evidence of feet in whales. *Science* 249:154–157.
- Gingerich, P. D., M. Haq, I. S. Zalmout, I. H. Khan, and M. S. Malkani. 2001. Origin of whales from early artiodactyls; hands and feet of Eocene Protocetidae from Pakistan. *Science* 293:2239–2242.
- Gladenkov, Y. B. 1992. North Pacific: Neogene biotic and abiotic events. In R. Rsuchi and J. C. Ingle Jr., eds., *Pacific Neogene Environments and Evolution*, pp. 171–179. Tokyo: University of Tokyo Press.
- Glass, B. P., and M. J. Zwart. 1977. North American microtektites, radiolarian extinctions and the age of the Eocene/Oligocene boundary. In F. M. Swain, ed., *Stratigraphic Micropaleontology of the Atlantic Basin and Borderlands*, pp. 553–568. Amsterdam: Elsevier.
- Glass, B. P., D. L. DuBois, and R. Ganapathy. 1982. Relationship between an iridium anomaly and the North American micro-tektite layer in core RC9-58 from the Caribbean Sea. *Journal of Geophysical Research* 87:425–428.
- Godthelp, H., M. Archer, R. L. Cifelli, S. J. Hand, and G. F. Gilkerson. 1992. Earliest known Australian Tertiary mammal fauna. *Nature* 356:514–516.
- Goodwin, P. W., and E. J. Anderson. 1985. Punctuated aggradational cycles: A general hypothesis of episodic stratigraphic accumulation. *Journal of Geology* 93:515–533.
- Gore, A. 1992. *Earth in the Balance: Ecology and Human Spirit*. New York: Penguin.



- Graham, A. 1999. *Late Cretaceous and Cenozoic History of North American Vegetation*. Oxford: Oxford University Press.
- Graham, R. W., and E. L. Lundelius Jr. 1984. Coevolutionary disequilibrium and Pleistocene extinctions. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 250–258. Tucson: University of Arizona Press.
- Grande, L. 1980. Paleontology of the Green River Formation, with a review of the fish fauna. *Geological Survey of Wyoming Bulletin* 63:1–333.
- Granger, W. 1938. A giant oxyaenid from the upper Eocene of Mongolia. *American Museum Novitates* 969:1–5.
- Greenwood, D. R., P. T. Moss, A. I. Rowett, A. J. Vadala, and R. J. Keefe. 2003. Plant communities and climate change in southeastern Australia during the early Paleogene. *Geological Society of America Special Paper* 369:365–380.
- Gribben, J. 1982. *Future Weather and the Greenhouse Effect*. New York: Delacorte.
- Gunnell, G. F. 2001. *Eocene Biodiversity: Unusual Occurrences and Rarely Sampled Habitats*. New York: Kluwer Academic/Plenum Publishers.
- Guo, S. X. 1985. Preliminary interpretation of Tertiary climate by using megafossil floras in China. *Palaeotologia Cathayana* 2:169–175.
- Guthrie, R. D. 1990. *Frozen Fauna of the Mammoth Steppe: The Story of the Blue Babe*. Chicago: University of Chicago Press.
- Hakansson, E., and E. Thomsen. 1979. Distribution and types of bryozoan communities at the boundary in Denmark. In T. Birkelund, and R. G. Bromley, eds., *Cretaceous-Tertiary Boundary Events*, vol. 1, *The Maastrichtian and Danian of Denmark*, pp. 78–91. Copenhagen: University of Copenhagen.
- Hallam, A., and P. B. Wignall. 1997. *Mass Extinctions and Their Aftermath*. Oxford: Oxford University Press.
- Hamilton, W. 1965. Cenozoic climatic change and its causes. *Meteorological Monograph* 8.
- Hansen, T. A. 1987. Extinction of late Eocene to Oligocene molluscs: Relationship to shelf area, temperature changes, and impact events. *Palaaios* 2:69–75.
- . Early Tertiary radiation of marine molluscs and the long-term effects of the Cretaceous-Tertiary extinction. *Paleobiology* 14:37–51.
- . 1992. The patterns and causes of molluscan extinction across the Eocene/Oligocene boundary. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 341–348. Princeton, N.J.: Princeton University Press.
- Hansen, T. A., and P. Kelley. 2004. Paleoecological patterns in molluscan extinctions and recoveries; comparison of the Cretaceous-Paleogene and Eocene-Oligocene extinctions in North America. *Palaeogeography, Palaeoclimatology, Palaeoecology* 214:233–242.
- Hansen, T. A., R. B. Farrand, H. A. Montgomery, H. G. Billman, and G. Blechschmidt. 1987. Sedimentology and extinction patterns across the Cretaceous-Tertiary boundary interval in east Texas. *Cretaceous Research* 8:229–252.
- Hansen, T. A., B. R. Farrell, and B. Upshaw. 1993. The first 2 million years after the Cretaceous-Tertiary boundary in east Texas and paleoecology of the molluscan recovery. *Paleobiology* 19:251–265.
- Haq, B. U., and G. P. Lohmann. 1976. Early Cenozoic calcareous nannoplankton biogeography of the Atlantic Ocean. *Marine Micropaleontology* 1:119–194.



- Haq, B. U., J. Hardenbol, and P. R. Vail. 1987. The chronology of fluctuating sea level since the Triassic. *Science* 235:1156–1167.
- Hardenbol, J., and W. A. Berggren. 1978. A new Paleogene numerical time scale. *American Association of Petroleum Geologists Memoir* 6:213–234.
- Harris, A. W., and W. R. Ward. 1982. Dynamical constraints on the formation and evolution of planetary bodies. *Annual Review of Earth and Planetary Sciences* 10:61–108.
- Hays, J. D., J. Imbrie, and N. J. Shackleton. 1976. Variations in the earth's orbit—pacemaker of the ice ages. *Science* 194:1121–1132.
- Hazel, J. E. 1971. Paleoclimatology of the Yorktown Formation (upper Miocene and lower Pliocene) of Virginia and North Carolina. *Centre Recherches Pau-SNPA Bulletin* 5:361–375.
- . 1988. Determining late Neogene and Quaternary palaeoclimates and palaeotemperature regimes using ostracods. In P. De Deckker, J.-P. Colin, and J.-P. Peypouquet, eds., *Ostracoda in the Earth Sciences*, pp. 89–101. Amsterdam: Elsevier.
- Heckel, P. H. 1986. Sea-level curves for Pennsylvanian eustatic marine transgressive-regressive depositional cycles across the mid-continent outcrop belt, North America. *Geology* 14:330–334.
- Heissig, K. 1986. No effect of the Ries impact event on the local mammal fauna. *Modern Geology* 10:171–179.
- Hickey, L. J. 1977. Stratigraphy and paleobotany of the Golden Valley Formation (early Tertiary) of western North Dakota. *Geological Society of America Memoir* 150:1–181.
- Hickman, C. S. 2003. Evidence for abrupt Eocene-Oligocene molluscan faunal change in the Pacific Northwest. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 71–87. New York: Columbia University Press.
- Hodell, D. A., and J. P. Kennett. 1986. Late Miocene–early Pliocene stratigraphy and palaeoceanography of the South Atlantic and southwest Pacific oceans: A synthesis. *Paleoceanography* 1:285–311.
- Hooker, J. J. 1989. Character polarities in early perissodactyls and their significance for *Hyracotherium* and infraordinal relationships. In D. R. Prothero and R. M. Schoch, eds., *The Evolution of Perissodactyls*, pp. 79–101. New York: Oxford University Press.
- . 1992. British mammalian paleocommunities across the Eocene-Oligocene transition and their environmental implications. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 494–515. Princeton, N.J.: Princeton University Press.
- Hooker, J. J., and D. Dashzeveg. 2003. Evidence for direct mammalian faunal interchange between Europe and Asia near the Paleocene-Eocene boundary. *Geological Society of America Special Paper* 369:479–500.
- Hornibrook, N. D. 1992. New Zealand Cenozoic marine paleoclimates: A review based on the distribution of some shallow water and terrestrial biota. In R. Tsuchi and J. C. Ingle Jr., eds., *Pacific Neogene*, pp. 83–106. Tokyo: University of Tokyo Press.
- Horowitz, A. S., and J. F. Pachut. 1994. Lyellian bryozoan percentages and the fossil record of the recent bryozoan fauna. *Palaios* 9:500–505.
- Horton, D. R. 1984. Red kangaroos: Last of the Australian megafauna. In P. S.



- Martin and R. G. Klein, eds. *Quaternary Extinctions: A Prehistoric Revolution*, pp. 639–680. Tucson: University of Arizona Press.
- Hsu, K. J. 1983. *The Mediterranean Was a Desert*. Princeton, N.J.: Princeton University Press.
- Hsu, K. J., et al. 1977. History of the Mediterranean salinity crisis. *Nature* 267:399–403.
- Hsu, K. J., J. A. McKenzie, and Q. X. He. 1982. Terminal Cretaceous environmental and evolutionary changes. *Geological Society of America Special Paper* 190:317–328.
- Huber, B. T., K. G. MacLeod, and R. D. Norris. 2002. Abrupt extinction and subsequent reworking of Cretaceous planktonic foraminifera across the Cretaceous-Tertiary boundary: Evidence from the subtropical North Atlantic. *Geological Society of America Special Paper* 356:277–290.
- Huber, M., L. C. Sloan, and C. Shellito. 2003. Early Paleogene oceans and climate: A fully coupled modeling approach using the NCAR CCSM. *Geological Society of America Special Paper* 369:25–48.
- Hunt, R. J., and I. Poole. 2003. Paleogene West Antarctic climate and vegetation history in light of new data from King George Island. *Geological Society of America Special Paper* 369:395–412.
- Hurlbert, S. H., and Archibald, J. D. 1996. No statistical support for sudden (or gradual) extinction of dinosaurs: Discussion and reply. *Geology* 24:957–959.
- Hut, P., W. Alvarez, W. P. Elder, T. Hansen, E. G. Kauffman, G. Keller, E. M. Shoemaker, and P. Weismann. 1987. Comet showers as a cause of mass extinctions. *Nature* 329:118–126.
- Hutchison, J. H. 1982. Turtle, crocodylian and champsosaur diversity changes in the Cenozoic of the north-central region of the western United States. *Palaeogeography, Palaeoclimatology, Palaeoecology* 37:149–164.
- . 1992. Western North American reptile and amphibian record across the Eocene/Oligocene boundary and its climatic implications. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 451–463. Princeton, N.J.: Princeton University Press.
- Imbrie, J. 1992. On the structure and origin of major glacial cycles. Pt. 1. *Paleoceanography* 7:701–738.
- . 1993. On the structure and origin of major glacial cycles. Pt. 2. *Paleoceanography* 8:699–735.
- Imbrie, J., and K. P. Imbrie. 1979. *Ice Ages: Solving the Mystery*. Short Hills, N.J.: Enslow.
- Ivany, L. C., W. P. Patterson, and K. C. Lohmann. 2000. Cooler winters as a possible cause of mass extinctions at the Eocene/Oligocene boundary. *Nature* 407:887–890.
- Ivany, L. C., K. C. Lohmann, and W. P. Patterson. 2003. Paleogene temperature history of the U.S. Gulf Coastal Plain inferred from  $^{18}\text{O}$  of fossil otoliths. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 232–251. New York: Columbia University Press.
- Ivany, L. C., B. H. Wilkinson, K. C. Lohmann, E. R. Johnson, B. J. McElroy, and G. J. Cohen. 2004. Intra-annual isotopic variation in *Venericardia* bivalves: Implications for early Eocene temperatures, seasonality, and salinity on the U.S. Gulf Coast. *Journal of Sedimentary Research* 74:7–19.
- Janis, C., and E. M. Manning. 1998. Antilocapridae. In C. Janis, K. M. Scott, and



- L. Jacobs, eds., *Tertiary Mammals of North America*, pp. 491–507. Cambridge: Cambridge University Press.
- Janis, C. M., J. Damuth, and J. M. Theodor. 2000. Miocene ungulates and terrestrial primary productivity: Where have all the browsers gone? *Proceedings of the National Academy of Sciences* 97 (14): 7899–7904.
- . 2002. The origins and evolution of the North American grassland biome: The story from the hoofed mammals. *Palaeogeography, Palaeoclimatology, Palaeoecology* 177:183–198.
- . 2004. The species richness of Miocene browsers, and implications for habitat type and primary productivity in the North American grassland biome. *Palaeogeography, Palaeoclimatology, Palaeoecology* 207:371–398.
- Jansa, L. F., M.-P. Aubry, and F. M. Gradstein. 1990. Comets and extinctions: Cause and effect? *Geological Society of America Special Paper* 247:223–232.
- Jansen, E., and J. Sjöholm. 1991. Reconstruction of glaciation over the past 6 myr from ice-borne deposits in the Norwegian Sea. *Nature* 349:600–603.
- Johanson, D., and B. Edgar. 1996. *From Lucy to Language*. New York: Simon and Schuster.
- Johnson, K. R., and L. J. Hickey. 1990. Megafloreal change across the Cretaceous/Tertiary boundary in the northern Great Plains and Rocky Mountains. *Geological Society of America Special Paper* 247:433–444.
- Jones, D. S., and P. F. Hasson. 1985. History and development of the marine invertebrate faunas separated by the Central American Isthmus. In F. G. Stehli and S. D. Webb, eds., *The Great American Biotic Interchange*, pp. 325–356. New York: Plenum Press.
- Jouse, A. P. 1978. Diatom biostratigraphy on the generic level. *Micropaleontology* 24:316–326.
- Kaminski, M. A. 1987. Cenozoic deep-water agglutinated foraminifera in the North Atlantic. Ph.D. thesis, Massachusetts Institute of Technology/Woods Hole Oceanographic Institute.
- Kamp, P. J. J., D. B. Waghorn, and C. S. Nelson. 1990. Late Eocene–early Oligocene integrated isotope stratigraphy and biostratigraphy for paleoshelf sequences in southern Australia: Paleooceanographic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 80:311–323.
- Kauffman, E. G. 1988. The dynamics of marine stepwise mass extinctions. In M. A. Lamolda, E. G. Kauffman, and O. H. Walliser, eds., *Paleontology and Evolution: Extinction Events*, pp. 57–71. *Revista Española de Paleontología*, No. Extraordinario.
- Kay, R. F., R. Madden, M. G. Vucetich, A. A. Carlini, M. M. Mazzoni, G. H. Re, M. Heizler, and H. Sandeman. 1999. Revised age of the Casamayoran South American land mammal “age”—climatic and biotic implications. *Proceedings of the National Academy of Sciences* 96:13235–13240.
- Keigwin, L. D., Jr. 1976. Late Cenozoic planktonic foraminiferal biostratigraphy and paleoceanography of the Panama Basin. *Micropaleontology* 22:419–442.
- . 1978. Pliocene closing of the Isthmus of Panama based on biostratigraphic evidence from nearby Pacific Ocean and Caribbean Sea cores. *Geology* 6:630–634.
- Keigwin, L. D., Jr., and R. Thunell. 1979. Middle Pliocene climatic change in the western Mediterranean from faunal and oxygen isotope trends. *Nature* 282:294–296.



- Keller, G. 1983a. Biochronology and paleoclimatic implications of middle Eocene to Oligocene planktic foraminiferal faunas. *Marine Micropaleontology* 7:463–486.
- . 1983b. Paleoclimatic analyses of middle Eocene through Oligocene planktic foraminiferal faunas. *Palaeogeography, Palaeoclimatology, Palaeoecology* 43:73–94.
- Keller, G., T. Herbert, R. Dorsey, S. D'Hondt, M. Johnsson, and W. R. Chi. 1987. Global distribution of late Paleogene hiatuses. *Geology* 15:199–203.
- Kemp, E. M. 1975. Palynology of Leg 28 drill sites, Deep Sea Drilling Project. *Initial Reports of the Deep Sea Drilling Project* 28:599–623.
- . 1978. Tertiary climatic evolution and vegetation history in the southeast Indian Ocean region. *Palaeogeography, Palaeoclimatology, Palaeoecology* 24:169–208.
- Kennedy, W. J. 1993. Ammonite faunas of the European Maastrichtian: Diversity and extinction. In House, M. R., ed., *The Ammonoidea: Environment, Ecology and Evolutionary Change*, pp. 285–326. Systematics Association Special Volume.
- Kennett, J. P. 1977. Cenozoic evolution of Antarctic glaciation, the Circum-Antarctic Ocean, and their impact on global paleoceanography. *Journal of Geophysical Research* 82:3843–3860.
- . 1985. *The Miocene Ocean: Paleoceanography and Biogeography*. Geological Society of America Memoir 163. Boulder, Colo.: Geological Society of America.
- . 1995. A review of polar climatic evolution during the Neogene, based on the marine sediment record. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 49–64. New Haven, Conn.: Yale University Press.
- Kennett, J. P., and P. F. Barker. 1990. Latest Cretaceous to Cenozoic climate and oceanographic developments in the Weddell Sea, Antarctica: An ocean drilling perspective. *Proceedings of the Ocean Drilling Program* 113 (pt. B): 937–960.
- Kennett, J. P., and Srinivasan, M. S. 1983. *Neogene Planktonic Foraminifera; a Phylogenetic Atlas*. Stroudsburg, Pa.: Hutchinson Ross.
- Kennett, J. P., and L. D. Stott. 1990. Proteus and Proto-Oceanus; ancestral Paleogene oceans as revealed from Antarctic stable isotopic results, ODP Leg 113. *Proceedings of the Ocean Drilling Program, Scientific Results* 113:865–880.
- . 1991. Abrupt deep-sea warming, palaeoceanographic changes and benthic extinction at the end of the Palaeocene. *Nature* 353:225–229.
- Kennett, J. P., et al. 1972. Australian-Antarctic continental drift, palaeocirculation changes and Oligocene deep-sea erosion. *Nature* 91:51–55.
- Kennett, J. P., R. E. Houtz, P. B. Andrews, A. R. Edwards, V. A. Gostin, M. Hahos, M. A. Hampton, D. G. Jenkins, S. V. Margolis, A. T. Ovenshine, and K. Perch-Nielsen. 1975. Cenozoic paleoceanography in the southwest Pacific Ocean, Antarctic glaciation and the development of the circum-Antarctic current. *Initial Reports of the Deep Sea Drilling Project* 29:1155–1169.
- Kennett, J. P., G. Keller, and M. S. Srinivasan. 1985. Miocene planktonic foraminiferal biogeography and paleoceanographic development of the Indo-Pacific region. *Geological Society of America Memoir* 163:197–236.
- Kent, D. V., B. S. Cramer, and L. Lanci. 2001. Evidence of an impact trigger for the Paleocene/Eocene thermal maximum and carbon isotope excursion. *EOS* 82: PP32A-0509.



- Kier, P. M. 1975. Evolutionary trends and their functional significance in post-Paleozoic echinoids. *Paleontological Society Memoir* 5:1-95.
- Kleinpell, R. M. 1938. *Miocene Stratigraphy of California*. Tulsa: Okla.: American Association of Petroleum Geologists
- Koch, P. L., J. C. Zachos, and P. D. Gingerich. 1992. Correlation between isotope records in marine and continental carbon reservoirs near the Paleocene-Eocene boundary. *Nature* 358:319-322.
- Koch, P. L., J. C. Zachos, and D. L. Dettman. 1995. Stable isotope stratigraphy and paleoclimatology of the Paleogene Bighorn Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology* 115:61-89.
- Kozisek, J. 2003. New implications for Cretaceous-Tertiary asteroid impact theory based upon the persistence of extant tropical honeybees (Hymenoptera: Apidae). *Journal of Vertebrate Paleontology* 23(3):69A.
- Krantz, D. E. 1990. Mollusk-isotope records of Plio-Pleistocene marine paleoclimate, U.S. Middle Atlantic Coastal Plain. *Palaios* 5:317-335.
- Krause, D. W., and M. C. Maas. 1990. The biogeographic origins of late Paleocene-early Eocene mammalian immigrants to the Western Interior of North America. *Geological Society of America Special Paper* 243:71-105.
- Kurtén, B. 1968. *Pleistocene Mammals of Europe*. New York: Columbia University Press.
- . 1971. *The Age of Mammals*. New York: Columbia University Press.
- . 1988. *Before the Indians*. New York: Columbia University Press.
- Kurtén, B., and E. Anderson. 1980. *Pleistocene Mammals of North America*. New York: Columbia University Press.
- Kvenvolden, K. A. 1993. Gas hydrates: Geological perspective and global change. *Reviews of Geophysics* 31:173-187.
- LaBandeira, C., and J. J. Sepkoski Jr. 1993. Insect diversity and the fossil record: Myth and reality. *Science* 261:310-315.
- Ladurie, E. L. R. 1971. *Times of Feast, Times of Famine*. New York: Doubleday.
- Lamb, H. H. 1972. *Climate: Past, Present, and Future*. London: Methuen.
- . 1982. *Climate History and the Modern World*. London: Methuen.
- Lartet, E. 1834. Sur plusieurs gisements d'ossements fossiles, et les différens débris. *Bulletin de la Société Géologique de France* 4:342-344.
- Leakey, R., and R. Lewin. 1995. *The Sixth Extinction*. New York: Doubleday.
- Legendre, S., and J. L. Hartenberger. 1992. The evolution of mammalian faunas in Europe during the Eocene and Oligocene. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 516-528. Princeton, N.J.: Princeton University Press.
- Leidy, J. 1854. The ancient fauna of Nebraska, or a description of remains of extinct Mammalia and Chelonia from the Mauvais Terres of Nebraska. *Smithsonian Contributions to Knowledge*, 6, article 7, pp. 1-126.
- Leopold, E. B., and M. F. Denton. 1987. Comparative age of grassland and steppe east and west of the northern Rocky Mountains. *Annals of the Missouri Botanical Garden* 75:841-867.
- Leopold, E. B., L. Gengwu, and S. Clay-Poole. 1992. Low-biomass vegetation in the Oligocene?. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 399-420. Princeton, N.J.: Princeton University Press.
- Lewin, R. 1984. *Human Evolution: An Illustrated Introduction*. 2nd ed. Boston: Blackwell.



- Loel, W., and W. H. Corey. 1932. The Vaqueros Formation, lower Miocene of California. *University of California Publications in Geological Sciences* 22:31–410.
- Lofgren, D. L., J. A. Lillegraven, W. A. Clemens, P. D. Gingerich, and T. E. Williamson. 2004. Paleocene biochronology: The Puercan through Clarkforkian land mammal ages. In M. O. Woodburne, ed., *Late Cretaceous and Cenozoic Mammals of North America: Biostratigraphy and Geochronology*, pp. 43–105. New York: Columbia University Press.
- Lozouet, P. 1997. Nouvelles espèces de gastéropodes (Mollusca: Gastropoda) de l'Oligocène et du Miocène d'Aquitaine (Sud-Ouest de la France). Pt. 2. *Cossmanniana* 6:1–68.
- Lucas, S. G. 1998. Fossil mammals and the Paleocene/Eocene series boundary in Europe, North America, and Asia. In M.-P. Aubry, S. G. Lucas, and W. A. Berggren, eds., *Late Paleocene–Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*, pp. 451–500. New York: Columbia University Press.
- Lucas, S. G., E. G. Kordikova, and R. J. Emry. 1998. Oligocene stratigraphy, sequence stratigraphy, and mammalian biochronology north of the Aral Sea, western Kazakstan. *Bulletin of the Carnegie Museum of Natural History* 34:313–348.
- Lundelius, E. L., Jr. 1983. Climatic implications of late Pleistocene and Holocene faunal associations in Australia. *Alcheringa* 7:125–149.
- Lyell, C. 1833. *Principles of Geology*. 3 vols. London: John Murray.
- Maas, M. C., J. G. M. Thewissen, and J. Kappelman. 1998. *Hypsamasia seni* (Mammalia: Embrithopoda) and other mammals from the Eocene Kartal Formation of Turkey. *Bulletin of the Carnegie Museum of Natural History* 34:286–297.
- Macdougall, J. D. 2004. *Frozen Earth: The Once and Future Story of the Ice Ages*. Berkeley: University of California Press.
- MacFadden, B. J. 1992. *Fossil Horses*. Cambridge: Cambridge University Press.
- MacGinitie, H. D. 1969. The Eocene Green River flora of northwestern Colorado and northeastern Utah. *University of California Publications in Geological Science* 83:1–202.
- MacLeod, K. G. 1994. Extinction of inoceramid bivalves in Maastrichtian strata of the Bay of Biscay region of France and Spain. *Journal of Paleontology* 68:1048–1066.
- MacLeod, N., et al. 1997. The Cretaceous-Tertiary biotic transition. *Journal of the Geological Society, London* 154:265–292.
- MacLeod, N., N. Ortiz, N. Fefferman, W. Clyde, C. Schuster, and J. MacLean. 2000. Phenotypic response of Foraminifera to episodes of global environmental change. In S. C. Culver and P. F. Rawson, eds., *Biotic Response to Global Change: The Last 145 Million Years*, pp. 51–78. Cambridge: Cambridge University Press.
- Margolis, S. V., and Y. Herman. 1980. Northern Hemisphere sea-ice and glacial development in the late Cenozoic. *Nature* 286:145–149.
- Marshak, S., and D. R. Prothero. 2001. *Earth: Portrait of a Planet*. New York: W. W. Norton.
- Marshall, L. G. 1978. The terror bird. *Field Museum of Natural History Bulletin* 49:6–15.



- \_\_\_\_\_. 1981. The Argentine connection. *Field Museum of Natural History Bulletin* 52:17–25.
- \_\_\_\_\_. 1984. Who killed Cock Robin? An investigation of the extinction controversy. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 785–806. Tucson: University of Arizona Press.
- \_\_\_\_\_. 1985. Geochronology and land-mammal biochronology of the trans-american faunal interchange. In F. G. Stehli and S. D. Webb, eds., *The Great American Biotic Interchange*, pp. 49–88. New York: Plenum Press.
- Marshall, L. G., and R. L. Cifelli. 1989. Analysis of changing diversity patterns in Cenozoic land mammal age faunas, South America. *Palaeovertebrata* 19:169–210.
- Marshall, L. G., and R. S. Corruccini. 1978. Variability, evolutionary rates, and allometry in dwarfing lineages. *Paleobiology* 4:101–119.
- Marshall, L. G., S. D. Webb, J. J. Sepkoski, and D. M. Raup. 1982. Mammalian evolution and the Great American Interchange. *Science* 215:1351–1357.
- Martin, P. S. 1967. Prehistoric overkill. In P. S. Martin and H. E. Wright, eds., *Pleistocene Extinctions: The Search for a Cause*, pp. 75–120. New Haven, Conn.: Yale University Press.
- \_\_\_\_\_. 1984. Prehistoric overkill: The global model. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 354–403. Tucson: University of Arizona Press.
- Martin, P. S., and R. G. Klein, eds. 1984. *Quaternary Extinctions: A Prehistoric Revolution*. Tucson: University of Arizona Press.
- Masaitis, V., M. V. Mikhailov, and T. V. Selivanovskaya. 1975. [Popigai Meteorite Crater]. Moscow: Nauka Press. In Russian.
- Matthew, W. D., and W. Granger. 1925. Fauna and correlation of the Gashato Formation of Mongolia. *American Museum Novitates* 189:1–12.
- Matthews, R. K. 1984. *Dynamic Stratigraphy*. Englewood Cliffs, N.J.: Prentice-Hall.
- Matthiessen, P. 1991. *African Silences*. New York: Random House.
- Maurrasse, F., and B. P. Glass. 1976. Radiolarian stratigraphy and North American microtektites in Caribbean Core RC9-58: Implications concerning late Eocene radiolarian chronology and the age of the Eocene-Oligocene boundary. *Seventh Caribbean Geological Conference Proceedings*, pp. 205–212.
- McDougall, I., and H. Wensink. 1966. Paleomagnetism and geochronology of Pliocene-Pleistocene lavas in Iceland. *Earth and Planetary Sciences Letters* 1:232–236.
- McKenna, M. C. 1975. Toward a phylogenetic classification of the Mammalia. In W. P. Luckett and F. S. Szalay, eds., *Phylogeny of the Primates: A Multidisciplinary Approach*, pp. 21–46. New York: Plenum.
- \_\_\_\_\_. 1980. Eocene paleolatitude, climate and mammals of Ellesmere Island. *Palaeogeography, Palaeoclimatology, Palaeoecology* 30:349–362.
- \_\_\_\_\_. 1983. Holarctic landmass rearrangement, cosmic events, and Cenozoic terrestrial organisms. *Annals of the Missouri Botanical Garden* 70:459–489.
- \_\_\_\_\_. 2002. Semi-isolation and lowered salinity of the Arctic Ocean in late Paleocene to earliest Eocene time. *Journal of Vertebrate Paleontology* 23 (3): 77A.
- McKenna, M. C., and E. M. Manning. 1977. Affinities and biogeographic significance of the Mongolian Paleocene genus *Phenacolophus*. *Géobios, Mémoire Spécial* 1:61–85.
- McKenna, M. C., M. Chow, S. Ting, and Z. Luo. 1989. *Radinskya yupingae*, a



- perissodactyl-like mammal from the late Paleocene of China. In D. R. Prothero and R. M. Schoch, eds., *The Evolution of Perissodactyls*, pp. 24–36. New York: Oxford University Press.
- McKerrow, W. S., ed. 1978. *The Ecology of Fossils*. Cambridge, Mass.: MIT Press.
- McKinney, M. L., B. D. Carter, K. J. McNamara, and S. K. Donovan. 1992. Evolution of Paleogene echinoids: A global and regional view. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 348–367. Princeton, N. J.: Princeton University Press.
- Mehrotra, R. C. 2003. Status of plant megafossils during the early Paleogene in India. *Geological Society of America Special Paper* 369:413–423.
- Meng, J., and M. C. McKenna. 1998. Faunal turnovers of Palaeogene mammals from the Mongolia Plateau. *Nature* 394:364–367.
- Meng, J., R. Zhai, and A. R. Wyss. 1998. The late Paleocene Bayan Ulan fauna of Inner Mongolia, China. *Bulletin of the Carnegie Museum of Natural History* 34:148–185.
- Mercer, J. H. 1978. West Antarctic ice sheet and CO<sub>2</sub> greenhouse effect: A threat of disaster. *Nature* 271:321–325.
- Mercer, J. H., and J. F. Sutter. 1982. Late Miocene–earliest Pliocene glaciation in southern Argentina: Implications for global ice-sheet history. *Palaeogeography, Palaeoclimatology, Palaeoecology* 38:185–206.
- Millais, J. G. 1897. British deer and their horns. *Proceedings of the Zoological Society of London* 1897:1–41.
- Miller, K. G. 1992. Middle Eocene to Oligocene stable isotopes, climate, and deep-water history: The Terminal Eocene Event? In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 160–177. Princeton, N.J.: Princeton University Press.
- Miller, K. G., and R. G. Fairbanks. 1983. Evidence for Oligocene-middle Miocene abyssal circulation changes in the western North Atlantic. *Nature* 306:250–253.
- Miller, K. G., and E. Thomas. 1985. Late Eocene to Oligocene benthic foraminiferal isotopic record, Site 574, equatorial Pacific. *Initial Reports of the Deep Sea Drilling Project* 85:771–777.
- Miller, K. G., and B. E. Tucholke. 1983. Development of Cenozoic abyssal circulation south of the Greenland-Scotland Ridge. In M. H. P. Bott, S. Saxov, M. Talwani, and J. Thiede, eds., *Structure and Development of the Greenland-Scotland Ridge*, pp. 549–589. New York: Plenum Press.
- Miller, K. G., G. S. Mountain, and B. E. Tucholke. 1985. Oligocene glacioeustasy and erosion on the margins of the North Atlantic. *Geology* 13:10–13.
- Miller, K. G., R. G. Fairbanks, and G. S. Mountain. 1987. Tertiary oxygen isotope synthesis, sea level history, and continental margin erosion. *Paleoceanography* 2:1–19.
- Miller, K. G., J. D. Wright, and R. G. Fairbanks. 1991. Unlocking the ice house: Oligocene-Miocene oxygen isotopes, eustasy, and margin erosion. *Journal of Geophysical Research* 96:6829–6848.
- Mithen, S. 2004. *After the Ice: A Global Human History*. Cambridge, Mass.: Harvard University Press.
- Mitchell, E., and R. H. Tedford. 1973. Enaliarctinae: A new group of extinct



- Carnivora and a consideration of the origin of the Otariidae. *Bulletin of the American Museum of Natural History* 151:201–284.
- Mohr, B. A. R. 1990. Eocene and Oligocene sporomorphs and dinoflagellate cysts from Leg 113 drill sites, Weddell Sea, Antarctica. *Proceedings of the Ocean Drilling Program* 113:595–606.
- Molnar, R. E. 2004. *Dragons in the Dust: Paleobiology of the Giant Monitor Lizard Megalania*. Bloomington: Indiana University Press.
- Murphy, M. G., and J. P. Kennett. 1986. Development of latitudinal thermal gradients during the Oligocene: Oxygen-isotope evidence from the southwest Pacific. *Initial Reports of the Deep Sea Drilling Project* 90:1347–1360.
- Murray, P. 1984. Extinctions Downunder: A bestiary of extinct Australian late Pleistocene monotremes and marsupials. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 600–628. Tucson: University of Arizona Press.
- Murray, P. F., and P. V. Rich. 2004. *Magnificent Mibirungs: The Colossal Flightless Birds of Australian Dreamtime*. Bloomington: Indiana University Press.
- Myers, J. 2003. Terrestrial Eocene-Oligocene vegetation and climate in the Pacific Northwest. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 171–188. New York: Columbia University Press.
- Nesbitt, E. A. 2003. Changes in shallow-marine faunas from the northeastern Pacific margin across the Eocene/Oligocene boundary. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 57–70. New York: Columbia University Press.
- Novacek, M. J. 1994. The radiation of placental mammals. In D. R. Prothero and R. M. Schoch, eds., *Major Features of Vertebrate Evolution*, pp. 220–237. Short Courses in Paleontology 7. Knoxville: University of Tennessee.
- Oleinik, A. E., and L. J. Marincovich. 2003. Biotic response to the Eocene-Oligocene transition: Gastropod assemblages in the high-latitude North Pacific. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 36–56. New York: Columbia University Press.
- Olsen, P. E. 1984. Periodicities of lake-level cycles in the Late Triassic Lockatong Formation of the Newark Basin (Newark Supergroup), New Jersey and Pennsylvania. In A. Berger, J. Imbrie, J. D. Hays, G. Kukla, and B. Saltzman, eds., *Milankovitch and Climate*, pp. 129–146. Netherlands: The Hague.
- Olsson, R. K., and C. Liu. 1993. Controversies on the placement of the Cretaceous-Paleogene boundary and the K/P mass extinction of planktonic foraminifera. *Palaios* 8:127–139.
- Olsson, R. K., W. A. Berggren, C. Helmleben, and B. T. Huber, eds. 1999. Atlas of Paleocene planktonic foraminifera. *Smithsonian Contributions to Paleobiology* 85:1–252.
- Oppenheimer, J., and R. Boyle. 1990. *Dead Heat: The Race against the Greenhouse Effect*. New York: Basic Books.
- Osborn, H. F. 1910. *The Age of Mammals in Europe, Asia, and North America*. New York: Macmillan.
- . 1929. The titanotheres of ancient Wyoming, Dakota, and Nebraska. *United States Geological Survey Monograph* 55:1–953. 2 vols.



- Osborn, H. F., and W. Granger. 1932. Coryphodonts and uinatheres from the Mongolian expedition of 1930. *American Museum Novitates* 552:1–16.
- Osborn, H. F., and W. D. Matthew. 1909. Cenozoic mammal horizons of western North America. *United States Geological Survey Bulletin* 361:1–138.
- Owen-Smith, N. 1987. Pleistocene extinctions: The pivotal role of megaherbivores. *Paleobiology* 13:351–362.
- Pearson, P. N., and M. R. Palmer. 1999. Middle Eocene seawater pH and atmospheric carbon dioxide concentrations. *Science* 284:1824–1826.
- . 2000. Estimating Paleogene atmospheric pCO<sub>2</sub> using boron isotope analysis of Foraminifera. *Geological Society of Sweden* 122:127–128.
- Pearson, P. N., P. W. Ditchfield, J. Singano, K. G. Harcourt-Brown, C. J. Nicholas, R. K. Olsson, N. J. Shackleton, and M. A. Hall. 2001. Warm tropical sea surface temperatures in the Late Cretaceous and Eocene epochs. *Nature* 413:481–487.
- Peterson, G. L., and P. L. Abbott. 1979. Mid-Eocene climatic change, southwestern California and northwestern Baja California. *Palaeogeography, Palaeoclimatology, Palaeoecology* 26:73–87.
- Pielou, E. C. 1991. *After the Ice Age: The Return of Life to Glaciated North America*. Chicago: University of Chicago Press.
- Poag, C. W. 1997. Roadblocks on the kill curve: Testing the Raup hypothesis. *Palaios* 12:582–590.
- . 1999. *Chesapeake Invader*. Princeton, N.J.: Princeton University Press.
- Poag, C. W., D. S. Powars, L. J. Poppe, R. B. Mixon, L. E. Edwards, D. W. Folger, and S. Bruce. 1992. Deep Sea Drilling Project Site 612 bolide event: New evidence of late Eocene impacts—wave deposits and a possible impact site, U.S. east coast. *Geology* 20:771–774.
- Poag, C. W., E. Mankinen, and R. D. Norris. 2003. Late Eocene impacts: Geologic record, correlation, and paleoenvironmental consequences. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 495–510. New York: Columbia University Press.
- Poddubiuk, R. H., and E. P. F. Rose. 1984. Relationships between mid-Tertiary echinoid faunas from the central Mediterranean and eastern Caribbean and their palaeobiogeographic significance. *Annales Géologiques Pays Hellénistique* 33:115–128.
- Pomerol, C. 1982. *The Cenozoic Era: Tertiary and Quaternary*. New York: Wiley.
- Pomerol, C., and I. Premoli-Silva, eds., 1986. *Terminal Eocene Events*. Amsterdam: Elsevier.
- Pough, F. H., C. M. Janis, and J. B. Heiser. 2002. *Vertebrate Life*. 6th ed. Upper Saddle River, N.J.: Prentice-Hall.
- Pospichal, J. J. 1996. Calcareous nannoplankton mass extinction at the Cretaceous/Tertiary boundary: An update. *Geological Society of America Special Paper* 307:335–336.
- PRISM Project Members. 1995. Middle Pliocene paleoenvironments of the Northern Hemisphere. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 197–212. New Haven, Conn.: Yale University Press.
- Prosh, E. C., and A. D. McCracken. 1985. Postapocalypse stratigraphy: Some considerations and proposals. *Geology* 13:4–5.



- Osborn, H. F., and W. Granger. 1932. Coryphodonts and uinatheres from the Mongolian expedition of 1930. *American Museum Novitates* 552:1–16.
- Osborn, H. F., and W. D. Matthew. 1909. Cenozoic mammal horizons of western North America. *United States Geological Survey Bulletin* 361:1–138.
- Owen-Smith, N. 1987. Pleistocene extinctions: The pivotal role of megaherbivores. *Paleobiology* 13:351–362.
- Pearson, P. N., and M. R. Palmer. 1999. Middle Eocene seawater pH and atmospheric carbon dioxide concentrations. *Science* 284:1824–1826.
- . 2000. Estimating Paleogene atmospheric pCO<sub>2</sub> using boron isotope analysis of Foraminifera. *Geological Society of Sweden* 122:127–128.
- Pearson, P. N., P. W. Ditchfield, J. Singano, K. G. Harcourt-Brown, C. J. Nicholas, R. K. Olsson, N. J. Shackleton, and M. A. Hall. 2001. Warm tropical sea surface temperatures in the Late Cretaceous and Eocene epochs. *Nature* 413:481–487.
- Peterson, G. L., and P. L. Abbott. 1979. Mid-Eocene climatic change, southwestern California and northwestern Baja California. *Palaeogeography, Palaeoclimatology, Palaeoecology* 26:73–87.
- Pielou, E. C. 1991. *After the Ice Age: The Return of Life to Glaciated North America*. Chicago: University of Chicago Press.
- Poag, C. W. 1997. Roadblocks on the kill curve: Testing the Raup hypothesis. *Palaios* 12:582–590.
- . 1999. *Chesapeake Invader*. Princeton, N.J.: Princeton University Press.
- Poag, C. W., D. S. Powars, L. J. Poppe, R. B. Mixon, L. E. Edwards, D. W. Folger, and S. Bruce. 1992. Deep Sea Drilling Project Site 612 bolide event: New evidence of late Eocene impacts—wave deposits and a possible impact site, U.S. east coast. *Geology* 20:771–774.
- Poag, C. W., E. Mankinen, and R. D. Norris. 2003. Late Eocene impacts: Geologic record, correlation, and paleoenvironmental consequences. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 495–510. New York: Columbia University Press.
- Poddubiuk, R. H., and E. P. F. Rose. 1984. Relationships between mid-Tertiary echinoid faunas from the central Mediterranean and eastern Caribbean and their palaeobiogeographic significance. *Annales Géologiques Pays Hellénistique* 33:115–128.
- Pomerol, C. 1982. *The Cenozoic Era: Tertiary and Quaternary*. New York: Wiley.
- Pomerol, C., and I. Premoli-Silva, eds., 1986. *Terminal Eocene Events*. Amsterdam: Elsevier.
- Pough, F. H., C. M. Janis, and J. B. Heiser. 2002. *Vertebrate Life*. 6th ed. Upper Saddle River, N.J.: Prentice-Hall.
- Pospichal, J. J. 1996. Calcareous nannoplankton mass extinction at the Cretaceous/Tertiary boundary: An update. *Geological Society of America Special Paper* 307:335–336.
- PRISM Project Members. 1995. Middle Pliocene paleoenvironments of the Northern Hemisphere. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 197–212. New Haven, Conn.: Yale University Press.
- Prosh, E. C., and A. D. McCracken. 1985. Postapocalypse stratigraphy: Some considerations and proposals. *Geology* 13:4–5.



- Prothero, D. R. 1985. Chadronian (early Oligocene) magnetostratigraphy of eastern Wyoming: Implications for the Eocene-Oligocene boundary. *Journal of Geology* 93:555–565.
- . 1990. *Interpreting the Stratigraphic Record*. New York: W.H. Freeman.
- . 1994. *The Eocene-Oligocene Transition: Paradise Lost*. New York: Columbia University Press.
- . 1995. Geochronology and magnetostratigraphy of Paleogene North American land mammal “ages”: An update. *SEPM Special Publication* 54:305–315.
- . 1999. Does climatic change drive mammalian evolution? *GSA Today* 9 (9): 1–5.
- . 2005a. Did impacts, volcanic eruptions, or climate change affect mammalian evolution? *Palaeogeography, Palaeoclimatology, Palaeoecology* 214: 283–294.
- . 2005b. *The Evolution of North American Rhinoceroses*. Cambridge: Cambridge University Press.
- Prothero, D. R., and W. A. Berggren, eds. 1992. *Eocene-Oligocene Climatic and Biotic Evolution*. Princeton, N.J.: Princeton University Press.
- Prothero, D. R., and R. H. Dott Jr. 2003. *Evolution of the Earth*. 7th ed. New York: McGraw-Hill.
- Prothero, D. R., and R. J. Emry, eds. 1996. *The Terrestrial Eocene-Oligocene Transition in North America*. Cambridge: Cambridge University Press.
- Prothero, D. R., and T. H. Heaton. 1996. Faunal stability during the early Oligocene climatic crash. *Palaeogeography, Palaeoclimatology, Palaeoecology* 127:239–256.
- Prothero, D. R., and F. Sanchez. 2005. Review of the leptachenine oreodonts (Mammalia: Artiodactyla). *New Mexico Museum of Natural History and Science Bulletin*. In press.
- Prothero, D. R., and R. M. Schoch. 2003. *Horns, Tusks, and Flippers: The Evolution of Hoofed Mammals*. Baltimore, Md.: Johns Hopkins University Press.
- Prothero, D. R., and P. C. Sereno. 1982. Allometry and paleoecology of medial Miocene dwarf rhinoceroses from the Texas Gulf Coastal Plain. *Paleobiology* 8:16–30.
- Prothero, D. R., and C. C. Swisher III. 1992. Magnetostratigraphy and geochronology of the terrestrial Eocene-Oligocene transition in North America. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 46–73. Princeton, N.J.: Princeton University Press.
- Prothero, D. R., and K. E. Whittlesey. 1998. Magnetostratigraphy and biostratigraphy of the Orellan and Whitneyan land mammal “ages” in the White River Group. *Geological Society of America Special Paper* 325:39–61.
- Prothero, D. R., C. R. Denham, and H. G. Farmer. 1983. Magnetostratigraphy of the White River Group and its implications for Oligocene geochronology. *Palaeogeography, Palaeoclimatology, Palaeoecology* 42:151–166.
- Prothero, D. R., L. C. Ivany, and E. A. Nesbitt, eds. 2003. *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*. New York: Columbia University Press.
- Qiu, Z., and Z. Qiu. 1995. Chronological sequence and subdivision of Chinese Neogene mammalian faunas. *Palaeogeography, Palaeoclimatology, Palaeoecology* 116:41–70.



- Quade, J., T. E. Cerling, and J. R. Bowman. 1989. Development of the Asian monsoon revealed by marked ecological shift during the latest Miocene in northern Pakistan. *Nature* 342:163–166.
- Raffi, S., S. M. Stanley, and R. Marasti. 1985. Biogeographic patterns and Plio-Pleistocene extinction of *Bivalvia* in the Mediterranean and southern North Sea. *Paleobiology* 11:368–388.
- Rasmussen, D. T., T. M. Bown, and E. L. Simons. 1992. The Eocene-Oligocene transition in continental Africa. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 548–566. Princeton, N.J.: Princeton University Press.
- Raup, D. M. 1991. *Extinction: Bad Genes or Bad Luck?* New York: W. W. Norton.
- Raup, D. M., and J. J. Sepkoski Jr. 1984. Periodicity of extinctions in the geologic past. *Proceedings of the National Academy of Sciences* 81:805–801.
- Raymo, M. E., and W. F. Ruddiman. 1992. Tectonic forcing of late Cenozoic climate. *Nature* 359:117–122.
- Raymo, M. E., D. Hodell, and E. Jansen. 1992. Response of deep ocean circulation to initiation of Northern Hemisphere glaciation. *Paleoceanography* 7:645–672.
- Raymo, M. E., B. Grant, M. Horowitz, and G. H. Rau. 1996. Mid-Pliocene warmth: Stronger greenhouse and stronger conveyor. *Marine Micropaleontology* 27:313–326.
- Rea, D. K. 1992. Delivery of Himalayan sediment to the northern Indian Ocean and its relation to global climate, sea level, uplift, and seawater strontium. In R. A. Duncan, ed., *Synthesis of Results from Scientific Drilling of the Indian Ocean*. Washington, D.C.: American Geophysical Union.
- Reinhart, R. H. 1959. A review of the Sirenia and Desmostylia. *University of California Publications in Geological Sciences* 36:1–145.
- Retallack, G. J. 1983. Late Eocene and Oligocene paleosols from Badlands National Park, South Dakota. *Geological Society of America Special Paper* 193.
- . 1992. Paleosols and changes in climate and vegetation across the Eocene/Oligocene boundary. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 382–398. Princeton, N.J.: Princeton University Press.
- . 1997. Neogene expansion of the North American prairie. *Palaios* 12:380–390.
- . 2001a. A 300-million-year record of atmospheric carbon dioxide from fossil plant cuticles. *Nature* 411:287–290.
- . 2001b. Cenozoic expansion of grasslands and climatic cooling. *Journal of Geology* 109:407–426.
- Rigby, J. K., Jr., K. R. Newman, J. Smith, S. Van der Kaars, R. E. Sloan, and J. K. Rigby. 1987. Dinosaurs from the Paleocene part of the Hell Creek Formation, McCone County, Montana. *Palaios* 2:296–302.
- Rind, D., and M. A. Chandler. 1991. Increased ocean heat transports and warmer climate. *Journal of Geophysical Research* 96:7437–7461.
- Robertson, D. S., M. C. McKenna, O. B. Toon, S. Hope, and J. A. Lillegraven. 2004. Survival in the first hours of the Cenozoic. *Geological Society of America Bulletin* 116:760–768.
- Robinson, E. 2003. Upper Paleogene larger foraminiferal succession on a tropical carbonate bank, Nicaragua Rise, Caribbean region. In D. R. Prothero, L. C.



- Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 294–302. New York: Columbia University Press.
- Robinson, P., G. F. Gunnell, S. L. Walsh, W. C. Clyde, J. E. Storer, R. K. Stucky, D. J. Froehlich, I. Ferrusquia-Villafranca, and M. C. McKenna. 2004. Wasatchian through Duchesnean biochronology. In M. O. Woodburne, ed., *Late Cretaceous and Cenozoic Mammals of North America: Biostratigraphy and Geochronology*, pp. 106–155. New York: Columbia University Press.
- Röhl, U., T. J. Bralower, R. N. Norris, and G. Wefer. 2000. A new chronology for the late Paleocene thermal maximum and its environmental implications. *Geology* 28:927–930.
- Romero, E. J. 1986. Paleogene phytogeography and paleoclimatology of South America. *Annals of the Missouri Botanical Garden* 73:449–461.
- Rose, K. D. 1982. Skeleton of *Diacodexis*, oldest known artiodactyl. *Science* 216:621–623.
- Rosen, B. R. 2000. Algal symbiosis, and the collapse and recovery of reef communities: Lazarus corals across the K-T boundary. In S. J. Culver and P. F. Rawson, eds., *Biotic Response to Global Change: The Last 145 Million Years*, pp. 164–180. Cambridge: Cambridge University Press.
- Rosen, B. R., and D. Turnsek. 1989. Extinction patterns and biogeography of scleractinian corals across the Cretaceous/Tertiary boundary. *Memoirs of the Association of Australasian Paleontologists* 8:355–370.
- Rössner, G. E., and K. Heissig, eds. 1999. *The Miocene Land Mammals of Europe*. Munich: Friedrich Pfeil Verlag.
- Royer, D. L. 2003. Estimating latest Cretaceous and Tertiary atmospheric CO<sub>2</sub> from stomatal indices. *Geological Society of America Special Paper* 369:79–94.
- Royer, D. L., S. L. Wing, D. J. Beerling, D. W. Jolley, P. L. Koch, L. J. Hickey, and R. A. Berner. 2001. Paleobotanical evidence for near present-day levels of atmospheric CO<sub>2</sub> during part of the Tertiary. *Science* 292:2310–2313.
- Ruddiman, W. F. 1997. *Tectonic Uplift and Climatic Change*. New York: Plenum.
- . 2001. *Earth's Climate: Past and Future*. New York: W.H. Freeman.
- . 2004. The role of greenhouse gases in orbital-scale climatic changes. *EOS* 85 (1): 1–7.
- Ruddiman, W. F., and J. E. Kutzbach. 1991. Plateau uplift and climatic change. *Scientific American* (March): 66–75.
- Rudwick, M. J. S. 1978. Charles Lyell's dream of a statistical palaeontology. *Palaeontology* 21:225–244.
- Russell, D. E., and R. J. Zhai. 1987. The Paleogene of Asia: Mammals and stratigraphy. *Mémoires du Muséum National d'Histoire Naturelle*, ser. C, 52:1–488.
- Ryan, W. B. F., et al. 1974. A paleomagnetic assignment of Neogene stage boundaries and the development of isochronous datum planes between the Mediterranean, the Pacific, and the Indian oceans in order to investigate the response of the world ocean to Mediterranean "salinity crisis." *Rivista Italiana Paleontologica* 80:631–688.
- Savage, D. E., and D. E. Russell. 1983. *Mammalian Paleofaunas of the World*. Reading, Mass.: Addison-Wesley.



- Savin, S. M., R. G. Douglas, and F. G. Stehli. 1975. Tertiary marine paleotemperatures. *Geological Society of America Bulletin* 86:1400–1510.
- Savin, S. M., L. Abel, et al. 1985. The evolution of the Miocene surface and near-surface marine temperatures: Oxygen isotope evidence. *Geological Society of America Memoir* 163:49–82.
- Schaal, S., and W. Ziegler, eds., 1992. *Messel: An Insight into the History of Life and of the Earth*. Oxford: Clarendon Press.
- Scheele, W. E. 1955. *The First Mammals*. New York: World Publishing.
- Schimper, W. P. 1874. *Traité de Paléontologie Végétale*, vol. 3. Paris: J. B. Baillière.
- Schmidt-Kittler, N. 1997. European reference levels and correlation tables. *Münchener Geowissen Abhandlung, Munich (A)* 10:13–31.
- Schmitz, B. F., ed. 2000. *Early Paleogene Warm Climates and Biosphere Dynamics*. Stockholm: Geological Society of Sweden.
- Schneider, S. H. 1990. *Global Warming: Are We Entering the Greenhouse Century?* San Francisco: Sierra Club.
- Schnitker, D. 1980. North Atlantic oceanography as possible cause of Antarctic glaciation and eutrophication. *Nature* 284:615–616.
- Schoch, R. M. 1989. A review of the tapiroids. In D. R. Prothero and R. M. Schoch, eds., *The Evolution of Perissodactyls*, pp. 298–320. New York: Oxford University Press.
- Schultz, C. B., M. R. Schultz, and L. D. Martin. 1970. A new tribe of saber-toothed cats (Barbourofelini) from the Pliocene of North America. *Bulletin of the University of Nebraska State Museum* 9 (1): 1–31.
- Schweitzer, H. J. 1980. Environment and climate in the early Tertiary of Spitsbergen. *Palaeogeography, Palaeoclimatology, Palaeoecology* 30:297–311.
- Slater, J. G., L. Meinke, A. Bennett, and C. Murphy. 1986. The depth of the ocean through the Neogene. *Geological Society of America Memoir* 163:1–19.
- Scott, L. 1995. Pollen evidence for vegetational and climatic change in southern Africa during the Neogene and Quaternary. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 65–76. New Haven, Conn.: Yale University Press.
- Scott, W. B. 1913. *A History of Land Mammals of the Western Hemisphere*. New York: Macmillan.
- Sepkoski, J. J., Jr. 1982. A compendium of fossil marine families. *Contributions in Biology and Geology, Milwaukee Public Museum* 51:1–125.
- Shackleton, N. J., and J. P. Kennett. 1975. Paleotemperature history of the Cenozoic and initiation of Antarctic glaciation: Oxygen and carbon isotopic analyses in DSDP Sites 277, 279, and 281. *Initial Reports of the Deep Sea Drilling Project* 29:743–755.
- Shackleton, N. J., and N. D. Opdyke. 1977. Oxygen isotope and palaeomagnetic evidence for early Northern Hemisphere glaciation. *Nature* 270:216–219.
- Shackleton, N. J., J. Backman, H. Zimmerman, D. V. Kent, M. A. Hall, D. G. Roberts, and J. Baldauf. 1984. Oxygen isotope calibration of the onset of ice-rafting and history of glaciation in the North Atlantic region. *Nature* 307:620–623.
- Sheehan, P. M., and T. A. Hansen. 1986. Detritus feeding as a buffer to extinction at the end of the Cretaceous. *Geology* 14:868–870.



- Sheehan, P. M., D. E. Fastovsky, R. G. Hoffman, C. B. Berghaus, and D. Gabriel. 1991. Sudden extinction of dinosaurs: Latest Cretaceous, upper Great Plains, U.S.A. *Science* 254:835–839.
- Shipman, P. 1999. *Taking Wing: Archaeopteryx and the Origin of Bird Flight*. New York: Simon and Schuster.
- Signor, P. W., III, and J. H. Lipps. 1982. Sampling bias, gradual extinction patterns, and catastrophes in the fossil record. *Geological Society of America Special Paper* 190:291–296.
- Simpson, G. G. 1940. Review of the mammal-bearing Tertiary of South America. *Proceedings of the American Philosophical Society* 83:649–709.
- Skinner, B., and S. M. Porter. 1995. *The Dynamic Earth: An Introduction to Physical Geology*. 4th ed. New York: Wiley.
- Sloan, L. C., and D. K. Rea. 1995. Atmospheric carbon dioxide and early Eocene climate: A general circulation modeling sensitivity study. *Palaeogeography, Palaeoclimatology, Palaeoecology* 119:275–292.
- Sloan, L. C., J. C. G. Walker, T. C. Moore Jr., D. K. Rea, and J. C. Zachos. 1992. Possible methane-induced polar warming in the early Eocene. *Nature* 357:320–322.
- Smith, A. B., and C. H. Jeffrey. 1998. Selectivity of extinction among sea urchins at the end of the Cretaceous Period. *Nature* 392:69–71.
- . 2000. Changes in diversity, taxic composition and life-history patterns of echinoids over the past 145 million years. In S. J. Culver and P. F. Rawson, eds., *Biotic Response to Global Change: The Last 145 Million Years*, pp. 181–194. Cambridge: Cambridge University Press.
- Smith, G. A., S. R. Manchester, M. Ashwill, W. C. McIntosh, and R. M. Conrey. 1998. Late Eocene–early Oligocene tectonism, volcanism, and floristic change near Gray Butte, central Oregon. *Geological Society of America Bulletin* 110:759–778.
- Speijer, R. P., and G. J. van der Zwaan. 1996. Extinction and survivorship of southern Tethyan benthic foraminifera across the Cretaceous/Paleogene boundary. In M. B. Hart, ed., *Biotic Recovery from Mass Extinction Events*, pp. 343–371. Geological Society Special Publication 102.
- Squires, R. L. 2003. Turnovers in marine gastropod faunas during the Eocene-Oligocene transition, west coast of the United States. In D. R. Prothero, L. C. Ivany, and E. A. Nesbitt, eds., *From Greenhouse to Icehouse: The Marine Eocene-Oligocene Transition*, pp. 14–35. New York: Columbia University Press.
- Stanley, S. M. 1986. Anatomy of a regional mass extinction: Plio-Pleistocene decimation of the western Atlantic bivalve fauna. *Palaaios* 1:17–36.
- . 1987. *Extinctions*. New York: Scientific American Books.
- . 1990. Delayed recovery and the spacing of major extinctions. *Paleobiology* 16:401–414.
- . 1996. *Children of the Ice Age: How a Global Catastrophe Allowed Humans to Evolve*. New York: Crown Books.
- Stanley, S. M., and L. D. Campbell. 1981. Neogene mass extinction of western Atlantic mollusks. *Nature* 293:457–459.
- Stanley, S. M., and W. F. Ruddiman. 1995. Neogene Ice Age in the northern Atlantic region: Climatic changes, biotic effects, and forcing factors. In *Effects of Past Global Change on Life*, pp. 118–133. Washington, D.C.: National Academy Press.



- Stanley, S. M., W. O. Addicott, and K. Chinzei. 1980. Lyellian curves in paleontology: Possibilities and limitations. *Geology* 8:422–426.
- Stanton, R. J., Jr., and J. R. Dodd. 1970. Paleoecologic techniques—comparison of faunal and geochemical analyses of Pliocene paleoenvironments, Kettleman Hills, California. *Journal of Paleontology* 6:1092–1121.
- Stehli, F. G., and S. D. Webb, eds. 1985. *The Great American Biotic Interchange*. New York: Plenum Press.
- Stehlin, H. G. 1909. Remarques sur les faunules de mammifères des couches éocènes et oligocènes du Bassin de Paris. *Bulletin de la Société Géologique de France* 9:488–520.
- Stirton, R. A. 1960. A marine carnivore from the Miocene Clallam Formation, Washington—its correlation with nonmarine faunas. *University of California Publications in Geological Sciences* 36:345–368.
- Stocker, T. F., and A. Schmittner. 1997. Influence of CO<sub>2</sub> emission rates on the stability of the thermohaline circulation. *Nature* 388:862–865.
- Stringer, C., and C. Gamble. 1993. *In Search of the Neanderthals: Solving the Puzzle of Human Origins*. London: Thames & Hudson.
- Strömberg, C. E. 2004. The “Great Transformation” and the evolution of hypsodonty in equids: Testing a hypothesis of adaptation. *Journal of Vertebrate Paleontology* 24 (3 suppl.): 119A.
- . 2005. Decoupled taxonomic radiation and ecological expansion of open habitat grasses in the Cenozoic of North America. *Proceedings of the National Academy of Sciences* 102(34):11980–11984.
- Stuart, A. J., P. A. Kosintsev, T. F. G. Higham, and A. M. Lister. 2004. Pleistocene to Holocene dynamics in giant deer and woolly mammoth. *Nature* 431:684–689.
- Stucky, R. K. 1990. Evolution of land mammal diversity in North America during the Cenozoic. *Current Mammalogy* 2:375–432.
- . 1992. Mammalian faunas in North America of Bridgerian to early Arikarean “ages” (Eocene and Oligocene). In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 464–493. Princeton, N.J.: Princeton University Press.
- Surlyk, F., and M. B. Johansen. 1984. End-Cretaceous brachiopod extinctions in the Chalk of Denmark. *Science* 223:1174–1177.
- Sutcliffe, A. J. 1985. *On the Track of Ice Age Mammals*. Cambridge, Mass.: Harvard University Press.
- Svensen, H., H. Planke, A. Malthe-Sorensen, B. Jamtvelt, R. Myklebust, T. R. Eldem, and S. S. Rey. 2004. Release of methane from a volcanic basin as a mechanism for initial Eocene global warming. *Nature* 429:542–545.
- Sweet, A. R., and D. R. Braman. 1992. The K-T boundary and contiguous strata in Western Canada; interactions between paleoenvironments and palynological assemblages. *Cretaceous Research* 13:31–79.
- Sweet, A. R., D. R. Braman, and J. F. Lerbekmo. 1990. Palynofloral response to K/T boundary events: A transitory interruption within a dynamic system. *Geological Society of America Special Paper* 247:457–469.
- Swisher, C. C., III, and D. R. Prothero. 1990. Single-crystal <sup>40</sup>Ar/<sup>39</sup>Ar dating of the Eocene-Oligocene transition in North America. *Science* 249:760–762.
- Swisher, C. C., III, G. H. Curtis, and R. Lewin. 2000. *Java Man*. New York: Scribner.
- Tappan, H., and A. R. Loeblich Jr. 1988. Foraminiferal evolution, diversification, and extinction. *Journal of Paleontology* 62:695–714.



- Tattersall, I., and J. Schwartz. 2000. *Extinct Humans*. New York: Westview Press.
- Taylor, P. D. 2000. Origin of the modern bryozoan fauna. In S. C. Culver and P. F. Rawson, eds., *Biotic Response to Global Change: The Last 145 Million Years*, pp. 195–206. Cambridge: Cambridge University Press.
- Tedford, R. H., M. R. Banks, N. R. Kemp, I. McDougall, and F. L. Sutherland. 1975. Recognition of the oldest known fossil marsupials from Australia. *Nature* 255:141–142.
- Tedford, R. H., T. Galusha, M. F. Skinner, B. E. Taylor, R. W. Fields, J. R. Macdonald, J. M. Rensberger, S. D. Webb, and D. P. Whistler. 1987. Faunal succession and biochronology of the Arikarean through Hemphillian interval (late Oligocene through earliest Pliocene Epochs) in North America. In M. O. Woodburne, ed., *Cenozoic Mammals of North America: Geochronology and Biostratigraphy*, pp. 153–210. Berkeley: University of California Press.
- Tedford, R. H., L. G. Barnes, and C. E. Ray. 1994. The early Miocene littoral ursoid carnivoran *Kolponomos*: Systematics and mode of life. *Proceedings of the San Diego Museum of Natural History* 29:11–32.
- Tedford, R. H., L. B. Albright III, A. D. Barnosky, I. Ferrusquia-Villafranca, R. M. Hunt Jr., J. E. Storer, C. C. Swisher III, M. R. Voorhies, S. D. Webb, and D. P. Whistler. 2004. Mammalian biochronology of the Arikarean through Hemphillian interval (late Oligocene through early Pliocene epochs). In M. O. Woodburne, ed., *Late Cretaceous and Cenozoic Mammals of North America: Biostratigraphy and Geochronology*, pp. 169–231. New York: Columbia University Press.
- Thewissen, J. G. M., D. E. Russell, P. D. Gingerich, and S. T. Hussain. 1983. A new dichobunid artiodactyl (Mammalia) from the Eocene of northwest Pakistan. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen (B)* 86:153–180.
- Thewissen, J. G. M., S. T. Hussain, and M. Arif. 1994. Fossil evidence for the origin of aquatic locomotion in archaeocete whales. *Science* 263:210–212.
- Thewissen, J. G. M., E. M. Williams, L. J. Roe, and S. T. Hussain. 2001. Skeletons of terrestrial cetaceans and the relationship of whales to artiodactyls. *Nature* 413:277–281.
- Thiede, J., D. L. Clark, and Y. Herman. 1990. Late Mesozoic and Cenozoic paleoceanography of the northern polar oceans. In A. Grantz, L. Johnson, and J. F. Sweeney, eds., *The Arctic Ocean Region*, pp. 427–458. Boulder, Colo.: Geological Society of America.
- Thomas, D. J. 2004. Evidence for deep-water production in the North Pacific Ocean during the early Cenozoic warm interval. *Nature* 430:65–67.
- Thomas, D. J., J. C. Zachos, T. J. Bralower, E. Thomas, and S. Bohaty. 2002. Warming the fuel for the fire: Evidence for thermal dissociation of methane hydrate during the Paleocene-Eocene thermal maximum. *Geology* 30:1067–1070.
- Thomas, E. 1992. Middle Eocene–late Oligocene bathyal benthic foraminifera (Weddell Sea): Faunal changes and implications for oceanic circulation. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 245–271. Princeton, N.J.: Princeton University Press.
- \_\_\_\_\_. 1998. Biogeography of late Paleocene benthic foraminiferal events. In M.-P. Aubry, S. G. Lucas, and W. A. Berggren, eds. 1998. *Late Paleocene–*



- Early Eocene Climatic and Biotic Events in the Marine and Terrestrial Records*, pp. 214–243. New York: Columbia University Press.
- Thomas, E., and N. J. Shackleton. 1996. The Paleocene-Eocene boundary foraminiferal extinction and stable isotope anomalies. *Geological Society of London Special Publication* 101:401–411.
- Thomasson, J. R. 1982. Fossil grass anthoecia and other plant fossils from arthropod burrows in the Miocene of western Nebraska. *Journal of Paleontology* 56:1011–1017.
- . 1985. Tertiary fossil plants found in Nebraska. *National Geographic Society Research Report* 19:553–564.
- Thomson, K. S. 1988. Anatomy of the extinction debate. *American Scientist* 76:59–61.
- Tiffney, B. 1994. Re-evaluation of the age of the Brandon lignite (Vermont, USA) based on plant megafossils. *Reviews of Palaeobotany and Palynology* 82:299–315.
- Ting, S. 1998. Paleocene and early Eocene land mammal ages of Asia. *Bulletin of the Carnegie Museum of Natural History* 34:124–147.
- Tjalsma, R. C., and G. P. Lohmann. 1983. Paleocene-Eocene bathyal and abyssal benthic foraminifera from the Atlantic Ocean. *Micropaleontology Special Publication* 4:1–90.
- Tong Y., and S. G. Lucas. 1982. A review of the Chinese uinatheres and the origin of the Dinocerata (Mammalia, Eutheria). *Proceedings of the Third North American Paleontological Convention* 2:551–556.
- Tuchman, B. 1987. *Distant Mirror: The Calamitous Fourteenth Century*. New York: Ballantine.
- Turner, A., and M. Anton. 2004. *Evolving Eden: An Illustrated Guide to the Evolution of the African Large-Mammal Fauna*. New York: Columbia University Press.
- Vanyo, J. P., and S. M. Aramwik. 1982. Length of day obliquity at the ecliptic 850 Ma ago: Preliminary results of a stromatolitic growth model. *Geophysical Research Letters* 9:1125–1128.
- Vianey-Liaud, M. 1991. Les rongeurs de l'Eocène terminal et de l'Oligocène d'Europe comme indicateurs de leur environnement. *Palaeogeography, Palaeoclimatology, Palaeoecology* 85:15–28.
- Vincent, E., and W. Berger. 1985. Carbon dioxide and polar cooling in the Miocene: the Monterey hypothesis. *American Geophysical Union Monograph* 32:455–468.
- Volkova, V. S., I. A. Kulkova, and A. F. Fradkina. 1986. Palynostratigraphy of the non-marine Neogene in North Asia. *Reviews of Palaeobotany and Palynology* 48:415–424.
- Vonhof, H. B., J. Smit, H. Brinkhuis, A. Montanari, and A. J. Nederbracht. 2000. Global cooling accelerated by early-late Eocene impacts? *Geology* 28:687–690.
- Vrba, E. S., G. H. Denton, T. C. Partridge, and L. H. Burckle, eds. 1995. *Paleoclimate and Evolution, with Emphasis on Human Origins*. New Haven, Conn.: Yale University Press.
- Wallace, A. R. 1876. *The Geographical Distribution of Animals: with a study of the relations of living and extinct faunas as elucidating the past changes of the earth's surface*. London: Macmillan.
- Wang, Y., T. E. Cerling, and B. J. MacFadden. 1994. Fossil horses and carbon iso-



- topes: New evidence for Cenozoic dietary, habitat and ecosystem changes in North America. *Palaeogeography, Palaeoclimatology, Palaeoecology* 107:269–279.
- Wang, Y., Y. Hu, M. Chow, and C. Li. 1998. Chinese Paleocene mammal faunas and their correlation. *Bulletin of the Carnegie Museum of Natural History* 34:89–123.
- Ward, L. W. 1992. Molluscan biostratigraphy of the Miocene, middle Atlantic Coastal Plain of North America. *Virginia Museum of Natural History Memoir* 2:1–159.
- Ward, P. D., W. J. Kennedy, K. G. MacLeod, and J. F. Mount. 1991. Ammonite and inoceramid bivalve extinction patterns in Cretaceous/Tertiary boundary sections of the Biscay region (southwestern France, northern Spain). *Geology* 19:1181–1184.
- Ward, W. R. 1982. Comments on the long-term stability of the earth's obliquity. *Icarus* 50:444–448.
- Warnke, D. A. 1982. Pre-middle Pliocene sediments of glacial and preglacial origin in the Norwegian-Greenland Seas: Results of DSDP Leg 38. *Earth Evolution Sciences* 2:69–78.
- Warren, B. A. 1971. Antarctic deep-water circulation contribution to the world ocean. *Research in the Antarctic* 93:640–643.
- Webb, P. N., and D. M. Harwood 1991. Late Cenozoic glacial history of the Ross Embayment, Antarctica. *Quaternary Science Review* 10:215–223.
- Webb, S. D. 1969. The Burge and Minnechaduzza faunas of north-central Nebraska. *University of California Publications in Geological Sciences* 78:1–191.
- . 1977. A history of savanna vertebrates in the New World. Pt. I: North America. *Annual Review of Ecology and Systematics* 8:355–380.
- . 1978. A history of savanna vertebrates in the New World. Pt. II: South America and the Great American Interchange. *Annual Review of Ecology and Systematics* 9:393–426.
- . 1983. The rise and fall of the late Miocene ungulate fauna in North America. In M. D. Nitecki, ed., *Coevolution*, pp. 267–306. Chicago: University of Chicago Press.
- . 1984. Ten million years of mammalian extinction in North America. In P. S. Martin and R. G. Klein, eds., *Quaternary Extinctions: A Prehistoric Revolution*, pp. 189–210. Tucson: University of Arizona Press.
- . 1985. Late Cenozoic mammal dispersals between the Americas. In F. G. Stehli and S. D. Webb, eds., *The Great American Biotic Interchange*, pp. 357–386. New York: Plenum Press.
- Webb, S. D., and N. D. Opdyke. 1995. Global climatic influence on Cenozoic land mammal faunas. In *Effects of Past Global Change on Life*, pp. 184–208. Washington, D.C.: National Academy Press.
- Webb, S. D., R. C. Hulbert Jr., and W. D. Lambert. 1995. Climatic implications of large herbivore distributions in the Miocene of North America. In E. S. Vrba, G. H. Denton, T. C. Partridge, and L. H. Burckle, eds., *Paleoclimate and Evolution, with Emphasis on Human Origins*, pp. 91–108. New Haven, Conn.: Yale University Press.
- Wei, W. 1989. Reevaluation of the Eocene ice-rafting record from subantarctic cores. *Antarctic Journal of the United States* 1989:108–109.



- Weil, A. 1984. Acid rain as an agent of extinction at the K/T boundary—NOT! *Journal of Vertebrate Paleontology* 14 (3): 51A.
- Weiner, J. 1990. *The Next One Hundred Years: Shaping the Future of Our Living Earth*. New York: Bantam Books.
- Westgate, J. A., B. A. Stemper, and T. L. Pewe. 1990. A 3 m.y. record of Pliocene-Pleistocene loess in interior Alaska. *Geology* 18:858–861.
- Whitlock, C., and M. R. Dawson. 1990. Pollen and vertebrates of the early Neogene Houghton Formation, Devon Island, Arctic Canada. *Arctic* 43 (4): 324–330.
- Wing, S. L. 1987. Eocene and Oligocene floras and vegetation of the Rocky Mountains. *Annals of the Missouri Botanical Garden* 74:748–784.
- . 1998. Tertiary vegetation of North America as a context for mammalian evolution. In C. M. Janis, K. M. Scott, and L. L. Jacobs, eds., *Evolution of Tertiary Mammals of North America*, vol. 1, *Terrestrial Carnivores, Ungulates, and Ungulatelike Mammals*, pp. 37–65. Cambridge: Cambridge University Press.
- Wing, S. L., and D. R. Greenwood. 1993. Fossils and fossil climate: The case for equable continental interiors in the Eocene. *Philosophical Transactions of the Royal Society of London B* 341:243–252.
- Wing, S. L., T. M. Bown, and J. D. Obradovich. 1991. Early Eocene biotic and climatic change in interior western North America. *Geology* 19:1189–1192.
- Wing, S. L., J. Alroy, and L. J. Hickey. 1995. Plant and mammal diversity in the Paleocene to early Eocene of the Bighorn Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology* 115:117–156.
- Wing, S. L., P. D. Gingerich, B. Schmitz, and E. Thomas, eds. 2003. Causes and consequences of globally warm climates in the early Paleogene. *Geological Society of America Special Paper* 369.
- Witmer, L. M., and K. D. Rose. 1991. Biomechanics of the jaw apparatus of the gigantic Eocene bird *Diatryma*: Implications for diet and mode of life. *Paleobiology* 17:95–120.
- Wolfe, J. A. 1971. Tertiary climatic fluctuations and methods of analysis of Tertiary floras. *Palaeogeography, Palaeoclimatology, Palaeoecology* 9:27–57.
- . 1977. Paleogene floras from the Gulf of Alaska region. *U.S. Geological Survey Professional Paper* 997:1–108.
- . 1978. A paleobotanical interpretation of Tertiary climates in the Northern Hemisphere. *American Scientist* 66:694–703.
- . 1980. Tertiary climates and floristic relationships at high latitudes in the Northern Hemisphere. *Palaeogeography, Palaeoclimatology, Palaeoecology* 30:313–323.
- . 1985. Distributions of major vegetational types during the Tertiary. *American Geophysical Union Geophysical Monographs* 32:357–376.
- . 1986. Tertiary floras and paleoclimates of the Northern Hemisphere. In T. W. Broadhead, ed., *Land Plants: Notes for A Short Course*, pp. 182–196. University of Tennessee Department of Geological Sciences, Studies in Geology 15. Knoxville: University of Tennessee Department of Geological Sciences.
- . 1990. Estimates of Pliocene precipitation and temperature based on multivariate analysis of leaf physiognomy. *U.S. Geological Survey Open-File Report* 90-94:39–42.



- . 1992. Climatic, floristic, and vegetational changes near the Eocene/Oligocene boundary in North America. In D. R. Prothero and W. A. Berggren, eds., *Eocene-Oligocene Climatic and Biotic Evolution*, pp. 421–436. Princeton, N.J.: Princeton University Press.
- . 1994. Tertiary climatic changes at middle latitudes of western North America. *Palaeogeography, Palaeoclimatology, Palaeoecology* 108:195–205.
- Wolfe, J. A., H. E. Schorn, C. E. Forest, and P. Molnar. 1997. Paleobotanical evidence for high altitudes in Nevada during the Miocene. *Science* 276:1672–1675.
- Woodburne, M. O., and C. C. Swisher III. 1995. Land mammal high-resolution geochronology, intercontinental overland dispersals, sea level, climate, and vicariance. *SEPM Special Publication* 54:335–364.
- Woodburne, M. O., and R. H. Tedford. 1975. The first Tertiary monotreme from Australia. *American Museum Novitates* 2588:1–11.
- Woodring, W. P., R. Stewart, and R. W. Richards. 1940. Geology of the Kettleman Hills oil field, California: Stratigraphy, paleontology, and structure. *U.S. Geological Survey Professional Paper* 195:1–170.
- Woodruff, F. 1985. Changes in Miocene deep-sea benthic foraminiferal distribution in the Pacific Ocean: Relationship to paleoceanography. *Geological Society of America Memoir* 163:131–176.
- Woodruff, F., and S. M. Savin. 1989. Miocene deepwater oceanography. *Paleoceanography* 4:87–140.
- Woodruff, F., S. M. Savin, and R. G. Douglas. 1981. Miocene stable isotope record; a detailed deep Pacific Ocean study and its paleoclimatic implications. *Science* 212:665–668.
- Worthy, T. H., and R. N. Holdaway. 2002. *The Lost World of the Moa: Prehistoric Life of New Zealand*. Bloomington: Indiana University Press.
- Wyss, A. R., M. R. Norell, J. J. Flynn, M. J. Novacek, R. Charrier, M. C. McKenna, C. C. Swisher III, D. Frassinetti, P. Salinas, and Meng Jin. 1990. A new early Tertiary mammal fauna from central Chile: Implications for Andean stratigraphy and tectonics. *Journal of Vertebrate Paleontology* 10 (4): 518–522.
- Wyss, A. R., J. J. Flynn, and M. A. Norell. 1993. South America's earliest rodent and recognition of a new interval of mammalian evolution. *Nature* 365:434–437.
- . 1994. Paleogene mammals from the Andes of central Chile; a preliminary taxonomic, biostratigraphic, and geochronologic assessment. *American Museum Novitates* 3098:1–31.
- Zachos, J. C., M. A. Arthur, and W. E. Dean. 1989. Geochemical evidence for suppression of pelagic marine productivity at the Cretaceous/Tertiary boundary. *Nature* 337:61–64.
- Zachos, J. C., J. R. Breza, and S. W. Wise. 1992. Early Oligocene ice-sheet expansion on Antarctica: Stable isotope and sedimentological evidence from Kerguelen Plateau, southern Indian Ocean. *Geology* 20:569–573.
- Zachos, J. C., K. C. Lohmann, J. C. G. Walker, and S. W. Wise. 1993. Abrupt climate change and transient climates during the Paleogene: A marine perspective. *Journal of Geology* 101:191–213.
- Zachos, J. C., L. D. Stott, and K. C. Lohmann. 1994. Evolution of early Cenozoic marine temperatures. *Paleoceanography* 9:353–387.



- Zachos, J. C., M. Pagani, L. C. Sloan, E. Thomas, and K. Billups. 2001. Trends, rhythms, and aberrations in global climate 65 Ma to present. *Science* 292:686–693.
- Zimmer, C. 1999. *At the Water's Edge: Fish with Fingers, Whales with Legs, and How Life Came Ashore but Then Went Back to Sea*. New York: Free Press.
- Zinsmeister, W. J., and R. M. Feldmann. 1993. Late Cretaceous faunal changes in the high southern latitudes; a harbinger of impending global biotic catastrophe? *Geological Society of America Abstracts with Programs* 25 (6): 295.
- Zinsmeister, W. J., R. M. Feldmann, M. O. Woodburne, and D. H. Elliott. 1989. Latest Cretaceous/earliest Tertiary transition on Seymour Island. *Journal of Paleontology* 63:731–738.