

## 14 / SEZNAM REFERENCÍ

- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J., O'Brien, W. L., Bassett, D. R. Jr., Schmitz, K. H., Emplaincourt, P. O., Jacobs, D. R. Jr., & Leon, A. S. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise*, 32(suppl 9), S498–S516. <https://doi.org/10.1097/00005768-200009001-00009>
- Alanazi, Y. A., Parrish, A.-M., & Okely, A. D. (2022). 24-Hour movement behaviours and COVID-19 among children in the Kingdom of Saudi Arabia: A repeat cross-sectional study. *Sports Medicine and Health Science*, 4(3), 177–182. <https://doi.org/10.1016/j.smhs.2022.05.001>
- Armstrong, N., & Welsman, J. R. (2006). The physical activity patterns of european youth with reference to methods of assessment. *Sports Medicine (Auckland N.Z.)*, 36(12), 1067–1086. <https://doi.org/10.2165/00007256-200636120-00005>
- Bandura, A. (1977). *Social learning theory*. New York: General Learning Press.
- Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: W. H. Freeman.
- Bandura, A. (2001). Social cognitive theory: An agentic perspective. *Annual Review of Psychology*, 52, 1–26. <https://doi.org/10.1146/annurev.psych.52.1.1>
- Beets, M. W., Cardinal, B. J., & Alderman, B. L. (2010). Parental social support and the physical activity-related behaviors of youth: A review. *Health Education & Behavior*, 37(5), 621–644. <https://doi.org/10.1177/1090198110363884>
- Belsky, J. (1984). The determinants of parenting: A process model. *Child Development*, 55(1), 83–96. <https://doi.org/10.1111/j.1467-8624.1984.tb00275.x>
- Biddle, S. J. H., & Nigg, C. R. (2000). Theories of exercise behavior. *International Journal of Sport Psychology*, 31(2), 290–304.
- Blažošová, J., Lebedíková, M., Tancoš, M., Plhák, J., Šmahel, D., Elavsky, S., Tkaczyk, M., & Sotolář, O. (2023). *Jak čeští adolescenti používají své mobily? Analýza dat z chytrých telefonů*. Brno: Masarykova univerzita. [https://irtis.muni.cz/media/3524142/wp4\\_report\\_jak-cesti-adolescenti-pouzivaji-sve-mobily.pdf](https://irtis.muni.cz/media/3524142/wp4_report_jak-cesti-adolescenti-pouzivaji-sve-mobily.pdf)
- Bouchard, C., Blair, S. N., & Haskell, W. L. (2007). Why study physical activity and health. In C. Bouchard, S. N. Blair, & W. L. Haskell (Eds.), *Physical activity and health* (pp. 3–19). Champaign, IL: Human Kinetics.
- Brindova, D., Pavelka, J., Sevcikova, A., Žežula, I., van Dijk, J. P., Reijneveld, S. A., & Madarasova Geckova, A. (2014). How parents can affect excessive spending of time on screen-based activities. *BMC Public Health*, 14, 1261. <https://doi.org/10.1186/1471-2458-14-1261>
- Bronfenbrenner, U. (1986). Ecology of the family as a context for human development: Research perspectives. *Developmental Psychology*, 22(6), 723–742. <https://doi.org/10.1037/0012-1649.22.6.723>
- Brown, H. E., Corder, K., Atkin, A. J., & van Sluijs, E. M. F. (2017). Childhood predictors of adolescent behaviour. The prospective association of familial factors with meeting physical activity guidelines. *Preventive Medicine Report.*, 23(6), 221–227. <https://doi.org/10.1016/j.pmedr.2017.03.012>

- Caird, J., Kavanagh, J., O'Mara-Eves, A., Oliver, K., Oliver, S., Stansfield, C., & Thomas, J. (2014). Does being overweight impede academic attainment? *Health Education Journal*, 73(5), 497–521. <https://doi.org/10.1177/0017896913489289>
- Chai, L. K., Collins, C. E., May, C., Holder, C., & Burrows, T. L. (2019). Accuracy of parent-reported child height and weight and calculated body mass index compared with objectively measured Anthropometrics: secondary analysis of a randomized controlled trial. *Journal of Medical Internet Research*, 21(9), e12532. <https://doi.org/10.2196/12532>
- Chan, N. P. T., Choi, K. C., Nelson, E. A. S., Sung, R. Y. T., Chan, J. C. N., & Kong, A. P. S. (2013). Self-reported body weight and height: An assessment tool for identifying children with overweight/obesity status and cardiometabolic risk factors clustering. *Maternal and Child Health Journal*, 17(2), 282–291. <https://doi.org/10.1007/s10995-012-0972-4>
- Craigie, A. M., Lake, A. A., Kelly, S. A., et al. (2011). Tracking of obesity-related behaviours from childhood to adulthood: a systematic review. *Maturitas*, 70(3), 266–284. <https://doi.org/10.1016/j.maturitas.2011.08.005>
- Cimon-Paquet, C., Tétreault, É., & Bernier, A. (2019). Early parent–child relationships and child sleep at school age. *Journal of Applied Developmental Psychology*, 64, 101057.
- Čáp, J., & Mareš, J. (2001). *Psychologie pro učitele* (2. vyd.). Praha: Portál.
- Dahlgren, G., & Whitehead, M. (1991). *Policies and strategies to promote social equity in health*. Stockholm, Sweden: Institute for Futures Studies.
- Davison, K. K., & Birch, L. L. (2001). Childhood overweight: A contextual model and recommendations for future research. *Obesity Reviews*, 2(3), 159–171. <https://doi.org/10.1046/j.1467-789x.2001.00036.x>
- De Vries, S. I., Van Hirtum, H. W. J. E. M., Bakker, I., Hopman-Rock, M., Hirasing, R. A., Mechelen, W. V. (2009). Validity and reproducibility of motion sensors in youth: A systematic update. *Medicine and Science in Sports and Exercise*, 41(4), 818–827. <https://doi.org/10.1249/MSS.0b013e3181818e5819>
- Decraene, M., Verbestel, V., Cardon, G., Iotova, V., Koletzko, B., Moreno, L. A., Miquel-Berges, M. L., Gurzkowska, B., Androutsos, O., Manios, Y., & De Craemer, M. (2021). Compliance with the 24-hour movement behavior guidelines and associations with adiposity in European preschoolers: Results from the ToyBox-Study. *International Journal of Environmental Research and Public Health*, 18(14), 7499. <https://doi.org/10.3390/ijerph18147499>
- Dias, R., Brito, R., Ribbens, W., Daniela, L., Rubene, Z., Dreier, M., Gemo, M., Gioia, R. D., & Chaudron, S. (2016). The role of parents in the engagement of young children with digital technologies: Exploring tensions between rights of access and protection, from 'Gatekeepers' to 'Scaffolders'. *Global Studies of Childhood*, 6(4), 414–427. <https://doi.org/10.1177/2043610616676024>
- Długonski, D., Wood, A. P., DuBose, K. D., Rider, P., & Schoemann, A. M. (2019). Validity and reliability of proximity detection with Bluetooth-enabled accelerometers among adults. *Measurement in Physical Education and Exercise Science*, 23(3), 272–279. <https://doi.org/10.1080/1091367X.2019.1615925>
- Dumazedier, J., & Latouche, N. (1962). Work and leisure in French sociology. *Industrial Relations: A Journal of Economy and Society*, 1(2), 13–30. <https://doi.org/10.1111/j.1468-232X.1962.tb00657.x>

- Duncan, S. C., Duncan, T. E., & Strycker, L. A. (2005). Sources and types of social support in youth physical activity. *Health Psychology, 24*(1), 3–10. <https://doi.org/10.1037/0278-6133.24.1.3>
- Evensen, E., Wilsgaard, T., Furberg, A. S., & Skeie, G. (2016). Tracking of overweight and obesity from early childhood to adolescence in a population-based cohort – the Tromsø Study, Fit Futures. *BMC Pediatrics, 16*, 64. <https://doi.org/10.1186/s12887-016-0599-5>
- Foo, N., Ismail, N., & Arshat, Z. (2022). Relationship between Screen time, sleep duration, parent-child interaction and psychosocial adjustment among preschool children in Selangor, Malaysia. *Journal of Educational and Developmental Psychology, 12*(2), 94–107. <https://doi.org/10.5539/jedp.v12n2p94>
- Gába, A., Dygryn, J., Stefelova, N., Rubín, L., Hron, K., Jakubec, L., & Pedišič, Ž. (2020). How do short sleepers use extra waking hours? A compositional analysis of 24-h time-use patterns among children and adolescents. *International Journal of Behavioral Nutrition and Physical Activity, 17*, 104. <https://doi.org/10.1186/s12966-020-01004-8>
- Giurgiu, M., Kolb, S., Nigg, C., Burchartz, A., Timm, I., Becker, M., Rulf, E., Doster, A.-K., Koch, E., Bussmann, J. B. J., Nigg, C., Ebner-Priemer, U. W., & Woll, A. (2022). Assessment of 24-hour physical behaviour in children and adolescents via wearables: a systematic review of free-living validation studies. *BMJ Open & Exercise Medicine, 8*(2), e001267. <https://doi.org/10.1136/bmjsem-2021-001267>
- Gómez, R. L., & Edgin, J. O. (2015). Sleep as a window into early neural development: Shifts in sleep-dependent learning effects across early childhood. *Child Development Perspectives, 9*(3), 183–189. <https://doi.org/10.1111/cdep.12130>
- Gustafson, S. L., & Rhodes, R. E. (2006). Parental correlates of physical activity in children and early adolescents. *Sports Medicine (Auckland, N.Z.), 36*(1), 79–97. <https://doi.org/10.2165/00007256-200636010-00006>
- Hale, L., Kirschen, G. W., LeBourgeois, M. K., Gradisar, M., Garrison, M. M., Montgomery-Downs, H., Kirschen, H., McHale, S. M., Chang, A.-M., & Buxton, O. M. (2018). Youth screen media habits and sleep: sleep-friendly screen-behavior recommendations for clinicians, educators, and parents. *Child and Adolescent Psychiatric Clinics of North America, 27*(2), 229–245. <https://doi.org/10.1016/j.chc.2017.11.014>
- Hartley, J. E. K., Levin, K., & Currie, C. (2016). A new version of the HBSC family affluence scale – FAS III: Scottish qualitative findings from the International FAS development study. *Child Indicators Research, 9*, 233–245. <https://doi.org/10.1007/s12187-015-9325-3>
- Hausenblas, H., Carron, A. V., & Mack, D. E. (1997). Application of the theories of reasoned action and planned behavior to exercise behavior: A meta-analysis. *Journal of Sport & Exercise Psychology, 19*(1), 36–51.
- Hedayatrad, L., Stewart, T., Paine, S.-J., Marks, E., Walker, C., & Duncan, S. (2022). Sociodemographic differences in 24-hour time-use behaviours in New Zealand children. *International Journal of Behavioral Nutrition and Physical Activity, 19*, 131. <https://doi.org/10.1186/s12966-022-01358-1>
- Hennessy, E., Hughes, S. O., Goldberg, J. P., Hyatt, R. R., & Economos, C. D. (2010). Parent-child interactions and objectively measured child physical activity: A cross-sectional study. *International Journal of Behavioral Nutrition and Physical Activity, 7*, 71. <https://doi.org/10.1186/1479-5868-7-71>
- Hildebrand, M., van Hees, V. T., Hansen, B. H., & Ekelund, U. (2014). Age group comparability of raw accelerometer output from wrist- and hip-worn monitors. *Medicine and Science in Sports and Exercise, 46*(9), 1816–1824. <https://doi.org/10.1249/MSS.0000000000000289>

- Hildebrand, M., Hansen, B. H., van Hees, V. T., & Ekelund, U. (2017). Evaluation of raw acceleration sedentary thresholds in children and adults. *Scandinavian Journal of Medicine and Science in Sports*, 27(12), 1814–1823. <https://doi.org/10.1111/sms.12795>
- Hobza, V., Hamrik, Z., Bucksch, J., & De Clercq, B. (2017). The family affluence scale as an indicator for socioeconomic status: validation on regional income differences in the Czech Republic. *International Journal of Environmental Research and Public Health*, 14(12), 1540. <https://doi.org/10.3390/ijerph14121540>
- Huybrechts, I., Himes, J. H., Ottevaere, C., De Vriendt, T., De Keyzer, W., Cox, B., Trimpont, I. V., De Bacquer, D., & De Henauw, S. (2011). Validity of parent-reported weight and height of preschool children measured at home or estimated without home measurement: A validation study. *BMC Pediatrics*, 11, 63. <https://doi.org/10.1186/1471-2431-11-63>
- Inchley, J., Currie, D., Budisavljevic, S., Torsheim, T., Jåstad, A., Cosma, A., Kelly, C., & Arnarsson, Á. M. (2020). *Spotlight on adolescent health and well-being. Findings from the 2017/2018 Health Behaviour in School-aged Children (HBSC) survey in Europe and Canada. International report. Volume 1. Key findings*. Copenhagen: WHO Regional Office for Europe 2020 [online]. <https://apps.who.int/iris/handle/10665/332091>
- Irwin, M. R. (2015). Why sleep is important for health: A psychoneuroimmunology perspective. *Annual Review of Psychology*, 66, 143–172. <https://doi.org/10.1146/annurev-psych-010213-115205>
- Jakubec, L., Gába, A., Dygrýn, J., Rubín, L., Šimůnek, A., & Sigmund, E. (2020). Is adherence to the 24-hour movement guidelines associated with a reduced risk of adiposity among children and adolescents? *BMC Public Health*, 20, 1119. <https://doi.org/10.1186/s12889-020-09213-3>
- Kalman, M., & Baďura, P. (2019). *HBSC studie: Mladí Češi jsou ve svém volném čase aktivní, sportují nebo chodí do kroužků*. <https://cvt.upol.cz/nc/en/zprava/clanek/hbsc-study-young-czechs-spend-their-leisure-time-actively-with-sports-or-hobbies/>
- Kaplan, R. M., Sallis, J. R., & Patterson, T. L. (1996). *Zdravie a správanie človeka*. (Přeložili L. Maršáľková, & I. Brežný). Bratislava: Slovenské pedagogické nakladateľství.
- Kim, H., Ma, J., Harada, K., Lee, S., & Gu, Y. (2020). Associations between adherence to combinations of 24-h movement guidelines and overweight and obesity in Japanese preschool children. *International Journal of Environmental Research and Public Health*, 17(24), 9320. <https://doi.org/10.3390/ijerph17249320>
- Kraak V. I., Vandevijvere, S., Sacks, G., Brinsden, H., Hawkes, C., Barquera, S., Lobstein, T., & Swinburn, B. A. (2016). Progress achieved in restricting the marketing of high-fat, sugary and salty food and beverage products to children. *Bull. World Health Organ.*, 94(7), 540–548.
- Kracht, C. L., Webster, E. K., & Staiano, A. E. (2019). Sociodemographic differences in young children meeting 24-hour movement guidelines. *Journal of Physical Activity and Health*, 16(10), 908–915. <https://doi.org/10.1123/jpah.2019-0018>
- Kuzik, N., & Carson, V. (2018). Accelerometer Bluetooth proximity validation in parents and early years children. *Measurement In Physical Education and Exercise Science*, 22(4), 287–293. <https://doi.org/10.1080/1091367X.2018.1442335>
- Lalonde, M. (2002). New perspective on the health of Canadians: 28 years later. *Pan American Journal of Public Health*, 12(3), 149–152. <https://doi.org/10.1590/s1020-49892002000900001>

- Langer, S. L., Crain, A. L., Senso, M. M., Levy, R. L., & Sherwood, N. E. (2014). Predicting child physical activity and screen time: Parental support for physical activity and general parenting styles. *Journal of Pediatric Psychology, 39*(6), 633–642. <https://doi.org/10.1093/jpepsy/jsu021>
- Lobstein, T., Baur, L., & Uauy, R. (2004). Obesity in children and young people: A crisis in public health. *Obesity Reviews, 5*(suppl 1), 4–85. <https://doi.org/10.1111/j.1467-789X.2004.00133.x>
- Lynch, B. A., Kaufman, T. K., Rajjo, T. I., Mohammed, K., Kumar, S., Murad, H. M., Gentile, N. E., Koepp, G. A., McCrady-Spitzer, S. K., & Levine, J. A. (2019). Accuracy of accelerometers for measuring physical activity and levels of sedentary behavior in children: A systematic review. *Journal of primary care & community health, 10*, 2150132719874252. <https://doi.org/10.1177/2150132719874252>
- Marques, A., Ramirez-Campillo, R., Gouveia, É. R., Ferrari, G., Tesler, R., Marconcin, P., Loureiro, V., Peralta, M., & Sarmiento, H. (2023). 24-h Movement guidelines and overweight and obesity indicators in toddlers, children and adolescents: A systematic review and meta-analysis. *Sports Med – Open, 9*(30), 1–13. <https://doi.org/10.1186/s40798-023-00569-5>
- Matricciani, L., Olds, T., & Petkov, J. (2012). In search of lost sleep: Secular trends in the sleep time of school-aged children and adolescents. *Sleep Medicine Reviews, 16*(3), 203–211. <https://doi.org/10.1016/j.smrv.2011.03.005>
- McGowan, A. L., Gerde, H. K., Pfeiffer, K. A., & Pontifex, M. B. (2023). Meeting 24-hour movement behavior guidelines in young children: Improved quantity estimation and self-regulation. *Early Education and Development, 34*(3), 762–789. <https://doi.org/10.1080/10409289.2022.2056694>
- Miguelles, J. H., Aadland, E., Andersen, L. B., Brønd, J. C., Chastin, S. F., Hansen, B. H., Konstabel, K., Kvalheim, O. M., McGregor, D. E., Rowlands, A. V., Sabia, S., van Hees, V. T., Walmsley, R., Ortega, F. B. (2022). GRANADA consensus on analytical approaches to assess associations with accelerometer-determined physical behaviours (physical activity, sedentary behaviour and sleep) in epidemiological studies. *British Journal of Sports Medicine, 56*(7), 376–384. <https://doi.org/10.1136/bjsports-2020-103604>
- Okely, A. D., Reilly, J. J., Tremblay, M. S., Kariippanon, K. E., Draper, C. E., El Hamdouchi, A., Florindo, A. A., Green, J. P., Guan, H., Katzmarzyk, P. T., Lubree, H., Pham, B. N., Suesse, T., Willumsen, J., Basheer, M., Calleia, R., Chong, K. H., Cross, P. L., Nacher, M., Smeets, L., et al. (2021). Cross-sectional examination of 24-hour movement behaviours among 3- and 4-year-old children in urban and rural settings in low-income, middle-income and high-income countries: the SUNRISE study protocol. *BMJ Open, 11*(10), e049267. <https://doi.org/10.1136/bmjopen-2021-049267>
- Patočková, V., Čermák, D., & Šafr, J. (2022). *Volný čas dětí staršího školního věku a jeho prožívání. Výsledky reprezentativního výzkumu v České republice 2021 (monitorovací studie)*. Praha: Sociologický ústav AV ČR.
- Pettee, K. K., Storti, K. L., Ainsworth, B. E., & Kriska, A. M. (2009). Measurement of physical activity and inactivity in epidemiologic studies. In I.-Min. Lee & R. S. Jr. Paffenbarger (Eds.), *Epidemiologic methods in physical activity studies* (pp. 15–33). NY: Oxford University Press.
- Ptáček, R., & Raboch, J. (2010). Určení rozsahu souboru a power analýza v psychiatrickém výzkumu. *Česká a Slovenská Psychiatrie, 106*(1), 33–41.
- Pyper, E., Harrington, D., & Manson, H. (2016). The impact of different types of parental support behaviours on child physical activity, healthy eating, and screen time: A cross-sectional study. *BMC Public Health, 16*, 568. <https://doi.org/10.1186/s12889-016-3245-0>