

References

- Beaman, F. D., Kransdorf, M. J., Andrews, T. R., Murphrey, M. D., Arcara, L. K., & Keeling, J. H. (2007). Superficial soft-tissue masses: analysis, diagnosis, and differential considerations. *Radiographics*, 27(2), 509-523.
- Birch, R., Misra, P., Stewart, M. P., Eardley, W. G., Ramasamy, A., Brown, K., et al. (2012). Nerve injuries sustained during warfare: part I—Epidemiology. *J Bone Joint Surg Br*, 94(4), 523-528.
- Dvorak, J., & Dvorak, V. (1990). General principles of palpation. In W. Gilliar & P. Greenman (Eds.), *Manual Medicine Diagnostics* (2nd ed., pp. 71-75). New York: Thieme.
- Dyson, M., Pond, J. B., Joseph, J., & Warwick, R. (1968). The stimulation of tissue regeneration by means of ultrasound. *Clin Sci*, 35(2), 273-285.
- Dyson, M., & Suckling, J. (1978). Stimulation of tissue repair by ultrasound: a survey of the mechanisms involved. *Physiotherapy*, 64(4), 105-108.
- Elliott, M., & Coventry, A. (2012). Critical care: the eight vital signs of patient monitoring. *Br J Nurs*, 21(10), 621-625.
- Frymann, V. (1963). Palpation, its study in the workshop. *AAO Yearbook*, 16-31.
- Gerwin, R. D., Shannon, S., Hong, C. Z., Hubbard, D., & Gevirtz, R. (1997). Interrater reliability in myofascial trigger point examination. *Pain*, 69(1-2), 65-73.
- Gogia, P. P. (1992). The biology of wound healing. *Ostomy Wound Manage*, 38(9), 12, 14-16, 18-22.
- Hsieh, C. Y., Hong, C. Z., Adams, A. H., Platt, K. J., Danielson, C. D., Hoehler, F. K., et al. (2000). Interexaminer reliability of the palpation of trigger points in the trunk and lower limb muscles. *Arch Phys Med Rehabil*, 81(3), 258-264.
- Johnson, G. S. (2010). Soft tissue mobilization. In R. A. Donatelli & M. J. Wodden (Eds.), *Orthopaedic Physical Therapy* (4th ed., pp. 612-613). St. Louis: Elsevier.
- Magee, D. (2008). *Orthopedic Physical Assessment* (5th ed.). St. Louis: Elsevier.
- Maitland, G. (2006). *Maitland's Vertebral Manipulation* (7th ed.). Sydney: Butterworths.
- Moore, H., Nichols, C., & Engles, M. (2010). Tissue response. In R. A. Donatelli & M. J. Wodden (Eds.), *Orthopaedic Physical Therapy* (4th ed., pp. 1-2). St. Louis: Elsevier.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams, & Wilkins.
- Njoo, K. H., & Van der Does, E. (1994). The occurrence and inter-rater reliability of myofascial trigger points in the quadratus lumborum and gluteus medius: a prospective study in non-specific low back pain patients and controls in general practice. *Pain*, 58(3), 317-323.
- Ramsey, S. M. (1997). Holistic manual therapy techniques. *Prim Care*, 24(4), 759-786.
- Schultz, G., Rotatori, D. S., & Clark, W. (1991). EGF and TGF-alpha in wound healing and repair. *J Cell Biochem*, 45(4), 346-352.
- Stiell, I. G., Wells, G., Laupacis, A., Brison, R., Verbeek, R., Vandemheen, K., et al. (1995). Multicentre trial to introduce the Ottawa ankle rules for use of radiography in acute ankle injuries. Multicentre Ankle Rule Study Group. *BMJ*, 311(7005), 594-597.

- Sturgill, L. P., Snyder-Mackler, L., Manal, T. J., & Axe, M. J. (2009). Interrater reliability of a clinical scale to assess knee joint effusion. *J Orthop Sports Phys Ther*, 39(12), 845-849.
- Waugh, E. J. (2005). Lateral epicondylalgia or epicondylitis: what's in a name? *J Orthop Sports Phys Ther*, 35(4), 200-202.

Chapter 2

- Holmlund, A. B., & Axelsson, S. (1996). Temporomandibular arthropathy: correlation between clinical signs and symptoms and arthroscopic findings. *Int J Oral Maxillofac Surg*, 25(3), 178-181.
- Manfredini, D., Tognini, F., Zampa, V., & Bosco, M. (2003). Predictive value of clinical findings for temporomandibular joint effusion. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 96(5), 521-526.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Murray, G. M., Bhutada, M., Peck, C. C., Phanachet, I., Sae-Lee, D., & Whittle, T. (2007). The human lateral pterygoid muscle. *Arch Oral Biol*, 52(4), 377-380.
- Nassif, N. J., Al-Salleh, F., & Al-Admawi, M. (2003). The prevalence and treatment needs of symptoms and signs of temporomandibular disorders among young adult males. *J Oral Rehabil*, 30(9), 944-950.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Okeson, J. P. (2005). *Management of Temporomandibular Disorders and Occlusion* (6th ed.). St. Louis: Mosby.

Chapter 3

- Burkart, A. C., & Debski, R. E. (2002). Anatomy and function of the glenohumeral ligaments in anterior shoulder instability. *Clin Orthop Relat Res*, 400, 32-39.
- Janda, V. (1978). Muscles, central nervous system motor regulation and back problems. In I. M. Korr (Ed.), *The Neurobiologic Mechanisms in Manipulative Therapy* (pp. 27-40). New York: Plenum Press.
- Janda, V. (1996). Evaluation of muscular imbalance. In C. Liebenson (Ed.), *Rehabilitation of the Spine: A Practitioner's Manual* (pp. 97-112). Baltimore: Lippincott, Williams & Wilkins.
- Kibler, W. B., Sciascia, A., & Wilkes, T. (2012). Scapular dyskinesis and its relation to shoulder injury. *J Am Acad Orthop Surg*, 20(6), 364-372.
- Ludewig, P. M., & Cook, T. M. (2002). Translations of the humerus in persons with shoulder impingement symptoms. *J Orthop Sports Phys Ther*, 32(6), 248-259.
- Mattingly, G. E., & Mackarey, P. J. (1996). Optimal methods for shoulder tendon palpation: a cadaver study. *Phys Ther*, 76(2), 166-174.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Pegreffi, F., Paladini, P., Campi, F., & Porcellini, G. (2011). Conservative management of rotator cuff tear. *Sports Med Arthrosc*, 19(4), 348-353.
- Picavet, H. S., & Schouten, J. S. (2003). Musculoskeletal pain in the Netherlands: prevalences, consequences and risk groups, the DMC(3)-study. *Pain*, 102(1-2), 167-178.
- Prentice, W. E. (2011). *Principles of Athletic Training: A Competency-Based Approach* (14th ed.). New York: McGraw-Hill.

- Shah, A. A., Butler, R. B., Sung, S. Y., Wells, J. H., Higgins, L. D., & Warner, J. J. (2011). Clinical outcomes of suprascapular nerve decompression. *J Shoulder Elbow Surg*, 20(6), 975-982.
- Steinmann, S. P., & Wood, M. B. (2003). Pectoralis major transfer for serratus anterior paralysis. *J Shoulder Elbow Surg*, 12(6), 555-560.
- Thompson, J. C. (2010). Shoulder. *Netter's Concise Orthopaedic Anatomy* (2nd ed., p. 80). Philadelphia: Saunders.
- Tillander, B., & Norlin, R. (2002). Intraoperative measurements of the subacromial distance. *Arthroscopy*, 18(4), 347-352.
- Waugh, E. J. (2005). Lateral epicondylalgia or epicondylitis: what's in a name? *J Orthop Sports Phys Ther*, 35(4), 200-202.

Chapter 4

- Banerjee, R., Waterman, B., Padalecki, J., & Robertson, W. (2011). Management of distal clavicle fractures. *J Am Acad Orthop Surg*, 19(7), 392-401.
- Borstad, J. D. (2008). Measurement of pectoralis minor muscle length: validation and clinical application. *J Orthop Sports Phys Ther*, 38(4), 169-174.
- Bourghli, A., & Fabre, A. (2012). Proximal end clavicle fracture from a parachute jumping injury. *Orthop Traumatol Surg Res*, 98(2), 238-241.
- Lewis, J. S., & Valentine, R. E. (2007). The pectoralis minor length test: a study of the intra-rater reliability and diagnostic accuracy in subjects with and without shoulder symptoms. *BMC Musculoskelet Disord*, 8(64), 1-10.
- Lindgren, K. A., Leino, E., Hakola, M., & Hamberg, J. (1990). Cervical spine rotation and lateral flexion combine motion in the examination of the thoracic outlet. *Arch Phys Med Rehabil*, 71(5), 343-344.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Thompson, J. C. (2010). Shoulder. *Netter's Concise Orthopaedic Anatomy* (2nd ed., pp. 80). Philadelphia: Saunders.
- Tillander, B., & Norlin, R. (2002). Intraoperative measurements of the subacromial distance. *Arthroscopy*, 18(4), 347-352.

Chapter 5

- Gonzalez-Iglesias, J., Cleland, J. A., del Rosario Gutierrez-Vega, M., & Fernandez-de-las-Penas, C. (2011). Multimodal management of lateral epicondylalgia in rock climbers: a prospective case series. *J Manipulative Physiol Ther*, 34(9), 635-642.
- Kraushaar, B. S., & Nirschl, R. P. (1999). Tendinosis of the elbow (tennis elbow). Clinical features and findings of histological, immunohistochemical, and electron microscopy studies. *J Bone Joint Surg Am*, 81(2), 259-278.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Regan, W. D., Korinek, S. L., Morrey, B. F., & An, K. N. (1991). Biomechanical study of ligaments around the elbow joint. *Clin Orthop Relat Res*, 271, 170-179.

Chapter 6

- Akalin, E., El, O., Peker, O., Senocak, O., Tamci, S., Gulbahar, S., et al. (2002). Treatment of carpal tunnel syndrome with nerve and tendon gliding exercises. *Am J Phys Med Rehabil*, 81(2), 108-113.
- Grover, R. (1996). Clinical assessment of scaphoid injuries and the detection of fractures. *J Hand Surg Br*, 21(3), 341-343.
- Kitay, A., & Wolfe, S. W. (2012). Scapholunate instability: current concepts in diagnosis and management. *J Hand Surg Am*, 37(10), 2175-2196.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.

Chapter 7

- Beer, A., Treleaven, J., & Jull, G. (2012). Can a functional postural exercise improve performance in the cranio-cervical flexion test?—a preliminary study. *Man Ther*, 17(3), 219-224.
- Bialosky, J. E., Bishop, M. D., & George, S. Z. (2008). Regional interdependence: a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther*, 38(3), 159-160, author reply 160.
- Croft, P. R., Lewis, M., Papageorgiou, A. C., Thomas, E., Jayson, M. I., Macfarlane, G. J., et al. (2001). Risk factors for neck pain: a longitudinal study in the general population. *Pain*, 93(3), 317-325.
- Diab, A. A. (2012). The role of forward head correction in management of adolescent idiopathic scoliotic patients: a randomized controlled trial. *Clin Rehabil*, 26(12), 1123-1132.
- Diab, A. A., & Moustafa, I. M. (2011). The efficacy of forward head correction on nerve root function and pain in cervical spondylotic radiculopathy: a randomized trial. *Clin Rehabil*, 26(4), 351-361.
- Kelly, M., Cardy, N., Melvin, E., Reddin, C., Ward, C., & Wilson, F. (2012). The cranio-cervical flexion test: an investigation of performance in young asymptomatic subjects. *Man Ther*, 18(1), 83-86.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Ulrich, E. J., Aeberhard, R., Wetli, S., Busato, A., Boesch, C., Zimmermann, H., et al. (2012). Cervical muscle area measurements in whiplash patients: acute, 3, and 6 months of follow-up. *J Magn Reson Imaging*, 36(6), 1413-1420.
- Wainner, R. S., Whitman, J. M., Cleland, J. A., & Flynn, T. W. (2007). Regional interdependence: a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther*, 37(11), 658-660.

Chapter 8

- Bialosky, J. E., Bishop, M. D., & George, S. Z. (2008). Regional interdependence: a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther*, 38(3), 159-160; author reply 160.
- Chakraverty, R., Pynsent, P., & Isaacs, K. (2007). Which spinal levels are identified by palpation of the iliac crests and the posterior superior iliac spines? *J Anat*, 210(2), 232-236.

- Chakraverty, R. C., Pynsent, P. B., Westwood, A., & Chakraverty, J. K. (2007). Identification of the correct lumbar level using passive intersegmental motion testing. *Anaesthesia*, 62(11), 1121-1125.
- Cleland, J., & Koppenhaver, S. (2011). *Netter's Orthopaedic Clinical Examination: An Evidence-Based Approach* (2nd ed.). Philadelphia: Elsevier.
- Goode, A., Hegedus, E. J., Sizer, P., Brismee, J. M., Linberg, A., & Cook, C. E. (2008). Three-dimensional movements of the sacroiliac joint: a systematic review of the literature and assessment of clinical utility. *J Man Manip Ther*, 16(1), 25-38.
- Hides, J. A., Belavy, D. L., Cassar, L., Williams, M., Wilson, S. J., & Richardson, C. A. (2009). Altered response of the anterolateral abdominal muscles to simulated weight-bearing in subjects with low back pain. *Eur Spine J*, 18(3), 410-418.
- Hides, J. A., Stanton, W. R., McMahon, S., Sims, K., & Richardson, C. A. (2008). Effect of stabilization training on multifidus muscle cross-sectional area among young elite cricketers with low back pain. *J Orthop Sports Phys Ther*, 38(3), 101-108.
- Hodges, P. W. (1999). Is there a role for transversus abdominis in lumbo-pelvic stability? *Man Ther*, 4(2), 74-86.
- Hodges, P. W., & Richardson, C. A. (1999). Altered trunk muscle recruitment in people with low back pain with upper limb movement at different speeds. *Arch Phys Med Rehabil*, 80(9), 1005-1012.
- Kim, H. W., Ko, Y. J., Rhee, W. I., Lee, J. S., Lim, J. E., Lee, S. J., et al. (2007). Interexaminer reliability and accuracy of posterior superior iliac spine and iliac crest palpation for spinal level estimations. *J Manipulative Physiol Ther*, 30(5), 386-389.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Wainner, R. S., Whitman, J. M., Cleland, J. A., & Flynn, T. W. (2007). Regional interdependence: a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther*, 37(11), 658-660.
- Walker, B. F. (2000). The prevalence of low back pain: a systematic review of the literature from 1966 to 1998. *J Spinal Disord*, 13(3), 205-217.

Chapter 9

- Ali, K., & Leland, J. M. (2012). Hamstring strains and tears in the athlete. *Clin Sports Med*, 31(2), 263-272.
- Avrahami, D., & Choudur, H. N. (2010). Adductor tendinopathy in a hockey player with persistent groin pain: a case report. *J Can Chiropr Assoc*, 54(4), 264-270.
- Chakraverty, R., Pynsent, P., & Isaacs, K. (2007). Which spinal levels are identified by palpation of the iliac crests and the posterior superior iliac spines? *J Anat*, 210(2), 232-236.
- McKinney, B. I., Nelson, C., & Carrion, W. (2009). Apophyseal avulsion fractures of the hip and pelvis. *Orthopedics*, 32(1), 42.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Prentice, W. E. (2011). *Principles of Athletic Training: A Competency-Based Approach* (14th ed.). New York: McGraw-Hill.

Chapter 10

- Couture, J. F., Al-Juhani, W., Forsythe, M. E., Lenczner, E., Marien, R., & Burman, M. (2012). Joint line fullness and meniscal pathology. *Sports Health*, 4(1), 47-50.
- Danzig, L., Resnick, D., Gonsalves, M., & Akeson, W. H. (1983). Blood supply to the normal and abnormal menisci of the human knee. *Clin Orthop Relat Res*, 172, 271-276.
- Foss, K. B., Myer, G. D., Chen, S. S., & Hewett, T. E. (2012). Expected prevalence from the differential diagnosis of anterior knee pain in adolescent female athletes during participation screening. *J Athl Train*, 47(5), 519-524.
- Frommer, C., & Masaracchio, M. (2009). The use of patellar taping in the treatment of a patient with a medial collateral ligament sprain. *N Am J Sports Phys Ther*, 4(2), 60-69.
- Laprade, R. F., & Wijdicks, C. A. (2012). The management of injuries to the medial side of the knee. *J Orthop Sports Phys Ther*, 42(3), 221-233.
- Magee, D. (2008). *Orthopedic Physical Assessment* (5th ed.). St. Louis: Elsevier.
- Meister, B. R., Michael, S. P., Moyer, R. A., Kelly, J. D., & Schneck, C. D. (2000). Anatomy and kinematics of the lateral collateral ligament of the knee. *Am J Sports Med*, 28(6), 869-878.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Pascarella, A., Alam, M., Pascarella, F., Latte, C., Di Salvatore, M. G., & Maffulli, N. (2011). Arthroscopic management of chronic patellar tendinopathy. *Am J Sports Med*, 39(9), 1975-1983.
- Strauss, E. J., Kim, S., Calcei, J. G., & Park, D. (2011). Iliotibial band syndrome: evaluation and management. *J Am Acad Orthop Surg*, 19(12), 728-736.
- Sturgill, L. P., Snyder-Mackler, L., Manal, T. J., & Axe, M. J. (2009). Interrater reliability of a clinical scale to assess knee joint effusion. *J Orthop Sports Phys Ther*, 39(12), 845-849.

Chapter 11

- Adams, W. R. 2nd (2010). Morton's neuroma. *Clin Podiatr Med Surg*, 27(4), 535-545.
- Bek, N., Simsek, I. E., Erel, S., Yakut, Y., & Uygur, F. (2012). Home-based general versus center-based selective rehabilitation in patients with posterior tibial tendon dysfunction. *Acta Orthop Traumatol Turc*, 46(4), 286-292.
- Loudon, J. K., Manske, R. C., & Reiman, M. P. (2013). *Clinical Mechanics and Kinesiology* (1st ed.). Champaign, IL: Human Kinetics.
- Moore, K. L., Agur, A. M., & Dalley, A. R. (2011). *Essential Clinical Anatomy* (4th ed.). Philadelphia: Lippincott, Williams & Wilkins.
- Neumann, D. A. (2010). *Kinesiology of the Musculoskeletal System: Foundations for Rehabilitation* (2nd ed.). Philadelphia: Elsevier.
- Stiell, I. G., Wells, G., Laupacis, A., Brison, R., Verbeek, R., Vandemheen, K., et al. (1995). Multicentre trial to introduce the Ottawa ankle rules for use of radiography in acute ankle injuries. Multicentre Ankle Rule Study Group. *BMJ*, 311(7005), 594-597.
- Tiemstra, J. D. (2012). Update on acute ankle sprains. *Am Fam Physician*, 85(12), 1170-1176.
- van den Bekerom, M. P., Kerkhoffs, G. M., McCollum, G. A., Calder, J. D., & van Dijk, C. N. (2012). Management of acute lateral ankle ligament injury in the athlete. *Knee Surg Sports Traumatol Arthrosc*, 21(6):1390-1395.
- Zwitser, E. W., & Breederveld, R. S. (2010). Fractures of the fifth metatarsal; diagnosis and treatment. *Injury*, 41(6), 555-562.