

References

- Abarbanel, H. D. I. (1996). *Analysis of Observed Chaotic Data*. Springer, New York.
- Alligood, K. T., Sauer, T., and Yorke, J. A. (1997). *Chaos: An Introduction to Dynamical Systems*. Springer, New York.
- Andersen, H. and Hepburn, B. (2016). Scientific method. In *The Stanford Encyclopedia of Philosophy* (Summer 2016 edn) (ed. E. N. Zalta). Metaphysics Research Lab, Stanford University. <https://plato.stanford.edu/archives/sum2016/entries/scientific-method/>.
- Artalejo, J. R., Economou, A., and Lopez-Herrero, M. J. (2015). The stochastic SEIR model before extinction: computational approaches. *Applied Mathematics and Computation*, **265**, 1026–1043.
- Ash, R. and Doléans-Dade, C. (2000). *Probability and Measure Theory* (2nd edn). Academic Press, USA.
- Baker, G. L. and Gollub, J. P. (1996). *Chaotic Dynamics: An Introduction* (2nd edn). Cambridge University Press.
- Baker, G. L., Gollub, J. P., and Blackburn, J. (1996). Inverting chaos: extracting system parameters from experimental data. *Chaos*, **6**, 528–533.
- Berra, T. (2009). *Charles Darwin: The Concise Story of an Extraordinary Man*. Johns Hopkins University Press, Baltimore.
- Billingsley, P. (1995). *Probability and Measure* (3rd edn). Wiley, New York.
- Bjørnstad, O., Finkenstädt, B., and Grenfell, B. (2002). Dynamics of measles epidemics: estimating scaling of transmission rates using a time series SIR model. *Ecological Monographs*, **72**, 169–184.
- Blanchard, P., Devaney, R., and Hall, G. (2012). *Differential Equations* (4th edn). Brooks/Cole, Boston.
- Borovkova, S., Rosa, R., and Sardonini, L. (2011). Resolving statistical uncertainty in correlation dimension estimation. *Chaos*, **21**, Article 023124.
- Brading, K. and Castellani, E. (2013). Symmetry and symmetry breaking. In *The Stanford Encyclopedia of Philosophy* (Spring 2013 edn) (ed. E. N. Zalta). Metaphysics Research Lab, Stanford University. <https://plato.stanford.edu/archives/spr2013/entries/symmetry-breaking/>.
- Brandmaier, A. (2015). Package pdc: Permutation distribution clustering.
- Brandt, C. and Pompe, B. (2002). Permutation entropy: a natural complexity measure for time series. *Physical Review Letters*, **88**, 174102.
- Breeden, J. and Hubler, A. (1990). Reconstructing equations of motion from experimental data with unobserved variables. *Physical Review A*, **42**, 5817–5826.
- Brock, W., Dechert, W., and Scheinkman, J. (1986). A test for independence based on the correlation dimension. *Econometric Reviews*, **15**, 197–235.
- Brown, R., Bryant, P., and Abarbanel, H. D. I. (1991). Computing the Lyapunov

- spectrum of a dynamical system from an observed time series. *Physical Review A*, **43**, 2787–2806.
- Brown, T. (1996). Measuring chaos using the Lyapunov exponent. In *Chaos Theory in the Social Sciences: Foundations and Applications* (ed. E. Kiel and E. Elliott). University of Michigan Press, Ann Arbor.
- Brunton, S., Proctor, J., and Kurtz, J. (2016). Discovering governing equations from data by sparse identification of nonlinear dynamical systems. *Proceedings of the National Academy of Sciences of the USA*, **113**, 3932–3937.
- Brush, S. G. (1986). *The Kind of Motion We Call Heat: A History of the Kinetic Theory of Gases in the 19th Century*. North-Holland, Amsterdam.
- Bühlmann, P. (1997). Sieve bootstrap for time series. *Bernoulli*, **3**, 123–148.
- Canty, A. J. (2002). Resampling methods in R: the boot package. *R News*, **2/3**, 2–7.
- Chan, K. and Tong, H. (2001). *Chaos: A Statistical Perspective*. Springer, New York.
- Clark, A. (2015). Package `multipatialCCM`: Multispatial convergent cross mapping.
- Coco, M. I. and Dale, R. (2014). Cross-recurrence quantification analysis of categorical and continuous time series: an R package. *Frontiers in Psychology*, **5**, Article 510.
- Colby, S. and Baskerville, E. (2016). Limits to causal inference with state-space reconstruction for infectious disease. *PLoS ONE*, **11**(12), e0169050.
- Constantine, W. and Percival, D. (2015). Package `fractal`: Fractal time series modeling and analysis.
- Crawley, M. (2015). *Statistics: An Introduction Using R* (2nd edn). Wiley, Chichester.
- Csardi, G. (2015). Package `igraph`: Network analysis and visualization.
- Cvitanovic, P. (1989). *Universality in Chaos* (2nd edn). Taylor & Francis, New York.
- da Vinci, Leonardo (1452–1519). *Notebooks*. Oxford University Press, Oxford.
- Davison, A. C. and Hinkley, D. V. (1997). *Bootstrap Methods and their Application*. Cambridge University Press, Cambridge.
- Denbigh, K. G. and Denbigh, J. S. (1985). *Entropy in Relation to Incomplete Knowledge*. Cambridge University Press, Cambridge.
- Di Narzo, A. F. (2015). Package `tseriesChaos`: Analysis of nonlinear time series.
- Diaconis, P. and Efron, B. (1983). Computer-intensive methods in statistics. *Scientific American*, **248**(May), 116–130.
- DiCiccio, T. J. and Efron, B. (1996). Bootstrap confidence intervals. *Statistical Science*, **11**, 189–228.
- Didonato, M. W., Martin, C. L., and England, D. (2014). Gendered interactions and their consequences in a dynamical perspective. In *Gender and Development* (ed. P. J. Leman and H. R. Tenenbaum), pp. 20–42. Psychology Press, New York.
- Diks, C. (1996). Estimating invariants of noisy attractors. *Physical Review E*, **53**, R4263–R4266.
- Diks, C. (1999). *Nonlinear Time Series Analysis: Methods and Application*. World Scientific, Singapore.
- Ding, M., Grebogi, C., Ott, E., Sauer, T., and Yorke, J. A. (1993). Plateau onset for correlation dimension: When does it occur? *Physical Review Letters*, **70**, 3872–3873.
- Dong, L. Wei, Ren, K., Cluzel, S. Meunier Guttin, and Gouesbet, G. (2015). Global vector-field reconstruction of nonlinear dynamical systems from a time series with

- SVD method and validation with Lyapunov exponents. *Chinese Physics*, **12**, 1366–1373.
- Eckmann, J.-P., Kamphorst, S. O., and Ruelle, D. (1987). Recurrence plots of dynamical systems. *Europhysics Letters*, **5**, 973–977.
- Eckmann, J.-P., Kamphorst, S. O., Ruelle, D., and Ciliberto, S. (1986). Lyapunov exponents from a time series. *Physical Review A*, **34**, 4971–4979.
- Eckmann, J.-P. and Ruelle, D. (1985). Ergodic theory of chaos and strange attractors. *Reviews of Modern Physics*, **57**, 617–656.
- Economist, The (2016a). Big economic ideas: Breakthroughs and brickbats. *The Economist* (21 July).
- Economist, The (2016b). Financial stability: Minsky's moment. *The Economist* (30 July).
- Economist, The (2016c). If economists reformed themselves: A less dismal science. *The Economist* (16 May).
- Efron, B. (1979). Bootstrap methods: another look at the jackknife. *Annals of Statistics*, **7**, 1–26.
- Efron, B. (1988). Three examples of computer-intensive statistical inference. *Sankhyā: The Indian Journal of Statistics, Series A*, **50**, 338–362. Also presented at the 20th Interface Symposium on Computing Science and Statistics and at Compstat 88.
- Efron, B. and Tibshirani, R. J. (1993). *An Introduction to the Bootstrap*. Chapman & Hall, New York.
- Ekstrom, C. (2015). Package **MESS**: Miscellaneous esoteric statistical scripts.
- Elsner, J. and Tsonsis, A. (2010). *Singular Spectrum Analysis*. Plenum Press, New York.
- Falconer, K. (2014). *Fractal Geometry: Mathematical Foundations and Applications* (3rd edn). Wiley, Chichester.
- Fama, E. (1970). Efficient capital markets: a review of theory and empirical work. *Journal of Finance*, **25**, 383–417.
- Feder, G. (1979). Pesticides, information, and pest management under uncertainty. *American Journal of Agricultural Economics*, **61**, 97–103.
- Feigenbaum, M. J. (1979). The universal metric properties of nonlinear transformations. *Journal of Statistical Physics*, **21**, 669–706.
- Friedman, J., Hastie, T., Simon, N., and Tibshirani, R. (2015). Package **glmnet**: Lasso and elastic-net regularized generalized linear models.
- Geman, D. and Geman, S. (2016). Science in the age of selfies. *Proceedings of the National Academy of Sciences of the USA*, **113**, 9384–9387.
- Ghil, M., Allen, M., Dettinger, M., Ide, K., Kondrashov, D., Mann, M., Robertson, A., Saunders, A., Tian, Y., Varadi, F., and Yiou, P. (2001). Advanced spectral methods for climatic time series. *Reviews of Geophysics*, **40**, 1–41.
- Giannerini, S. (2012). The quest for nonlinearity in time series. In *Handbook of Statistics: Time Series* (ed. T. Subba Rao, S. Subba Rao, and C. Rao), Volume 30, pp. 43–63. Elsevier, Oxford.
- Giannerini, S. (2015). Package **tseriesEntropy**: Entropy based analysis and tests for time series.
- Giannerini, S., Maasoumi, E., and Bee Dagum, E. (2007a). Entropy testing for

- nonlinearity in time series. *Bulletin of the International Statistical Institute* (56th session), 3620–3623.
- Giannerini, S., Maasoumi, E., and Bee Dagum, E. (2015). Entropy testing for nonlinear serial dependence in time series. *Biometrika*, **102**, 661–675.
- Giannerini, S. and Rosa, R. (2002). Caos, statistica e metodi di ricampionamento. *Statistica*, **62**, 359–378.
- Giannerini, S., Rosa, R., and Gonzalez, D. L. (2007b). Testing chaotic dynamics in systems with two positive Lyapunov exponents: a bootstrap solution. *International Journal of Bifurcation and Chaos*, **17**, 169–182.
- Gilleland, E. and Katz, R. W. (2013). in2extRemes: Into the R package extRemes – extreme value analysis for weather and climate applications. National Center for Atmospheric Research, Technical Note NCAR/TN-523+STR.
- Gilmore, C. G. (1993). A new test for chaos. *Journal of Economic Behaviour and Organization*, **22**, 209–237.
- Glendinning, P. (1994). *Stability, Instability and Chaos: An Introduction to the Theory of Nonlinear Differential Equations*. Cambridge University Press, Cambridge.
- Gnedenko, B. V. and Kolmogorov, A. N. (1954). *Limit Distributions for Sums of Independent Random Variables*. Addison-Wesley, Cambridge, MA.
- Golyandina, N., Nekrutkin, V., and Zhigljavsky, A. (2001). *Analysis of Time Series Structure*. Chapman & Hall/CRC, New York.
- Gonzalez, D. L., Giannerini, S., and Rosa, R. (2006). Detecting structure in parity binary sequences: Error correction and detection in DNA. *IEEE Engineering in Medicine and Biology Magazine*, **25**(1), 69–81.
- Gonzalez, D. L., Giannerini, S., and Rosa, R. (2008). Strong short-range correlations and dichotomic codon classes in coding DNA sequences. *Physical Review E*, **78**, 051918.
- Gotoda, H. and Kobayashi, H. (2017). Chaotic dynamics of a swirling flame front instability generated by a change in gravitational orientation. *Physical Review E*, **95**, 022201.
- Gottlieb, S., Mackenzie, P. B., Thacker, H. B., and Weingarten, D. (1986). Hadronic coupling constants in lattice gauge theory. *Nuclear Physics B*, **263**, 704–730.
- Gouesbet, G. and Maquet, J. (1992). Construction of phenomenological models from numerical scalar time series. *Physica D*, **58**, 202–215.
- Granger, C. (1969). Investigating causal relations by econometric models and cross spectral methods. *Econometrica*, **37**, 424–438.
- Granger, C. W., Maasoumi, E., and Racine, J. (2004). A dependence metric for possibly nonlinear processes. *Journal of Time Series Analysis*, **25**, 649–669.
- Grassberger, P. and Procaccia, I. (1983a). Characterization of strange attractors. *Physical Review Letters*, **50**, 346–349.
- Grassberger, P. and Procaccia, I. (1983b). Measuring the strangeness of strange attractors. *Physica D*, **9**, 189–208.
- Grayling, M. (2015). Package `phaseR`: Phase plane analysis of one- and two-dimensional autonomous ODE systems.
- Grebogi, C., Hammel, S. M., Yorke, J. A., and Sauer, T. (1990). Shadowing of physical trajectories in chaotic dynamics: containment and refinement. *Physical*

- Review Letters*, **65**, 1527–1530.
- Greco, G., Rosa, R., Beskin, G., Karpov, S., Romano, L., Guarnieri, A., Bartolini, C., and Bedogni, R. (2011). Evidence of deterministic components in the apparent randomness of GRBs: clues of a chaotic dynamic. *Scientific Reports (Nature)*, **1**, Article 91.
- Grenfell, B., Bjørnstad, O., and Finkenstädt, O. (2002). Dynamics of measles epidemics: scaling noise, determinism, and predictability with the TSIR model. *Ecological Monographs*, **72**, 185–202.
- Gross, D. J. (1996). The role of symmetry in fundamental physics. *Proceedings of the National Academy of Sciences of the USA*, **93**, 14256–14259.
- Haack, S. (1999). Defending science – within reason. *Principia*, **3**(2), 187–211.
- Hassani, H. (2007). Singular spectrum analysis: methodology and comparison. *Journal of Data Science*, **5**, 239–257.
- Heathcote, A. and Elliott, D. (2011). Nonlinear dynamic analysis of noisy time series. In *Nonlinear Dynamical Systems Analysis for the Behavioral Sciences Using Real Data* (ed. S. Guastello and R. Gregson), pp. 103–134. CRC Press, Boca Raton, FL.
- Hegger, R., Kantz, H., and Schreiber, T. (1999). Practical implementation of nonlinear time series methods: The TISEAN package. *Chaos*, **9**, 413–435.
- Hentschel, H. G. E. and Procaccia, I. (1983). The infinite number of generalized dimensions of fractals and strange attractors. *Physica D*, **8**, 435–444.
- Hilborn, R. and Mangel, M. (1997). *The Ecological Detective: Confronting Models with Data*. Princeton University Press, Princeton, NJ.
- Hirsch, M., Smale, S., and Devaney, R. (2004). *Differential Equations, Dynamical Systems, and an Introduction to Chaos*. Academic Press, San Diego.
- Hofstadter, D. R. (1981). Strange attractors: mathematical patterns delicately poised between order and chaos. *Scientific American*, **245**(November), 22–43.
- Horan, B. (1994). The statistical character of evolutionary theory. *Philosophy of Science*, **61**, 76–95.
- Hornberger, G. and Spear, R. (1981). An approach to the preliminary analysis of environmental systems. *Journal of Environmental Management*, **12**, 7–18.
- Hotelling, H. (1933). Analysis of a complex of statistical variables into principal components. *Journal of Educational Psychology*, **24**, 417–441, 498–520.
- Huffaker, R. (2015). Building economic models corresponding to the real world. *Applied Economic Perspectives and Policy*, **37**, 537–552.
- Huffaker, R., Canavari, M., and Munoz-Carpena, R. (2016a). Distinguishing between endogenous and exogenous price volatility in food security assessment: An empirical nonlinear dynamics approach. *Agricultural Systems* (in press). doi:10.1016/j.agss.2016.09.019.
- Huffaker, R., Munoz-Carpena, R., Campo-Bescos, M., and Southworth, J. (2016b). Demonstrating correspondence between decision-support models and dynamics of real-world environmental systems. *Environmental Modeling and Software*, **83**, 74–87.
- Hyndman, R. and Fan, Y. (1996). Sample quantiles in statistical packages. *American Statistician*, **50**, 361–365.
- Ide, T. and Inoue, K. (2005). Knowledge discovery from heterogeneous dynamic sys-

- tems using change point correlations. In *Proceedings of 2005 SIAM International Conference on Data Mining (SDM 05)*, Newport Beach, CA (ed. H. Kargupta, J. Srivastava, C. Kamath, and A. Goodman), pp. 571–576. SIAM, Philadelphia.
- Itoh, N. and Kurths, J. (2011). Change-point detection based on ssa in precipitation time series. In *Intelligent Automation and Systems Engineering* (ed. S. Ao, M. Amouzega, M. Rieger, and B. Burghard), Lecture Notes in Electrical Engineering, Volume 103, pp. 285–293. Springer, Berlin.
- Itoh, N. and Marwan, N. (2013). An extended singular spectrum analysis transformation (SST) for the investigation of Kenyan precipitation data. *Nonlinear Processes in Geophysics*, **20**, 467–481.
- Jolliffe, I. T. (2002). *Principal Component Analysis* (2nd edn). Springer, New York.
- Kahle, D. (2015). Package `mpoly`: Symbolic computation and more with multivariate polynomials.
- Kantz, H. (1994). A robust method to estimate the maximal Lyapunov exponent of a time series. *Physics Letters A*, **185**, 77–87.
- Kantz, H. and Schreiber, T. (1997). *Nonlinear Time Series Analysis*. Cambridge University Press, Cambridge.
- Kaplan, D. and Glass, L. (1995). *Understanding Nonlinear Dynamics*. Springer, New York.
- Katz, R. (2010). Statistics of extremes in climate change. *Climate Change*, **100**, 71–76.
- Katz, R., Brush, G., and Parlange, M. (2005). Statistics of extremes: modeling ecological disturbances. *Ecology*, **86**, 1124–1134.
- Kennel, M., Brown, R., and Abarbanel, H. D. I. (1992). Determining embedding dimension for phase-space reconstruction using a geometrical construction. *Physical Review A*, **45**, 3403–3411.
- Korobeynikov, A., Shlemov, A., Usevich, K., and Golyandina, N. (2015). Package `Rssa`: A collection of methods for singular spectrum analysis.
- Kot, M., Schaffer, W., Truty, G., Graser, D., and Olsen, L. (1988). Changing criteria for imposing order. *Ecological Modeling*, **43**, 75–110.
- Kowalski, A., Martin, M., Plastino, A., and Judge, G. (2012). On extracting probability distribution information from time series. *Entropy*, **14**, 1829–1841.
- Kugiumtzis, D. (1999). Test your surrogate data before you test for nonlinearity. *Physical Review E*, **60**, 2808–2816.
- Kugiumtzis, D. (2001). On the reliability of the surrogate data test for nonlinearity in the analysis of noisy time series. *International Journal of Bifurcation and Chaos*, **11**, 1881–1896.
- Kugiumtzis, D. (2002). Surrogate data test on time series. In *Modelling and Forecasting Financial Data, Techniques of Nonlinear Dynamics* (ed. A. Soofi and L. Cao), pp. 267–282. Springer, New York.
- Kuhn, T. S. (1962). *The Structure of Scientific Revolutions*. University of Chicago Press, Chicago.
- Lahiri, S. N. (2003). *Resampling Methods for Dependent Data*. Springer, New York.
- Lenton, T. and Livina, V. (2016). Detecting and anticipating climate tipping points. In *Extreme Events: Observations, Modeling, and Economics* (ed. M. Chavez,

- M. Ghil, and J. Urrutia-Fucugauchi), AGU Geophysical Monograph Series, Volume 214, pp. 51–62. Wiley, Hoboken, NJ.
- Li, T.-Y. and Yorke, J. A. (1975). Period three implies chaos. *American Mathematical Monthly*, **82**, 985–992.
- Liebovitch, L. S. (1998). *Fractals and Chaos Simplified for the Life Sciences*. Oxford University Press, New York.
- Livina, V., Kwasniok, F., Lohmann, G., Kantelhardt, J., and Lenton, T. (2011). Changing climate states and stability: from Pliocene to present. *Climate Dynamics*, **37**, 2437–2453.
- Lorenz, E. N. (1963). Deterministic nonperiodic flow. *Journal of the Atmospheric Sciences*, **20**, 130–141.
- Lorenz, E. N. (1995). *The Essence of Chaos* (2nd edn). University of Washington Press, Seattle.
- Maasoumi, E. and Racine, J. (2002). Entropy and predictability of stock market returns. *Journal of Econometrics*, **107**, 291–312.
- Mandelbrot, B. (1982). *The Fractal Geometry of Nature*. Freeman, San Francisco.
- Mañé, R. (1981). On the dimension of the compact invariant set of certain non-linear maps. In *Dynamical Systems and Turbulence: Proceedings of a Symposium Held at the University of Warwick 1979/80* (ed. D. A. Rand and L.-S. Young), pp. 230–242. Springer, Berlin.
- Marwan, N. (2008). A historical review of recurrence plots. *European Physical Journal, Special Topics*, **164**, 3–12.
- Marwan, N. (2011). How to avoid potential pitfalls in recurrence plot based data analysis. *International Journal of Bifurcation and Chaos*, **21**, 1003–1017.
- Marwan, N. and Kurths, J. (2002). Nonlinear analysis of bivariate data with cross recurrence plots. *Physics Letters A*, **302**, 299–307.
- Marwan, N. and Kurths, J. (2004). Cross recurrence plots and their applications. In *Mathematical Physics Research at the Cutting Edge* (ed. C. V. Benton), pp. 101–139. Nova Science Publishers, Hauppauge, NY.
- Marwan, N., Romano, M. C., Thiel, M., and Kurths, J. (2007). Recurrence plots for the analysis of complex systems. *Physics Reports*, **438**, 237–329.
- Marwan, N. and Webber, C. L. Jr. (2015). Mathematical and computational foundations of recurrence quantifications. In *Understanding Complex Systems: Recurrence Quantification Analysis – Theory and Best Practices* (ed. C. L. Webber Jr. and N. Marwan), pp. 3–43. Springer, Cham, Switzerland.
- Marwan, N., Wessel, N., Meyerfeldt, U., Schirdewan, A., and Kurths, J. (2002). Recurrence-plot-based measures of complexity and their application to heart-rate-variability data. *Physical Review E*, **66**, 026702.
- McCaffrey, D. F., Ellner, S., Gallant, A. R., and Nychka, D. W. (1992). Estimating the Lyapunov exponent of a chaotic system with nonparametric regression. *Journal of the American Statistical Association*, **87**, 682–695.
- McGuinness, M. (1983). The fractal dimension of the Lorenz attractor. *Physics Letters A*, **99**, 5–9.
- McSharry, P. (2011). The danger of wishing for chaos. In *Nonlinear Dynamical Systems Analysis for the Behavioral Sciences Using Real Data* (ed. S. Guastello and

- R. Gregson), pp. 539–558. CRC Press, Boca Raton, FL.
- Medina, M. (2016). R code for animation of a 3D attractor. PhD Thesis, University of Florida.
- Metropolis, N., Rosenbluth, A. W., Rosenbluth, M. N., Teller, A. H., and Teller, E. (1953). Equations of state calculations by fast computing machine. *Journal of Chemical Physics*, **21**, 1087–1091.
- Mignani, S. and Rosa, R. (2001). Markov chain Monte Carlo in statistical mechanics: the problem of accuracy. *Technometrics*, **43**, 347–355.
- Minsky, H. (1992). The financial instability hypothesis. Levy Economics Institute of Bard College, Working Paper No. 74.
- Moskvina, V. and Zhigljavsky, A. (2003). An algorithm based on singular spectrum analysis for change-point detection. *Communications in Statistics*, **32**, 319–353.
- Muir, J. (1911). *My First Summer in the Sierra*. Houghton Mifflin, Boston.
- Nash, J. and Sutcliffe, J. (1970). River flow forecasting through conceptual models,: Part I – A discussion of principles. *Journal of Hydrology*, **70**, 90255–90256.
- Nychka, D. W., Ellner, S., Gallant, A. R., and McCaffrey, D. F. (1992). Finding chaos in noisy systems. *Journal of the Royal Statistical Society, Series B*, **54**, 399–426.
- Odum, E. (1953). *Fundamentals of Ecology*. W. B. Saunders, Philadelphia.
- Oreskes, N., Shrader-Frechette, K., and Belitz, K. (1994). Verification, validation, and confirmation of numerical models in the earth sciences. *Science*, **263**, 641–646.
- Osborne, A. R. and Provenzale, A. (1989). Finite correlation dimension for stochastic systems with power-law spectra. *Physica D*, **35**, 357–381.
- Oseledec, V. L. (1968). A multiplicative ergodic theorem: Lyapunov characteristic numbers for dynamical systems. *Transactions of the Moscow Mathematical Society*, **19**, 197–231.
- Ott, E. (2002). *Chaos in Dynamical Systems* (2nd edn). Cambridge University Press, Cambridge.
- Packard, N. H., Crutchfield, J. P., Farmer, J. D., and Shaw, R. S. (1980). Geometry from time series. *Physical Review Letters*, **45**, 712–716.
- Pearson, K. (1901). On lines and planes of closest fit to systems of points in space. *Philosophical Magazine*, **2**, 559–572.
- Poincaré, J. H. (1890). Sur le problème des trois corps et les équations de la dynamique. *Acta Mathematica*, **13**, 1–271.
- Poincaré, J. H. (1952). Analyse des travaux scientifiques faite par Henry Poincaré. In *Oeuvres de Henry Poincaré*, tome 7. Gauthier-Villars, Paris.
- Politis, D. N. (2003). The impact of bootstrap methods on time series analysis. *Statistical Science*, **11**, 219–230.
- Provenzale, A., Smith, L. A., Vio, R., and Murante, G. (1992). Distinguishing between low-dimensional dynamics and randomness in measured time series. *Physica D*, **58**, 31–49.
- PSMSL (2016). Permanent Service for Mean Sea Level. <http://www.psmsl.org/data/obtaining/stations/316.php> (accessed August 2016).
- Ritter, A. and Munoz-Carpena, R. (2013). Performance evaluation of hydrologic models: statistical significance for reducing subjectivity in goodness-of-fit assessments. *Journal of Hydrology*, **480**, 33–45.

- Rohani, P., Green, C., Manitlla-Beniers, N., and Grenfell, B. (2003). Ecological interference between fatal diseases. *Nature*, **422**, 885–888.
- Romano, M., Thiel, M., Kurths, J., and von Bloh, W. (2004). Multivariate recurrence plots. *Physics Letters A*, **330**, 214–223.
- Rosenstein, M. T., Collins, J. J., and DeLuca, C. J. (1993). A practical method for calculating largest Lyapunov exponents from small data sets. *Physica D*, **65**, 117–134.
- Rössler, O. E. (1976). An equation for continuous chaos. *Physics Letters A*, **57**, 397–398.
- Saha, P. and Strogatz, S. H. (1995). The birth of period three. *Mathematics Magazine*, **68**, 42–47.
- Saltelli, A. and Funtowicz, S. (2014). When all models are wrong. *Issues in Science and Technology* (Winter 2014), 79–85.
- Sano, M. and Sawada, Y. (1985). Measurement of the Lyapunov spectrum from a chaotic time series. *Physical Review Letters*, **55**, 1082–1085.
- Sauer, T., Yorke, J. A., and Casdagli, M. (1991). Embedology. *Journal of Statistical Physics*, **65**, 579–616.
- Schaffer, W. and Kot, M. (1985). Nearly one dimensional dynamics in an epidemic. *Journal of Theoretical Biology*, **112**, 403–427.
- Schreiber, T. (1997). Detecting and analyzing nonstationarity in a time series with nonlinear cross predictions. *Physical Review Letters*, **78**, 843–846.
- Schreiber, T. (1999). Interdisciplinary application of nonlinear time series methods. *Physics Reports*, **308**, 1–64.
- Schreiber, T. and Schmitz, A. (2000). Surrogate time series. *Physica D*, **142**, 346–382.
- Shannon, C. E. (1948). A mathematical theory of communication. *Bell System Technical Journal*, **27**, 379–423.
- Small, M. and Tse, C. (2003). Detecting determinism in time series: The method of surrogate data. *IEEE Transactions on Circuits and Systems*, **50**, 663–672.
- Soetaert, K., Petzoldt, T., and Setzer, R. (2016). Package deSolve: Solvers for initial value problems of differential equations.
- Sprott, J. (2016). Lyapunov exponent and dimension of the lorenz attractor. <http://sprott.physics.wisc.edu/chaos/lorenzle.htm> (accessed December 2016).
- Sugihara, G., May, R., Hao, Y., Chih-hao, H., Deyle, E., and Fogarty, M. (2012). Detecting causality in complex ecosystems. *Science*, **338**, 496–500.
- Takens, F. (1981). Detecting strange attractors in turbulence. In *Dynamical Systems and Turbulence: Proceedings of a Symposium Held at the University of Warwick 1979/80* (ed. D. A. Rand and L.-S. Young), pp. 366–381. Springer, Berlin.
- Takens, F. (1985). On the numerical determination of the dimension of an attractor. In *Dynamical Systems and Bifurcations* (ed. B. L. J. Braaksma, H. W. Broer, and F. Takens), Lecture Notes in Mathematics, Volume 1125, pp. 99–106. Springer, Berlin.
- Theiler, J. (1986). Spurious dimension from correlation algorithms applied to limited time series data. *Physical Review A*, **34**, 2427–2432.
- Theiler, J. (1990). Estimating the fractal dimension of chaotic time series. *Lincoln Laboratory Journal*, **3**, 63–86.

- Theiler, J., Eubank, S., Longtin, A., Galdrikian, B., and Farmer, J. (1992). Testing for nonlinearity in time series: The method of surrogate data. *Physica D*, **58**, 77–94.
- Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society, Series B*, **58**, 267–288.
- Tribus, M. and McIrvine, E. C. (1971). Energy and information. *Scientific American*, **225**(September), 179–188.
- Trulla, L. L., Giuliani, A., Zbilut, J. P., and Webber, C. L. Jr. (1996). Recurrence quantification analysis of the logistic equation with transients. *Physics Letters A*, **223**, 255–260.
- US Congress Subcommittee on Science and Technology (2010). *Building a Science of Economics for the Real World: Hearing before the Subcommittee on Investigations and Oversight, Committee on Science and Technology, House of Representatives, One Hundred Eleventh Congress, second session, July 20, 2010*. US Government Printing Office, Washington, DC.
- Uusitalo, L., Lehtinen, A., Helle, I., and Myrberg, K. (2015). An overview of methods to evaluate uncertainty of deterministic models in decision support. *Environmental Modeling and Software*, **63**, 24–31.
- Vautard, R. (1999). Patterns in time: Ssa and mssa in analysis of climate. In *Analysis of Climate Variability* (ed. H. von Storch and A. Navarra). Springer, New York.
- von Plato, J. (1994). *Creating Modern Probability*. Cambridge University Press.
- Warnes, G. R., Bolker, B., Bonebakker, L., Gentleman, R., Liaw, W. H. A., Lumley, T., Maechler, M., Magnusson, Arni., Moeller, S., Schwartz, M., and Venables, B. (2016). Package **gplots**: Various R programming tools for plotting data.
- Webber, C. L. Jr. and Zbilut, J. P. (1994). Dynamical assessment of physiological systems and states using recurrence plot strategies. *Journal of Applied Physiology*, **76**, 965–973.
- Williams, G. (1997). *Chaos Theory Tamed*. John Henry Press, Washington, DC.
- Wolf, A., Swift, J. B., Swinney, H. L., and Vastano, J. A. (1985). Determining Lyapunov exponents from a time series. *Physica D*, **16**, 285–317.
- Xie, Y. (2017). Package **animation**: A gallery of animations in statistics and utilities to create animations.
- Ye, H., Deyle, E., Gilarranz, L., and Sugihara, G. (2015). Distinguishing time-delayed causal interactions using convergent cross mapping. *Scientific Reports (Nature)*, **5**, Article 14750.
- Zbilut, J. P., Giuliani, A., and Webber, C. L. Jr. (1998). Detecting deterministic signals in exceptionally noisy environments using cross-recurrence quantification. *Physics Letters A*, **246**, 122–128.
- Zbilut, J. P. and Webber, C. L. Jr. (1992). Embeddings and delays as derived from quantification of recurrence plots. *Physics Letters A*, **171**, 199–203.
- Zou, H. (2006). The adaptive lasso and its oracle properties. *Journal of the American Statistical Association*, **101**, 1418–1429.