

References

- [1] Adelson, EH and Bergen, JR. Spatiotemporal energy models for the perception of motion. *J Opt Soc America A*, 2(2):284–299, 1985.
- [2] Adrian, ED. The impulses produced by sensory nerve endings: Part I. *J Physiology*, 61:49–72, 1926.
- [3] Alexander, RM. *Optima for Animals*. Princeton University Press, 1996.
- [4] Atick, JJ. Could information theory provide an ecological theory of sensory processing? *Network: Computation in Neural Systems*, 3(2):213–251, 1992.
- [5] Atick, JJ, Li, Z, and Redlich, AN. Understanding retinal color coding from first principles. *Neural Computation*, 4(4):559–572, 1992.
- [6] Atick, JJ and Redlich, AN. Towards a theory of early visual processing. *Neural Computation*, 2(3):308–320, 1990.
- [7] Atick, JJ and Redlich, AN. What does the retina know about natural scenes? *Neural Computation*, 4(2):196–210, 1992.
- [8] Attneave, F. Some informational aspects of visual perception. *Psychological Review*, pages 183–193, 1954.
- [9] Attwell, D and Laughlin, SB. An energy budget for signaling in the grey matter of the brain. *J Cerebral Blood Flow and Metabolism*, 21(10):1133–1145, 2001.
- [10] Baddeley, R, Abbott, LF, Booth, MCA, Sengpiel, F, Freeman, T, Wakeman, EA, and Rolls, ET. Responses of neurons in primary and inferior temporal visual cortices to natural scenes. *Proc Royal Society London B*, 264:1775–1783, 1997.
- [11] Bair, W. *Analysis of Temporal Structure in Spike Trains of Visual Cortical Area MT*. PhD thesis, California Institute of Technology, 1996.
- [12] Balasubramanian, V. Heterogeneity and efficiency in the brain. *Proc IEEE*, 103(8):1346–1358, 2015.
- [13] Balasubramanian, V and Sterling, P. Receptive fields and functional architecture in the retina. *J Physiology*, 587(12):2753–2767, 2009.
- [14] Barlow, HB. Sensory mechanisms, the reduction of redundancy, and intelligence. In Blake, DV and Utley, AM, editors, *Proc Symp Mechanisation of Thought Processes, Vol 2*. HM Stationery Office, 1959.
- [15] Barlow, HB. Possible principles underlying the transformations of sensory messages. *Sensory Communication*, pages 217–234, 1961.
- [16] Barlow, HB, Fitzhugh, R, and Kuffler, SW. Change of organization in the receptive fields of the cat's retina during dark adaptation. *J Physiology*, 137:338–354, 1957.
- [17] Bell, AJ and Sejnowski, TJ. An information-maximization approach to blind separation and blind deconvolution. *Neural Computation*, 7:1129–1159, 1995.
- [18] Bialek, W. *Biophysics: Searching for Principles*. Princeton University Press, 2012.
- [19] Bialek, W, DeWeese, M, Rieke, F, and Warland, D. Bits and brains: Information flow in the nervous system. *Physica A: Statistical*

References

- Mechanics and its Applications*, 200(1–4):581–593, 1993.
- [20] Bogacz, R. A tutorial on the free-energy framework for modelling perception and learning. *J Mathematical Psychology*, 2015.
 - [21] Borghuis, BG, Ratliff, CP, Smith, RG, Sterling, P, and Balasubramanian, V. Design of a neuronal array. *J Neurosc.*, 28(12):3178–3189, 2008.
 - [22] Borst, A and Theunissen, FE. Information theory and neural coding. *Nature Neuroscience*, 2(11):947–957, 1999.
 - [23] Brainard, DH, Longere, P, Delahunt, PB, Freeman, WT, Kraft, JM, and Xiao, B. Bayesian model of human color constancy. *J Vision*, 6(11), 2006.
 - [24] Brendel, W, Bourdoukan, R, Vertechi, P, Machens, CK, and Denéve, S. Learning to represent signals spike by spike, 2017. arXiv:1703.03777.
 - [25] Brenner, N, Bialek, W, and de Ruyter van Steveninck, R. Adaptive rescaling maximizes information transmission. *Neuron*, 26:695–702, 2000.
 - [26] Brenner, N, Strong, SP, Koberle, R, Bialek, W, and de Ruyter van Steveninck, RR. Synergy in a neural code. *Neural Computation*, 12(7):1531–1552, 2000.
 - [27] Buchsbaum, G and Gottschalk. Trichromacy, opponent colours coding and optimum colour information transmission in the retina. *Proc Royal Society London B*, 220(1218):89–113, 1983.
 - [28] Chalk, M, Marre, O, and Tkačík, G. Toward a unified theory of efficient, predictive, and sparse coding. *Proc National Academy of Sciences USA*, 115(1):186–191, 2018.
 - [29] Charnov, EL. Optimal foraging, the marginal value theorem. *Theoretical Population Biology*, 9(2):129–136, 1976.
 - [30] Cover, TM and Thomas, JA. *Elements of Information Theory*. New York, John Wiley and Sons, 1991.
 - [31] Crumiller, M, Knight, B, and Kaplan, E. The measurement of information transmitted by a neural population: Promises and challenges. *Entropy*, 15(9):3507–3527, 2013.
 - [32] Davies, NB, Krebs, JR, and West, SA. *An Introduction to Behavioural Ecology*. Wiley, 2012.
 - [33] Dayan, P and Abbott, LF. *Theoretical Neuroscience*. MIT Press, New York, NY, USA, 2001.
 - [34] de Ruyter van Steveninck, RR and Laughlin, SB. The rate of information transfer at graded-potential synapses. *Nature*, 379(6566):642, 1996.
 - [35] Dettner, A, Münzberg, S, and Tchumatchenko, T. Temporal pairwise spike correlations fully capture single-neuron information. *Nature Communications*, 7, 2016.
 - [36] DeWeese, MR. *Optimization Principles for the Neural Code*. PhD thesis, Princeton University, 1995.
 - [37] DeWeese, MR and Bialek, W. Information flow in sensory neurons. *Il Nuovo Cimento D*, 17(7–8):733–741, 1995.
 - [38] Doi, E, Gauthier, JL, Field, GD, Shlens, J, Sher, A, Greschner, M, Machado, TA, Jepson, LH, Mathieson, K, Gunning, DE, Litke, AM, Paninski, L, Chichilnisky, EJ, and Simoncelli, EP. Efficient coding of spatial information in the primate retina. *J Neuroscience*, 32(46):16256–16264, 2012.
 - [39] Duffy, KR and Hubel, DH. Receptive field properties of neurons in the primary visual cortex under photopic and scotopic lighting conditions. *Vision Research*, 47:2569–2574, 2007.

- [40] Eliasmith, C and Anderson, CH. *Neural Engineering*. MIT Press, 2004.
- [41] Fairhall, AL, Lewen, GD, Bialek, W, and de Ruyter van Steveninck, RR. Efficiency and ambiguity in an adaptive neural code. *Nature*, 412(6849):787–792, 2001.
- [42] Faisal, AA and Laughlin, SB. Stochastic simulations on the reliability of action potential propagation in thin axons. *PLoS Comp Biol*, 3(5):e79, 2007.
- [43] Finelli, LA, Haney, S, Bazhenov, M, Stopfer, M, and Sejnowski, TJ. Synaptic learning rules and sparse coding in a model sensory system. *PLoS Comp Biology*, 4(4), 2008.
- [44] Foldiak, P and Young, M. Sparse coding in the primate cortex. In Arbib, MA (ed.), *The Handbook of Brain Theory and Neural Networks*, pages 895–898, 1995.
- [45] Frisby, JP and Stone, JV. *Seeing: The Computational Approach to Biological Vision*. MIT Press, 2010.
- [46] Gaudry, Kate S and Reinagel, Pamela. Benefits of contrast normalization demonstrated in neurons and model cells. *J Neuroscience*, 27(30):8071–8079, 2007.
- [47] Gerstner, W and Kistler, WM. *Spiking Neuron Models: Single Neurons, Populations, Plasticity*. CUP, 2002.
- [48] Goldberg, David H, Victor, Jonathan D, Gardner, Esther P, and Gardner, Daniel. Spike train analysis toolkit: enabling wider application of information-theoretic techniques to neurophysiology. *Neuroinformatics*, 7(3):165–178, 2009.
- [49] Guo, D, Shamai, S, and Verdú, S. Mutual information and minimum mean-square error in Gaussian channels. *IEEE Transactions on Information Theory*, 51(4):1261–1282, 2005.
- [50] Harris, JJ, Jolivet, R, Engl, E, and Attwell, D. Energy-efficient information transfer by visual pathway synapses. *Current Biology*, 25(24):3151–3160, 2015.
- [51] Hartline, HK. Visual receptors and retinal interaction, 1967. Nobel Lecture.
- [52] Hosoya, T, Baccus, SA, and Meister, M. Dynamic predictive coding by the retina. *Nature*, 436(7047):71–77, 2005.
- [53] Ince, RAA, Petersen, RS, Swan, DC, and Panzeri, S. Python for information theoretic analysis of neural data. *Frontiers in Neuroinformatics*, 3, 2009.
- [54] Jacobs, A L, Fridman, G, Douglas, RM, Alam, NM, Latham, PE, Prusky, GT, and Nirenberg, S. Ruling out and ruling in neural codes. *Proc National Academy of Sciences USA*, 106(14):5936–5941, 2009.
- [55] Jarvstad, A, Rushton, SK, Warren, PA, and Hahn, U. Knowing when to move on cognitive and perceptual decisions in time. *Psychological Science*, 23(6):589–597, 2012.
- [56] Johnson, EC, Jones, DL, and Ratnam, R. A minimum-error, energy-constrained neural code is an instantaneous-rate code. *J Computational Neuroscience*, 40(2):193–206, 2016.
- [57] Juusola, M, Dau, A, and Lei Z, Diana R. Electrophysiological method for recording intracellular voltage responses of *Drosophila* photoreceptors and interneurons in vivo. *JoVE*, (112), 2016.
- [58] Juusola, M and de Polavieja, GG. The rate of information transfer of naturalistic stimulation by graded potentials. *J General Physiology*, 122(2):191–206, 2003.
- [59] Koch, K, McLean, J, Berry, M, Sterling, P, Balasubramanian, V, and Freed, MA. Efficiency of information transmission by retinal ganglion

References

- cells. *Current Biology*, 14(17):1523 – 1530, 2004.
- [60] Koch, K, McLean, J, Segev, R, Freed, MA, Berry, MJ, Balasubramanian, V, and Sterling, P. How much the eye tells the brain. *Current Biology*, 16(14):1428–1434, 07 2006.
 - [61] Kostal, L, Lansky, P, and Rospars, J-P. Efficient olfactory coding in the pheromone receptor neuron of a moth. *PLoS Comp Biol*, 4(4), 2008.
 - [62] Kuffler, SW. Discharge patterns and functional organization of mammalian retina. *J Neurophysiology*, 16:37–68, 1953.
 - [63] Land, MF and Nilsson, DE. *Animal Eyes*. OUP, 2002.
 - [64] Laughlin, SB. A simple coding procedure enhances a neuron's information capacity. *Z Naturforsch*, 36c:910–912, 1981.
 - [65] Laughlin, SB. Matching coding to scenes to enhance efficiency. In Braddick, OJ and Sleigh, AC (eds), *Physical and Biological Processing of Images*, pages 42–52. Springer, Berlin, 1983.
 - [66] Laughlin, SB. Form and function in retinal processing. *Trends in Neurosciences*, 10:478–483, 1987.
 - [67] Laughlin, SB, de Ruyter van Steveninck, RR, and Anderson, JC. The metabolic cost of neural information. *Nature Neurosc*, 1(1):36–41, 1998.
 - [68] Laughlin, SB, Howard, J, and Blakeslee, B. Synaptic limitations to contrast coding in the retina of the blowfly *Calliphora*. *Proc Royal Society London B*, 231(1265):437–467, 1987.
 - [69] Lennie, P. The cost of cortical computation. *Current Biology*, 13:493–497, 2003.
 - [70] Levy, WB and Baxter, RA. Energy efficient neural codes. *Neural Computation*, 8(3):531–543, 1996.
 - [71] Linsker, R. Self-organization in perceptual network. *Computer*, pages 105–117, 1988.
 - [72] Liu, P and Cheng, B. Limitations of rotational manoeuvrability in insects and hummingbirds: evaluating the effects of neurobiomechanical delays and muscle mechanical power. *J Royal Society Interface*, 14(132):20170068, 2017.
 - [73] Liu, Y, Yue, Y, Yu, Y, Liu, L, and Yu, L. Effects of channel blocking on information transmission and energy efficiency in squid giant axons. *J Computational Neuroscience*, 44(2):219–231, 2018.
 - [74] London, M, Roth, A, Beeren, L, Häusser, M, and Latham, PE. Sensitivity to perturbations in vivo implies high noise and suggests rate coding in cortex. *Nature*, 466(7302):123, 2010.
 - [75] MacKay, DM and McCulloch, WS. The limiting information capacity of a neuronal link. *Bull. Mathematical Biophysics*, 14(2):127–135, 1952.
 - [76] Mainen, ZF and Sejnowski, TJ. Reliability of spike timing in neocortical neurons. *Science*, 268(5216):1503, 1995.
 - [77] Marr, D. *Vision: A Computational Investigation into the Human Representation and Processing of Visual Information*. MIT Press, 2010. Originally published by W.H. Freeman, 1982.
 - [78] Mather, G. *Foundations of Perception*. Taylor and Francis, 2006.
 - [79] Meister, M and Berry, MJ. The neural code of the retina. *Neuron*, 22:435–450, 1999.
 - [80] Moujahid, A, D'Anjou, A, and Graña, M. Energy demands of diverse spiking cells from the neocortex, hippocampus, and thalamus. *Frontiers in Computational Neuroscience*, 8:41, 2014.
 - [81] Nemenman, I, Shafee, F, and Bialek, W. Entropy and inference, revisited. In Dietterich, TG, Becker, S, and Ghahramani, Z (eds), *Advances in Neural Information Processing Systems 14*. MIT Press,

- 2002.
- [82] Nirenberg, S, Carcieri, SM, Jacobs, AL, and Latham, PE. Retinal ganglion cells act largely as independent encoders. *Nature*, 411(6838):698–701, June 2001.
- [83] Niven, JE, Anderson, JC, and Laughlin, SB. Fly photoreceptors demonstrate energy-information trade-offs in neural coding. *PLoS Biology*, 5(4), 03 2007.
- [84] Nyquist, H. Certain topics in telegraph transmission theory. *Proc IEEE*, 90(2):280–305, 1928.
- [85] Oja, E. Oja learning rule. *Scholarpedia*, 3(3):3612, 2008.
- [86] Pajevic, S and Basser, PJ. An optimum principle predicts the distribution of axon diameters in white matter. *PLoS ONE*, 8(1), 2013.
- [87] Park, M and Pillow, JW. Bayesian efficient coding, 2017. bioRxiv:178418.
- [88] Perge, JA, Koch, K, Miller, R, Sterling, P, and Balasubramanian, V. How the optic nerve allocates space, energy capacity, and information. *J Neuroscience*, 29(24):7917–7928, 2009.
- [89] Perge, JA, Niven, JE, Mugnaini, E, Balasubramanian, V, and Sterling, P. Why do axons differ in caliber? *J Neuroscience*, 32(2):626–638, 2012.
- [90] Persi, E, Hansel, D, Nowak, L, Barone, P, and van Vreeswijk, C. Power-law input-output transfer functions explain the contrast-response and tuning properties of neurons in visual cortex. *PLoS Comp Biol*, 7(2):e1001078, 02 2011.
- [91] Pitkow, X and Meister, M. Decorrelation and efficient coding by retinal ganglion cells. *Nature Neuroscience*, 15(4):628–635, 04 2012.
- [92] Plumley, MD. Efficient information transfer and anti-Hebbian neural networks. *Neural Networks*, 6:823–833, 1993.
- [93] Plumley, MD and Fallside, F. The effect of receptor signal-to-noise levels on optimal filtering in a sensory system. In *Acoustics, Speech, and Signal Processing (ICASSP) 1991*, pages 2321–2324. IEEE, 1991.
- [94] Rajan, K and Bialek, W. Maximally informative ‘stimulus energies’ in the analysis of neural responses to natural signals. *PLoS ONE*, 8(11):e71959, 2013.
- [95] Rao, RPN and Ballard, DH. Predictive coding in the visual cortex: a functional interpretation of some extra-classical receptive-field effects. *Nature Neuroscience*, 2:79–87, 1999.
- [96] Reza, FM. *Information Theory*. New York, McGraw-Hill, 1961.
- [97] Rieke, F, Bodnar, DA, and Bialek, W. Naturalistic stimuli increase the rate and efficiency of information transmission by primary auditory afferents. *Proc Royal Society London B*, 262(1365):259–265, 1995.
- [98] Rieke, F, Warland, D, de Ruyter van Steveninck, RR, and Bialek, W. *Spikes: Exploring the Neural Code*. MIT Press, Cambridge, MA, 1997.
- [99] Riley, KF, Hobson, MP, and Bence, SJ. *Mathematical Methods for Physics and Engineering*. Cambridge University Press, 2006.
- [100] Ruderman DL, Cronin, TW and Chiao, C. Statistics of cone responses to natural images: implications for visual coding. *J Optical Society of America*, 15:2036–2045, 1998.
- [101] Saul, AB and Humphrey, AL. Spatial and temporal response properties of lagged and nonlagged cells in cat lateral geniculate nucleus. *J Neurophysiology*, 64(1):206–224, 1990.
- [102] Schultz, SR. Signal-to-noise ratio in neuroscience. *Scholarpedia*, 2(6):2046, 2007.

References

- [103] Sengupta, B, Stemmler, MB, and Friston, KJ. Information and efficiency in the nervous system – a synthesis. *PLoS Comp Biol*, 2013.
- [104] Shannon, CE. A mathematical theory of communication. *Bell System Technical Journal*, 27:379–423, 1948.
- [105] Shannon, CE and Weaver, W. *The Mathematical Theory of Communication*. University of Illinois Press, 1949.
- [106] Sharpee, T, Rust, NC, and Bialek, W. Analyzing neural responses to natural signals: maximally informative dimensions. *Neural Computation*, 16(2):223–250, 2004.
- [107] Sharpee, TO. Computational identification of receptive fields. *Annual review of neuroscience*, 36:103–120, 2013.
- [108] Smith, EC and Lewicki, MS. Efficient auditory coding. *Nature*, 439(7079):978–982, 2006.
- [109] Smith, S. *The Scientist and Engineer’s Guide to Digital Signal Processing*. 1997. Freely available at www.dspguide.com.
- [110] Sokoloff, L. Circulation and energy metabolism of the brain. *Basic Neurochemistry*, 2:338–413, 1989.
- [111] Solomon, SG and Lennie, P. The machinery of colour vision. *Nature Reviews Neuroscience*, 8(4):276–286, 2007.
- [112] Srinivasan, MV, Laughlin, SB, and Dubs, A. Predictive coding: a fresh view of inhibition in the retina. *Proc Royal Society London B*, 216(1205):427–459, 1982.
- [113] Srinivasan, MV, Pinter, RB, and Osorio, D. Matched filtering in the visual system. *Proc Royal Society London B*, 240(1298):279–293, 1990.
- [114] Sterling, P and Laughlin, S. *Principles of Neural Design*. MIT Press, 2015.
- [115] Stone, JV. *Independent Component Analysis: A Tutorial Introduction*. MIT Press, Boston, 2004.
- [116] Stone, JV. *Vision and Brain*. MIT Press, 2012.
- [117] Stone, JV. *Information Theory: A Tutorial Introduction*. Sebtel Press, Sheffield, England, 2015.
- [118] Strong, SP, Koberle, R, de Ruyter van Steveninck, RR, and Bialek, W. Entropy and information in neural spike trains. *Physical Review Letters*, 80(1):197, 1998.
- [119] Valiant, P and Valiant, G. Estimating the unseen: Improved estimators for entropy and other properties. In *Advances in Neural Information Processing Systems*, 2013.
- [120] van Hateren, JH. Theoretical predictions of spatiotemporal receptive fields of fly LMCs, and experimental validation. *J Comparative Physiology A*, 171(2):157–170, 1992.
- [121] van Hateren, JH. A theory of maximizing sensory information. *Biological Cybernetics*, 68:23–29, 1992.
- [122] van Hateren, JH. Processing of natural time series of intensities by the visual system of the blowfly. *Vision Research*, 37(23):3407–3416, 1997.
- [123] Vincent, BT and Baddeley, RJ. Synaptic energy efficiency in retinal processing. *Vision Research*, 43(11):1285–1292, 2003.
- [124] Vincent, BT, Baddeley, RJ, Troscianko, T and Gilchrist, ID. Is the early visual system optimised to be energy efficient? *Network*, 16, 17–90, 2005.
- [125] Wei, X and Stocker, AA. Mutual information, Fisher information, and efficient coding. *Neural Computation*, 28(2):305–326, 2016.
- [126] Zhaoping, L. *Understanding Vision: Theory, Models, and Data*. OUP Oxford, 2014.