

LITERATURA

1. Agathokleous M, Chaveeva P, Poon LCY, et al. Meta-analysis of second trimester markers for trisomy 21. *Ultrasound Obstet Gynecol.* 2013;41:247–261.
2. AIUM practice guideline for the performance of fetal echocardiography. *J Ultrasound Med.* 2011;30(1):127–131.
3. Albermann ED, Creasy MR. Frequency of chromosomal abnormalities in miscarriages and perinatal death. *J Med Genet.* 1977;14:313.
4. Allan AD, Gutgesell HP, Clark EB, et al., editors. *Moss and Adam's Heart disease in Infants, Children and Adolescents.* Philadelphia: Lippincott Williams & Wilkins; 2001.
5. Allan L, Dangel J, Fesslova V, et al. Recommendation of the AEPC. Recommendations for the practice of fetal cardiology in Europe. *Cardiol Young.* 2004;14:109–114.
6. Amark KM, Karamlou T, O'Carroll A, et al. Independent factors associated with mortality, reintervention, and achievement of complete repair in children with pulmonary atresia with ventricular septal defect. *J Am Coll Cardiol.* 2006;47(7):1448–1456.
7. American College of Obstetricians and Gynecologists Committee on Genetics. Committee Opinion No. 545: Noninvasive prenatal testing for fetal aneuploidy. *Obstet Gynecol.* 2012;120(6):1532–1534.
8. Aubard Y, Derouineau I, Aubard V, et al. Primary fetal hydrothorax: a literature review and proposed antenatal clinical strategy. *Fetal Diagn Ther.* 1998;3:325–333.
9. Baird PA, Anderson TW, New Combe HB, et al. Genetic disorders in children and young adults: a population study. *Am J Hum Genet.* 1988;42:677.
10. Bakker M, Pajkrt E, Bilardo CM. Increased nuchal translucency with normal karyotype and anomaly scan: What next? *Best Pract Res Clin Obstet Gynaecol.* 2014;28(3):355–366.
11. Bastos R, Ramalho C, Dória S. Prevalence of chromosomal abnormalities in spontaneous abortions or fetal death. *Act Med Port.* 2014;27(1):42–48.
12. Benn P, Borrell A, Cuckle H, et al. Prenatal detection of Down syndrome using massively parallel sequencing (MPS): a rapid response statement from a committee on behalf of the Board of the International Society for Prenatal Diagnosis. *Prenat Diagn.* 2011;32(1):1–2.
13. Bianchi DW, Platt LD, Goldberg JD, et al. On behalf of the Maternal Blood IS Source to Accurately diagnose fetal aneuploidy (MELISSA) Study Group. Genome-wide fetal aneuploidy detection by maternal plasma DNA sequencing. *Obstet Gynecol.* 2012;119(5):890–901.

14. Bianchi DW, Wilkins-Haug L. Integration of noninvasive DNA testing for aneuploidy into prenatal care: What has happened since the rubber met the road? *Clin Chem.* 2014;60(1):78–87.
15. Bilardo CM, Muller MA, Pajkrt E. Increased nuchal translucency parental reassurance. *Ultrasound Obstet Gynecol.* 2007;30(1):11–18.
16. Bonnet D, Coltri A, Butera G, et al. Detection of transposition of the great arteries in fetuses reduces neonatal morbidity and mortality. *Circulation* 1999;99:916–918.
17. Borenstein M, Cavoretto P, Allan L, et al. Aberrant right subclavian artery at 11 + 0 to 13 + 6 weeks of gestation in chromosomally normal and abnormal fetuses. *Ultrasound Obstet Gynecol.* 2008;31:20–24.
18. Borenstein M, Persico N, Dagklis T, et al. Frontomaxillary facial angle in fetuses with trisomy 13 at 11 + 0 to 13 + 6 weeks. *Ultrasound Obstet Gynecol.* 2007;30(6):819–823.
19. Borenstein M, Persico N, Kagan KO, et al. Frontomaxillary facial angle in screening for trisomy 21 at 11 + 0 to 13 + 6 weeks. *Ultrasound Obstet Gynecol.* 2008;32(1):5–11.
20. Borenstein M, Persico N, Strobl I, et al. Frontomaxillary and mandibulomaxillary facial angles at 11 + 0 to 13 + 6 weeks in fetuses with trisomy 18. *Ultrasound Obstet Gynecol.* 2007;30(7):928–933.
21. Bronshtein M, Blazer S, Zimmer EZ. The gastrointestinal tract and abdominal wall. In: Callen PW., editor. *Ultrasonography in Obstetrics and Gynecology*. Philadelphia, PA: Saunders Elsevier; 2008;587–639.
22. Canick JA, Palomaki GE, Kloza EM, et al. The impact of maternal plasma DNA fetal fraction on next generation sequencing tests for common fetal aneuploidies. *Prenat Diagn.* 2013;33(7):667–674.
23. Carvalho JS, Moscoso G, Ville Y. First trimester transabdominal fetal echocardiography. *Lancet.* 1998;165:1023–1027.
24. Carvalhaes LS, Gervásio OL, Gautimosin C, et al. Collagen XVIII/endostatin is associated with the epithelial – mesenchymal transformation in the atrioventricular valves during cardiac development. *Dev Dynamics.* 2006;255:132–142.
25. Carvalho JS, Allan LD, Chaoui R, et al. ISUOG Practice Guidelines (updated): sonographic screening examination of the fetal heart. *Ultrasound Obstet Gynecol.* 2013;41(3):348–359.
26. Cicero S, Curcio P, Papageorghiou A, et al. Absence of nasal bone in fetuses with trisomy 21 at 11–14 weeks of gestation: an observational study. *Lancet.* 2001;358:1665–1667.
27. Cicero S, Rembouskos G, Vandecruys H, et al. Likelihood ratio for trisomy 21 in fetuses with absent nasal bone at the 11–14 weeks scan. *Ultrasound Obstet Gynecol.* 2004;23:218–223.
28. Costello JM, Franklin WH. Preoperative and postoperative care of the infant with critical congenital heart disease. In: MacDonald MH, Seshia MMK, Mullett MD. Avery's Neonatology. 6th ed. Lippincot Williams & Wilkins; 2005; 710–767.
29. Cuckle H. Down's syndrome screening in twins. *J Med Screen.* 1998;5(1):3–4.

30. Cuneo BF, Curran LF, Davis N, Elrad H. Trends in prenatal diagnosis of critical cardiac defects in an integrated obstetric and pediatric cardiac imaging center. *J Perinatol.* 2004;24:674–678.
31. Cuypers JA, Witsenburg M, van der Linde D, Roos-Hesselink JW. Pulmonary stenosis: update on diagnosis and therapeutic options. *Heart.* 2013;99(5):339–347.
32. De Leon-Luis J, Santolaya J, Gamez F, et al. Sonographic thymic measurements in Down syndrome fetuses. *Prenat Diagn.* 2011;31:841–845.
33. Deprest J, Nicolaides KH, Done E, et al. Technical aspects of fetal endoscopic tracheal occlusion for congenital diaphragmatic hernia. *J Pediatr Surg.* 2011;46:22–32.
34. Donofrio MT, Moon-Grady AJ, Hornberger LK, et al. American Heart Association Adults With Congenital Heart Disease Joint Committee of the Council on Cardiovascular Disease in the Young and Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, and Council on Cardiovascular and Stroke NursingDiagnosis and Treatment of Fetal Cardiac Disease: A Scientific Statement From the American Heart Association. *Circulation.* 2014;27,129(21):2183–2242.
35. Ebrashy A, El Kateb A, Momtaz M, et al. 13 – 14-week fetal anatomy scan: a 5-year prospective study. *Ultrasound Obstet Gynecol.* 2010;35:292–296.
36. Entezami M, Albig M, Gasiorek-Wiens A, et al. Ultrasound Diagnosis of Fetal Anomalies. Georg Thieme Verlag; 2004; 8–9.
37. Evans MI, O'Brien JE, Dvorin E, et al. Similarity of insulin-dependent diabetics' and non-insulin-dependent diabetics' levels of beta hCG and unconjugated estriol with controls: no need to adjust as with alpha-fetoprotein. *J Soc Gynecol Invest.* 1996;3(1):20–22.
38. Fernbach SK, Maizels M, Conway JJ, et al. Ultrasound grading of hydro-nephrosis: introduction to the system used by the Society for Fetal Urology. *Pediatr Radiol.* 1993;23:478–480.
39. Gardiner H, Chaoui R. The fetal three-vessel and tracheal view revisited. *Semin Fetal Neonatal Med.* 2013;18(5):261–268.
40. Gil MM, Akolekar R, Quezada MS, et al. Analysis of cell-free DNA in maternal blood in screening for aneuploidies: meta-analysis. *Fetal Diagn Ther.* 2014;35(3):156–173.
41. Goetzinger KR, Cahill AG, Macones GA, et al. Echogenic bowel on second-trimester ultrasound: evaluation the risk of adverse pregnancy outcome. *Obstet Gynecol.* 2011;117:1341–1348.
42. Goldsein I, Reece EA, Yarkoni S, et al. Growth of the fetal stomach in normal pregnancies. *Obstet Gynecol.* 1987;70(4):641–4.
43. Grignon A, Filion R, Filiatrault D, et al. Urinary tract dilatation in utero: classification and clinical application. *Radiology.* 1986;160:645–647.
44. Gross RE. The Surgery of Infancy and Childhood. Philadelphia, PA: WB Saunders; 1953.
45. Hájek Z, Kulovaný E, Macek M. Základy prenatální diagnostiky. Praha: Grada Publishing; 2000. p. 169–170.
46. Haxton MM, Bell J. Fetal anatomical abnormalities and other associated factors in mid-trimester abortion and their relevance to patient counselling. *Br J Obstet Gynaecol.* 1983;90:501.

47. Herskind AM, Almind Pedersen D, Christensen K. Increased prevalence of congenital heart defects in monozygotic and dizygotic twins. *Circulation.* 2013;10;128(11):1182–1188.
48. Hučín B. Dětská kardiochirurgie. Praha: Grada Publishing; 2001.
49. Hyett J. Does nuchal translucency have a role in fetal cardiac screening? *Prenat Diagn.* 2004;24(13):1130–1135.
50. Chaloupecký V, Svobodová I, Hadačová I, et al. Coagulation profile and liver function in 102 patients after total cavopulmonary connection at mid term follow up. *Heart.* 2005;91(1):73–79.
51. Chaloupecký V. Dvojvýtoková pravá komora. In: Chaloupecký V., editor. Dětská kardiologie. Praha: Galén; 2006; 209–214.
52. Chaloupecký V. Klinické vyšetřovací metody. In: Chaloupecký V., editor. Dětská kardiologie. Praha: Galén; 2006; 37–42.
53. Chaoui R, Benoit R, Mitkowska-Wozniak H, et al. Assessment of intracranial translucency (IT) in the detection of spina bifida at the 11-13-week scan. *Ultrasound Obstet Gynecol.* 2009;34:249–252.
54. Chaoui R, Heling KS, Sarioglu N, et al. Aberrant right subclavian artery as a new cardiac sign in second- and third-trimester fetuses with Down syndrome. *Am J Obstet Gynecol.* 2005;192(1):257–263.
55. Chaoui R, Nicolaides KH. From nuchal translucency to intracranial translucency: towards the early detection of spina bifida. *Ultrasound Obstet Gynecol.* 2010;35:133–138.
56. Chervenak FA, Isaacson G, Blakemore KJ, et al. Fetal cystic hygroma. Cause and natural history. *N Engl J Med.* 1983;309:822–825.
57. Chitty LS, Douglas GA. Charts of fetal size: limb bones. *Br J Obstet Gynaecol.* 2002;109:919–929.
58. Chiu RW, Chan KC, Gao Y, et al. Noninvasive prenatal diagnosis of fetal chromosomal aneuploidy by massively parallel genomic sequencing of DNA in maternal plasma. *Proc Natl Acad Sci USA.* 2008;105(51):20458–20463.
59. Janoušek J. Poruchy srdečního rytmu. In: Chaloupecký V., editor. Dětská kardiologie. Praha: Galén; 2006; 291–314.
60. Janoušek J. Synkopa a náhlé úmrtí. In: Chaloupecký V., editor. Dětská kardiologie. Praha: Galén; 2006; 315–316.
61. Khalil A, Nicolaides KH. Fetal heart defects: potential and pitfalls of first-trimester detection. *Semin Fetal Neonatal Med.* 2013;18(5):251–260.
62. Knauth AL, Lock JE, Perry SB, et al. Transcatheter device closure of congenital and postoperative residual ventricular septal defects. *Circulation.* 2004;110:501–507.
63. Liao AW, Sebire NJ, Geerts L, et al. Megacystis at 10–14 weeks of gestation: Chromosomal defects and outcome according to bladder length. *Ultrasound Obstet Gynecol.* 2003;21:338–341.
64. Lo YM, Corbetta N, Chamberlain PF, et al. Presence of fetal DNA in maternal plasma and serum. *Lancet.* 1997;350(9076):485–487.
65. Lubušky M, Krofta L, Hašík L, et al. Doporučená ultrazvuková vyšetření v těhotenství. Praha: Mladá fronta; 2012; 40–43.

66. Malone FD, Canick JA, Ball RH, et al. First-trimester or second-trimester screening, or both, for Down's syndrome. *N Engl J Med.* 2005;353(19):2001–2011.
67. Marek J, Fenton MJ, Khambadkone S. Aortic anomalies, coarctation and interrupted aortic arch. In: Laim W, Cohen M, Geva T, Mertens L., editors. *Echocardiography in congenital heart disease.* Blackwell Publishers; 2009; 339–361.
68. Marek J, Tomek V, Škovránek J, Povýšilová V, Šamánek M. Prenatal ultrasound screening of congenital heart disease in an unselected population: A 21-year experience. *Heart.* 2011;97(2):124–130.
69. Marek J. *Pediatrická a prenatální echokardiografie.* Praha: Triton; 2003.
70. Matthews MS, Cohen M, Viglione M, et al. Prenatal counselling for cleft lip and palate. *Plast Reconstr Surg.* 1998;101:1–5.
71. Milunski A. Genetic counselling: preconception and as a prelude to prenatal diagnosis. In: *Genetic Disorders and the Fetus Diagnosis, Prevention and Treatment.* John Hopkins Press; 1992.
72. Monni G, Paladini D, Ibba RM, et al. Prenatal ultrasound diagnosis of congenital cystic malformation of the lung: a report of 26 cases and review of the literature. *Ultrasound Obstet Gynecol.* 2000;16:159–162.
73. Montard ML, Kieffer V, Feingold J, et al. Agenesis of corpus callosum: prenatal diagnosis and prognosis. *Childs Nerv Syst.* 2003;19:471–476.
74. Morris JK, Bestwick J, Wald NJ. Multiple-marker screening for Down's syndrome: a method of assessing the statistical robustness of proposed tests. *J Med Screen.* 2008;15(2):55–61.
75. Morris JK, Mutton DE, Alberman E, et al. Revised estimates of the maternal age specific live birth prevalence of Down's Syndrome. *J Med Screen.* 2002;9(1):2–6.
76. Nicolaides KH, Azar G, Byrne D, et al. Fetal nuchal translucency: ultrasound screening for chromosomal defects in first trimester of pregnancy. *Br Med J.* 1992;304:867–869.
77. Nicolaides KH, Campbell S, Gabbe SG. Ultrasound screening for spina bifida: cranial and cerebellar signs. *Lancet.* 1986;2:72–74.
78. Nicolaides KH, Pilu G, Sandri F, et al. Sonography of fetal agenesis of the corpus callosum: a survey of 35 cases. *Ultrasound Obstet Gynecol.* 1993;3:318–329.
79. Nicolaides KH, Syngelaki A, Ashoor G, et al. Noninvasive prenatal testing for fetal trisomies in a routinely screened first-trimester population. *Am J Obstet Gynecol.* 2012;207(374):e1–6.
80. Nicolaides KH, Wright D, Poon LC, et al. First-trimester contingent screening for trisomy 21 by biomarkers and maternal blood cell-free DNA testing. *Ultrasound Obstet Gynecol.* 2013;42(1):41–50.
81. Nicolaides KH. Nuchal translucency and other first-trimester sonographic markers of chromosomal abnormalities. *Am J Obstet Gynecol.* 2004;191(1):45–67.
82. Nicolaides KH. Screening for chromosomal defects. *Ultrasound Obstet Gynecol.* 2003;21:313–321.
83. Norton ME, Brar H, Weiss J, et al. Non-Invasive Chromosomal Evaluation (NICE) Study: results of a multicenter prospective cohort study for detection of fetal trisomy 21 and trisomy 18. *Am J Obstet Gynecol.* 2012;207(2):1.e1–1.e8.

84. Novák P. Fyzikální principy a vyšetřovací technika. In: Calda P, Břešták M, Fischerová D. Ultrazvuková diagnostika v těhotenství a gynekologii. 2 roz. vyd. Praha: Aprofema; 2010;35–52.
85. Nyberg DA, McGahan JP, Pretorius HP, et al. Diagnostic Imaging of Fetal Anomalies, Lippincott Williams and Wilkins; 2003;147–50.
86. Nyberg DA, Souter VL. Sonographic markers of fetal trisomies: second trimester. *J Ultrasound Med.* 2001;20:655–674.
87. Paladini D, Volpe P. Ultrasound of Congenital Fetal Anomalies. Differential Diagnosis and Prognostic Indicators. CRC Press; 2014;80–92.
88. Paladini D, Volpe P. Ultrasound of Congenital Fetal Anomalies. Differential Diagnosis and Prognostic Indicators. CRC Press; 2014;276–277.
89. Palomaki GE, Kloza EM, Lambert GM. DNA sequencing of maternal plasma to detect Down syndrome: An international clinical validation study. *Genet Med.* 2011;13(11):913–920.
90. Paralekar S. Sonography of normal fetal bowel. *J Ultrasound Med.* 1991;10:211–213.
91. Pilu G, Ghi T, Carletti A, et al. Three-dimensional ultrasound examination of the fetal central nervous system. *Ultrasound Obstet Gynecol.* 2007;30:233–245.
92. Pilu G, Nicolaides K, Ximenes R, Jeanty P. Diagnosis of Fetal Abnormalities - The 18-23 weeks scan. London: ISUOG & Fetal Medicine Foundation; 2002. p. 16. Available from: www.fetalmedicine.org
93. Pilu G, Nicolaides K, Ximenes R, Jeanty P. Diagnosis of Fetal Abnormalities - The 18-23 weeks scan. London: ISUOG & Fetal Medicine Foundation; 2002. p. 77. Available from: www.fetalmedicine.org
94. Pilu G, Nicolaides K, Ximenes R, Jeanty P. Diagnosis of Fetal Abnormalities - The 18-23 weeks scan. London: ISUOG & Fetal Medicine Foundation; 2002. p. 82. Available from: www.fetalmedicine.org
95. Pilu G, Nicolaides KH. Diagnosis of fetal anomalies. The Parthenon Publishing Group; 1999; 1–3.
96. Pober BR. Genetic aspects of human congenital diaphragmatic hernia. *Clin Genet.* 2008;74:1–15.
97. Roberts AM, Mitchell JM, Pattison NS. Fetal liver length in normal and isoimmunized pregnancies. *Am J Obstet Gynecol.* 1989;161:42–46.
98. Roume J, Ville Y. Prenatal diagnosis of genetic renal disease: breaking the code. *Ultrasound Obstet Gynecol.* 2004;24:10–18.
99. Russell HM, Mavroudis CD, Backer CL, Mavroudis C. Long-term follow-up after truncal valve repair. *Cardiol Young.* 2012;22(6):718–723.
100. Savvidou MD, Syngelaki A, Muhalsen M, et al. First trimester maternal serum free β -human chorionic gonadotrophin and pregnancy associated plasma protein-A in pregnancies complicated by diabetes mellitus. *Br J Obstet Gynecol.* 2012;119(4):410–416.
101. Shah L, Hijazi Z, Sandhu S, et al. Use of endovascular stents for the treatment of coarctation of the aorta in children and adults: immediate and midterm results. *J Invasive Cardiol.* 2005;17(11):614–618.
102. Scherer DM. Is fetal hydronephrosis overdiagnosed? *Ultrasound Obstet Gynecol.* 2000;16:601–606.

103. Siddiqui J, Brizard CP, Galati JC, et al. Surgical valvotomy and repair for neonatal and infant congenital aortic stenosis achieves better results than interventional catheterization. *J Am Coll Cardiol.* 2013;62(22):2134–2140.
104. Siemens DR, Prouse KA, MacNeily AE, et al. Antenatal hydronephrosis thresholds of renal pelvic diameter to predict insignificant post-natal pelviectasia. *Tech Urol.* 1998;4:198–201.
105. Simpson LL. Screening for congenital heart disease. *Obstet Gynecol Clin North Am.* 2004;31:51–59.
106. Snijders RJM, Noble P, Sebire N, et al. UK multicentre project on assessment of risk of trisomy 21 by maternal age and fetal nuchal translucency thickness at 10–14 weeks of gestation. *Lancet.* 1998;351:343–346.
107. Snijders RJM, Sebire NJ, Cuckle H, et al. Maternal age and gestational age-specific risks for chromosomal defects. *Fetal Diag Ther.* 1995;10:356–367.
108. Sonek J, Nicolaides KH. Prenatal ultrasonographic diagnosis of nasal bone abnormalities in three fetuses with Down syndrome. *Am J Obstet Gynecol.* 2002;186:139–141.
109. Souka AP, Pilalis A, Kavalakis Y. Assessment of fetal anatomy at 11 – 14 week ultrasound examination. *Ultrasound Obstet Gynecol.* 2004;24:730–734.
110. Souka AP, von Kaisenberg CS, Hyett JA, et al. Increased nuchal translucency with normal karyotype. *Am J Obstet Gynecol.* 2005;192(4):1005–1021.
111. Spaggiari E, Stirnemann J, Ville Y. Outcome in fetuses with isolated congenital diaphragmatic hernia with increased nuchal translucency thickness in first trimester. *Prenat Diagn.* 2012;32:268–271.
112. Stevenson RE, Hall JG, Goodman RM. Human Malformations and Related Anomalies, Oxford: Oxford University Press; 1993; 2975–3012.
113. Stocker JT, Madewell JE, Drake RM. Congenital cystic adenomatoid malformation of the lung. Classification and morphologic spectrum. *Hum Pathol.* 1977;8:155–171.
114. Šamánek M, Slavík Z, Zbořilová B, et al. Prevalence, treatment, and outcome of herat disease in live-born children: a prospective analysis of 91,823 live-born children. *Pediatr Cardiol.* 1989;10:205–211.
115. Šamánek M, Voříšková M. Congenital heart disease among 815,569 children born between 1980 and 1990 and their 15-year survival: A prospective Bohemia survival study. *Pediatr Cardiol.* 1999;20(6):411–417.
116. Šípek A jr., Gregor V, Šípek A, et al. Primární prevence vrozených vad a úloha kyseliny listové. *Actual Gyn.* 2013;5:47–51.
117. Tanriverdi HA, Hendrik HJ, Ertan AK, et al. Hygroma colli cysticum: prenatal diagnosis and prognosis. *Am J Perinatol.* 2001;18:415–420.
118. Tararbit K, Houyel L, Bonnet D, et al. Risk of congenital heart defects associated with assisted reproductive technologies: a population-based evaluation. *Eur Heart J.* 2011;32:500–508.
119. Tomek V. Základní postupy vyšetření srdce. In: Calda P, Břešták M, Fischerová D. Ultrazvuková diagnostika v těhotenství a gynekologii. 2 rozš. vyd. Praha: Aprofema; 2010; 273–277.
120. Tonni G, Grisolia G, Sepulveda W. Early prenatal diagnosis of orofacial clefts: evaluation of the retronasal triangle using a new three-dimensional reslicing technique. *Fetal Diagn Ther.* 2013;34:31–37.

121. Tuo G, Khambadkone S, Tann O, et al. Obstructive left heart disease in neonates with a „borderline“ left ventricle: Diagnostic challenges to choosing the best outcome. *J Pediatr Cardiol.* 2013;34(7):1567–1576.
122. Tworetzky W, McElhinney DB, Reddy VM, et al. Improved surgical outcome after fetal diagnosis of hypoplastic left heart syndrome. *Circulation.* 2001;103:1269–1273.
123. Urbanová Z, Šamánek M. Dětská kardiologie. Praha: Mladá fronta; 2013; 13–20.
124. Vanstone M, King C, de Vrijer B, et al. Non-invasive prenatal testing: ethics and policy consideration. *J Obstet Gynaecol Can.* 2014;36(6):515–526.
125. Vimercati A, Panzarino M, Totaro I. Increased nuchal translucency and short femur length as possible early signs of osteogenesis imperfecta type III. *J Prenat Med.* 2013;7:5–8.
126. Wald NJ, Hackshaw A, Leck I. Antenatal and Neonatal Screening: Tests Using Multiple Markers 2nd ed. Oxford University Press; 2000.
127. Wald NJ, Rish S, Hackshaw AK. Combining nuchal translucency and serum markers in prenatal screening for Down's syndrome in twin pregnancies. *Prenat Diagn.* 2003;23(7):588–592.
128. Wald NJ, Cuckle HS, Densem JW, et al. Maternal serum screening for Down's syndrome: the effect of routine ultrasound scan determination of gestational age and adjustment for maternal weight. *Br J Obstet Gynecol.* 1992;99(2):144–149.
129. Wald NJ, Rodeck C, Hackshaw AK, et al. First and second trimester antenatal screening for Down's syndrome: the results of the Serum, Urine and Ultrasound Screening Study (SURUSS). *J Med Screen.* 2003;10(2):56–104.
130. Wald NJ, Watt HC, Hackshaw AK. Integrated screening for Down's syndrome based on tests performed during the first and second trimesters. *N Engl J Med.* 1999;341(7):461–467.
131. Watson WJ, Thorp J, Seeds JW. Familial cystic hygroma with normal karyotype. *Prenatal Diag.* 1990;10:37–40.
132. Wernovsky G, Kuijpers M, Van Rossem MC, et al. Postoperative course in the cardiac intensive care unit following the first stage of Norwood reconstruction. *Cardiol Young.* 2007;17(6):652–665.
133. Wernovsky G. Transposition of great arteries. In: Moss and Adams' Heart Disease in Infants, Children, and Adolescents: Including the Fetus and Young Adult. Lippincott Williams And Wilkins (United States); 2007; 1038–1087.
134. Whitlow BJ, Economides DL. The optimal gestational age to examine fetal anatomy and measure nuchal translucency in the first trimester. *Ultrasound Obstet Gynecol.* 1998;11:258–261.
135. Williams MS, Josephson KD. Unusual autosomal recessive lymphatic anomalies in two unrelated Amish families. *Am J Med Genet.* 1997;73:286–289.
136. Wilson RD, Herick HL, Liechty KW, et al. Cystic adenomatoid malformation of the lung: review of genetic, prenatal diagnosis, and in utero treatment. *Am J Med Genet.* 2006;140A:151–155.
137. Zdravotnická ročenka České republiky. Praha: ÚZIS; 2013.