References

- Adams, H.E., Bernat, J.A. and Luscher, K.A. (2001) Borderline personality disorder: an overview, in *Comprehensive Handbook of Psychopathology*, 3rd edn (eds P.B. Sutker and H.E. Adams), Kluwer Academic/Plenum Publishers, New York.
- American Psychiatric Association (APA) (2000) Diagnostic and Statistical Manual of Mental Disorders Text Revision (DSM-IV-TR), 4th edn, American Psychiatric Association, Washington, DC.
- Arntz, A. (1999) Do personality disorders exist? On the validity of the concept and its cognitive-behavioural formulation and treatment. *Behaviour Research and Therapy*, **37**, 97–134.
- Arntz, A. (2004) Borderline personality disorder, in Cognitive Therapy of Personality Disorders, 2nd edn (eds A.T. Beck, A. Freeman, D.D. Davis and Associates), Guilford, New York, pp. 187–215.
- Arntz, A. and Bögels, B. (2000) Schemagerichte Cognitieve Therapie voor Persoonlijkheidsstoornissen, Praktijkreeks Gedragstherapie, Bohn Stafleu Van Loghum, Houten, the Netherlands.
- Arntz, A. and Dreessen, L. (1995) BPD checklist. Maastricht University, internal document.
- Arntz, A., Dreessen, L., Schouten, E. and Weertman, A. (2004) Beliefs in personality disorders: a test with the personality disorder belief questionnaire. *Behaviour Research and Therapy*, **42**, 1215–25.
- Arntz, A. and Kuipers, H. (1998) Cognitieve gedragstherapie bij de borderline persoonlijkheidsstoornis, in *Behandelingsstrategieën bij De borderline persoonlijkheidsstoornis* (eds W. van Tilburg, W. van den Brink and A. Arntz), Bohn Stafleu Van Loghum, Houten, the Netherlands, pp. 42–64.
- Arntz, A. and Weertman, A. (1999) Treatment of childhood memories: theory and practice. *Behaviour Research and Therapy*, **37**, 715–40.
- Arntz, A., van den Hoorn, M., Cornelis, J. et al. (2003) Reliability and validity of the borderline personality disorder severity index. Journal of Personality Disorders, 17, 45–59.

- Asselt, A.D. van, Dirksen, C.D., Arntz, A., Giesen-Bloo, J.H., Dyck, R. van, Spinhoven, P., Tilburg, W. van, Kremers, I.P., Nadort, M. and Severens, J.L. (2008) Outpatient psychotherapy for borderline personality disorder: losteffectiveness of schema-focused therapy vs. transference-focused psychotherapy. British Journal of Psychiatry, 92, 450-7.
- Ball, S.A. and Cecero, J.J. (2001) Addicted patients with personality disorders: traits, schemas, and presenting problems. *Journal of Personality Disorders*, **15**, 72–83.
- Beck, A.T., Freeman, A., Davis, D.D. and Associates (2004) Cognitive Therapy of Personality Disorders, Guilford Press, New York.
- Beck, A.T. (2002) Cognitive Therapy of Borderline Personality Disorder and Attempted Suicide. Paper presented at the 1st annual conference of the Treatment and Research Advancements Association for Personality Disorders, December 2002, Bethesda, MD.
- Beck, J.S. (1995) Cognitive Therapy: Basics and Beyond, Guilford, New York.
- Brown, G.K., Newman, C.F., Charlesworth, S.E. *et al.* (2004) An open clinical trial of cognitive therapy for borderline personality disorder. *Journal of Personality Disorders*, **18**, 257–71.
- Burns, D.D. and Auerbach, A. (1996) Therapeutic empathy in cognitive-behavioral therapy: does it really make a difference? in *Frontiers of Cognitive Therapy* (ed. P.M. Salkovskis), Guilford, New York, p. 135.
- Butler, A.C., Brown, G.K., Beck, A.T. and Grisham, J.R. (2002) Assessment of dysfunctional beliefs in borderline personality disorder. *Behaviour Research and Therapy*, **40**,1231–40.
- Dreessen, L. and Arntz, A. (1998) The impact of personality disorders on treatment outcome of anxiety disorders: best-evidence synthesis. *Behaviour Research and Therapy*, **36**, 483–504.
- Giesen-Bloo, J., Arntz, A. and Schouten, E. (2008) Reliability and validity of the Borderline Personality Disorder checklist. (submitted)
- Giesen-Bloo, J., van Dyck, R., Spinhoven, P., van Tilburg, W., Dirksen, C., van Asselt, T., Kremers, I., Nadort, M. and Arntz, A. (2006) Outpatient psychotherapy for borderline personality disorder: randomised trial of schemafocused therapy vs transference-focused psychotherapy. *Archives of General Psychiatry*, **63**, 649–58.
- Giesen-Bloo, J., Wachters, L., Arntz, A. and Schouten, E. (2008) Assessment of borderline personality disorder with the Borderline Personality Disorder Severity Index-IV: psychometric evaluation and dimensional structure. (submitted)
- Herman, J.L., Perry, J.C. and van der Kolk, B.A. (1989) Childhood trauma in borderline personality disorder. American Journal of Psychiatry, 146, 490-5.
- van IJzendoorn, M.H., Schuengel, C. and Bakermans-Kranenburg, M.J. (1999) Disorganized attachment in early childhood: meta-analysis of precursors, concomitants, and sequelae. *Development and Psychopathology*, **11**, 225–49.

- Kernberg, O.F. (1976) Object Relations Theory and Clinical Psycho-Analysis, Jason Aronson, New York.
- Kernberg, O.F. (1996) A psychoanalytic theory of personality disorders, in Major Theories of Personality Disorder (eds J.F. Clarkin and M.F. Lenzeweger), Guilford, New York, pp. 106–37.
- Kernberg, O.F., Selzer, M.A., Koenigsberg, H.W. et al. (1989) Psychodynamic Psychotherapy of Borderline Patients, Basic Books, New York.
- Layden, M.A., Newman, C.F., Freeman, A. and Morse, S.B. (1993) Cognitive Therapy of Borderline Personality Disorder, Allyn & Bacon, Boston.
- Linehan, M.M. (1993) Cognitive-Behavioral Treatment of Borderline Personality Disorder, Guilford, New York/London.
- Linehan, M.M., Armstrong, H.E., Suarez, A. et al. (1991) Cognitive-behavioral treatment of chronically parasuicidal borderline patients. Archives of General Psychiatry, 48, 1060–4.
- Lobbestael, J., van Vreeswijk, M.F. and Arntz, A. (2008) An empirical test of schema mode conceptualization in personality disorders. *Behaviour Research and Therapy*, **46**, 854–60.
- McGinn, L.K. and Young, J.E. (1996) Schema-focused therapy, in *Frontiers of Cognitive Therapy* (ed. P.M. Salkovskis), Guilford, New York, pp. 182–207.
- Mulder, R.T. (2002) Personality pathology and treatment outcome in major depression: a review. American Journal of Psychiatry, 159, 359-71.
- Nordahl, H.M. and Nysæter, T.F.P.E. (2005) Schema therapy for patients with borderline personality disorder: a single case series. *Journal of Behavior Therapy and Experimental Psychiatry*, **36**, 254–64.
- Ogata, S.N., Silk, K.R., Goodrich, S. et al. (1990) Childhood sexual and physical abuse in adult patients with borderline personality disorder. American Journal of Psychiatry, 147, 1008–13.
- van Oppen, P. and Arntz, A. (1994) Cognitive therapy for obsessive-compulsive disorder. Behaviour Research and Therapy, **32**, 79-87.
- Padesky, C.A. (1994) Schema change processes in cognitive therapy. Clinical Psychology and Psychotherapy, 1, 267–78.
- Paris, J. (1993) The treatment of borderline personality disorder in light of the research on its long-term outcome. *Canadian Journal of Psychiatry*, **38** (Suppl. 1), 28–34.
- Simpson, E.B., Yen, S., Costello, E. *et al.* (2004) Combined dialectical behavior therapy and fluoxetine in the treatment of borderline personality disorder. *Journal of Clinical Psychiatry*, **65**, 379–85.
- Sprey, A. (2002) Praktijkboek persoonlijkheidsstoornissen, Diagnostiek, cognitieve gedragstherapie en therapeutische relatie, Bohn Stafleu Van Loghum, Houten, the Netherlands.
- Stoffers, J., Lieb, K., Voellm, B. et al. (2008) Pharmacotherapy of BPD. Cochrane Library. (in preparation)

- Weaver, T.L. and Clum, G.A. (1993) Early family environment and traumatic experiences associated with borderline personality disorder. *Journal of Consulting and Clinical Psychology*, **61**, 1068–75.
- Weertman, A.M., Arntz, A., Schouten, E. and Dreessen, L. (2005) Influences of beliefs and personality disorders on treatment outcome in anxiety patients. *Journal of Consulting and Clinical Psychology*, **73**, 936–44.
- Young, J. (1999) Cognitive Therapy for Personality Disorders: A Schema Focused Approach, Professional Resource Exchange, Sarasota, FL.
- Young, J.E. and Klosko, J.S. (1994) Reinventing Your Life, Plume, New York.
- Young, J.E., Klosko, J.S. and Weishaar, M.E. (2003) Schema Therapy: A Practitioner's Guide, Guilford, New York.
- Zanarini, M.C. (2000) Childhood experiences associated with the development of borderline personality disorder. *The Psychiatric Clinics of North America*, 23, 89–101.

Further Reading

- Arntz, A. (2008) Schema-focused therapy for borderline personality disorder: effectiveness and cost-effectiveness, evidence from a multicenter trial. *European Psychiatry*, 23 (Suppl. 2), S65–S66.
- Arntz, A. and Bernstein, D. (2006) Can personality disorders be changed? *Netherlands Journal of Psychology*, **62**, 9–18.
- Arntz, A. and Bögels, S. (2000) Schemagerichte cognitieve therapie voor persoonlijkheidsstoornissen. [Schema-focused cognitive therapy for personality disorders]. Houten: Bohn Stafleu van Loghum.
- Arntz, A., Klokman, J. and Sieswerda, S. (2005) An experimental test of the schema mode model of borderline personality disorder. *Journal of Behavior Therapy* and Experimental Psychiatry, 36(3), 226–39.
- Arntz, A., Tiesema, M. and Kindt, M. (2007) Treatment of PTSD: a comparison of imaginal exposure with and without imagery rescripting. *Journal of Behavior Therapy and Experimental Psychiatry*, **38**, 345–70.
- Arntz, A. and Weertman, A. (1999) Treatment of childhood memories: theory and practice. *Behaviour Research and Therapy*, **37**, 715–40.
- Ball, J., Mitchell, P., Malhi, G., Skillecorn, A. and Smith, M. (2003) Schema-focused cognitive therapy for bipolar disorder: reducing vulnerability to relapse through attitudinal change. *Australian and New Zealand Journal of Psychiatry*, 37(1), 41–8.
- Ball, S.A. (1998) Manualised treatment for substance abusers with personality disorders: dual focus schema therapy. *Addictive Behaviours*, 23, 883–91.
- Ball, S.A. (2004) Treatment of personality disorders with co-occurring substance dependence: dual-focus schema therapy. In: J.J. Magnavita (Ed.), *Handbook* of personality disorders: theory and practice (pp. 398–425). Hoboken, NJ.: Wiley.
- Ball, S.A. and Cecero, J.J. (2001) Addicted patients with personality disorders: traits, schemas, and presenting problems. *Journal of Personality Disorders*, 15, 72–83.

- Ball, S.A. and Young, J.E. (2000) Dual focus schema therapy for personality disorders and substance dependence: case study results. *Cognitive and Behavioural Practice*, 7, 270–81.
- Bamber, M. (2004) 'The good, the bad and defenceless Jimmy' a single case study of schema mode therapy. *Clinical Psychology and Psychotherapy*, **11**, 425–38.
- Bernstein, D.P., Arntz, A. and De Vos, M. (2007) Schema focused therapy in forensic settings: theoretical model and recommendations for best clinical practice. *International Journal of Forensic Mental Health*, **6**, 169–83.
- Calvete, E., Esthc)vez, A., López de Arroyabe, E. and Ruiz, P. (2005) The Schema Questionnaire short form: structure and relationship with automatic thoughts and symptoms of affective disorders. *European Journal of Psychological Assessment*, **21**(2), 90–9.
- Cecero, J.J. and Young, J.E. (2001) Case of Silvia: a schema-focused approach. Journal of Psychotherapy Integration, 11, 217-29.
- Giesen-Bloo, J., Van Dyck, R., Spinhoven, P., Van Tilburg, W., Dirksen, C., Van Asselt, T. et al. (2006) Outpatient psychotherapy for borderline personality disorder: randomised clinical trial of schema-focused therapy vs. transference-focused psychotherapy. Archives of General Psychiatry, 63, 649–58.
- Gude, T. and Hoffart, A. (2008) Change in interpersonal problems after cognitive agoraphobia and schema-focused therapy versus psychodynamic treatment as usual of inpatients with agoraphobia and Cluster C personality disorders.
- Gude, T., Monsen, J.T. and Hoffart, A. (2001) Schemas, affect consciousness, and Cluster C personality pathology: a prospective one-year follow-up study of patients in a schema-focused short-term treatment program. *Psychotherapy Research*, **11**(1), 85–98.
- Hoffart, A. and Sexton, H. (2002) The role of optimism in the process of schemafocused cognitive therapy of personality problems. *Behaviour Research and Therapy*, **40**, 611–23.
- Hoffart, A., Sexton, H. and Nordahl, H.M. (2005) Connection between patient and therapist and therapist's competence in schema-focused therapy of personality problems. *Psychotherapy Research*, **15**, 409–19.
- Hoffart, A., Versland, S. and Sexton, H. (2004) Self-understanding, empathy, guided discovery, and schema belief in schema-focused cognitive therapy of personality problems: a process-outcome study. *Cognitive Therapy and Research*, **26**, 199–219.
- Holmes, E.A., Arntz, A. and Smucker, M.R. (2007) Imagery rescripting in cognitive behaviour therapy: images, treatment techniques and outcomes. *Journal of Behavior Therapy and Experimental Psychiatry*, 38, 297–305.
- James, I.A. (2001) Schema therapy: the next generation, but should it carry a health warning? *Behavioural and Cognitive Psychotherapy*, **29**, 401–7.

- Jovey, M. and Jackson, H.J. (2004) Early maladaptive schemas in personality disordered individuals. *Journal of Personality Disorders*, **18**, 467–78.
- Kellogg, S.H. and Young, J.E. (2006) Schema therapy for borderline personality disorder. *Journal of Clinical Psychology*, **62**, 445–58.
- Kennerley, H. (1996) Cognitive therapy of dissociative symptoms associated with trauma. *British Journal of Clinical Psychology*, **35**, 325–40.
- Kremers, I.P., Van Giezen, A.E., Van der Does, A.J., Van Dyck, R. and Spinhoven, P. (2007) Memory of childhood trauma before and after long-term psychological treatment of borderline personality disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 38(1), 1–10.
- Lee, C.W., Taylor, G. and Dunn, J. (1999) Factor structure of the Schema Questionnaire in a large clinical sample. *Cognitive Therapy and Research*, 23, 441–51.
- Lobbestael, J., Arntz, A. and Sieswerda, S. (2005) Schema modes and childhood abuse in borderline and antisocial personality disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, **36**(3), 240–53.
- Lobbestael, J., Van Vreeswijk, M.F. and Arntz, A. (2007) Shedding light on schema modes: a clarification of the mode concept and its current research status. *Netherlands Journal of Psychology*, **63**(03), 76–85.
- Lobbestael, J., Van Vreeswijk, M.F. and Arntz, A. (2008) An empirical test of schema mode conceptualisations in personality disorders. *Behaviour Research and Therapy*, **46**, 854–60.
- Lobbestael, J., Van Vreeswijk, M.F., Spinhoven, P., Schouten, E. and Arntz, A. (submitted for publication). The reliability and validity of the Schema Mode Inventory (SMI).
- Lundh, L. and Czyzykow-Czarnocka, S. (2001) Priming of the Emotional Stroop effect by a Schema Questionnaire. An experimental study of test order. *Cognitive Therapy and Research*, 25, 281–9.
- McGinn, L.K. and Young, J.E. (1997) Schema-focused therapy. In: P.M. Salkovskis (Ed.), *Frontiers of cognitive therapy* (pp. 182–207). New York: Guildford Publications.
- Morrison, N. (2000) Schema-focused cognitive therapy for complex long-standing problems: a single-case study. *Behavioural and Cognitive Psychotherapy*, 28, 269–83.
- Nordahl, H.M. and Nysaeter, T.E. (2005) Schema therapy for patients with borderline personality disorder: a single case series. *Journal of Behavior Therapy and Experimental Psychiatry*, **36**(3), 254–64.
- Padesky, C.A. (1994) Schema change processes in cognitive therapy. Clinical Psychology and Psychotherapy, 1, 267–78.
- Petrocelli, J.V., Glaser, B.A., Calhoun, G.B. and Campbell, L.F. (2001) Early maladaptive schemas of personality disorder subtypes. *Journal of Personality Dis*orders, 15, 546–59.

- Ratto, C.L. and Capitano, D.L. (1999) New directions for cognitive therapy: a schema-focused approach. *Cognitive and Behavioural Practice*, **6**(1), 68–73.
- Rijkeboer, M.M., Van den Bergh, H. and Van Den Bout, J. (2005) Stability and discriminative power of the Young Schema Questionnaire in a Dutch clinical versus non-clinical population. *Journal of Behavior Therapy and Experimental Psychiatry*, **36**(2), 129–44.
- Schmidt, N.B., Joiner Jr., T.E., Young, J.E. and Telch, M.J. (1995) The schema questionnaire: Investigation of psychometric properties and the hierarchical structure of a measure of maladaptive schemas. *Cognitive Therapy and Research*, **19**, 295–321.
- Sieswerda, S., Arntz, A. and Kindt, M. (2007) Successful psychotherapy reduces hypervigilance in Borderline Personality Disorder. *Behavioural and Cognitive Psychotherapy*, **35**, 387–402.
- Smucker, M.R. and Niederee, J. (1995) Treating incest-related PTSD and pathogenic schemas through imaginal exposure and rescripting. *Cognitive and Behavioural Practice*, **2**(1), 63–92.
- Spinhoven, P., Giesen-Bloo, J., Van Dyck, R. and Arntz, A. (2008) Can assessors and therapists predict the outcome of long-term psychotherapy in borderline personality disorder? *Journal of Clinical Psychology*, **64**, 667–86.
- Spinhoven, P., Van Dyck, R., Giesen-Bloo, J., Kooiman, K. and Arntz, A. (2007) The therapeutic alliance in schema-focused therapy and transference-focused psychotherapy for borderline personality disorder. *Journal of Consulting and Clinical Psychology*, 75, 104–15.
- Stallard, P. (2007) Early maladaptive schemas in children: stability and differences between a community and a clinic referred sample. *Clinical Psychology and Psychotherapy*, **14**, 10–18.
- Stallard, P. and Rayner, H. (2005) The development and preliminary evaluation of a Schema Questionnaire for Children (SQC). *Behavioural and Cognitive Psychotherapy*, **33**, 217–24.
- Stopa, L., Thorne, P., Waters, A. and Preston, J. (2001) Are the short and long forms of the Young Schema Questionnaire comparable and how well does each version predict psychopathology scores? *Journal of Cognitive Psychotherapy*, 15, 253–72.
- Stopa, L. and Walters, A. (2005) The effect of mood on responses to the Young schema questionnaire: short form. *Psychological Psychotherapy*, 78, 45–57.
- Van Asselt, A.D., Dirksen, C.D., Arntz, A., Giesen-Bloo, J.H., Van Dyck, R., Spinhoven, P., et al. (2008) Out-patient psychotherapy for borderline personality disorder: cost-effectiveness of schema-focused therapy v. transferencefocused psychotherapy. *British Journal of Psychiatry*, 192, 450–7.
- Waller, G., Meyer, C. and Ohanian, V. (2001) Psychometric properties of the long and short versions of the Young Schema Questionnaire: core beliefs

among bulimic and comparison women. *Cognitive Therapy and Research*, **25**, 137–47.

- Waller, G., Shah, R., Ohanian, V. and Elliot, P. (2001) Core beliefs in bulimia nervosa and depression: the discriminant validity of Young's Schema Questionnaire. *Behaviour Therapy*, 32(1), 139–53.
- Weertman, A. and Arntz, A. (2007) Effectiveness of treatment of childhood memories in cognitive therapy for personality disorders: a controlled study contrasting methods focusing on the present and methods focusing on childhood memories. *Behaviour Research and Therapy*, **45**, 2133–43.
- Welburn, K., Coristine, M., Dagg, P., Pontefract, A. and Jordan, S. (2002) The Schema Questionnaire short form: factor analysis and relationship between schemas and symptoms. *Cognitive Therapy and Research*, **26**, 519–30.
- Young, J.E. (1999) Cognitive therapy for personality disorders: a schema-focused approach (revised edition). Sarasota, FL.: Professional Resource Press.
- Young, J.E. (2002) Schema-focused therapy for personality disorders. In: G. Simos (Ed.), *Cognitive behaviour therapy* (pp. 201–222). New York: Routledge.
- Young, J.E. (2005) Schema-focused cognitive therapy and the case of Ms. S. Journal of Psychotherapy Integration, **15**(1), 115–26.
- Young, J.E., Arntz, A., Atkinson, T., Lobbestael, J., Weishaar, M. E., Van Vreeswijk, M., et al. (2007) *The Schema Mode Inventory*. New York: Schema Therapy Institute.
- Young, J.E. and Flanagan, C. (1998) Schema-focused therapy for narcissistic patients. In: E.F. Ronningstam (Ed.), *Disorders of narcissism: diagnostic, clinical, and empirical implications* (pp. 239–268). Washington, D.C.: American Psychiatric Press.
- Young, J.E. and Klosko, J.S. (1994) Reinventing your life. New York: Plume Books.
- Young, J.E., Klosko, J.S. and Weishaar, M. (2003) Schema therapy: a practitioner's guide. New York: Guildford Publications.
- Young, J.E. and Lindemann, M. (2002) An integrative schema-focused model for personality disorders. In: R.L. Leahy and E.T. Dowd (Eds.), *Clinical advances in cognitive psychotherapy: theory and application* (pp. 93–109). New York: Springer Publishing.